

Package ‘inum’

March 9, 2023

Title Interval and Enum-Type Representation of Vectors

Date 2023-03-09

Version 1.0-5

Description Enum-type representation of vectors and representation of intervals, including a method of coercing variables in data frames.

Depends R (>= 3.3.0)

Imports stats, libcoin (>= 1.0-0)

License GPL-2

NeedsCompilation no

Author Torsten Hothorn [aut, cre]

Maintainer Torsten Hothorn <Torsten.Hothorn@R-project.org>

Repository CRAN

Date/Publication 2023-03-09 12:20:02 UTC

R topics documented:

enum	1
interval	2
inum	3

Index	5
--------------	----------

enum *Enumeration-type Representation of Vectors*

Description

Elements of a vector are stored as a set of levels and an integer representing the enumeration.

Usage

enum(x)

Arguments

`x` A vector. Currently, methods for factors, logicals, integers, and numeric vectors are implemented.

Details

The unique elements of `x` are stored as a `levels` attribute to an integer representing the enumeration. `levels` and `nlevels` methods are available. This is essentially the same as `factor` where the levels can be arbitrary vectors, not just characters.

Value

An object of class `enum`. A value of `0` encodes NA.

See Also

[factor](#)

Examples

```
(ex <- enum(x <- gl(2, 2)))
all.equal(levels(ex)[ex], x)

(ex <- enum(x <- rep(c(TRUE, FALSE), 2)))
all.equal(levels(ex)[ex], x)

(ex <- enum(x <- rep(1:5, 2)))
all.equal(levels(ex)[ex], x)

(ex <- enum(x <- rep(1:5 + .5, 2)))
all.equal(levels(ex)[ex], x)

(ex <- enum(x <- c(NA, rep(1:5 + .5, 2))))
all.equal(c(NA, levels(ex))[unclass(ex) + 1L], x)
```

interval

Cut Numeric Vectors into Intervals

Description

`interval` divides `x` into intervals and, unlike `cut`, represents these as a numeric vector.

Usage

```
interval(x, ...)
## S3 method for class 'numeric'
interval(x, breaks = 50, ...)
```

Arguments

x	A numeric vector.
breaks	Either a numeric vector of two or more unique cut points or a single number (greater than or equal to 2) giving the number of intervals into which x is to be cut by cut.
...	Additional arguments, currently ignored.

Details

This is just a wrapper around cut where the resulting intervals are stored as numeric values for simplified computation.

Value

An object of class interval. A value of 0 encodes NA.

See Also

[cut](#)

Examples

```
(ix <- interval(x <- 0:100/100, breaks = 0:10/10))
(cx <- cut(x, breaks = 0:10/10))

attr(ix, "levels")
levels(ix)
levels(cx)

diag(table(ix, cx))

(ix <- interval(x <- c(NA, 0:100/100), breaks = 0:10/10))
ix[is.na(x)]
unclass(ix)[is.na(x)]
```

Description

Represents elements of a data frame as enum or interval.

Usage

```
inum(object, nmax = 20, ...)
## S3 method for class 'data.frame'
inum(object, nmax = 20, ignore = NULL,
      total = FALSE, weights = NULL, as.interval = "",
      complete.cases.only = FALSE, meanlevels = FALSE, ...)
```

Arguments

object	A data frame.
nmax	Maximal number of categories for each of the numeric variables.
ignore	A character vector of variable names not to be discretised.
total	A logical. TRUE means that a condensed data frame of all variables is returned, FALSE a list of discretised variables.
weights	An optional vector of weights.
as.interval	A character vector of variable names to be converted to interval instead of enum .
complete.cases.only	A logical. TRUE removes all rows with missing values.
meanlevels	A logical. TRUE, the level is the mean of the observations in the corresponding bin. The default FALSE uses the largest observation in the bin.
...	Additional arguments, currently ignored.

Details

Each variable in object is converted to [enum](#) or [interval](#).

Value

An object of class inum, basically a list of [enum](#) or [interval](#) objects. If total = TRUE, an integer vector with a data frame as levels attribute is returned. In this case, 0 means NA.

Examples

```
data("iris", package = "datasets")
iris[1,1] <- NA
inum(iris, nmax = 5)
inum(iris, nmax = 5, total = TRUE)
inum(iris, nmax = 5, total = TRUE, as.interval = "Sepal.Width",
     complete.cases.only = TRUE)
```

Index

* data

- enum, 1
- interval, 2
- inum, 3

cut, 3

enum, 1, 4

factor, 2

interval, 2, 4

inum, 3