

Package ‘erer’

February 4, 2011

Title Empirical Research in Economics with R

Version 1.0

Date 2010-11-15 (first built)

Author Changyou Sun <csun@cfr.msstate.edu>

Maintainer Changyou Sun <csun@cfr.msstate.edu>

Depends R (>= 2.10.0), systemfit, lmtest, tseries, ggplot2

Description This package contains functions and datasets for the book of 'Empirical Research in Economics: Growing up with R' by Dr. Changyou Sun. These functions can calculate marginal effects for a binary probit or logit model, estimate static and dynamic Almost Ideal Demand System (AIDS) models, and conduct event analysis.

License GPL (version 2 or later)

LazyLoad yes

R topics documented:

erer-package	2
aiData	2
aiDiag	4
aiDynFit	5
aiElas	7
aiStaFit	8
aiStaHau	10
bsFormu	11
bsLag	12
bsStat	13
bsTab	14
daBed	16
daBedRaw	17
daExp	19
daIns	20
daPe	21
evReturn	22
evRisk	23

maBina	24
maTrend	25
plot.evReturn	27
plot.maTrend	28
print.aiFit	29
print.evReturn	30
print.evRisk	30
print.maTrend	31
summary.aiFit	32

Index	33
--------------	-----------

erer-package	<i>Empirical Research in Economics with R</i>
--------------	---

Description

This package contains functions and datasets for the book of 'Empirical Research in Economics: Growing up with R' by Dr. Changyou Sun. These functions can calculate marginal effects for a binary probit or logit model, estimate static and dynamic Almost Ideal Demand System (AIDS) models, and conduct event analysis.

Details

```

Package:      erer
Type:         Package
Version:      1.0
Date:         2010-11-15 (first built)
Depends:      R (>= 2.10.0), systemfit, lmtest, tseries, ggplot2
License:      GPL (>=2)
LazyLoad:    yes

```

Author(s)

Changyou Sun <csun@cfr.msstate.edu>

aiData	<i>Transforming Raw Data for Static AIDS Model</i>
--------	--

Description

This function transforms import values and quantities into a data format that are needed for a static AIDS model.

Usage

```
aiData(x, label, label.tot = "WD", prefix.value = "v",
       prefix.quant = "q", start = NULL, end = NULL, ...)
```

Arguments

<code>x</code>	raw time series data such as <code>daBedRaw</code> .
<code>label</code>	names of supplying countries; this can be as long as needed.
<code>label.tot</code>	names of the world total (default label is "WD").
<code>prefix.value</code>	prefix for value variables.
<code>prefix.quant</code>	prefix for quantity variables.
<code>start</code>	start date for the transformed time series; this can be used to select a smaller window; the default is the start date of the raw data <code>x</code> .
<code>end</code>	end date for the transformed time series.
<code>...</code>	additional arguments to be passed.

Details

This transforms raw import data into a format needed for a static AIDS model. This separation of data preparation from model fitting allows greater flexibility in using `aiStaFit` in estimating a static AIDS model.

Value

Return a list object with two components:

<code>out</code>	a time series object ready for static AIDS models.
<code>share</code>	a data frame object of the share data.
<code>price</code>	a data frame object of the price data.
<code>m</code>	a vector of the total expenditure.
<code>call</code>	a record of the system call; this allows <code>update.default</code> to be used.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Wan, Y., C. Sun, and D.L. Grebner. 2010. Analysis of import demand for wooden beds in the United States. *Journal of Agricultural and Applied Economics* 42(4):643-658.

See Also

[aiStaFit](#); [daBedRaw](#); [daBed](#).

Examples

```
data(daBedRaw)
imp8 <- aiData(x = daBedRaw,
  label = c("CN", "VN", "ID", "MY", "CA", "BR", "IT"),
  label.tot = "WD", prefix.value = "v", prefix.quant = "q",
  start = c(2001, 1), end = c(2008, 12), freq = 12)
imp4 <- update(imp8, label = c("CN", "VN", "ID"))
```

```

imp5 <- update(imp4, label = c("CN", "VN", "ID", "MY"))
imp8; imp4; imp5
dat8 <- imp8$out

dum <- ts(0, start = start(dat8), end = end(dat8), freq = 12)
dum1 <- replace(dum, time(dum) == 2003+(10-1)/12, 1)
dum2 <- replace(dum, time(dum) == 2004+(7 -1)/12, 1)
dum3 <- replace(dum, time(dum) == 2005+(1 -1)/12, 1)
daTest <- ts.union(dat8, dum1, dum2, dum3)
colnames(daTest) <- c(colnames(dat8), "dum1", "dum2", "dum3")

data(daBed)
identical(daBed, daTest)

```

aiDiag

Diagnostic Statistics for Static or Dynamic AIDS Model

Description

Report a set of diagnostic statistics for static or dynamic AIDS models

Usage

```
aiDiag(x, digits = 3, ...)
```

Arguments

<code>x</code>	an object of class <code>aiFit</code> from the function of <code>aiStaFit</code> or <code>aiDynFit</code> .
<code>digits</code>	number of digits used in rounding outputs.
<code>...</code>	additional arguments to be passed.

Details

Compute several diagnostic statistics for each equation in a AIDS model. Tests includes are BG, BP, RESET, and JB. See the reference paper for detail.

Value

Return a data frame object with the statistics and p values for the four tests by equation.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Wan, Y., C. Sun, and D.L. Grebner. 2010. Analysis of import demand for wooden beds in the United States. *Journal of Agricultural and Applied Economics* 42(4):643-658.

See Also

[aiStaFit](#); [aiDynFit](#).

Examples

```
# see the examples for 'aiDynFit'.
```

```
aiDynFit Fitting a Dynamic AIDS Model
```

Description

Estimate a dynamic AIDS model for a system.

Usage

```
aiDynFit(w, dum.dif = FALSE, ...)
```

Arguments

w	a object of class aiStaFit.
dum.dif	a logical value (default of FALSE) of whether to take a difference on the dummy variables passed from w.
...	additional arguments to be passed.

Details

This estimates a dynamic AIDS model. The residuals from the statis AIDS model are included. As it is programmed now, only one lag is allowed for the share variables on the right-hand side.

Value

Return a list object of class "aiFit" and "aiDynFit" with the following components:

w	a object of class aiStaFit.
y	data for fitting the static AIDS model, passed down by w.
dum.dif	a logical value (default of FALSE) of whether to take a difference on the dummy variables passed from w.
daDyn	data for fitting the dynamic AIDS model.
share	names of shares by commodity, used as depedent variables.
price	names of prices by commodity, used as independent variables.
expen	names of expenditure variable.
shift	names of the shifters.
omit	names of the omitted share variable.
nOmit	position of the omitted share variable in the name of share variable.
hom	a logical value of homogeneity test.
sym	a logical value of symmetry test.
nShare	number of share variables.
nExoge	number of exogenous variables (lagged share, residual, expenditure, and shifters).
nParam	number of parameters in one equation.

nTotal	number of parameters in the whole system estimated.
formula	formula for estimating the system.
res.matrix	restriction matrix for hom or sym, or both.
res.rhs	right-hand values for tests of hom or sym, or both.
est	the dynamic AIDS model estimated.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Wan, Y., C. Sun, and D.L. Grebner. 2010. Analysis of import demand for wooden beds in the United States. *Journal of Agricultural and Applied Economics* 42(4):643-658.

See Also

[aiStaFit](#); [aiDiag](#); [aiElas](#); [summary.aiFit](#).

Examples

```
# --- Step 1: Read data
data(daExp, daBedRaw, daBed)

# --- Step 2: Hausman Test
# 2.1 Getting started with a static AIDS model
sh <- c("sCN", "sVN", "sID", "sMY", "sCA", "sBR", "sIT", "sRW")
pr <- c("lnpCN", "lnpVN", "lnpID", "lnpMY",
        "lnpCA", "lnpBR", "lnpIT", "lnpRW")
du3 <- c("dum1", "dum2", "dum3")
rSta <- aiStaFit(y = daBed, share = sh, price = pr, shift = du3,
               expen = "rte", omit = "sRW", hom = TRUE, sym = TRUE)
summary(rSta)

# 2.2 The final Hausman test and new data
(dg <- daExp[, "dg"])
rHau <- aiStaHau(x = rSta, instr = dg, choice = FALSE)
names(rHau); colnames(rHau$daHau); colnames(rHau$daFit); rHau
two.exp <- rHau$daFit[, c("rte", "rte.fit")]
bsStat(two.exp, digits = 4)
plot(data.frame(two.exp)); abline(a = 0, b = 1)
daBedFit <- rHau$daFit

# --- Step 3: Static and dynamic AIDS models
# 3.1 Diagnostics and coefficients
hSta <- update(rSta, y = daBedFit, expen = "rte.fit")
hSta2 <- update(hSta, hom = FALSE, sym = FALSE)
hSta3 <- update(hSta, hom = FALSE, sym = TRUE)
hSta4 <- update(hSta, hom = TRUE, sym = FALSE)
lrtest(hSta2$est, hSta$est)
lrtest(hSta2$est, hSta3$est)
lrtest(hSta2$est, hSta4$est)

hDyn <- aiDynFit(hSta)
```

```

hDyn2 <- aiDynFit(hSta2); lrtest(hDyn2$est, hDyn$est)
hDyn3 <- aiDynFit(hSta3); lrtest(hDyn2$est, hDyn3$est)
hDyn4 <- aiDynFit(hSta4); lrtest(hDyn2$est, hDyn4$est)

(table.2 <- rbind(aiDiag(hSta), aiDiag(hDyn)))
(table.3 <- summary(hSta))
(table.4 <- summary(hDyn))

# 3.2 Elasticity calculation
es <- aiElas(hSta); esm <- es$marsh
ed <- aiElas(hDyn); edm <- ed$marsh
esm2 <- data.frame(c(esm[1:2, 2], esm[3:4, 3],
  esm[5:6, 4], esm[7:8, 5], esm[9:10, 6], esm[11:12, 7],
  esm[13:14, 8], esm[15:16, 9]))
edm2 <- data.frame(c(edm[1:2, 2], edm[3:4, 3],
  edm[5:6, 4], edm[7:8, 5], edm[9:10, 6], edm[11:12, 7],
  edm[13:14, 8], edm[15:16, 9]))
eEM <- cbind(es$expen, esm2, ed$expen[2], edm2)
colnames(eEM) <- c("Country", "LR.expen", "LR.Marsh",
  "SR.expen", "SR.Marsh")
(table.5 <- eEM[-c(15:16),])
(table.6a <- es$hicks[-c(15:16), -9])
(table.6b <- ed$hicks[-c(15:16), -9])

```

aiElas

*Computing Elasticity for Static or Dynamic AIDS Models***Description**

Calculate expenditure elasticity, Marshallian price elasticity, Hicksian price elasticity, and their variances for static or dynamic AIDS Models.

Usage

```
aiElas(z, digits = 3, ...)
```

Arguments

<code>z</code>	an object of class <code>aiFit</code> from the function of <code>aiStaFit</code> or <code>aiDynFit</code> .
<code>digits</code>	number of digits used in rounding outputs.
<code>...</code>	additional arguments to be passed.

Details

Calculate expenditure elasticity, Marshallian price elasticity, and Hicksian price elasticity for static or dynamic AIDS Models. The related variance, t-ratio, p-value, and significance are also reported.

Value

Return a list object with the following components:

<code>name</code>	name of the share variables; the omitted share name is the last one.
<code>expen</code>	expenditure elasticity and related statistics.

marsh Marshallian price elasticity and related statistics.
 hicks Hicksian price elasticity and related statistics.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Wan, Y., C. Sun, and D.L. Grebner. 2010. Analysis of import demand for wooden beds in the United States. *Journal of Agricultural and Applied Economics* 42(4):643-658.

See Also

[aiStaFit](#); [aiDynFit](#).

Examples

```
# see the examples for 'aiDynFit'.
```

aiStaFit

Fitting a Static AIDS Model

Description

Estimate a static AIDS model for a system.

Usage

```
aiStaFit(y, share, price, expen, shift = NULL, omit = NULL,  
         hom = TRUE, sym = TRUE, ...)
```

Arguments

y	a multiple time series data.
share	names of the share variables.
price	names of the price variables.
expen	name of the expenditure variables.
shift	names of the shifter variables.
omit	name of the share variable omitted; if not supplied, this is the last one of share.
hom	a logical value of homogeneity test.
sym	a logical value of symmetry test.
...	additional arguments to be passed.

Details

This estimates a static AIDS model. The data supplied should be in the final format.

Value

Return a list object of class "aiFit" and "aiStaFit" with the following components:

<code>y</code>	data for fitting the static AIDS model.
<code>share</code>	names of the share variables.
<code>price</code>	names of the price variables.
<code>expen</code>	name of the expenditure variables.
<code>shift</code>	names of the shifter variables.
<code>omit</code>	name of the share variable omitted; if not supplied, this is the last one of <code>share</code> .
<code>nOmit</code>	position of the omitted share variable in the name of share variable.
<code>hom</code>	a logical value of homogeneity test.
<code>sym</code>	a logical value of symmetry test.
<code>nShare</code>	number of share variables.
<code>nExoge</code>	number of exogenous variables (lagged share, residual, expenditure, and shifters).
<code>nParam</code>	number of parameters in one equation.
<code>nTotal</code>	number of parameters in the whole system estimated.
<code>formula</code>	formula for estimating the system.
<code>res.matrix</code>	restriction matrix for <code>hom</code> or <code>sym</code> , or both.
<code>res.rhs</code>	right-hand values for tests of <code>hom</code> or <code>sym</code> , or both.
<code>est</code>	the static AIDS model estimated.
<code>call</code>	a record of the system call; this allows <code>update.default</code> to be used.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Wan, Y., C. Sun, and D.L. Grebner. 2010. Analysis of import demand for wooden beds in the United States. *Journal of Agricultural and Applied Economics* 42(4):643-658.

See Also

[aiDiag](#); [aiElas](#); [summary.aiFit](#); [aiDynFit](#).

Examples

```
# see the examples for 'aiDynFit'.
```

aiStaHau

*Conducting a Hausman Test on a Static AIDS Model***Description**

Conduct a Hausman test on a static AIDS model and report the result of likelihood ratio test.

Usage

```
aiStaHau(x, instr, choice = FALSE, ...)
```

Arguments

<code>x</code>	an object of class <code>aiStaFit</code> from a static AIDS model.
<code>instr</code>	a single time series data as instrument for the expenditure variable in AIDS model.
<code>choice</code>	a logical value of whether to take a difference on the right-hand price and <code>instr</code> variables.
<code>...</code>	additional arguments to be passed.

Details

Conduct a Hausman test on a static AIDS model and report the result of likelihood ratio test. Note that logarithm is taken on every variable in the auxiliary regression. These variables are the real total expenditure and its lagged value, instrumental variable, and the price variables.

Value

Return a data frame object with the statistics and p values for the four tests by equation.

<code>daHau</code>	data used in estimating the Hausman test.
<code>formuHau</code>	formula for estimating the Hausman test.
<code>regHau</code>	regression for the Hausman test.
<code>daFit</code>	revised data with the fitted value of expenditure included.
<code>aiBase</code>	the base static AIDS model estimated.
<code>aiHaus</code>	the reestimated static AIDS model using the fitted value of expenditure.
<code>ratio</code>	result of the likelihood ration test for the Hausman test.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Wan, Y., C. Sun, and D.L. Grebner. 2010. Analysis of import demand for wooden beds in the United States. *Journal of Agricultural and Applied Economics* 42(4):643-658.

See Also

[aiStaFit](#); [print.aiFit](#).

Examples

```
# see the examples for 'aiDynFit'.
```

 bsFormu

Generating Formula for Models

Description

Generate a single formula for models like `lm` or a list of formula for models like `systemfit`.

Usage

```
bsFormu(name.y, name.x, intercept = TRUE, ...)
```

Arguments

<code>name.y</code>	a character vector of variables names for dependent variables; when the length is more than one, there will a list of formula generated for each variable in the name.
<code>name.x</code>	a character vector of independent variables.
<code>intercept</code>	a logical value (default of TRUE) of whether to include intercept or not.
<code>...</code>	additional arguments to be passed.

Details

This function can generate a single formula for simple model like `lm` or a list of formula for systems (`systemfit`). Note that the right-hand side variables are the same for each dependent variable. If different, a `for` loop can be added by users to address that, as demonstrated by the example below.

Value

a single formula object or a list of formula objects.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

Examples

```
# fake data
y <- c("y")
ym <- c("y1", "y2", "y3")
x <- c("x")
xAll <- c("x", "xx", "xxx", "xxxx")

bsFormu(name.y = y, name.x = x)
bsFormu(name.y = ym, name.x = xAll)
fm.ym <- bsFormu(name.y = ym, name.x = xAll, intercept = FALSE)
fm.ym

# If independent variables differ by equation,
```

```

# add a loop to address the differentiation.
xInd <- c("x1", "x2", "x3")
fm.ym <- list()
for (i in 1:length(ym)) {
  ny <- ym[i]
  nx <- c(xInd[i], xAll)
  fm.ym[[i]] <- bsFormu(name.y = ny, name.x = nx, intercept = FALSE)
}
fm.ym

# real data
data(daIns)
(xx <- colnames(daIns)[-c(1, 14)])
fm.ins <- bsFormu(name.y = "Y", name.x = xx, intercept = TRUE)
fm.ins
(ra <- glm(formula = fm.ins,
           family = binomial(link="logit"),
           data = daIns, x = TRUE))

```

bsLag

*Lagged Time Series***Description**

Generate a set of lagged time series for time series data.

Usage

```
bsLag(h, lag, prefix = "", var.name, suffix = ".t_",
      include.orig = TRUE, ...)
```

Arguments

<code>h</code>	time series data
<code>lag</code>	number of lags
<code>prefix</code>	prefix for the name of lagged time series.
<code>var.name</code>	variable name of the lagged time series.
<code>suffix</code>	suffix of the name of lagged time series.
<code>include.orig</code>	logical value (default of TRUE) of whether to include the original series (i.e., lag zero) in the final output.
<code>...</code>	additional arguments to be passed.

Details

The input data can be a single time series or a set of multiple time series data. The output is a set of lagged time series with the specified lag dimension. All the series are aligned with the shortest window so the loss of observations is equal to `lag`. The original series (e.g., without lag but just loss of beginning observations) can be included or excluded by setting the logical value of `include.org`.

The name of the output data is composed of four parts: `prefix`, `var.name`, `suffix`, and an index number of `lag`. Users can control the first parts only while the lag number is added automatically. `prefix` and `suffix` can be fixed for all the output series. `var.name` provides some flexibility when `bsLag` is used within a function and the variable name is unknown *a priori*.

Value

Return a multiple time series object.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

Examples

```
# simple example
h1 <- ts(data=cbind(1:24), start=c(2001, 1), freq=12)
h2 <- ts(data=cbind(1:24, 25:48), start=c(2001, 1), freq=12)
h3 <- ts(data=cbind(1:4, 5:8, 9:12), start=c(2001, 1), freq=4)
colnames(h2) <- c("aa", "bb")
colnames(h3) <- c("cc", "dd", "ee")
h1; h2; h3

bsLag(h=h1, lag=0, prefix="", suffix=".t_")
bsLag(h=h1, lag=2, prefix="price.", var.name="fl", suffix=".t_")

bsLag(h=h2, lag=4, prefix="", suffix=".t_", include.orig = TRUE)
bsLag(h=h2, lag=4, prefix="", suffix=".t_", include.orig = FALSE)
bsLag(h=h2, lag=0, prefix="", var.name=c("nc", "sc"), suffix=".t_")

bsLag(h=h3, lag=2, prefix="", suffix=".t_", include.orig=FALSE)
bsLag(h=h3, lag=1, prefix="", var.name=c("nd", "sd", "mi"),
      suffix=".lag.")

# with real data
data(daBedRaw)
small <- daBedRaw[, c("vCN", "qCN")]
(lag.small <- bsLag(h=small, lag=4))
colnames(lag.small)

resid <- residuals(lm(qCN ~ vCN, data = small))
res <- ts(resid, start=start(small), end=end(small),
         freq=tsp(small)[3])
lag.res <- bsLag(h=res, lag=2, prefix="resid.", var.name="china")
lag.res
```

Description

Calculate basic statistics of data.

Usage

```
bsStat(y, two = NULL, digits = c(2, 1), ...)
```

Arguments

<code>y</code>	input data for summary statistics.
<code>two</code>	a logical value of whether to report the correlation and summary statistics separately; if <code>NULL</code> and the number of variables is less than 11, its value will be set to <code>TRUE</code> .
<code>digits</code>	digits for the output data, one for correlation coefficients and the other for mean and others; if a single scalar is supplied, it will be used for both.
<code>...</code>	additional arguments to be passed.

Details

Two set of summary statistics are generated. One is correlation coefficients and the other is mean, minimum, maximum, standard error, and number of observations. When `two` is unspecified and the number of variables is bigger than ten, the two sets are reported separately; otherwise, it is reported as a single data frame object.

Value

A dataframe or list of the summary statistics.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

Examples

```
data(daIns)
(sum.daIns <- bsStat(y=daIns, digits=c(3,2)))
```

 bsTab

Generating Pretty Statistical Tables

Description

Format statistics from regressions into pretty outputs

Usage

```
bsTab(w,
      need = c("1T", "1E", "2T", "2E", "3T", "3E", "4T", "4E", "5"),
      wrap.TE = c("(", " ", "["),
      add.sig = c("coef", "TE"),
      percent = c(0.01, 0.05, 0.10),
      symbol = c("***", "**", "*", ""),
      digits = c(3, 3, 3, 2), ... )
```

Arguments

<code>w</code>	statistical results from regression models; an object of class <code>glm</code> , <code>lm</code> , and <code>systemfit</code> can be supplied directly, or a data frame with at least four columns with the sequence of estimates, errors, t-values, and p-values.
<code>need</code>	a choice of output formats; default of <code>1T</code> is one column with t ratio and significance symbols; 1 to 5 is the number of columns; T is t ratios; E is standard errors. This argument must be a character string.
<code>wrap.TE</code>	parentheses, none, or brackets can be used to enclose t ratios or standard errors; default value is parentheses for one-column format and none for other formats.
<code>add.sig</code>	a character string to indicate where to add the significance symbol, either to the coefficients (" <code>coef</code> ") or the t-value and error (" <code>TE</code> ").
<code>percent</code>	percentage values used to categorize p values.
<code>symbol</code>	symbols used to represent p-value categories; the default values can be changed to symbols like a, b, c, or different combinations of *.
<code>digits</code>	digits for outputs; the default values are 3, 3, 3, and 2 for estimate, error, t value, and p value, correspondingly. A single value like 4 can be supplied and it will be recycled for all of them.
<code>...</code>	additional arguments to be passed.

Details

Format statistics from regressions into tables that are often reported in economic journals. The column of 'Variable' in the output is the row names of the input data so the raw data should contain meaningful rownames. Besides the variable name column, the maximum number of output is five columns: estimate, error, t ratio, p value, and significance. `wrap.TE` and `add.sig` are only valid for column widths of 1 and 2.

Value

A dataframe of statistical results.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

Examples

```
# a simulated data
tes <- data.frame(est = c(4, 56, 12), err = c(0.3, 0.56, 0.789),
  t.rat = c(2.56, 7.9, 1.2), p.val = c(0.002, 0.23, 0.061))
tes
bsTab(tes)
bsTab(w = tes, need = "2E")

# real data
data(daIns)
ra <- glm(formula = Y ~ Injury + HuntYrs + Nonres +
  Lspman + Lnong + Gender + Age +
  Race + Marital + Edu + Inc + TownPop,
  family = binomial(link="logit"),
  data = daIns, x = TRUE)
```

```
(ca <- data.frame(summary(ra)$coefficients))

# an object of class 'glm' as input
bsTab(w = ra, add.sig = "TE")
bsTab(w = ra, wrap.TE = "[")
bsTab(w = ra, need = "5")
bsTab(w = ra, need = "4T", wrap.TE = "[")
final <- bsTab(w = ra, need = "3T",
  percent = c(0.01, 0.05, 0.10),
  symbol = c("a", "b", "c", ""), digits = 4)
final
print(final, right = FALSE)

# any matrix with at least four columns can be supplied
cbind(bsTab(ca), bsTab(ra))
```

daBed

Transformed Wooden Beds Import Data for Static AIDS Models

Description

This data set contains transformed values related to wooden beds imports by the United States from January 2001 to December 2008. There are 96 observations and 20 variables.

sCN	monthly import share of wooden beds from China
sVN	monthly import share of wooden beds from Vietnam
sID	monthly import share of wooden beds from Indonesia
sMY	monthly import share of wooden beds from Malaysia
sCA	monthly import share of wooden beds from Canada
sBR	monthly import share of wooden beds from Brazil
sIT	monthly import share of wooden beds from Italy
sRW	monthly import share of wooden beds from the rest of world
rte	real total expenditure in logarithm
lnpCN	monthly import price of wooden beds from China in logarithm
lnpVN	monthly import price of wooden beds from Vietnam in logarithm
lnpID	monthly import price of wooden beds from Indonesia in logarithm
lnpMY	monthly import price of wooden beds from Malaysia in logarithm
lnpCA	monthly import price of wooden beds from Canada in logarithm
lnpBR	monthly import price of wooden beds from Brazil in logarithm
lnpIT	monthly import price of wooden beds from Italy in logarithm
lnpRW	monthly import price of wooden beds from the rest of world in logarithm
dum1	a pulse dummy variable (1 for October 2003, 0 otherwise)
dum2	a pulse dummy variable (1 for July 2004, 0 otherwise)
dum3	a pulse dummy variable (1 for January 2005, 0 otherwise)

Usage

```
data(daBed)
```

Format

Monthly time series from January 2001 to December 2008 with 96 observations for each of the 20 variables.

Details

This is the transformed data set for static AIDS model. The transformation detail is described in Wan et al. (2010).

Source

U.S. ITC, 2010. Interactive tariff and trade data web. <http://dataweb.usitc.gov> (Accessed on March 1, 2010).

References

Wan, Y., C. Sun, and D.L. Grebner. 2010. Analysis of import demand for wooden beds in the United States. *Journal of Agricultural and Applied Economics* 42(4):643-658.

See Also

[aiStaFit](#); [daBedRaw](#).

Examples

```
data(daBed)
class(daBed); dim(daBed); colnames(daBed)
daBed
```

daBedRaw

Wooden Beds Import Data

Description

This data set contains a multiple time series related to wooden beds imports by the United States. The time covered is January 1996 to December 2008 with 156 observations. There are 34 variables in total: 17 import values (dollars) and 17 import quantities (dollars / piece). In total, 16 countries are covered and the world total is also reported.

vBR	cost-insurance-freight import values in dollar from Brazil
vCA	cost-insurance-freight import values in dollar from Canada
vCN	cost-insurance-freight import values in dollar from China
vDK	cost-insurance-freight import values in dollar from Denmark
vFR	cost-insurance-freight import values in dollar from France
vHK	cost-insurance-freight import values in dollar from Hong Kong
vIA	cost-insurance-freight import values in dollar from India
vID	cost-insurance-freight import values in dollar from Indonesia
vIT	cost-insurance-freight import values in dollar from Italy
vMY	cost-insurance-freight import values in dollar from Malaysia
vMX	cost-insurance-freight import values in dollar from Mexico
vPH	cost-insurance-freight import values in dollar from Philippines
vTW	cost-insurance-freight import values in dollar from Taiwan

vTH	cost-insurance-freight import values in dollar from Thailand
vUK	cost-insurance-freight import values in dollar from United Kingdom
vVN	cost-insurance-freight import values in dollar from Vietnam
vWD	cost-insurance-freight import values in dollar from World in total
qBR	quantity in piece from Brazil
qCA	quantity in piece from Canada
qCN	quantity in piece from China
qDK	quantity in piece from Denmark
qFR	quantity in piece from France
qHK	quantity in piece from Hong Kong
qIA	quantity in piece from India
qID	quantity in piece from Indonesia
qIT	quantity in piece from Italy
qMY	quantity in piece from Malaysia
qMX	quantity in piece from Mexico
qPH	quantity in piece from Philippines
qTW	quantity in piece from Taiwan
qTH	quantity in piece from Thailand
qUK	quantity in piece from United Kingdom
qVN	quantity in piece from Vietnam
qWD	quantity in piece from World in total

Usage

```
data (daBedRaw)
```

Format

Monthly time series from January 1996 to December 2008 with 156 observations for each of the 34 variables.

Details

Under the Harmonized Tariff Schedule (HTS) system, the commodity of wooden beds is classified as HTS 9403.50.9040. The monthly cost-insurance-freight values in dollar and quantities in piece are reported by country from U.S. ITC (2010).

Source

U.S. ITC, 2010. Interactive tariff and trade data web. <http://dataweb.usitc.gov> (Accessed on March 1, 2010).

References

Wan, Y., C. Sun, and D.L. Grebner. 2010. Analysis of import demand for wooden beds in the United States. *Journal of Agricultural and Applied Economics* 42(4):643-658.

See Also

[aiStaFit](#); [daBed](#).

Examples

```
data(daBedRaw)
class(daBedRaw); dim(daBedRaw); colnames(daBedRaw)
```

daExp	<i>Expenditure Data for a Hausman Test in AIDS Model</i>
-------	--

Description

This data set contains seven monthly times series for expenditure from 2001 to 2008.

pinc	Billions of dollars, personal income
dpi	Billions of dollars, disposable personal income
pce	Billions of dollars, personal consumption expenditures
dg	Billions of dollars, Personal consumption expenditures for durable goods
rdpi	Billions of dollars, real disposable personal income
rpce	Billions of dollars, real personal consumption expenditures
rdg	Billions of dollars, real personal consumption expenditures for durable goods

Usage

```
data(daExp)
```

Format

Monthly time series from January 2001 to December 2008 with 96 observations for each of the seven variables.

Details

This is the data set for conducting a Hausman test in a static AIDS model, as detailed in Wan et al. (2010). The test focuses on whether the expenditure variable in a AIDS model is exogenous or not. Each of the seven expenditure data can be used as an instrumental variable in an auxiliary regression.

Source

Federal Reserve Bank of St. Louis. Economic Data - Fred. Internet site: <http://stlouisfed.org> (Accessed February 25, 2010).

References

Wan, Y., C. Sun, and D.L. Grebner. 2010. Analysis of import demand for wooden beds in the United States. *Journal of Agricultural and Applied Economics* 42(4):643-658.

Examples

```
data(daExp)
class(daExp); dim(daExp); colnames(daExp)
daExp
```

daIns

*Liability Insurance Coverage for Hunters and Anglers in Mississippi***Description**

This data set contains a survey result about liability insurance purchase decision by hunters and anglers in Mississippi. There are 1653 observations for 14 variables.

Y	Binary dependent variable = 1 if had liability insurance; 0 otherwise
Injury	Times of bodily injuries or property damages in the past three years
HuntYrs	Years of hunting
Nonres	Dummy = 1 if nonresidents; 0 if Mississippi residents
Lspman	Dummy = 1 if purchased the license of resident sportsman; 0 otherwise
Lnong	Dummy = 1 if purchased the license of nonresident all game; 0 otherwise
Gender	Dummy = 1 if male; 0 otherwise
Age	Age of the hunter or angler
Race	Dummy = 1 if Caucasian; 0 otherwise
Marital	Dummy = 1 if married; 0 otherwise
Edu	Years of education
Inc	Household income in 2004 (1,000 dollars)
TownPop	Population size of the residence town (1,000)
FishYrs	Years of fishing

Usage

```
data(daIns)
```

Format

A cross sectional data with 1653 observations and 14 variables.

Details

The data set is from a telephone survey conducted in 2005 in Mississippi.

Source

Sun, C., S. Pokharel, W.D. Jones, S.C. Grado, and D.L. Grebner. 2007. Extent of recreational incidents and determinants of liability insurance coverage for hunters and anglers in Mississippi. *Southern Journal of Applied Forestry* 31(3):151-158.

Examples

```
data(daIns)
class(daIns); dim(daIns)
head(daIns); tail(daIns)

ra <- glm(formula = Y ~ Injury + HuntYrs + Nonres +
          Lspman + Lnong + Gender + Age +
          Race + Marital + Edu + Inc + TownPop,
          family = binomial(link="logit"),
```

```

      data = daIns, x = TRUE, y= TRUE)
names(ra); summary(ra)

(ins.me <- maBina(w = ra))
(ins.mt <- maTrend(q=ins.me, nam.c="Age", nam.d="Nonres"))
plot(ins.mt)

```

daPe

Program Effectiveness of a New Method of Teaching Economics

Description

This data set contains the evaluation results of a new program of teaching in economics. There are 32 observations for 4 variables.

grade	a binary variable indicating grade increase (1) and decrease (0) after participation.
gpa	a continuous variable measuring students' grade point average.
tuce	a continuous variable measuring students' scores on an economics test.
psi	a binary variable indicating whether a student participates the program or not.

Usage

```
data(daPe)
```

Format

A data frame of cross sectional data with 32 observations and 4 variables.

Details

Evaluation results on 32 students of the impact of a new teaching methods.

Source

Spector, L.C., and M. Mazzeo. 1980. Probit analysis and economic education. *Journal of Economic Education* 11(2):37-44.

Examples

```

data(daPe)
dim(daPe)
summary(daPe)
daPe

```

evReturn

*Estimating Abnormal Return from Event Analysis***Description**

Conduct an event analysis and estimate abnormal returns over time and across firms.

Usage

```
evReturn(y, firm, event.date, y.date = "date",
         index = "sp500", event.win = 3, est.win = 250, digits = 4, ...)
```

Arguments

<code>y</code>	a data frame object with one column for date, return series by firms, a return series for a stock market index, and a return series for a risk free asset.
<code>firm</code>	a character vector of firm names; this is the name of the return series in <code>y</code> .
<code>event.date</code>	event dates for each firm as specified in <code>firm</code> ; this should be a numerical vector and can match the values in <code>y\$y.date</code> ; if event dates are the same for all the firms, this can be specified as a single number.
<code>y.date</code>	a character value for the column name of date in <code>y</code> .
<code>index</code>	a character value for the column name of index in <code>y</code> .
<code>event.win</code>	the one-side width of event window in days; the default value of 3 corresponds to a 7-day window (i.e., 3 + 1 + 3).
<code>est.win</code>	the width of estimation window in days.
<code>digits</code>	number of digits used to format outputs.
<code>...</code>	additional arguments to be passed.

Details

This is the core function for event analysis. It estimates a market model by firm and then calculate abnormal returns by firm and over time. The time series of stock returns have irregular time frequency because of varying trading days. Thus, the time dimension is explicitly specified as a `y.date` column in the data of `y`.

Value

Return a list object of class "evReturn" with the following components:

<code>y</code>	a data frame of raw return data.
<code>y.date</code>	a character value for the column name of date in <code>y</code> .
<code>firm</code>	a character vector of firm names.
<code>N</code>	the number of firms.
<code>index</code>	a character value for the column name of index in <code>y</code> .
<code>event.date</code>	event dates for each firm as specified in <code>firm</code> .
<code>event.win</code>	the one-side width of event window in days.
<code>event.width</code>	total number of days in an event window.

<code>est.win</code>	the width of estimation window in days..
<code>daEst</code>	data used to estimate the market model for the last firm as specified in <code>codefirm</code> .
<code>daEve</code>	data over the event window for the last firm.
<code>ra</code>	fitted market model for the last firm.
<code>digits</code>	number of digits used to format outputs.
<code>reg</code>	regression coefficients by firm.
<code>abr</code>	abnormal returns by day over the event window and by firm.
<code>abc</code>	average abnormal returns across firms.
<code>call</code>	a record of the system call; this allows <code>update.default</code> to be used.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Mei, B., and C. Sun. 2008. Event analysis of the impact of mergers and acquisitions on the financial performance of the U.S. forest products industry. *Forest Policy and Economics* 10(5):286-294.

See Also

[print.evReturn](#); [plot.evReturn](#); [evRisk](#).

Examples

```
# see Mei and Sun (2008).
```

evRisk

Risk Evaluation for Event Analysis

Description

Conduct a risk analysis by firm and evaluate the change of risk before and after an event. The model used is the Capital Asset Pricing Model.

Usage

```
evRisk(x, m = 50, r.free = "tbill", ...)
```

Arguments

<code>x</code>	a object from <code>evReturn</code> .
<code>m</code>	the number of days before and after the event date for estimating CAPM.
<code>r.free</code>	the column name of risk free asset in <code>y</code> .
<code>...</code>	additional arguments to be passed.

Details

This fits CAPM for each firm and reports the statistics for alpha, beta, and gamma. The statistics of gamma reveal the change of risk before and after the event.

Value

Return a list object of class "evReturn" with the following components:

x	a object from <code>evReturn</code> .
daEst	data used to estimate CAPM for the last firm as specified in <code>codefirm</code> .
rb	fitted CAPM for the last firm.
reg	regression coefficients by firm.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Mei, B., and C. Sun. 2008. Event analysis of the impact of mergers and acquisitions on the financial performance of the U.S. forest products industry. *Forest Policy and Economics* 10(5):286-294.

See Also

[evReturn](#); [print.evRisk](#).

Examples

```
# see Mei and Sun (2008).
```

maBina

Marginal Effect for Binary Probit and Logit Model

Description

This function calculates marginal effects for a binary probit or logit model and their standard errors.

Usage

```
maBina(w, x.mean = TRUE, rev.dum = TRUE, digits = 3, ...)
```

Arguments

w	a binary probit or logit model object estimated from <code>glm()</code> .
x.mean	a logical value (default of TRUE) of whether to calculate marginal effects at the means of independent variables. If FALSE, marginal effects are calculated for each observation and then averaged.
rev.dum	a logical value (default of TRUE) of whether to revise the estimates and standard errors for binary independent variables. If FALSE, derivatives are taken on binary independent variables as continuous variables.
digits	number of digits for output.
...	additional arguments to be passed.

Details

Marginal effects from a binary probit or logit model is calculated. The two choices are the method of averaging effects and revising estimates for dummy variables. Marginal effects can be calculated at the mean of the independent variables (i.e., `x.mean = TRUE`), or as the average of individual marginal effects at each observation (i.e., `x.mean = FALSE`). `rev.dum = TRUE` allows marginal effects for dummy variables are calculated differently, instead of treating them as continuous variables.

Value

Return a list object of class "maBina" with the following components:

<code>link</code>	link function used in the binary model;
<code>f.xb</code>	scale factor of marginal effects, calculated as the density function evaluated at the means of the variables when <code>x.mean = TRUE</code> is specified or the average density value for all individual observations when <code>x.mean = FALSE</code> is specified;
<code>w</code>	a binary probit or logit model object estimated from <code>glm()</code> ;
<code>out</code>	a data frame object of marginal effects, t-value, and p-value.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Greene, W.H. 2003. *Econometric Analysis* (5th ed.). Prentice Hall, New York. 1026 P.

See Also

[maTrend](#); [plot.maTrend](#).

Examples

```
data(daPe)
ma <- glm(grade ~ gpa + tuce + psi, x = TRUE,
         data = daPe, family = binomial(link = "probit"))
ea <- maBina(w = ma, x.mean = TRUE, rev.dum = TRUE)
ea
```

maTrend

Trend of Marginal Effects

Description

This function computes the change of probability for a continuous variable, and furthermore, stratifies the probability through a binary independent variable.

Usage

```
maTrend(q, n = 300, nam.c, nam.d, ...)
```

Arguments

<code>q</code>	a object of class of "maBina" estimated from <code>maBina()</code> .
<code>n</code>	number of points for calculating probability; the large the number, the smoother the curve.
<code>nam.c</code>	a name of a continuous independent variable; this must be given for the function to work.
<code>nam.d</code>	an optional name of a binary independent variable; this is used to stratify the probability.
<code>...</code>	additional arguments to be passed.

Details

Marginal effects are calculated at each value of a continuous variable. If specified, the trend can be stratified by a binary independent variable.

Value

Return a list object of class "maTrend" with the following components:

<code>q</code>	a list object of class "maBina";
<code>nam.c</code>	the name of a continuous variable;
<code>mm</code>	matrix of independent variables for all
<code>trend</code>	a data frame of the continuous variable and probability values; if <code>nam.d</code> is specified, the data frame also contains the probability values stratified by the dummy variable;
<code>nam.d</code>	if <code>nam.d</code> is specified, the name of a binary variable .
<code>m1</code>	if <code>nam.d</code> is specified, the matrix of <code>mm</code> with the column value for <code>nam.d</code> replaced by 1
<code>m0</code>	if <code>nam.d</code> is specified, the matrix of <code>mm</code> with the column value for <code>nam.d</code> replaced by 0

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Greene, W.H. 2003. *Econometric Analysis* (5th ed.). Prentice Hall, New York. 1026 P.

See Also

[maBina](#); [print.maTrend](#); [plot.maTrend](#).

Examples

```
data(daPe)
ma <- glm(grade ~ gpa + tuce + psi, x = TRUE,
         data = daPe, family = binomial(link = "probit"))
summary(ma)

(ea <- maBina(w = ma, x.mean = TRUE, rev.dum = TRUE))
```

```
(ta <- maTrend(q = ea, nam.c = "gpa", nam.d= "psi"))  
plot(ta)
```

plot.evReturn

Plot for Average Cumulative Abnormal Returns from Event Analysis

Description

Plot average cumulative abnormal returns from event analysis versus days in event window.

Usage

```
## S3 method for class 'evReturn'  
plot(x, ...)
```

Arguments

x an object of class "evReturn".
... additional arguments to be passed.

Details

Plot average cumulative abnormal returns from event analysis versus days in event window. This is for all firms as a group and is called HNt in Mei and Sun (2008).

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Mei, B., and C. Sun. 2008. Event analysis of the impact of mergers and acquisitions on the financial performance of the U.S. forest products industry. *Forest Policy and Economics* 10(5):286-294.

See Also

[evReturn](#); [print.evReturn](#).

Examples

```
# see Mei and Sun (2008).
```

`plot.maTrend`*Plot for Marginal Effect Trends*

Description

Plot the probability values versus a continuous variable with a stratification by a dummy variable.

Usage

```
## S3 method for class 'maTrend'  
plot(x, ...)
```

Arguments

`x` an object of class "maTrend".
`...` additional arguments to be passed.

Details

Plot the probability values for a continuous variable. If a strata is specified through `nam.d` in `maTrend()`, then the stratified values also are shown.

Value

A plot of probability values

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

References

Greene, W.H. 2003. Econometric Analysis (5th ed.). Prentice Hall, New York. 1026 P.

See Also

`maTrend`; `print.maTrend`.

Examples

```
data(daPe)  
ma <- glm(grade ~ gpa + tuce + psi, x = TRUE,  
         data = daPe, family = binomial(link = "probit"))  
ea <- maBina(w = ma, x.mean = TRUE, rev.dum = TRUE)  
ta <- maTrend(q = ea, nam.c = "gpa", nam.d = "psi")  
plot(ta)
```

print.aiFit	<i>Printing results from AIDS models</i>
-------------	--

Description

Show estimation results from static or dynamic AIDS models estimated from `aiStaFit`, `aiStaHau`, and `aiDynFit`.

Usage

```
## S3 method for class 'aiFit'  
print(x, ...)
```

Arguments

<code>x</code>	an object of class <code>aiFit</code> from the function of <code>aiStaFit</code> , <code>aiStaHau</code> , or <code>aiDynFit</code> .
<code>...</code>	additional arguments to be passed.

Details

This print method for object of class `aiFit`.

Value

Summary results of the coefficients or outputs.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

See Also

[aiStaFit](#); [aiStaHau](#); [aiDynFit](#).

Examples

```
# see the examples for 'aiDynFit'.
```

print.evReturn *Printing Abnormal Return Results from Event Analysis*

Description

Show abnormal return results from evReturn.

Usage

```
## S3 method for class 'evReturn'  
print(x, ...)
```

Arguments

x an object of class evReturn.
... additional arguments to be passed.

Details

This print method for object of class evReturn.

Value

Summary results of the coefficients or outputs.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

See Also

[evReturn](#); [plot.evReturn](#).

Examples

```
# see the examples for 'evReturn'.
```

print.evRisk *Printing Risk Results from Event Analysis*

Description

Show regression results from evRisk.

Usage

```
## S3 method for class 'evRisk'  
print(x, ...)
```

Arguments

x an object of class *evRisk*.
... additional arguments to be passed.

Details

This print method for object of class *evRisk*.

Value

Summary results of the coefficients or outputs.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

See Also

[evRisk](#).

Examples

```
# see the examples for 'evRisk'.
```

print.maTrend *Printing Marginal Effect Trends*

Description

Show dimension and some values of probability values from *maTrend*.

Usage

```
## S3 method for class 'maTrend'  
print(x, ...)
```

Arguments

x an object of class *maTrend* from the function of *maTrend*.
... additional arguments to be passed.

Details

This print method for *maTrend* shows the probability values.

Value

Summary results of the probability value estimates.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

See Also

[maTrend](#); [plot.maTrend](#).

Examples

```
data(daPe)
ma <- glm(grade ~ gpa + tuce + psi, x = TRUE,
  data = daPe, family = binomial(link = "probit"))
ea <- maBina(w = ma, x.mean = TRUE, rev.dum = TRUE)
ta <- maTrend(q = ea, nam.c = "gpa", nam.d= "psi")
ta
```

summary.aiFit

Summary of Results from Static or Dynamic Models

Description

This summarizes the main results from AIDS models.

Usage

```
## S3 method for class 'aiFit'
summary(object, digits=3, ...)
```

Arguments

object	an object of class aiFit from the function of aiStaFit or aiDynFit.
digits	number of digits for rounding outputs
...	additional arguments to be passed.

Details

This wraps up the coefficients and statistics from aiFit by equation.

Value

A data frame object with coefficients and related statistics by equation.

Author(s)

Changyou Sun (<csun@cfr.msstate.edu>)

See Also

[aiStaFit](#) and [aiDynFit](#).

Examples

```
# see the examples for 'aiDynFit'.
```

Index

*Topic **datasets**

daBed, 16
daBedRaw, 17
daExp, 19
daIns, 20
daPe, 21

*Topic **manip**

aiData, 2
bsFormu, 11
bsLag, 12
bsStat, 13
bsTab, 14

*Topic **methods**

plot.evReturn, 27
plot.maTrend, 28
print.aiFit, 29
print.evReturn, 30
print.evRisk, 30
print.maTrend, 31
summary.aiFit, 32

*Topic **package**

erer-package, 2

*Topic **regression**

aiDiag, 4
aiDynFit, 5
aiElas, 7
aiStaFit, 8
aiStaHau, 10
evReturn, 22
evRisk, 23
maBina, 24
maTrend, 25

aiData, 2
aiDiag, 4, 6, 9
aiDynFit, 4, 5, 8, 9, 29, 32
aiElas, 6, 7, 9
aiStaFit, 3, 4, 6, 8, 8, 10, 17, 18, 29, 32
aiStaHau, 10

bsFormu, 11
bsLag, 12
bsStat, 13
bsTab, 14

daBed, 3, 16, 18
daBedRaw, 3, 17, 17
daExp, 19
daIns, 20
daPe, 21

erer (*erer-package*), 2
erer-package, 2
evReturn, 22, 24, 27, 30
evRisk, 23, 23, 31

maBina, 24, 26
maTrend, 25, 25, 28, 32

plot.evReturn, 23, 27, 30
plot.maTrend, 25, 26, 28, 32
print.aiFit, 10, 29
print.evReturn, 23, 27, 30
print.evRisk, 24, 30
print.maTrend, 26, 28, 31

summary.aiFit, 9, 32