

RProtoBuf : Unit testing results

Romain François Dirk Eddelbuettel Murray Stokely

RProtoBuf version 0.4.2 as of December 10, 2014

Test Execution

Executing test function test.FieldDescriptor.class ... done successfully.

Executing test function test.ascii ... done successfully.

Executing test function test.fileDescriptor ... done successfully.

Executing test function test.personOne ... done successfully.

Executing test function test.size ... done successfully.

Executing test function test.bool ... done successfully.

Executing test function test.all ... done successfully.

Executing test function test.descriptor ... done successfully.

Executing test function test.enums ... done successfully.

Executing test function test.extension ... done successfully.

Executing test function test.uint32 ... done successfully.

Executing test function test.has ... done successfully.

Executing test function test.import ... done successfully.

Executing test function test.invalidAssignments ... done successfully.

Executing test function test.readProtoFile ... done successfully.

Executing test function test.repeated.bools ... done successfully.

Executing test function test.repeatedFields ... done successfully.

Executing test function test.assign.in.global ... done successfully.

Executing test function test.import ... /etc/hosts:1:6:Already saw decimal point or exponent; can't have
/etc/hosts:1:1:Expected top-level statement (e.g. "message").
/etc/hosts:1:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:2:7:Already saw decimal point or exponent; can't have another one.
/etc/hosts:2:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:4:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:4:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:5:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:5:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:6:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:6:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:7:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:7:11:Already saw decimal point or exponent; can't have another one.
/etc/hosts:7:97:String literals cannot cross line boundaries.
/etc/hosts:8:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:8:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:9:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:9:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:9:94:String literals cannot cross line boundaries.
/etc/hosts:10:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:10:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:11:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:11:11:Already saw decimal point or exponent; can't have another one.
/etc/hosts:12:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:12:10:Already saw decimal point or exponent; can't have another one.

/etc/hosts:42:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:42:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:43:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:43:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:44:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:44:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:45:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:45:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:46:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:46:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:47:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:47:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:48:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:48:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:49:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:49:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:50:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:50:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:51:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:51:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:52:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:52:10:Already saw decimal point or exponent; can't have another one.
done successfully.

Executing test function test.int32 ... done successfully.

Executing test function test.int64 ... done successfully.

Executing test function test.message ... done successfully.

Executing test function test.nested ... done successfully.

Executing test function test.arrayinputstream ... done successfully.

Executing test function test.encoding ... done successfully.

Executing test function test.serialize ... done successfully.

Executing test function test.serialize_pb ... done successfully.

Executing test function test.serialize_pb.alldatasets ... done successfully.

Test Results

RUNIT TEST PROTOCOL -- Wed Dec 10 22:14:30 2014

Number of test functions: 28

Number of errors: 0

Number of failures: 0

1 Test Suite :

RProtoBuf unit testing - 28 test functions, 0 errors, 0 failures

Details

Test Suite: RProtoBuf unit testing

Test function regexp: ^test.+

Test file regexp: ^runit.+\. [rR]\$

Involved directory:

/tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests

Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.FieldDescriptor.R
test.FieldDescriptor.class: (23 checks) ... OK (0 seconds)

Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.addressbook.R
test.ascii: (9 checks) ... OK (0.01 seconds)
test.fileDescriptor: (1 checks) ... OK (0 seconds)
test.personOne: (11 checks) ... OK (0 seconds)
test.size: (3 checks) ... OK (0 seconds)

Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.bool.R
test.bool: (7 checks) ... OK (0 seconds)

Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.bytes.R
test.all: (10 checks) ... OK (0 seconds)

Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.descriptors.R
test.descriptor: (6 checks) ... OK (0 seconds)

Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.enums.R
test.enums: (15 checks) ... OK (0 seconds)

Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.extensions.R
test.extension: (13 checks) ... OK (0.01 seconds)

Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.extremevalues.R
test.uint32: (5 checks) ... OK (0 seconds)

```
Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.golden.message.R
test.has: (4 checks) ... OK (0 seconds)
test.import: (5 checks) ... OK (0 seconds)
test.invalidAssignments: (1 checks) ... OK (0 seconds)
test.readProtoFile: (61 checks) ... OK (0 seconds)
test.repeated.booleans: (3 checks) ... OK (0 seconds)
test.repeatedFields: (5 checks) ... OK (0 seconds)
-----
Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.import.R
test.assign.in.global: (1 checks) ... OK (0 seconds)
test.import: (1 checks) ... OK (0 seconds)
-----
Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.int32.R
test.int32: (8 checks) ... OK (0 seconds)
-----
Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.int64.R
test.int64: (8 checks) ... OK (0 seconds)
-----
Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.messages.R
test.message: (7 checks) ... OK (0 seconds)
-----
Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.nested.R
test.nested: (1000 checks) ... OK (0.28 seconds)
-----
Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.serialize.R
test.arrayinputstream: (3 checks) ... OK (0 seconds)
test.encoding: (4 checks) ... OK (0 seconds)
test.serialize: (5 checks) ... OK (0 seconds)
-----
Test file: /tmp/RtmpNpocft/Rinst5c8c4f75cf19/RProtoBuf/unitTests/runit.serialize_pb.R
test.serialize_pb: (2 checks) ... OK (0.04 seconds)
test.serialize_pb.alldatasets: (1 checks) ... OK (0.74 seconds)
```