

Introduction to package `ngeo`

Michael Dorman

2018-05-15

Contents

Introduction	1
Package purpose	1
Installation	1
Sample data	1
Usage examples	3
The <code>st_nn</code> function	3
The <code>st_connect</code> function	4
Dense matrix representation	5
k-Nearest neighbors where $k>0$	5
Distance matrix	5
Search radius	6
Spatial join	6
Another example	6
Polygons	7

Introduction

Package purpose

This document introduces the `ngeo` package. The `ngeo` package includes functions for spatial join of layers based on *k-nearest neighbor* relation between features. The functions work with spatial layer object defined in package `sf`, namely classes `sfc` and `sf`.

Installation

GitHub version -

```
install.packages("devtools")
devtools::install_github("michaeldorman/ngeo")
```

Sample data

The `ngeo` package comes with three sample datasets -

- `cities`
- `towns`
- `water`

The `cities` layer is a **point** layer representing the location of the three largest cities in Israel.

```

cities
#> Simple feature collection with 3 features and 1 field
#> geometry type: POINT
#> dimension: XY
#> bbox: xmin: 34.78177 ymin: 31.76832 xmax: 35.21371 ymax: 32.79405
#> epsg (SRID): 4326
#> proj4string: +proj=longlat +datum=WGS84 +no_defs
#>   name          geometry
#> 1 Jerusalem POINT (35.21371 31.76832)
#> 2 Tel-Aviv POINT (34.78177 32.0853)
#> 3 Haifa POINT (34.98957 32.79405)

```

The **towns** layer is another **point** layer, with the location of all towns in Israel whose name begins with the letter A.

```

towns
#> Simple feature collection with 93 features and 1 field
#> geometry type: POINT
#> dimension: XY
#> bbox: xmin: 34.3309 ymin: 30.96493 xmax: 35.83863 ymax: 33.17806
#> epsg (SRID): 4326
#> proj4string: +proj=longlat +datum=WGS84 +no_defs
#> First 10 features:
#>   name          geometry
#> 1 ALUMMOT POINT (35.54639 32.70683)
#> 2 ALLON SHEVUT POINT (35.12573 31.65512)
#> 3 AVDON POINT (35.18041 33.04801)
#> 4 ARBEL POINT (35.48441 32.81265)
#> 5 ASHDOT YA 'AQOV(ME'UHAD) POINT (35.5824 32.66228)
#> 6 ARRABE POINT (35.33804 32.85159)
#> 7 ATSMON SEGEV POINT (35.25207 32.866)
#> 8 ARAMSHA POINT (35.22568 33.08865)
#> 9 AVENAT POINT (35.4369 31.67897)
#> 10 AZARYA POINT (34.90936 31.89039)

```

The **water** layer is an example of a **polygonal** layer. This layer contains four polygons of water bodies in Israel.

```

water
#> Simple feature collection with 4 features and 1 field
#> geometry type: POLYGON
#> dimension: XY
#> bbox: xmin: 34.1388 ymin: 29.45338 xmax: 35.64979 ymax: 33.1164
#> epsg (SRID): 4326
#> proj4string: +proj=longlat +datum=WGS84 +no_defs
#>   name          geometry
#> 1 Red Sea POLYGON ((34.96428 29.54775...
#> 2 Mediterranean Sea POLYGON ((35.10533 33.07661...
#> 3 Dead Sea POLYGON ((35.54743 31.37881...
#> 4 Sea of Galilee POLYGON ((35.6014 32.89248,...

```

Figure 1 shows the spatial configuration of the **cities**, **towns** and **water** layers.

```

plot(st_geometry(towns), col = NA)
plot(st_geometry(water), col = "lightblue", add = TRUE)
plot(st_geometry(towns), col = "grey", pch = 1, add = TRUE)

```




Figure 1: Visualization of the `water`, `towns` and `cities` layers

```
plot(st_geometry(cities), col = "red", pch = 1, add = TRUE)
```

Usage examples

The `st_nn` function

The main function in the `ngeo` package is `st_nn`.

The `st_nn` function accepts two layers, `x` and `y`, and returns a list with the same number of elements as `x` features. Each list element `i` is an integer vector with all indices `j` for which `x[i]` and `y[j]` are **nearest neighbors**.

For example, the following expression finds which feature in `towns[1:5,]` is the nearest neighbor to each feature in `cities`.

```
mn = st_nn(cities, towns[1:5, ], progress = FALSE)
mn
#> [[1]]
#> [1] 2
#>
#> [[2]]
#> [1] 2
#>
#> [[3]]
#> [1] 3
```

This output tells us that `towns[2,]` is the nearest among the five features of `towns[1:5,]` to `cities[1,]`, etc.



Figure 2: Nearest neighbor match between `cities` (in red) and `towns[1:5,]` (in grey)

The `st_connect` function

The resulting nearest neighbor matches can be visualized using the `st_connect` function. This function builds a line layer connecting features from two layers `x` and `y` based on the relations defined in a list such the one returned by `st_nn` -

```
l = st_connect(cities, towns[1:5, ], ids = nn, progress = FALSE)
l
#> Geometry set for 3 features
#> geometry type: GEOMETRY
#> dimension: XY
#> bbox: xmin: 34.78177 ymin: 31.65512 xmax: 35.21371 ymax: 33.04801
#> epsg (SRID): NA
#> proj4string: NA
#> LINESTRING (35.21371 31.76832, 35.12573 31.65512)
#> LINESTRING (34.78177 32.0853, 35.12573 31.65512)
#> LINESTRING (34.98957 32.79405, 35.18041 33.04801)
```

Plotting the line layer `l` gives a visual demonstration of the nearest neighbors match, as shown in Figure 2.

```
plot(st_geometry(towns[1:5, ]), col = "darkgrey")
plot(st_geometry(l), add = TRUE)
plot(st_geometry(cities), col = "red", add = TRUE)
text(
  st_coordinates(cities)[, 1],
  st_coordinates(cities)[, 2],
  1:3, col = "red", pos = 4
)
text(
  st_coordinates(towns[1:5, ])[, 1],
  st_coordinates(towns[1:5, ])[, 2],
  1:5, pos = 4
)
```

Dense matrix representation

The `st_nn` can also return the complete logical matrix indicating whether each feature in `x` is a neighbor of `y`. To get the dense matrix, instead of a list, use `sparse=FALSE`.

```
nn = st_nn(cities, towns[1:5, ], sparse = FALSE, progress = FALSE)
nn
#>      [,1] [,2] [,3] [,4] [,5]
#> [1,] FALSE TRUE FALSE FALSE FALSE
#> [2,] FALSE TRUE FALSE FALSE FALSE
#> [3,] FALSE FALSE TRUE FALSE FALSE
```

k-Nearest neighbors where k>0

It is also possible to return any **k-nearest** neighbors, rather than just one. For example, setting `k=2` returns the **two** nearest neighbors -

```
nn = st_nn(cities, towns[1:5, ], k = 2, progress = FALSE)
nn
#> [[1]]
#> [1] 2 5
#>
#> [[2]]
#> [1] 2 5
#>
#> [[3]]
#> [1] 3 4

nn = st_nn(cities, towns[1:5, ], sparse = FALSE, k = 2, progress = FALSE)
nn
#>      [,1] [,2] [,3] [,4] [,5]
#> [1,] FALSE TRUE FALSE FALSE TRUE
#> [2,] FALSE TRUE FALSE FALSE TRUE
#> [3,] FALSE FALSE TRUE TRUE FALSE
```

Distance matrix

Using `returnDist=TRUE` the distances matrix is also returned, in addition the the neighbor matches, with both componenets now comprising a list -

```
nn = st_nn(
  cities, towns[1:5, ], sparse = FALSE, k = 2, returnDist = TRUE,
  progress = FALSE
)
nn
#> $nn
#>      [,1] [,2] [,3] [,4] [,5]
#> [1,] FALSE TRUE FALSE FALSE TRUE
#> [2,] FALSE TRUE FALSE FALSE TRUE
#> [3,] FALSE FALSE TRUE TRUE FALSE
#>
#> $dist
#>      [,1]      [,2]
```

```
#> [1,] 15069.49 105048.39
#> [2,] 57746.32 98846.89
#> [3,] 33345.18 46392.06
```

Search radius

Finally, the search for nearest neighbors can be limited to a **search radius** using `maxdist`. In the following example, the search radius is set to 50,000 meters (50 kilometers). Note that no neighbors are found within the search radius for `cities[2,]`.

```
nn = st_nn(
  cities, towns[1:5, ], sparse = FALSE, k = 2, returnDist = TRUE, maxdist = 50000,
  progress = FALSE
)
nn
#> $nn
#>      [,1] [,2] [,3] [,4] [,5]
#> [1,] FALSE TRUE  FALSE FALSE FALSE
#> [2,] FALSE FALSE FALSE FALSE FALSE
#> [3,] FALSE FALSE  TRUE  TRUE  FALSE
#>
#> $dist
#>      [,1]      [,2]
#> [1,] 15069.49      NA
#> [2,]      NA      NA
#> [3,] 33345.18 46392.06
```

Spatial join

The `st_nn` function can also be used as a **geometry predicate function** when performing spatial join with `sf::st_join`.

For example, the following expression spatially joins the two nearest `towns[1:5,]` features to each `cities` features, using a search radius of 50 km.

```
st_join(cities, towns[1:5, ], join = st_nn, k = 2, maxdist = 50000)
```

Another example

Here is another example, finding the 10-nearest neighbor `towns` features for each `cities` feature.

```
x = st_nn(cities, towns, k = 10)
l = st_connect(cities, towns, ids = x)
```

The result is visualized in Figure 3.

```
plot(st_geometry(towns), col = "darkgrey")
plot(st_geometry(l), add = TRUE)
plot(st_geometry(cities), col = "red", add = TRUE)
```




Figure 3: Nearest 10 towns features from each cities feature

Polygons

Nearest neighbor search also works for non-point layers. The following code section finds the 20-nearest towns features for each water body in `water[-1,]`.

```
nn = st_nn(water[-1, ], towns, k = 20, progress = FALSE)
```

Again, we can calculate the respective lines for the above result using `st_connect`.

```
l = st_connect(water[-1, ], towns, ids = nn, progress = FALSE)
```

The result is visualized on Figure 4.

```
plot(st_geometry(water[-1, ]), col = "lightblue", border = "grey")
plot(st_geometry(towns), col = "darkgrey", add = TRUE)
plot(st_geometry(l), col = "red", add = TRUE)
```




Figure 4: Nearest 20 towns features from each water polygon