

Examples of Different Results using car package

Kyun-Seop Bae MD PhD

2021-04-15 00:30:00

Contents

1	Tested Version and Books used for the Validation	3
1.1	Packages Used	3
1.2	Books and Articles used for the Test	3
2	Snee EMS ANOVA 1974	4
3	Goodnight	5
3.1	p33	5
4	SAS for Linear Models 4e	6
4.1	p403	6
4.2	p417	7
4.3	p431	8
5	Sahai - Unbalanced	9
5.1	Table 15.3	9
5.2	Table 16.3	10
6	Federer - Variations	11
6.1	Example 2.2	11
6.2	Example 3.1	12
6.3	Appendix 3.1 p94	13
6.4	Example 5.1	14
6.5	Example 7.1	16
6.6	Example 7.3	17
6.7	Example 8.1	18
6.8	Example 9.2	19
6.9	Example 10.1	20
7	Hinkelmann & Kempthorne - Volume 1	22
7.1	p410	22
8	Searle - Linear Models 2e	23
8.1	7.2 (p390, 59%)	23
8.2	7.2 (p393, 60%)	24

1 Tested Version and Books used for the Validation

1.1 Packages Used

- ‘sasLM’ version: 0.5.2
- ‘SAS’ version: 9.4 Licensed and University Edition
- ‘car’ version: 3.0.10
- R version: R version 4.0.5 (2021-03-31)

The ‘car’ package is not necessary for ‘sasLM.’ It is used for the comparison of the results.

If you see any difference between ‘car’ and ‘sasLM’, ‘SAS’ results coincide with ‘sasLM’, not with ‘car’.

Before ‘sasLM’ is available on CRAN, you can download using the following command in R.

```
install.packages("sasLM", repos="http://r.acr.kr")
```

1.2 Books and Articles used for the Test

1. Snee RD. Computation and Use of Expected Mean Squares in Analysis of Variance. *J Qual Tech.* 1974;6(3):128-137.
2. Goodnight JH. The General Linear Models Procedure, Proceedings of the First International SAS User’s Group, SAS Institute, Raleigh, N.C. 1976.
3. Littell RC, Stroup WW, Freund RJ. *SAS for Linear Models 4e*. John Wiley & Sons Inc. 2002.
4. Sahai H, Ojeda MM. *Analysis of Variance for Random Models Volume 2 Unbalanced Data*. 2005.
5. Federer WT, King F. *Variations on Split Plot and Split Block Experiment Designs*. John Wiley & Sons Inc. 2007.
6. Hinkelmann K, Kempthorne O. *Design and Analysis of Experiments Volume 1 Introduction to Experimental Design*. 2e. John Wiley & Sons Inc. 2008.
7. Searle SR, Gruber MHJ. *Linear Models 2e*, Kindle Edition. John Wiley & Sons Inc. 2016.

2 Snee EMS ANOVA 1974

Reference

- Snee RD. Computation and Use of Expected Mean Squares in Analysis of Variance. J Qual Tech. 1974;6(3):128-137.

(1) MODEL

```
Snee = read.csv("http://r.acr.kr/Snee_EMS_ANOVA1974.csv")
Snee = af(Snee, c("Machine", "Analyst", "Test", "Day"))
aov3(Y ~ Day/Machine/Analyst/Test, Snee)
```

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	167	751.27	4.4986		
Day	41	359.44	8.7669		
Day:Machine	42	199.40	4.7477		
Day:Machine:Analyst	42	118.80	2.8285		
Day:Machine:Analyst:Test	42	70.30	1.6739		
RESIDUALS	0	0.00			
CORRECTED TOTAL	167	751.27			

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ Day/Machine/Analyst/Test, Snee), type=3, singular.ok=TRUE)
# NOT WORKING
```

3 Goodnight

Reference

- Goodnight JH. The General Linear Models Procedure, Proceedings of the First International SAS User's Group, SAS Institute, Raleigh, N.C. 1976.

3.1 p33

(2) MODEL

```
p33 = read.csv("http://r.acr.kr/Goodnight-p33.csv")
p33 = af(p33, c("A", "B"))
aov3(y ~ A + B + A:B, p33) # p35
```

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	34.905	8.7261		
A	1	3.028	3.0276		
B	1	23.522	23.5225		
A:B	1	0.008	0.0081		
RESIDUALS	0	0.000			
CORRECTED TOTAL	4	34.905			

```
options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(y ~ A + B + A:B, p33), type=3, singular.ok=TRUE) # NOT WORKING
```

4 SAS for Linear Models 4e

Reference

- Littell RC, Stroup WW, Freund RJ. SAS for Linear Models 4e. John Wiley & Sons Inc. 2002.

4.1 p403

(3) MODEL

```
p403 = read.table("http://r.acr.kr/sas4lm/p403.txt", header=TRUE)
p403 = af(p403, c("PATIENT", "VISIT"))
aov3(HR ~ SEQUENCE + PATIENT %in% SEQUENCE + VISIT + DRUG + RESIDS + RESIDT, p403)
```

Response : HR

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	29	6408.7	220.989	3.9120	3.127e-05 ***
SEQUENCE	5	701.2	140.237	2.4825	0.04665 *
VISIT	2	146.8	73.389	1.2991	0.28350
DRUG	2	343.9	171.975	3.0443	0.05826 .
RESIDS	1	309.2	309.174	5.4731	0.02414 *
RESIDT	1	0.8	0.840	0.0149	0.90351
SEQUENCE:PATIENT	18	4692.3	260.685	4.6147	2.210e-05 ***
RESIDUALS	42	2372.6	56.490		
CORRECTED TOTAL	71	8781.3			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(HR ~ SEQUENCE + PATIENT %in% SEQUENCE + VISIT + DRUG + RESIDS + RESIDT,
          p403), type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: HR

	Sum Sq	Df	F values	Pr(>F)
SEQUENCE	0.0	0		
VISIT	146.8	2	1.2991	0.28350
DRUG	344.0	2	3.0443	0.05826 .
RESIDS	309.2	1	5.4731	0.02414 *
RESIDT	0.8	1	0.0149	0.90351
SEQUENCE:PATIENT	4692.3	18	4.6147	2.21e-05 ***
Residuals	2372.6	42		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

4.2 p417

(4) MODEL

```
p417 = read.table("http://r.acr.kr/sas4lm/p417.txt", header=TRUE)
p417 = af(p417, c("TRT", "POT", "PLANT"))
aov3(Y ~ TRT + POT %in% TRT, p417) # p418 Output 11.28
```

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	267.226	38.175	12.433	7.522e-05 ***
TRT	2	200.111	100.055	32.586	8.626e-06 ***
TRT:POT	5	30.306	6.061	1.974	0.1499
RESIDUALS	13	39.917	3.071		
CORRECTED TOTAL	20	307.143			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ TRT + POT %in% TRT, p417), type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Y

	Sum Sq	Df	F values	Pr(>F)
TRT	22.310	1	7.266	0.01835 *
TRT:POT	30.306	5	1.974	0.14991
Residuals	39.917	13		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

4.3 p431

(5) MODEL

```
p431 = read.table("http://r.acr.kr/sas4lm/p431.txt", header=TRUE)
p431 = af(p431, c("line", "sire", "agedam", "steerno"))
aov3(avdlygn ~ line + line:sire + agedam + line:agedam + age + intlw, p431)
```

Response : avdlygn

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	16	2.5275	0.15797	3.1437	0.001091 **
line	2	0.1362	0.06810	1.3553	0.267560
agedam	2	0.1301	0.06505	1.2946	0.283392
age	1	0.3813	0.38128	7.5878	0.008277 **
intlw	1	0.2697	0.26970	5.3674	0.024830 *
line:sire	6	0.9739	0.16231	3.2303	0.009543 **
line:agedam	4	0.4534	0.11336	2.2560	0.076821 .
RESIDUALS	48	2.4119	0.05025		
CORRECTED TOTAL	64	4.9394			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

p433 Output 11.40

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(avdlygn ~ line + line:sire + agedam + line:agedam + age + intlw, p431),
      type=3, singular.ok=TRUE) # NOT OK for line
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: avdlygn

	Sum Sq	Df	F values	Pr(>F)
line	0.00000	0		
agedam	0.13011	2	1.2946	0.283392
age	0.38128	1	7.5878	0.008277 **
intlw	0.26970	1	5.3674	0.024830 *
line:sire	0.97389	6	3.2303	0.009543 **
line:agedam	0.45343	4	2.2560	0.076821 .
Residuals	2.41192	48		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5 Sahai - Unbalanced

Reference

- Sahai H, Ojeda MM. Analysis of Variance for Random Models Volume 2 Unbalanced Data. 2005.

5.1 Table 15.3

(6) MODEL

```
T15.3 = read.table("http://r.acr.kr/sahai/T15.3.txt")
colnames(T15.3) = c("Dam", "Sire", "pH")
T15.3 = af(T15.3, c("Dam", "Sire"))
aov3(pH ~ Dam/Sire, T15.3) # p301
```

Response : pH

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	36	0.25804	0.0071678	2.8977	7.200e-06 ***
Dam	14	0.17940	0.0128146	5.1805	1.347e-07 ***
Dam:Sire	22	0.08002	0.0036374	1.4705	0.09662 .
RESIDUALS	123	0.30425	0.0024736		
CORRECTED TOTAL	159	0.56229			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(pH ~ Dam/Sire, T15.3), type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: pH

	Sum Sq	Df	F values	Pr(>F)
Dam	0.081011	6	5.4584	4.898e-05 ***
Dam:Sire	0.080024	22	1.4705	0.09662 .
Residuals	0.304253	123		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.2 Table 16.3

(7) MODEL

```
T16.3 = read.csv("http://r.acr.kr/sahai/T16.3.csv")
colnames(T16.3) = c("Plot", "Sample", "Subsample", "Residue")
T16.3 = af(T16.3, c("Plot", "Sample", "Subsample"))
aov3(Residue ~ Plot/Sample/Subsample, T16.3) # p344
```

```
Response : Residue
             Df Sum Sq Mean Sq F value    Pr(>F)
MODEL          54 3.1897 0.059069  5.8842 1.476e-05 ***
Plot           10 1.7869 0.178686 17.7998 2.547e-08 ***
Plot:Sample    22 0.9917 0.045079  4.4906 0.0004209 ***
Plot:Sample:Subsample 22 0.3576 0.016253  1.6191 0.1330632
RESIDUALS      22 0.2208 0.010039
CORRECTED TOTAL 76 3.4106
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(Residue ~ Plot/Sample/Subsample, T16.3), type=3, singular.ok=TRUE)
```

Note: model has aliased coefficients
sums of squares computed by model comparison

Anova Table (Type III tests)

```
Response: Residue
             Sum Sq Df F values   Pr(>F)
Plot          0.00000  0
Plot:Sample   0.36613 11  3.3156 0.00805 **
Plot:Sample:Subsample 0.35758 22  1.6191 0.13306
Residuals     0.22085 22
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
# NOT OK
```

6 Federer - Variations

Reference

- Federer WT, King F. Variations on Split Plot and Split Block Experiment Designs. John Wiley & Sons Inc. 2007.

6.1 Example 2.2

(8) MODEL

```
ex2.2 = read.table("http://r.acr.kr/split/sbex2_2.txt", header=TRUE)
ex2.2 = af(ex2.2, c("Row", "Column", "R", "S"))
aov3(Y ~ Row + R + S + R:S + Row:R + Column:S + Column:R:S, ex2.2)
```

```
Response : Y
              Df  Sum Sq Mean Sq F value Pr(>F)
MODEL          99 22310.4 225.36
Row             0
R               4   1159.8 289.94
S               3    351.9 117.29
R:S              12   826.0  68.83
Row:R            0
S:Column         12   3863.3 321.94
R:S:Column       48 11982.3 249.63
RESIDUALS        0     0.0
CORRECTED TOTAL 99 22310.4
```

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ Row + R + S + R:S + Row:R + Column:S + Column:R:S, ex2.2), type=3,
      singular.ok=TRUE) # NOT WORKING
```

6.2 Example 3.1

(9) MODEL

```
ex3.1a = read.table("http://r.acr.kr/split/Ex3.1-example.txt", header=TRUE)
ex3.1a = af(ex3.1a, c("row", "P", "column", "R", "S"))
aov3(height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P + S:P:row +
      S:R:P + R:S:P:row, ex3.1a)
```

```
Response : height
            Df Sum Sq Mean Sq F value Pr(>F)
MODEL          199 7534.8 37.86
row             4 2017.0 504.26
R               4   90.6 22.66
P               1   253.1 253.12
S               3   16.4  5.46
R:S              12 195.0 16.25
row:P            4 167.3 41.81
R:P              4 504.9 126.24
P:S              3   14.3  4.77
row:R:P           32 2933.5 91.67
row:P:S           24 234.7  9.78
R:P:S             12 100.3  8.36
row:R:P:S         96 1007.5 10.50
RESIDUALS        0     0.0
CORRECTED TOTAL 199 7534.8
```

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P +
          S:P:row + S:R:P + R:S:P:row, ex3.1a), type=3, singular.ok=TRUE)
# NOT WORKING
```

6.3 Appendix 3.1 p94

(10) MODEL

```
ex3.1b = read.table("http://r.acr.kr/split/spexvar3.txt", header=TRUE)
ex3.1b = af(ex3.1b, c("rep", "var", "nit", "row", "col"))
aov3(yield ~ rep + var + rep:var + nit + var:nit + row + col, ex3.1b)
```

Response : yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	37	48090	1299.7	11.3414	6.734e-11 ***
rep	2	5943	2971.3	25.9273	1.449e-07 ***
var	2	2800	1399.9	12.2155	0.0001005 ***
nit	3	11978	3992.6	34.8397	1.775e-10 ***
row	9	945	105.0	0.9162	0.5230151
col	2	3171	1585.7	13.8373	4.012e-05 ***
rep:var	4	998	249.4	2.1767	0.0926008 .
var:nit	6	478	79.6	0.6949	0.6553307
RESIDUALS	34	3896	114.6		
CORRECTED TOTAL	71	51986			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(yield ~ rep + var + rep:var + nit + var:nit + row + col, ex3.1b),
      type=3, singular.ok=TRUE) # NOT OK for var
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: yield

	Sum Sq	Df	F values	Pr(>F)
rep	5942.5	2	25.9273	1.449e-07 ***
var	0.0	0		
nit	11977.9	3	34.8397	1.775e-10 ***
row	945.0	9	0.9162	0.5230
col	3171.5	2	13.8373	4.012e-05 ***
rep:var	997.8	4	2.1767	0.0926 .
var:nit	477.8	6	0.6949	0.6553
Residuals	3896.4	34		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

6.4 Example 5.1

(11) MODEL

```
ex5.1 = read.table("http://r.acr.kr/split/sbsp.txt", header=TRUE)
ex5.1 = af(ex5.1, c("R", "A", "C", "B", "Tx"))
aov3(Y ~ R + A + A:R + C + B + B:C + Tx + A:Tx + B:Tx, ex5.1)
```

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	24	196.238	8.1766	7.0476	0.0008758 ***
R	2	22.186	11.0928	9.5611	0.0039244 **
A	1	15.185	15.1853	13.0886	0.0040418 **
C	2	1.010	0.5049	0.4352	0.6578395
B	1	1.792	1.7922	1.5448	0.2397515
Tx	5	103.333	20.6667	17.8131	6.055e-05 ***
R:A	2	27.426	13.7132	11.8197	0.0018198 **
C:B	2	0.085	0.0424	0.0366	0.9642020
A:Tx	4	2.655	0.6636	0.5720	0.6886524
B:Tx	4	2.050	0.5126	0.4418	0.7761730
RESIDUALS	11	12.762	1.1602		
CORRECTED TOTAL	35	209.000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + A + A:R + C + B + B:C + Tx + A:Tx + B:Tx, ex5.1),
      type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Y

	Sum Sq	Df	F values	Pr(>F)
R	22.186	2	9.5611	0.003924 **
A	0.000	0		
C	1.010	2	0.4352	0.657839
B	0.000	0		
Tx	103.333	5	17.8131	6.055e-05 ***
R:A	27.426	2	11.8197	0.001820 **
C:B	0.085	2	0.0366	0.964202
A:Tx	2.655	4	0.5720	0.688652
B:Tx	2.050	4	0.4418	0.776173
Residuals	12.762	11		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(12) MODEL

```
aov3(Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx + B:Tx + A:B:Tx, ex5.1)
```

```
Response : Y
            Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL        28 204.200  7.2929 10.6354 0.0017194 ***
R             2   28.112 14.0562 20.4986 0.0011846 ***
A             1   14.655 14.6551 21.3720 0.0024176 ***
C             2    0.471  0.2356  0.3436 0.7205632
B             1    1.769  1.7694  2.5804 0.1522328
Tx            5 103.815 20.7630 30.2793 0.0001336 ***
R:A           1    2.017  2.0174  2.9420 0.1300172
C:B           1    0.644  0.6445  0.9399 0.3646045
A:Tx          4    2.951  0.7378  1.0760 0.4358837
B:Tx          4    3.553  0.8882  1.2954 0.3579988
A:B:Tx        4    7.962  1.9905  2.9029 0.1038803
RESIDUALS     7    4.800  0.6857
CORRECTED TOTAL 35 209.000
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx + B:Tx + A:B:Tx, ex5.1),
      type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients
sums of squares computed by model comparison

Anova Table (Type III tests)

```
Response: Y
            Sum Sq Df F values    Pr(>F)
R         11.643  1 16.9793 0.004456 ***
A         0.000  0
C         0.002  1  0.0025 0.961483
B         0.000  0
Tx        89.178  3 43.3503 6.87e-05 ***
R:A       2.017  1  2.9420 0.130017
C:B       0.644  1  0.9399 0.364604
A:Tx      0.543  3  0.2640 0.849381
B:Tx      3.384  3  1.6451 0.264128
A:B:Tx    7.962  4  2.9029 0.103880
Residuals 4.800  7
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

6.5 Example 7.1

(13) MODEL

```
ex7.1 = read.table("http://r.acr.kr/split/asped.txt", header=TRUE)
ex7.1 = af(ex7.1, c("R", "G", "F"))
aov3(Y ~ R + G + R:G + F + F:G, ex7.1)
```

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	95	577.83	6.0824	5.3082	1.068e-05 ***
R	3	5.75	1.9167	1.6727	0.1994
G	27	343.48	12.7216	11.1025	4.286e-08 ***
F	2	50.51	25.2525	22.0385	3.686e-06 ***
R:G	9	11.75	1.3056	1.1394	0.3749
G:F	54	77.98	1.4441	1.2603	0.2718
RESIDUALS	24	27.50	1.1458		
CORRECTED TOTAL	119	605.33			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + G + R:G + F + F:G, ex7.1), type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Y

	Sum Sq	Df	F values	Pr(>F)
R	0.000	0		
G	202.417	3	58.8848	3.258e-11 ***
F	50.505	2	22.0385	3.686e-06 ***
R:G	11.750	9	1.1394	0.3749
G:F	77.983	54	1.2603	0.2718
Residuals	27.500	24		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

6.6 Example 7.3

(14) MODEL

```
ex7.3 = read.table("http://r.acr.kr/split/assped.txt", header=TRUE)
ex7.3 = af(ex7.3, c("R", "T", "G", "F"))
aov3(Y ~ R + T + R:T + G + G:T + R:T:G + F + F:T + F:G + F:G:T, ex7.3)
```

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	155	656.12	4.233	13.4461	3.997e-14 ***
R	3	12.49	4.162	13.2206	5.655e-06 ***
T	1	11.16	11.158	35.4430	8.021e-07 ***
G	22	389.01	17.682	56.1668	< 2.2e-16 ***
F	2	120.56	60.282	191.4828	< 2.2e-16 ***
R:T	3	1.15	0.384	1.2206	0.316281
T:G	22	18.42	0.837	2.6601	0.004445 **
T:F	2	0.82	0.411	1.3060	0.283432
G:F	44	23.47	0.533	1.6943	0.053191 .
R:T:G	12	8.78	0.731	2.3235	0.025315 *
T:G:F	44	10.74	0.244	0.7753	0.790640
RESIDUALS	36	11.33	0.315		
CORRECTED TOTAL	191	667.45			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + T + R:T + G + G:T + R:T:G + F + F:T + F:G + F:G:T, ex7.3),
      type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Y	Sum Sq	Df	F values	Pr(>F)
R	0.000	0		
T	0.000	0		
G	73.444	2	116.6471 < 2.2e-16 ***	
F	120.563	2	191.4828 < 2.2e-16 ***	
R:T	0.000	0		
T:G	5.778	2	9.1765 0.0006018 ***	
T:F	0.822	2	1.3060 0.2834316	
G:F	23.469	44	1.6943 0.0531910 .	
R:T:G	8.778	12	2.3235 0.0253153 *	
T:G:F	10.740	44	0.7753 0.7906401	
Residuals	11.333	36		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

6.7 Example 8.1

(15) MODEL

```
ex8.1 = read.table("http://r.acr.kr/split/asbed.txt", header=TRUE)
ex8.1 = af(ex8.1, c("R", "A", "B"))
aov3(Y ~ R + A + R:A + B + B:R + A:B + A:B:R, ex8.1)
```

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	104	3951.8	37.999		
R	2	372.2	186.111		
A	12	572.3	47.692		
B	8	185.8	23.231		
R:A	6	50.0	8.333		
R:B	4	87.4	21.861		
A:B	60	1012.3	16.871		
R:A:B	12	49.0	4.083		
RESIDUALS	0	0.0			
CORRECTED TOTAL	104	3951.8			

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + A + R:A + B + B:R + A:B + A:B:R, ex8.1), type="III",
singular.ok=TRUE) # NOT WORKING
```

6.8 Example 9.2

(16) MODEL

```
ex9.2 = read.table("http://r.acr.kr/split/Ex9.2-sbex.txt", header=TRUE)
ex9.2 = af(ex9.2, c("rep", "hyb", "gen"))
aov3(yield ~ rep + hyb + rep:hyb + gen + gen:rep + gen:hyb, ex9.2)
```

Response : yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	40	247.813	6.1953	4.4606	0.0011186 **
rep	1	0.167	0.1667	0.1200	0.7335481
hyb	9	66.796	7.4218	5.3437	0.0018370 **
gen	2	30.671	15.3356	11.0416	0.0009707 ***
rep:hyb	8	67.000	8.3750	6.0300	0.0011569 **
rep:gen	2	12.111	6.0556	4.3600	0.0308015 *
hyb:gen	18	60.504	3.3613	2.4201	0.0408545 *
RESIDUALS	16	22.222	1.3889		
CORRECTED TOTAL	56	270.035			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(yield ~ rep + hyb + rep:hyb + gen + gen:rep + gen:hyb, ex9.2), type=3,
singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: yield

	Sum Sq	Df	F values	Pr(>F)
rep	0.000	0		
hyb	66.704	8	6.0033	0.0011847 **
gen	30.671	2	11.0416	0.0009707 ***
rep:hyb	67.000	8	6.0300	0.0011569 **
rep:gen	12.111	2	4.3600	0.0308015 *
hyb:gen	60.504	18	2.4201	0.0408545 *
Residuals	22.222	16		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

6.9 Example 10.1

(17) MODEL

```
ex10.1 = read.table("http://r.acr.kr/split/Ex10.1-New.txt", header=TRUE)
ex10.1 = af(ex10.1, c("Site", "Block", "A", "B", "C"))
f10.1 = Yield ~ Site/Block + A/Site + B/Site + A:B + A:B:Site + A:B:Site:Block +
         C + A:C + B:C + A:B:C + C:Site + A:C:Site + B:C:Site + A:B:C:Site
aov3(f10.1, ex10.1)
```

Response : Yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	239	1639561484	6860090	2.1620e+03	< 2e-16 ***
Site	3	552717	184239	5.8064e+01	< 2e-16 ***
A	4	1387680917	346920229	1.0933e+05	< 2e-16 ***
B	1	100939695	100939695	3.1812e+04	< 2e-16 ***
C	3	19356264	6452088	2.0334e+03	< 2e-16 ***
Site:Block	8	7062320	882790	2.7822e+02	< 2e-16 ***
Site:A	12	34068	2839	8.9470e-01	0.55301
Site:B	3	1618	539	1.6990e-01	0.91662
A:B	4	31444008	7861002	2.4775e+03	< 2e-16 ***
A:C	12	26075792	2172983	6.8483e+02	< 2e-16 ***
B:C	3	23901388	7967129	2.5109e+03	< 2e-16 ***
Site:C	9	47625	5292	1.6677e+00	0.09747 .
Site:A:B	12	33737	2811	8.8600e-01	0.56185
A:B:C	12	41996729	3499727	1.1030e+03	< 2e-16 ***
Site:A:C	36	104110	2892	9.1140e-01	0.61768
Site:B:C	9	61111	6790	2.1400e+00	0.02701 *
Site:Block:A:B	72	186911	2596	8.1810e-01	0.84155
Site:A:B:C	36	82475	2291	7.2200e-01	0.87941
RESIDUALS	240	761522	3173		
CORRECTED TOTAL	479	1640323006			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(f10.1, ex10.1), type=3, singular.ok=TRUE) # NOT OK for Site:Block
```

Note: model has aliased coefficients
sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Yield	Sum Sq	Df	F values	Pr(>F)
Site	552717	3	5.8064e+01	< 2e-16 ***
A	1387680917	4	1.0933e+05	< 2e-16 ***
B	100939695	1	3.1812e+04	< 2e-16 ***
C	19356264	3	2.0334e+03	< 2e-16 ***
Site:Block	0	0		

Site:A	34068	12	8.9470e-01	0.55301
Site:B	1618	3	1.6990e-01	0.91662
A:B	31444008	4	2.4775e+03	< 2e-16 ***
A:C	26075792	12	6.8483e+02	< 2e-16 ***
B:C	23901388	3	2.5109e+03	< 2e-16 ***
Site:C	47625	9	1.6677e+00	0.09747 .
Site:A:B	33737	12	8.8600e-01	0.56185
A:B:C	41996729	12	1.1030e+03	< 2e-16 ***
Site:A:C	104110	36	9.1140e-01	0.61768
Site:B:C	61111	9	2.1400e+00	0.02701 *
Site:Block:A:B	186911	72	8.1810e-01	0.84155
Site:A:B:C	82475	36	7.2200e-01	0.87941
Residuals	761522	240		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1				

7 Hinkelmann & Kempthorne - Volume 1

Reference

- Hinkelmann K, Kempthorne O. Design and Analysis of Experiments Volume 1 Introduction to Experimental Design. 2e. John Wiley & Sons Inc. 2008.

7.1 p410

(18) MODEL

```
v1p410 = read.table("http://r.acr.kr/kemp/v1p410.txt", head=TRUE)
v1p410$carry = ifelse(v1p410$carry == 0, 3, v1p410$carry)
v1p410 = af(v1p410,c("period", "sequence", "steer", "trt", "carry"))
aov3(y ~ period + sequence + steer:sequence + trt + carry, v1p410) # OK
```

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	17	1302.51	76.618	8.7402	1.572e-05 ***
period	2	172.31	86.154	9.8279	0.0013030 **
sequence	5	318.69	63.738	7.2709	0.0006954 ***
trt	2	440.61	220.304	25.1311	6.164e-06 ***
carry	2	16.43	8.215	0.9372	0.4100385
sequence:steer	6	118.50	19.750	2.2530	0.0849122 .
RESIDUALS	18	157.79	8.766		
CORRECTED TOTAL	35	1460.31			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(y ~ period + sequence + steer:sequence + trt + carry, v1p410), type=3,
singular.ok=TRUE) # NOT OK for sequence
```

Note: model has aliased coefficients
sums of squares computed by model comparison

Anova Table (Type III tests)

Response: y

	Sum Sq	Df	F values	Pr(>F)
period	172.31	2	9.8279	0.001303 **
sequence	0.00	0		
trt	440.61	2	25.1311	6.164e-06 ***
carry	16.43	2	0.9372	0.410038
sequence:steer	118.50	6	2.2530	0.084912 .
Residuals	157.79	18		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

8 Searle - Linear Models 2e

Reference

- Searle SR, Gruber MHJ. Linear Models 2e, Kindle Edition. John Wiley & Sons Inc. 2016.

8.1 7.2 (p390, 59%)

(19) MODEL

```
weight = c(8,13,9,12,7,11,6,12,12,14,9,7,14,16,10,14,11,13)
treatment = c("ta","ta","ta","ta","ta","tb","tb","tb","tb","tc","tc","tc",
             "tc","tc","tc")
variety = c("va","va","va","vc","vd","vd","va","va","vb","vb","vb","vb",
           "vc","vd","vd","vd")
d1 = data.frame(weight, treatment, variety)
aov3(weight ~ treatment*variety, d1)
```

```
Response : weight
            Df  Sum Sq Mean Sq F value Pr(>F)
MODEL          7  82.000 11.7143  2.0918 0.13995
treatment      2   12.471  6.2353  1.1134 0.36595
variety        3   34.872 11.6240  2.0757 0.16719
treatment:variety  2   34.714 17.3571  3.0995 0.08965 .
RESIDUALS      10   56.000  5.6000
CORRECTED TOTAL 17  138.000
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(weight ~ treatment*variety, d1), type=3, singular.ok=TRUE) # NOT OK
```

```
Note: model has aliased coefficients
      sums of squares computed by model comparison
```

```
Anova Table (Type III tests)
```

```
Response: weight
            Sum Sq Df F values Pr(>F)
treatment      0.000  0
variety        0.000  0
treatment:variety 34.714  2   3.0995 0.08965 .
Residuals     56.000 10
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

8.2 7.2 (p393, 60%)

(20) MODEL

```
percent = c(31,33,44,36,38,26,37,59,42,42,34,42,28,39,36,32,38,42,36,22,42,46,
           26,37,43)
refinery = c(rep("g",9),rep("n",8),rep("s",8))
process = as.factor(c(1,1,1,1,1,1,2,2,2,1,1,1,2,2,2,2,1,1,1,2,2,2,2,2))
source0 = c("t","t","t","t","o","m","t","t","o","m","i","i","t","o","m","m",
           "t","o","i","o","o","m","i","i")
d2 = data.frame(percent, refinery, process, source=source0)
aov3(percent ~ refinery*source, d2)
```

Response : percent

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	10	442.56	44.256	0.6361	0.7616
refinery	2	10.77	5.383	0.0774	0.9259
source	3	282.63	94.211	1.3542	0.2972
refinery:source	5	155.47	31.095	0.4469	0.8086
RESIDUALS	14	974.00	69.571		
CORRECTED TOTAL	24	1416.56			

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(percent ~ refinery*source, d2), type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients
sums of squares computed by model comparison

Anova Table (Type III tests)

Response: percent

	Sum Sq	Df	F values	Pr(>F)
refinery	2.52	1	0.0362	0.8518
source	268.19	2	1.9275	0.1822
refinery:source	155.47	5	0.4469	0.8086
Residuals	974.00	14		

9 Session Information

```
R version 4.0.5 (2021-03-31)
Platform: x86_64-w64-mingw32/x64 (64-bit)
Running under: Windows 10 x64 (build 17763)

Matrix products: default

locale:
[1] LC_COLLATE=Korean_Korea.949  LC_CTYPE=Korean_Korea.949
[3] LC_MONETARY=Korean_Korea.949 LC_NUMERIC=C
[5] LC_TIME=Korean_Korea.949

attached base packages:
[1] stats      graphics   grDevices utils      datasets   methods    base

other attached packages:
[1] daewr_1.2-7    car_3.0-10     carData_3.0-4  sasLM_0.5.2   rmarkdown_2.7

loaded via a namespace (and not attached):
 [1] tinytex_0.28        zoo_1.8-9          xfun_0.20
 [4] partitions_1.10-2   haven_2.3.1        lattice_0.20-41
 [7] colorspace_2.0-0    vctrs_0.3.7        htmltools_0.5.1.1
[10] yaml_2.2.1         gmp_0.6-2          utf8_1.2.1
[13] rlang_0.4.10       pillar_1.5.1       foreign_0.8-81
[16] readxl_1.3.1       lifecycle_1.0.0    stringr_1.4.0
[19] combinat_0.0-8     cellranger_1.1.0  DoE.base_1.1-6
[22] zip_2.1.1          evaluate_0.14     knitr_1.31
[25] rio_0.5.26        forcats_0.5.1     lmtest_0.9-38
[28] curl_4.3           numbers_0.7-5     fansi_0.4.2
[31] vcd_1.4-8          conf.design_2.0.0   Rcpp_1.0.6
[34] polynom_1.4-0      scatterplot3d_0.3-41 abind_1.4-5
[37] FrF2_2.2-2         hms_1.0.0          digest_0.6.27
[40] stringi_1.5.3      openxlsx_4.2.3    grid_4.0.5
[43] mathjaxr_1.4-0     tools_4.0.5        magrittr_2.0.1
[46] tibble_3.1.0        crayon_1.4.1      pkgconfig_2.0.3
[49] MASS_7.3-53.1      ellipsis_0.3.1    data.table_1.14.0
[52] sfsmisc_1.1-10     igraph_1.2.6      compiler_4.0.5
```