

Package ‘secr’

March 31, 2014

Type Package

Title Spatially explicit capture-recapture

Version 2.8.0

Depends R (>= 3.0.0)

Imports abind, MASS, utils, parallel, nlme, sp

Suggests maptools, spsurvey, rgdal, rgeos, raster

Date 2014-03-31

Author Murray Efford

Maintainer Murray Efford <murray.efford@otago.ac.nz>

Description Functions to estimate the density and size of a spatially distributed animal population sampled with an array of passive detectors, such as traps, or by searching polygons or transects. Models incorporating distance-dependent detection are fitted by maximizing the likelihood. Tools are included for data manipulation and model selection.

License GPL (>= 2)

LazyData yes

LazyDataCompression xz

URL <http://www.otago.ac.nz/density>

R topics documented:

secr-package	4
addCovariates	6
addTelemetry	8
AIC.secr	10
autoini	12
BUGS	14
capthist	16
capthist.parts	17
circular	19
clone	21
closedN	22

closure.test	24
cluster	26
coef.secr	27
confint.secr	27
contour	29
covariates	31
CV	32
D.designdata	33
deermouse	34
derived	36
details	39
detectfn	41
detector	43
deviance	44
distancetotrap	45
Dsurface	46
ellipse.secr	47
empirical.varD	48
esa.plot	52
esa.plot.secr	54
expected.n	55
FAQ	57
fxi	59
hcov	61
head	64
homerange	65
hornedlizard	67
housemouse	69
ip.secr	70
join	75
LLsurface.secr	76
logit	78
logmultinom	79
LR.test	80
make.caphist	81
make.mask	83
make.systematic	86
make.traps	88
make.tri	90
mask	92
mask.check	93
model.average	96
ms	98
ovenbird	99
ovensong	101
par.secr.fit	103
Parallel	105
pdot	107
PG	108
plot.caphist	110
plot.mask	113
plot.popn	116

plot.secr	117
plot.traps	119
pointsInPolygon	121
polyarea	122
popn	122
possum	123
predict.secr	125
predictDsurface	127
print.caphist	129
print.secr	130
print.traps	131
randomHabitat	132
rbind.caphist	134
rbind.popn	136
rbind.traps	137
read.caphist	138
read.mask	140
read.telemetry	141
read.traps	143
rectangularMask	144
reduce	145
reduce.caphist	146
region.N	148
RMarkInput	151
Rsurface	153
score.test	155
secr.design.MS	157
secr.fit	159
secr.make.newdata	164
secr.model	165
secr.model.density	166
secr.model.detection	167
secrdemo	170
session	171
signal	173
signalmatrix	174
sim.caphist	175
sim.popn	178
sim.secr	182
skink	184
snip	186
sort.caphist	188
SPACECAP	189
spacing	190
speed	191
stoatDNA	193
subset.caphist	195
subset.mask	197
subset.popn	199
subset.traps	200
suggest.buffer	201
summary.caphist	203

summary.mask	205
summary.traps	206
timevaryingcov	207
transformations	208
trap.builder	210
traps	214
traps.info	216
trim	217
Troubleshooting	218
usage	219
usagePlot	221
vcov.secr	222
verify	223
write.captures	225
writeGPS	226

Index	229
--------------	------------

secr-package	<i>Spatially Explicit Capture–Recapture Models</i>
--------------	--

Description

Functions to estimate the density and size of a spatially distributed animal population sampled with an array of passive detectors, such as traps, or by searching polygons or transects.

Details

Package: secr
 Type: Package
 Version: 2.8.0
 Date: 2014-03-31
 License: GNU General Public License Version 2 or later

Spatially explicit capture–recapture is a set of methods for studying marked animals distributed in space. Data comprise the locations of detectors (traps, searched areas, etc. described in an object of class ‘traps’), and the detection histories of individually marked animals. Individual histories are stored in an object of class ‘caphist’ that includes the relevant ‘traps’ object.

Models for population density (animals per hectare) and detection are defined in **secr** using symbolic formula notation. Density models may include spatial or temporal trend. Possible predictors for detection probability include both pre-defined variables (t, b, etc.) corresponding to ‘time’, ‘behaviour’ and other effects), and user-defined covariates of several kinds. Habitat is distinguished from nonhabitat with an object of class ‘mask’.

Models are fitted in **secr** by maximizing either the full likelihood or the likelihood conditional on the number of individuals observed (n). Conditional likelihood models are limited to homogeneous Poisson density, but allow continuous individual covariates for detection. A model fitted with [secr.fit](#) is an object of class `secr`. Generic methods (plot, print, summary, etc.) are provided for each object class.

A link at the bottom of each help page takes you to the help index. Several vignettes complement

the help pages:

../doc/secr-overview.pdf	general introduction
../doc/secr-datainput.pdf	data formats and input functions
../doc/secr-densitysurfaces.pdf	modelling density surfaces
../doc/secr-finitemixtures.pdf	mixture models for individual heterogeneity
../doc/secr-parameterisations.pdf	alternative parameterisations sigma _k , a ₀
../doc/secr-polygondetectors.pdf	using polygon and transect detector types
../doc/secr-sound.pdf	analysing data from microphone arrays
../doc/secr-varyingeffort.pdf	variable effort in SECR models

The help pages are also available as [../doc/secr-manual.pdf](#).

The datasets [possum](#), [skink](#), [ovenbird](#), [housemouse](#), [deermouse](#), [ovensong](#), [hornedlizard](#) and [stoatDNA](#) include examples of fitted models.

The analyses in **secr** extend those available in the software Density (see www.otago.ac.nz/density for the most recent version of Density). Help is available on the ‘DENSITY | secr’ forum at www.phidot.org. Feedback on the software is also welcome, including suggestions for additional documentation or new features consistent with the overall design.

Acknowledgements

David Borchers made many of these methods possible with his work on the likelihood. Deanna Dawson edited some of the documentation (the cleaner bits!) and her support and collaboration were important throughout. Tiago Marques and Mike Meredith suggested many improvements to the documentation and provided valued criticism and support.

Author(s)

Murray Efford <murray.efford@otago.ac.nz>

References

- Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.
- Efford, M. G. (2004) Density estimation in live-trapping studies. *Oikos* **106**, 598–610.
- Efford, M. G. (2011) Estimation of population density by spatially explicit capture–recapture with area searches. *Ecology* **92**, 2202–2207.
- Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture–recapture: likelihood-based methods. In: D. L. Thomson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer, New York. Pp. 255–269.
- Efford, M. G., Borchers D. L. and Mowat, G. (2013) Varying effort in capture–recapture studies. *Methods in Ecology and Evolution* **4**, 629–636.
- Efford, M. G., Dawson, D. K. and Borchers, D. L. (2009) Population density estimated from locations of individuals on a passive detector array. *Ecology* **90**, 2676–2682.
- Efford, M. G., Dawson, D. K. and Robbins C. S. (2004) DENSITY: software for analysing capture–recapture data from passive detector arrays. *Animal Biodiversity and Conservation* **27**, 217–228.
- Efford, M. G. and Fewster, R. M. (2013) Estimating population size by spatially explicit capture–recapture. *Oikos* **122**, 918–928.

Efford, M. G. and Mowat, G. (2014). Compensatory heterogeneity in spatially explicit capture–recapture data. *Ecology* (in press).

Royle, J. A. and Gardner, B. (2011) Hierarchical spatial capture–recapture models for estimating density from trapping arrays. In: A.F. O’Connell, J.D. Nichols and K.U. Karanth (eds) *Camera Traps in Animal Ecology: Methods and Analyses*. Springer, Tokyo. Pp. 163–190.

See Also

[read.caphist](#), [secr.fit](#), [traps](#), [caphist](#), [mask](#)

Examples

```
## Not run:

## generate some data & plot
detectors <- make.grid (nx = 10, ny = 10, spacing = 20,
  detector = "multi")
plot(detectors, label = TRUE, border = 0, gridspace = 20)
detections <- sim.caphist (detectors, noccasions = 5,
  popn = list(D = 5, buffer = 100),
  detectpar = list(g0 = 0.2, sigma = 25))
session(detections) <- "Simulated data"
plot(detections, border = 20, tracks = TRUE, varycol = TRUE)

## generate habitat mask
mask <- make.mask (detectors, buffer = 100, nx = 48)

## fit model and display results
secr.model <- secr.fit (detections, model = g0~b, mask = mask)
secr.model

## End(Not run)
```

addCovariates

Add Covariates to Mask or Traps

Description

Tools to construct spatial covariates for existing mask or traps objects from a spatial data source. Possible sources include GIS data such as ESRI polygon shapefiles input using **maptools**.

Usage

```
addCovariates(object, spatialdata, columns = NULL)
```

Arguments

object	mask or traps object
spatialdata	spatial data source (see Details)
columns	character vector naming columns to include (all by default)

Details

The goal is to obtain the value(s) of one or more spatial covariates for each point (i.e. row) in object. The procedure depends on the data source `spatialdata`, which may be either a spatial coverage (raster or polygon) or an object with covariate values at points (another mask or traps object). In the first case, an overlay operation is performed to find the pixel or polygon matching each point. In the second case, a search is conducted for the closest point in `spatialdata`.

If `spatialdata` is a character value then it is interpreted as the name of a polygon shape file (excluding `‘.shp’`).

If `spatialdata` is a `SpatialPolygonsDataFrame` or a `SpatialGridDataFrame` then it will be used in an overlay operation as described.

If `spatialdata` is a mask or traps object then it is searched for the closest point to each point in object, and covariates are drawn from the corresponding rows in `covariates(spatialdata)`.

Value

An object of the same class as object with new or augmented covariates attribute. Column names and types are derived from the input.

Warning

Use of a `SpatialGridDataFrame` for `spatialdata` is untested.

Note

The package **maptools** is needed to read a shapefile, and the package **sp** is needed for spatial overlay.

See Also

[make.mask](#), [read.mask](#), [read.traps](#)

Examples

```
## In the Lake Station skink study (see ?skink), habitat covariates were
## measured only at trap sites. Here we extrapolate to a mask, taking
## values for each mask point from the nearest trap.
```

```
LSmask <- make.mask(LStraps, buffer = 30, type = "trapbuffer")
tempmask <- addCovariates(LSmask, LStraps)
## show first few lines
head(covariates(tempmask))
```

 addTelemetry

Combine Telemetry and Detection Data

Description

Animal locations determined by radiotelemetry can be used to augment capture–recapture data. The procedure in `secr` is first to form a capthist object containing the telemetry data and then to combine this with true capture–recapture data (e.g. detections from hair-snag DNA) in another capthist object. `secr.fit` automatically detects the telemetry data in the new object.

Usage

```
addTelemetry (detectionCH, telemetryCH)
xy2CH (CH, inflation = 1e-08)
```

Arguments

detectionCH	single-session capthist object, detector type ‘proximity’ or ‘count’
telemetryCH	single-session capthist object, detector type ‘telemetry’
CH	single-session capthist object with xylist attribute
inflation	numeric tolerance for polygon

Details

It is assumed that a number of animals have been radiotagged in the vicinity of the detector array, and their telemetry data (xy-coordinates) have been input to `telemetryCH`, perhaps using `read.caphist` with `detector = "telemetry"` and `fmt = "XY"`, or with `read.telemetry`.

A new capthist object is built comprising all the detection histories in `detectionCH`, plus empty (all-zero) histories for every telemetered animal not in `detectionCH`. The telemetry locations are carried over from `telemetryCH` as attribute ‘xylist’ (each component of xylist holds the coordinates of one animal; use `telemetryxy` to extract).

`xy2CH` partly reverses `addTelemetry`: the location information in the xylist attribute is converted back to a capthist with detector type ‘telemetry’. A search polygon is formed from the convex hull (minimum convex polygon) of the detectors, slightly inflated (factor `inflation`) to avoid numeric inclusion errors at the vertices.

Value

A single-session capthist object with the same detector type as `detectionCH`, but possibly with empty rows and an ‘xylist’ attribute.

Note

Telemetry provides independent data on the location and presence of a sample of animals. These animals may be missed in the main sampling that gives rise to `detectionCH` i.e., they may have all-zero detection histories.

The ‘telemetry’ detector type is like a ‘polygon’ detector (detections have x-y coordinates). Although perimeter coordinates are required they are not at present used in analyses.

Combining telemetry and detection data is new in `secr` 2.4.0, and not yet fully documented.

See Also

[caphist](#), [make.telemetry](#), [read.telemetry](#), [telemetryxy](#)

Examples

```
## Not run:

# Generate some detection and telemetry data, combine them using
# addTelemetry, and perform analyses

# detectors
te <- make.telemetry()
tr <- make.grid(detector = "proximity")

# simulated population and 50% telemetry sample
totalpop <- sim.popn(tr, D = 20, buffer = 100)
tepop <- subset(totalpop, runif(nrow(totalpop)) < 0.5)

# simulated detection histories and telemetry
# the original animalID (renumber = FALSE) are needed for matching
trCH <- sim.caphist(tr, popn = totalpop, renumber = FALSE, detectfn = "HHN")
teCH <- sim.caphist(te, popn = tepop, renumber=FALSE, detectfn = "HHN",
  detectpar = list(lambda0 = 3, sigma = 25))

combinedCH <- addTelemetry(trCH, teCH)

# summarise and display
summary(combinedCH)
plot(combinedCH, border = 150)
ncapt <- apply(combinedCH,1,sum)
points(totalpop[row.names(combinedCH)[ncapt==0],], pch = 1)
points(totalpop[row.names(combinedCH)[ncapt>0],], pch = 16)

fit.tr <- secr.fit(trCH, CL = TRUE, detectfn = "HHN") ## trapping alone
fit.te <- secr.fit(teCH, CL = TRUE, start = log(20), ## telemetry alone
  detectfn = "HHN")
fit2 <- secr.fit(combinedCH, CL = TRUE, ## combined
  detectfn = "HHN")
fit2a <- secr.fit(combinedCH, CL = TRUE, details = ## combined, using info
  list(telemetrysigma = TRUE), detectfn = "HHN") ## on sigma from telemetry

# improved precision when focus on realised population
# (compare CVD)
derived(fit.tr, distribution = "binomial")
derived(fit2, distribution = "binomial")

# may also use CL = FALSE
secr.fit(combinedCH, CL = FALSE, detectfn = "HHN")

## End(Not run)
```

Description

Terse report on the fit of one or more spatially explicit capture–recapture models. Models with smaller values of AIC (Akaike’s Information Criterion) are preferred. Extraction (I) and logLik methods are included.

Usage

```
## S3 method for class secr
AIC(object, ..., sort = TRUE, k = 2, dmax = 10, criterion = c("AICc", "AIC"))
## S3 method for class secrlist
AIC(object, ..., sort = TRUE, k = 2, dmax = 10, criterion = c("AICc", "AIC"))
## S3 method for class secr
logLik(object, ...)
secrlist(...)
## S3 method for class secrlist
x[i]
```

Arguments

object	secr object output from the function <code>secr.fit</code> , or a list of such objects with class <code>c("list", "secrlist")</code>
...	other secr objects
sort	logical for whether rows should be sorted by ascending AICc
k	numeric, penalty per parameter to be used; always $k = 2$ in this method
dmax	numeric, maximum AIC difference for inclusion in confidence set
criterion	character, criterion to use for model comparison and weights
x	secrlist
i	indices

Details

Models to be compared must have been fitted to the same data and use the same likelihood method (full vs conditional).

AIC with small sample adjustment is given by

$$AIC_c = -2\log(L(\hat{\theta})) + 2K + \frac{2K(K+1)}{n-K-1}$$

where K is the number of "beta" parameters estimated. The sample size n is the number of individuals observed at least once (i.e. the number of rows in `capthist`).

Model weights are calculated as

$$w_i = \frac{\exp(-\Delta_i/2)}{\sum \exp(-\Delta_i/2)}$$

, where Δ refers to differences in AIC or AICc depending on the argument ‘criterion’.

Models for which $\Delta > \Delta_{\max}$ are given a weight of zero and are excluded from the summation. Model weights may be used to form model-averaged estimates of real or beta parameters with `model.average` (see also Buckland et al. 1997, Burnham and Anderson 2002).

The argument `k` is included for consistency with the generic method `AIC`.

`seclist` forms a list of fitted models (an object of class 'seclist') from the fitted models in `...`. Arguments may include seclists. If secr components are named the model names will be retained (see Examples).

Value

A data frame with one row per model. By default, rows are sorted by ascending AICc.

<code>model</code>	character string describing the fitted model
<code>detectfn</code>	shape of detection function fitted (halfnormal vs hazard-rate)
<code>npar</code>	number of parameters estimated
<code>logLik</code>	maximized log likelihood
<code>AIC</code>	Akaike's Information Criterion
<code>AICc</code>	AIC with small-sample adjustment of Hurvich & Tsai (1989)

And depending on `criterion`:

<code>dAICc</code>	difference between AICc of this model and the one with smallest AICc
<code>AICcwt</code>	AICc model weight

or

<code>dAIC</code>	difference between AIC of this model and the one with smallest AIC
<code>AICwt</code>	AIC model weight

`logLik.secr` returns an object of class 'logLik' that has attribute `df` (degrees of freedom = number of estimated parameters).

Note

It is not be meaningful to compare models by AIC if they relate to different data or habitat masks.

Specifically:

- an 'seclist' generated and saved to file by `mask.check` may be supplied as the object argument of `AIC.seclist`, but the results are not informative
- models fitted by the conditional likelihood (`CL = TRUE`) and full likelihood (`CL = FALSE`) methods cannot be compared
- hybrid mixture models (using `hcov` argument of `secr.fit`) should not be compared with other models
- grouped models (using `groups` argument of `secr.fit`) should not be compared with other models
- multi-session models should not be compared with single-session models based on the same data.

A likelihood-ratio test (`LR.test`) is a more direct way to compare two models.

The issue of goodness-of-fit and possible adjustment of AIC for overdispersion has yet to be addressed (cf QAIC in MARK).

From version 2.6.0 the user may select between AIC and AICc for comparing models, whereas previously only AICc was used and AICc weights were reported as 'AICwt'). There is evidence that AIC may be better for model averaging even when samples are small sizes - Turek and Fletcher (2012).

References

- Buckland S. T., Burnham K. P. and Augustin, N. H. (1997) Model selection: an integral part of inference. *Biometrics* **53**, 603–618.
- Burnham, K. P. and Anderson, D. R. (2002) *Model Selection and Multimodel Inference: A Practical Information-Theoretic Approach*. Second edition. New York: Springer-Verlag.
- Hurvich, C. M. and Tsai, C. L. (1989) Regression and time series model selection in small samples. *Biometrika* **76**, 297–307.
- Turek, D. and Fletcher, D. (2012) Model-averaged Wald confidence intervals. *Computational statistics and data analysis* **56**, 2809–2815.

See Also

[model.average](#), [AIC](#), [secr.fit](#), [print.secr](#), [score.test](#), [LR.test](#), [deviance.secr](#)

Examples

```
## Compare two models fitted previously
## secrdemo.0 is a null model
## secrdemo.b has a learned trap response

AIC(secrdemo.0, secrdemo.b)

## Form secrlist and pass to AIC.secr
temp <- secrlist(null = secrdemo.0, learnedresponse = secrdemo.b)
AIC(temp)
```

autoini

Initial Parameter Values for SECR

Description

Find plausible initial parameter values for [secr.fit](#). A simple SECR model is fitted by a fast ad hoc method.

Usage

```
autoini(capthist, mask, detectfn = 0, thin = 0.2, tol = 0.001,
        binomN = 1, adjustg0 = TRUE, ignoreusage = FALSE)
```

Arguments

capthist	capthist object
mask	mask object compatible with the detector layout in capthist
detectfn	integer code or character string for shape of detection function 0 = halfnormal
thin	proportion of points to retain in mask
tol	numeric absolute tolerance for numerical root finding
binomN	integer code for distribution of counts (see secr.fit)
adjustg0	logical for whether to adjust g0 for usage (effort) and binomN
ignoreusage	logical for whether to discard usage information from traps(capthist)

Details

Plausible starting values are needed to avoid numerical problems when fitting SECR models. Actual models to be fitted will usually have more than the three basic parameters output by `autoini`; other initial values can usually be set to zero for `secr.fit`. If the algorithm encounters problems obtaining a value for `g0`, the default value of 0.1 is returned.

Only the halfnormal detection function is currently available in `autoini` (cf other options in e.g. `detectfn` and `sim.caphist`).

`autoini` implements a modified version of the algorithm proposed by Efford et al. (2004). In outline, the algorithm is

1. Find value of σ that predicts the 2-D dispersion of individual locations (see [RPSV](#))
2. Find value of g_0 that, with σ , predicts the observed mean number of captures per individual (by algorithm of Efford et al. (2009, Appendix 2))
3. Compute the effective sampling area from g_0 , σ , using thinned mask (see [esa](#))
4. Compute $D = n/esa(g_0, \sigma)$, where n is the number of individuals detected

Here ‘find’ means solve numerically for zero difference between the observed and predicted values, using `uniroot`.

If `RPSV` cannot be computed the algorithm tries to use observed mean recapture distance \bar{d} . Computation of \bar{d} fails if there no recaptures, and all returned values are NA.

If the mask has more than 100 points then a proportion `1-thin` of points are discarded at random to speed execution.

The argument `tol` is passed to `uniroot`. It may be a vector of two values, the first for g_0 and the second for σ .

If `traps(caphist)` has a `usage` attribute (defining effort on each occasion at each detector) then the value of g_0 is divided by the mean of the non-zero elements of `usage`. This adjustment is not precise.

If `adjustg0` is TRUE then an adjustment is made to g_0 depending on the value of `binomN`. For Poisson counts (`binomN = 0`) the adjustment is linear on effort (`adjusted.g0 = g0 / usage`). Otherwise, the adjustment is on the hazard scale (`adjusted.g0 = 1 - (1 - g0) ^ (1 / (usage x binomN))`). An arithmetic average is taken over all non-zero usage values (i.e. over used detectors and times). If `usage` is not specified it is taken to be 1.0.

Value

A list of parameter values :

<code>D</code>	Density (animals per hectare)
<code>g0</code>	Magnitude (intercept) of detection function
<code>sigma</code>	Spatial scale of detection function (m)

References

- Efford, M. G., Dawson, D. K. and Robbins C. S. (2004) DENSITY: software for analysing capture–recapture data from passive detector arrays. *Animal Biodiversity and Conservation* **27**, 217–228.
- Efford, M. G., Dawson, D. K. and Borchers, D. L. (2009) Population density estimated from locations of individuals on a passive detector array. *Ecology* **90**, 2676–2682.

See Also

[caphist](#), [mask](#), [secre.fit](#), [dbar](#)

Examples

```
demotraps <- make.grid()
demomask <- make.mask(demotraps)
demoCH <- sim.caphist (demotraps, popn = list(D = 5, buffer = 100))
autoini (demoCH, demomask)
```

 BUGS

Convert Data To Or From BUGS Format

Description

Convert data between ‘caphist’ and BUGS input format.

Usage

```
read.DA(DAlist, detector = "polygonX", units = 1, session = 1,
  Y = "Y", xcoord = "U1", ycoord = "U2", xmin = "Xl",
  xmax = "Xu", ymin = "Yl", ymax = "Yu", buffer = "delta",
  verify = TRUE)

write.DA(caphist, buffer, nzeros = 200, units = 1)
```

Arguments

DAlist	list containing data in BUGS format
detector	character value for detector type: ‘polygon’ or ‘polygonX’
units	numeric for scaling output coordinates
session	numeric or character label used in output
Y	character, name of binary detection history matrix (animals x occasions)
xcoord	character, name of matrix of x-coordinates for each detection in Y
ycoord	character, name of matrix of y-coordinates for each detection in Y
xmin	character, name of coordinate of state space boundary
xmax	character, name of coordinate of state space boundary
ymin	character, name of coordinate of state space boundary
ymax	character, name of coordinate of state space boundary
buffer	see Details
verify	logical if TRUE then the resulting caphist object is checked with verify
caphist	caphist object
nzeros	level of data augmentation (all-zero detection histories)

Details

Data for OpenBUGS or WinBUGS called from R using the package **R2WinBUGS** (Sturtz et al. 2005) take the form of an R list.

These functions are limited at present to binary data from a square quadrat such as used by Royle and Young (2008). Marques et al. (2011) provide an R function `create.data()` for generating simulated datasets of this sort (see `sim.caphist` for equivalent functionality).

When reading BUGS data –

The character values `Y`, `xcoord`, `ycoord`, `xmin` etc. are used to locate the data within `DAlist`, allowing for variation in the input names.

The number of sampling occasions is taken from the number of columns in `Y`. Each value in `Y` should be 0 or 1. Coordinates may be missing

A numeric value for `buffer` is the distance (in the original units) by which the limits `Xl`, `Xu` etc. should be shrunk to give the actual plot limits. If `buffer` is character then a component of `DAlist` contains the required numeric value.

Coordinates in the output will be *multiplied by* the scalar units.

Augmentation rows corresponding to ‘all-zero’ detection histories in `Y`, `xcoord`, and `ycoord` are discarded.

When writing BUGS data –

Null (all-zero) detection histories are added to the matrix of detection histories `Y`, and missing (NA) rows are added to the coordinate matrices `xcoord` and `ycoord`.

Coordinates in the output will be *divided by* the scalar units.

Value

For `read.DA`, an object of class ‘`capthist`’.

For `write.DA`, a list with the components

<code>Xl</code>	left edge of state space
<code>Xu</code>	right edge of state space
<code>Yl</code>	bottom edge of state space
<code>Yu</code>	top edge of state space
<code>delta</code>	buffer between edge of state space and quadrat
<code>nind</code>	number of animals observed
<code>nzeros</code>	number of added all-zero detection histories
<code>T</code>	number of sampling occasions
<code>Y</code>	binary matrix of detection histories (<code>dim = c(nind+nzeros, T)</code>)
<code>U1</code>	matrix of x-coordinates, dimensioned as <code>Y</code>
<code>U2</code>	matrix of y-coordinates, dimensioned as <code>Y</code>

`U1` and `U2` are ‘NA’ where animal was not detected.

References

Marques, T. A., Thomas, L. and Royle, J. A. (2011) A hierarchical model for spatial capture–recapture data: Comment. *Ecology* **92**, 526–528.

Royle, J. A. and Young, K. V. (2008) A hierarchical model for spatial capture–recapture data. *Ecology* **89**, 2281–2289.

Sturtz, S., Ligges, U. and Gelman, A. (2005) R2WinBUGS: a package for running WinBUGS from R. *Journal of Statistical Software* **12**, 1–16.

See Also

[hornedlizardCH](#), [verify](#), [capthist](#)

Examples

```
write.DA (hornedlizardCH, buffer = 100, units = 100)

## In this example, the input uses X1, Xu etc.
## for the limits of the plot itself, so buffer = 0.
## Input is in hundreds of metres.
## First, obtain the list lzdata
olddir <- setwd (system.file("extdata", package="secr"))
source ("lizarddata.R")
str(lzdata)
## Now convert to capthist
tempcapt <- read.DA(lzdata, Y = "H", xcoord = "X",
  ycoord = "Y", buffer = 0, units = 100)
summary(tempcapt)
setwd(olddir)

## Not run:
plot(tempcapt)
secr.fit(tempcapt)
## etc.

## End(Not run)
```

capthist

Spatial Capture History Object

Description

A `capthist` object encapsulates all data needed by `secr.fit`, except for the optional habitat mask.

Details

An object of class `capthist` holds spatial capture histories, detector (trap) locations, individual covariates and other data needed for a spatially explicit capture-recapture analysis with `secr.fit`.

For ‘single’ and ‘multi’ detectors, `capthist` is a matrix with one row per animal and one column per occasion (i.e. `dim(capthist) = c(nc, noccasions)`); each element is either zero (no detection) or a detector number. For other detectors (‘proximity’, ‘count’, ‘signal’ etc.), `capthist` is an array of values and `dim(capthist) = c(nc, noccasions, ntraps)`; values maybe binary (`{-1, 0, 1}`) or integer depending on the detector type.

Deaths during the experiment are represented as negative values.

Ancillary data are retained as attributes of a `capthist` object as follows:

- `traps` – object of class `traps` (required)

- session – session identifier (required)
- covariates – dataframe of individual covariates (optional)
- cutval – threshold of signal strength for detection ('signal' only)
- signalframe – signal strength values etc., one row per detection ('signal' only)
- detectedXY – dataframe of coordinates for location within polygon ('polygon' only)
- xylist – coordinates of telemetered animals

The parts of a capthist object can be assembled with the function `make.capthist`. Use `sim.capthist` for Monte Carlo simulation (simple models only). Methods are provided to display and manipulate capthist objects (`print`, `summary`, `plot`, `rbind`, `subset`, `reduce`) and to extract and replace attributes (`covariates`, `traps`, `xy`).

A multi-session capthist object is a list in which each component is a capthist for a single session. The list may be derived directly from multi-session input in Density format, or by combining existing capthist objects with `MS.capthist`.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.

Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture-recapture: likelihood-based methods. In: D. L. Thomson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer, New York. Pp. 255–269.

See Also

[traps](#), [secur.fit](#), [read.capthist](#), [make.capthist](#), [sim.capthist](#), [subset.capthist](#), [rbind.capthist](#), [MS.capthist](#), [reduce.capthist](#), [mask](#)

capthist.parts

Dissect Spatial Capture History Object

Description

Extract parts of an object of class 'capthist'.

Usage

```

animalID(object, names = TRUE)
occasion(object)
trap(object, names = TRUE)
alive(object)
alongtransect(object, tol = 0.01)
xy(object)
xy(object) <- value
telemetryxy(object, includeNULL = FALSE)
telemetered(object)

```

Arguments

object	a 'capthist' object
names	if FALSE the values returned are numeric indices rather than names
tol	tolerance for snapping to transect line (m)
value	replacement value (see Details)
includeNULL	logical; if TRUE a NULL component is included for untelemetered animals

Details

These functions extract data on detections, ignoring occasions when an animal was not detected. Detections are ordered by occasion, animalID and trap.

trap returns polygon or transect numbers if traps(object) has detector type 'polygon' or 'transect'.

alongtransect returns the distance of each detection from the start of the transect with which it is associated.

Replacement values must precisely match object in number of detections and in their order. xy<- expects a dataframe of x and y coordinates for points of detection within a 'polygon' or 'transect' detector.

Value

For animalID and trap a vector of numeric or character values, one per detection.

For alive a vector of logical values, one per detection.

For occasion, a vector of numeric values, one per detection.

For xy, a dataframe with one row per detection and columns 'x' and 'y'.

If object has multiple sessions, the result is a list with one component per session.

See Also

[capthist](#), [polyID](#), [signalmatrix](#)

Examples

```
## captdata is a demonstration dataset
animalID(captdata)

temp <- sim.capthist(popn = list(D = 1), make.grid(detector
  = "count"))
cbind(ID = as.numeric(animalID(temp)), occ = occasion(temp),
  trap = trap(temp))
```

circular	<i>Circular Probability</i>
----------	-----------------------------

Description

Functions to answer the question "what radius is expected to include proportion p of points from a circular bivariate distribution corresponding to a given detection function", and the reverse. These functions may be used to relate the scale parameter(s) of a detection function (e.g., σ) to home-range area (specifically, the area within an activity contour for the corresponding simple home-range model) (see Note).

WARNING: the default behaviour of these functions changed in version 2.6.0. Integration is now performed on the cumulative hazard (exposure) scale for all functions unless `hazard = FALSE`. Results will differ.

Usage

```
circular.r (p = 0.95, detectfn = 0, sigma = 1, detectpar = NULL, hazard
= TRUE, ...)
```

```
circular.p (r = 1, detectfn = 0, sigma = 1, detectpar = NULL, hazard
= TRUE, ...)
```

Arguments

p	vector of probability levels for which radius is required
r	vector of radii for which probability level is required
detectfn	integer code or character string for shape of detection function 0 = halfnormal, 2 = exponential etc. – see detectfn for other codes
sigma	spatial scale parameter of detection function
detectpar	named list of detection function parameters
hazard	logical; if TRUE the transformation $-\log(1 - g(d))$ is applied before integration
...	other arguments passed to integrate

Details

`circular.r` is the quantile function of the specified circular bivariate distribution (analogous to `qnorm`, for example). The quantity calculated by `circular.r` is sometimes called 'circular error probable' (see Note).

For detection functions with two parameters (intercept and scale) it is enough to provide `sigma`. Otherwise, `detectpar` should be a named list including parameter values for the requested detection function (`g0` may be omitted, and order does not matter).

Detection functions in **secr** are expressed in terms of the decline in probability of detection with distance $g(d)$, and both `circular.r` and `circular.p` integrate this function by default. Rather than integrating $g(d)$ itself, it may be more appropriate to integrate $g(d)$ transformed to a hazard i.e. $1 - \log(-g(d))$. This is selected with `hazard = TRUE`.

Integration may fail with the message "maximum number of subdivisions reached". See Examples for how to increase the number of subdivisions.

Value

Vector of values for the required radii or probabilities.

Note

The term ‘circular error probable’ has a military origin. It is commonly used for GPS accuracy with the default probability level set to 0.5 (i.e. half of locations are further than CEP from the true location). A circular bivariate normal distribution is commonly assumed for the circular error probable; this is equivalent to setting `detectfn = "halfnormal"`.

Closed-form expressions are used for the normal and uniform cases; in the circular bivariate normal case, the relationship is $r = \sigma \sqrt{-2 \ln(1 - p)}$. Otherwise, the probability is computed numerically by integrating the radial distribution. Numerical integration is not foolproof, so check suspicious or extreme values.

When `circular.r` is used with the default `sigma = 1`, the result may be interpreted as the factor by which `sigma` needs to be inflated to include the desired proportion of activity (e.g., 2.45 sigma for 95% of points from a circular bivariate normal distribution fitted on the hazard scale (`detectfn = 14`) OR 2.24 sigma on the probability scale (`detectfn = 0`)).

References

Calhoun, J. B. and Casby, J. U. (1958) Calculation of home range and density of small mammals. Public Health Monograph No. 55. United States Government Printing Office.

Johnson, R. A. and Wichern, D. W. (1982) Applied multivariate statistical analysis. Prentice-Hall, Englewood Cliffs, New Jersey, USA.

See Also

[detectfn](#), [detectfnplot](#)

Examples

```
## Calhoun and Casby (1958) p 3.
## give p = 0.3940, 0.8645, 0.9888
circular.p(1:3)

## halfnormal, hazard-rate and exponential
circular.r ()
circular.r (detectfn = "HR", detectpar = list(sigma = 1, z = 4))
circular.r (detectfn = "EX")
circular.r (detectfn = "HHN")
circular.r (detectfn = "HHR", detectpar = list(sigma = 1, z = 4))
circular.r (detectfn = "HEX")

plot(seq(0, 5, 0.01), circular.p(r = seq(0, 5, 0.01)),
     type = "l", xlab = "Radius (multiples of sigma)", ylab = "Probability")
lines(seq(0, 5, 0.01), circular.p(r = seq(0, 5, 0.01), detectfn = 2),
     type = "l", col = "red")
lines(seq(0, 5, 0.01), circular.p(r = seq(0, 5, 0.01), detectfn = 1,
     detectpar = list(sigma = 1, z = 4)), type = "l", col = "blue")
abline (h = 0.95, lty = 2)

legend (2.8, 0.3, legend = c("halfnormal", "hazard-rate, z = 4", "exponential"),
     col = c("black", "blue", "red"), lty = rep(1,3))
```

```
## in this example, a more interesting comparison would use
## sigma = 0.58 for the exponential curve.
```

clone	<i>Replicate Rows</i>
-------	-----------------------

Description

Clone rows of a 2-D object a constant or random number of times

Usage

```
## Default S3 method:
clone(object, type, ...)
## S3 method for class popn
clone(object, type, ...)
```

Arguments

object	any object
type	character 'constant', 'poisson' or 'nbinom'
...	other arguments for distribution function

Details

The ... argument specifies the number of times each row should be repeated. For random distributions (Poisson or negative binomial) ... provides the required parameter values: lambda for Poisson, size, prob or size, mu for negative binomial.

One application is to derive a population of cues from a popn object, where each animal in the original popn generates a number of cues from the same point.

Value

Object of same class as object but with varying number of rows. For clone.popn an attribute 'freq' is set, a vector of length equal to the original number of rows giving the number of repeats (including zeros).

If popn is a multi-session population the returned value will be a multi-session population of the same length.

See Also

[sim.popn](#)

Examples

```
## population of animals at 1 / hectare generates random
## Poisson number of cues, lambda = 5
mics4 <- make.grid( nx = 2, ny = 2, spacing = 44, detector = "signal")
pop <- sim.popn (D = 1, core = mics4, buffer = 300, nsession = 66)
pop <- clone (pop, "poisson", 5)
attr(pop[[1]], "freq")
```

closedN

*Closed population estimates***Description**

Estimate N, the size of a closed population, by several conventional non-spatial capture–recapture methods.

Usage

```
closedN(object, estimator = NULL, level = 0.95, maxN = 1e+07,
        dmax = 10 )
```

Arguments

object	caphist object
estimator	character; name of estimator (see Details)
level	confidence level (1 – alpha)
maxN	upper bound for population size
dmax	numeric, the maximum AIC difference for inclusion in confidence set

Details

Data are provided as spatial capture histories, but the spatial information (trapping locations) is ignored.

AIC-based model selection is available for the maximum-likelihood estimators `null`, `zipin`, `darroch`, `h2`, and `betabinomial`.

Model weights are calculated as

$$w_i = \frac{\exp(-\Delta_i/2)}{\sum \exp(-\Delta_i/2)}$$

Models for which $dAICc > dmax$ are given a weight of zero and are excluded from the summation, as are non-likelihood models.

Computation of `null`, `zipin` and `darroch` estimates differs slightly from Otis et al. (1978) in that the likelihood is maximized over real values of N between `Mt1` and `maxN`, whereas Otis et al. considered only integer values.

Asymmetric confidence intervals are obtained in the same way for all estimators, using a log transformation of $\hat{N} - Mt1$ following Burnham et al. (1987), Chao (1987) and Rexstad and Burnham (1991).

The available estimators are

Name	Model	Description	Reference
null	M0	null	Otis et al. 1978 p.105
zippin	Mb	removal	Otis et al. 1978 p.108
darroch	Mt	Darroch	Otis et al. 1978 p.106-7
h2	Mh	2-part finite mixture	Pledger 2000
betabinomial	Mh	Beta-binomial continuous mixture	Dorazio and Royle 2003
jackknife	Mh	jackknife	Burnham and Overton 1978
chao	Mh	Chao's Mh estimator	Chao 1987
chaomod	Mh	Chao's modified Mh estimator	Chao 1987
chao.th1	Mth	sample coverage estimator 1	Lee and Chao 1994
chao.th2	Mth	sample coverage estimator 2	Lee and Chao 1994

Value

A dataframe with one row per estimator and columns

model	model in the sense of Otis et al. 1978
npar	number of parameters estimated
loglik	maximized log likelihood
AIC	Akaike's information criterion
AICc	AIC with small-sample adjustment of Hurvich & Tsai (1989)
dAICc	difference between AICc of this model and the one with smallest AICc
Mt1	number of distinct individuals caught
Nhat	estimate of population size
seNhat	estimated standard error of Nhat
lc1Nhat	lower 100 x level % confidence limit
uc1Nhat	upper 100 x level % confidence limit

Warning

If your data are from spatial sampling (e.g. grid trapping) it is recommended that you do *not* use these methods to estimate population size (see Efford submitted). Instead, fit a spatial model and estimate population size with [region.N](#).

Note

Prof. Anne Chao generously allowed me to adapt her code for the variance of the 'chao.th1' and 'chao.th2' estimators.

Chao's estimators have been subject to various improvements not included here; please see Chao and Shen (2010) for details.

References

- Burnham, K. P. and Overton, W. S. (1978) Estimating the size of a closed population when capture probabilities vary among animals. *Biometrika* **65**, 625–633.
- Chao, A. (1987) Estimating the population size for capture–recapture data with unequal catchability. *Biometrics* **43**, 783–791.
- Chao, A. and Shen, T.-J. (2010) Program SPADE (Species Prediction And Diversity Estimation). Program and User's Guide available online at <http://chao.stat.nthu.edu.tw>.

- Dorazio, R. M. and Royle, J. A. (2003) Mixture models for estimating the size of a closed population when capture rates vary among individuals. *Biometrics* **59**, 351–364.
- Efford, M. G. (submitted) Estimating population size by spatially explicit capture–recapture.
- Hurvich, C. M. and Tsai, C. L. (1989) Regression and time series model selection in small samples. *Biometrika* **76**, 297–307.
- Lee, S.-M. and Chao, A. (1994) Estimating population size via sample coverage for closed capture–recapture models. *Biometrics* **50**, 88–97.
- Otis, D. L., Burnham, K. P., White, G. C. and Anderson, D. R. (1978) Statistical inference from capture data on closed animal populations. *Wildlife Monographs* **62**, 1–135.
- Pledger, S. (2000) Unified maximum likelihood estimates for closed capture–recapture models using mixtures. *Biometrics* **56**, 434–442.
- Rexstad, E. and Burnham, K. (1991) User’s guide for interactive program CAPTURE. Colorado Cooperative Fish and Wildlife Research Unit, Fort Collins, Colorado, USA.

See Also

[caphist](#), [closure.test](#), [region.N](#)

Examples

```
closedN(deermouse.ESG)
```

closure.test

Closure tests

Description

Perform tests to determine whether a population sampled by capture–recapture is closed to gains and losses over the period of sampling.

Usage

```
closure.test(object, SB = FALSE, min.expected = 2)
```

Arguments

object	caphist object
SB	logical, if TRUE then test of Stanley and Burnham 1999 is calculated in addition to that of Otis et al. 1978
min.expected	integer for the minimum expected count in any cell of a component 2x2 table

Details

The test of Stanley and Burnham in part uses a sum over 2x2 contingency tables; any table with a cell whose expected count is less than min.expected is dropped from the sum. The default value of 2 is that used by CloseTest (Stanley and Richards 2005, T. Stanley pers. comm.; see also Stanley and Burnham 1999 p. 203).

Value

In the case of a single-session capthist object, either a vector with the statistic (z-value) and p-value for the test of Otis et al. (1978 p. 120) or a list whose components are data frames with the statistics and p-values for various tests and test components as follows –

Otis	Test of Otis et al. 1978
Xc	Overall test of Stanley and Burnham 1999
NRvsJS	Stanley and Burnham 1999
NMvsJS	Stanley and Burnham 1999
MtvsNR	Stanley and Burnham 1999
MtvsNM	Stanley and Burnham 1999
compNRvsJS	Occasion-specific components of NRvsJS
compNMvsJS	Occasion-specific components of NMvsJS

Check the original papers for an explanation of the components of the Stanley and Burnham test.

In the case of a multi-session object, a list with one component (as above) for each session.

Note

No omnibus test exists for closure: the existing tests may indicate nonclosure even when a population is closed if other effects such as trap response are present (see White et al. 1982 pp 96–97). The test of Stanley and Burnham is sensitive to individual heterogeneity which is inevitable in most spatial sampling, and it should not in general be used for this sort of data.

References

- Otis, D. L., Burnham, K. P., White, G. C. and Anderson, D. R. (1978) Statistical inference from capture data on closed animal populations. *Wildlife Monographs* **62**, 1–135.
- Stanley, T. R. and Burnham, K. P. (1999) A closure test for time-specific capture–recapture data. *Environmental and Ecological Statistics* **6**, 197–209.
- Stanley, T. R. and Richards, J. D. (2005) A program for testing capture–recapture data for closure. *Wildlife Society Bulletin* **33**, 782–785.
- White, G. C., Anderson, D. R., Burnham, K. P. and Otis, D. L. (1982) *Capture-recapture and removal methods for sampling closed populations*. Los Alamos National Laboratory, Los Alamos, New Mexico.

See Also

[capthist](#)

Examples

```
closure.test(captdata)
```

cluster	<i>Detector Clustering</i>
---------	----------------------------

Description

Clusters are uniform groups of detectors. Use these functions to extract or replace cluster information of a traps object, or extract cluster information for each detection in a capthist object.

Usage

```
clusterID(object)
clusterID(object) <- value
clustertrap(object)
clustertrap(object) <- value
```

Arguments

object	traps or capthist object
value	factor (clusterID) or integer-valued vector (clustertrap)

Details

Easy access to attributes used to define compound designs, those in which a detector array comprises several similar subunits ('clusters'). 'clusterID' identifies the detectors belonging to each cluster, and 'clustertrap' is a numeric index used to relate matching detectors in different clusters.

For replacement ('traps' only), the number of rows of value must match exactly the number of detectors in object.

'clusterID' and 'clustertrap' are assigned automatically by [trap.builder](#).

Value

Factor (clusterID) or integer-valued vector (clustertrap).

clusterID(object) may be NULL.

See Also

[traps](#), [trap.builder](#), [mash](#), [derived.cluster](#), [cluster.counts](#), [cluster.centres](#)

Examples

```
## 81 4-detector clusters
mini <- make.grid(nx = 2, ny = 2)
tempgrid <- trap.builder (cluster = mini , method = "all",
  frame = expand.grid(x = seq(100, 900, 100), y = seq(100,
    900, 100)))
clusterID(tempgrid)
clustertrap(tempgrid)

tempCH <- sim.capthist(tempgrid)
table(clusterID(tempCH)) ## detections per cluster
cluster.counts(tempCH)  ## distinct individuals
```

coef.secr	<i>Coefficients of secr Object</i>
-----------	------------------------------------

Description

Extract coefficients (estimated beta parameters) from a spatially explicit capture–recapture model.

Usage

```
## S3 method for class secr
coef(object, alpha = 0.05, ...)
```

Arguments

object	secr object output from <code>secr.fit</code>
alpha	alpha level
...	other arguments (not used currently)

Value

A data frame with one row per beta parameter and columns for the coefficient, SE(coefficient), asymptotic lower and upper $100(1-\alpha)$ confidence limits.

See Also

[secr.fit](#), [esa.plot](#)

Examples

```
## load & extract coefficients of previously fitted null model
coef(secrdemo.0)
```

confint.secr	<i>Profile Likelihood Confidence Intervals</i>
--------------	--

Description

Compute profile likelihood confidence intervals for ‘beta’ or ‘real’ parameters of a spatially explicit capture–recapture model,

Usage

```
## S3 method for class secr
confint(object, parm, level = 0.95, newdata = NULL,
tracelevel = 1, tol = 0.0001, bounds = NULL, ...)
```

Arguments

object	secr model object
parm	numeric or character vector of parameters
level	confidence level (1 – alpha)
newdata	optional dataframe of values at which to evaluate model
tracelevel	integer for level of detail in reporting (0,1,2)
tol	absolute tolerance (passed to <code>uniroot</code>)
bounds	numeric vector of outer starting values – optional
...	other arguments (not used)

Details

If `parm` is numeric its elements are interpreted as the indices of ‘beta’ parameters; character values are interpreted as ‘real’ parameters. Different methods are used for beta parameters and real parameters. Limits for the j -th beta parameter are found by a numerical search for the value satisfying $-2(l_j(\beta_j) - l) = q$, where l is the maximized log likelihood, $l_j(\beta_j)$ is the maximized profile log likelihood with β_j fixed, and q is the $100(1 - \alpha)$ quantile of the χ^2 distribution with one degree of freedom. Limits for real parameters use the method of Lagrange multipliers (Fletcher and Faddy 2007), except that limits for constant real parameters are backtransformed from the limits for the relevant beta parameter.

If `bounds` is provided it should be a 2-vector or matrix of 2 columns and `length(parm)` rows.

Value

A matrix with one row for each parameter in `parm`, and columns giving the lower (`lcl`) and upper (`ucl`) $100 \times \text{level}$

Note

Calculation may take a long time, so probably you will do it only after selecting a final model.

The R function `uniroot` is used to search for the roots of $-2(l_j(\beta_j) - l) = q$ within a suitable interval. The interval is anchored at one end by the MLE, and at the other end by the MLE inflated by a small multiple of the asymptotic standard error (1, 2, 4 or 8 SE are tried in turn, using the smallest for which the interval includes a valid solution).

A more efficient algorithm was proposed by Venzon and Moolgavkar (1988); it has yet to be implemented in `secr`, but see `plkhci` in the package **Bhat** for another R implementation.

References

- Evans, M. A., Kim, H.-M. and O’Brien, T. E. (1996) An application of profile-likelihood based confidence interval to capture–recapture estimators. *Journal of Agricultural, Biological and Experimental Statistics* **1**, 131–140.
- Fletcher, D. and Faddy, M. (2007) Confidence intervals for expected abundance of rare species. *Journal of Agricultural, Biological and Experimental Statistics* **12**, 315–324.
- Venzon, D. J. and Moolgavkar, S. H. (1988) A method for computing profile-likelihood-based confidence intervals. *Applied Statistics* **37**, 87–94.

Examples

```
## Not run:
## Limits for the constant real parameter "D"
confint(secrdemo.0, "D")

## End(Not run)
```

contour *Contour Detection Probability*

Description

Display contours of the net probability of detection $p(X)$, or the area within a specified distance of detectors. `buffer.contour` adds a conventional ‘boundary strip’ to a detector (trap) array, where `buffer` equals the strip width.

Usage

```
pdot.contour(traps, border = NULL, nx = 64, detectfn = 0,
  detectpar = list(g0 = 0.2, sigma = 25, z = 1), noccasions = NULL,
  binomN = NULL, levels = seq(0.1, 0.9, 0.1), poly = NULL, plt = TRUE,
  add = FALSE, ...)

buffer.contour(traps, buffer, nx = 64, convex = FALSE, ntheta = 100,
  plt = TRUE, add = FALSE, poly = NULL, ...)
```

Arguments

<code>traps</code>	traps object
<code>border</code>	width of blank margin around the outermost detectors
<code>nx</code>	dimension of interpolation grid in x-direction
<code>detectfn</code>	integer code or character string for shape of detection function 0 = halfnormal etc. – see detectfn
<code>detectpar</code>	list of values for named parameters of detection function
<code>noccasions</code>	number of sampling occasions
<code>binomN</code>	integer code for discrete distribution (see secur.fit)
<code>levels</code>	vector of levels for $p(X)$
<code>poly</code>	matrix of two columns, the x and y coordinates of a bounding polygon (optional)
<code>plt</code>	logical to plot contours
<code>add</code>	logical to add contour(s) to an existing plot
<code>...</code>	other arguments to pass to <code>contour</code>
<code>buffer</code>	vector of buffer widths
<code>convex</code>	logical, if TRUE the plotted contour(s) will be convex
<code>ntheta</code>	integer value for smoothness of convex contours

Details

`pdot.contour` constructs a rectangular mask and applies `pdot` to compute the $p.(X)$ at each mask point.

if `convex = FALSE`, `buffer.contour` constructs a mask and contours the points on the basis of distance to the nearest detector at the levels given in `buffer`.

if `convex = TRUE`, `buffer.contour` constructs a set of potential vertices by adding points on a circle of radius = `buffer` to each detector location; the desired contour is the convex hull of these points (this algorithm derives from Efford, 2012).

If `traps` has a `usage` attribute then `noccasions` is set accordingly; otherwise it must be provided.

If `traps` is for multiple sessions then `detectpar` should be a list of the same length, one component per session, and `noccasions` may be a numeric vector of the same length.

Increase `nx` for smoother lines, at the expense of speed.

Value

Coordinates of the plotted contours are returned as a list with one component per polygon. The list is returned invisibly if `plt = TRUE`.

For multi-session input (`traps`) the value is a list of such lists, one per session.

Note

The precision (smoothness) of the fitted line in `buffer.contour` is controlled by `ntheta` rather than `nx` when `convex = TRUE`.

To suppress contour labels, include the argument `drawlabels = FALSE` (this will be passed via `...` to `contour`). Other useful arguments of `contour` are `col` (colour of contour lines) and `lwd` (line width).

You may wish to consider function `gBuffer` in package `rgeos` as an alternative to `buffer.contour`. `buffer.contour` failed with multi-session traps before `seccr` 2.8.0.

References

Efford, M. G. (2012) *DENSITY 5.0: software for spatially explicit capture–recapture*. Department of Mathematics and Statistics, University of Otago, Dunedin, New Zealand <http://www.otago.ac.nz/density>.

See Also

`pdot`, `make.mask`

Examples

```
possumtraps <- traps(possumCH)

plot(possumtraps, border = 270)
pdot.contour(possumtraps, detectfn = 0, nx = 128, detectpar =
  detectpar(possum.model.0), levels = c(0.1, 0.01, 0.001),
  noccasions = 5, add = TRUE)

## convex and concave buffers
plot(possumtraps, border = 270)
```

```

buffer.contour(possumtraps, buffer = 100, add = TRUE, col = "blue")
buffer.contour(possumtraps, buffer = 100, convex = TRUE, add = TRUE)

## areas
buff.concave <- buffer.contour(possumtraps, buffer = 100,
  plt = FALSE)
buff.convex <- buffer.contour(possumtraps, buffer = 100,
  plt = FALSE, convex = TRUE)
sum (sapply(buff.concave, polyarea)) ## sum over parts
sapply(buff.convex, polyarea)

## effect of nx on area
buff.concave2 <- buffer.contour(possumtraps, buffer = 100,
  nx = 128, plt = FALSE)
sum (sapply(buff.concave2, polyarea))

## Not run:

## clipping to polygon
olddir <- setwd(system.file("extdata", package = "secr"))
possumtraps <- traps(possumCH)
possumarea <- read.table("possumarea.txt", header = TRUE)
oldpar <- par(xpd = TRUE, mar = c(1,6,6,6))
plot(possumtraps, border = 400, gridlines = FALSE)
pdot.contour(possumtraps, detectfn = 0, nx = 256, detectpar =
  detectpar(possum.model.0), levels = c(0.1, 0.01, 0.001),
  noccasions = 5, add = TRUE, poly = possumarea, col = "blue")
lines(possumarea)
setwd(olddir)
par(oldpar)

## End(Not run)

```

covariates

Covariates Attribute

Description

Extract or replace covariates

Usage

```

covariates(object, ...)
covariates(object) <- value

```

Arguments

object	an object of class traps, popn, capthist, or mask
value	a dataframe of covariates
...	other arguments (not used)

Details

For replacement, the number of rows of value must match exactly the number of rows in object.

Value

`covariates(object)` returns the dataframe of covariates associated with object. `covariates(object)` may be NULL.

Individual covariates are stored in the ‘covariates’ attribute of a `capthist` object.

Covariates used for modelling density are stored in the ‘covariates’ attribute of a mask object.

Detector covariates may vary between sampling occasions. In this case, columns in the detector covariates dataframe are associated with particular times; the matching is controlled by the [timevaryingcov](#) attribute.

See Also

[timevaryingcov](#)

Examples

```
## detector covariates
temptrap <- make.grid(nx = 6, ny = 8)
covariates (temptrap) <- data.frame(halfnhalf =
  factor(rep(c("left", "right"), c(24, 24))) )
summary(covariates(temptrap))
```

 CV

Coefficient of Variation

Description

The coefficient of variation of effective sampling area predicts the bias in estimated density (Efford and Mowat 2013). These functions assist its calculation from fitted finite mixture models.

Usage

```
CV(x, p, na.rm = FALSE)
CVa0(object, ...)
CVa(object, sessnum = 1, ...)
```

Arguments

<code>x</code>	vector of numeric values
<code>p</code>	vector of class probabilities
<code>na.rm</code>	logical; if TRUE missing values are dropped from <code>x</code>
<code>object</code>	fitted secr finite mixture model
<code>sessnum</code>	integer sequence number of session to analyse
<code>...</code>	other arguments passed to <code>predict.secr</code> (e.g., <code>newdata</code>)

Details

CV computes the coefficient of variation of x . If p is provided then the distribution is assumed to be discrete, with support x and class membership probabilities p (scaled automatically to sum to 1.0).

CVa computes $CV(a)$ where a is the effective sampling area of Borchers and Efford (2008).

CVa0 computes $CV(a_0)$ where a_0 is the single-detector sampling area defined as $a_0 = 2\pi\lambda_0\sigma^2$ (Efford and Mowat 2013); a_0 is a convenient surrogate for a , the effective sampling area. $CV(a_0)$ uses either the fitted MLE of a_0 (if the a_0 parameterization has been used), or a_0 computed from the estimates of λ_0 and σ .

CVa and CVa0 do not work for models with individual covariates.

Value

Numeric

Note

Do not confuse the function CVa with the estimated relative standard error of the estimate of a from [derived](#), also labelled CVa in the output. The relative standard error RSE is often labelled CV in the literature on capture–recapture, but this is better avoided.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.

Efford, M. G. and Mowat, G. (2013) Compensatory heterogeneity in capture–recapture data. *Ecology* In press.

See Also

[details](#)

Examples

```
CVa0(possum.model.h2 )
```

D.designdata

Construct Density Design Data

Description

Internal function used by [secur.fit](#), [confint.secur](#), and [score.test](#).

Usage

```
D.designdata (mask, Dmodel, grouplevels, sessionlevels, sessioncov =
NULL, meanSD = NULL)
```

Arguments

mask	mask object.
Dmodel	formula for density model
grouplevels	vector of group names
sessionlevels	vector of character values for session names
sessioncov	optional dataframe of values of session-specific covariate(s).
meanSD	optional external values for scaling x- and y- coordinates

Details

This is an internal **secr** function that you are unlikely ever to use. Unlike [secr.design.MS](#), this function does *not* call `model.matrix`.

Value

Dataframe with one row for each combination of mask point, group and session. Conceptually, we use a 3-D rectangular array with enough rows to accommodate the largest mask, so some rows in the output may merely hold space to enable easy indexing. The dataframe has an attribute 'dimD' that gives the relevant dimensions: `attr(dframe, "dimD") = c(nmask, ngrp, R)`, where `nmask` is the number of mask points, `ngrp` is the number of groups, and `R` is the number of sessions. Columns correspond to predictor variables in `Dmodel`.

The number of valid rows (points in each session-specific mask) is stored in the attribute 'valid-MaskRows'.

For a single-session mask, `meanSD` is a 2 x 2 matrix of mean and SD (rows) for x- and y-coordinates. For a multi-session mask, a list of such objects. Ordinarily these values are from the `meanSD` attribute of the mask, but they must be specified when applying a new mask to an existing model.

See Also

[secr.design.MS](#)

deermouse

Deermouse Live-trapping Datasets

Description

Data of V. H. Reid from live trapping of deermice (*Peromyscus maniculatus*) at two sites in Colorado, USA.

Usage

`data(deermouse)`

Details

Two datasets of V. H. Reid were described by Otis et al. (1978) and distributed with their CAPTURE software (now available from <http://www.mbr-pwrc.usgs.gov/software.html>). They have been used in several other papers on closed population methods (e.g., Huggins 1991, Stanley and Richards 2005). This description is based on pages 32 and 87–93 of Otis et al. (1978).

Both datasets are from studies in Rio Blanco County, Colorado, in the summer of 1975. Trapping was for 6 consecutive nights. Traps were arranged in a 9 x 11 grid and spaced 50 feet (15.2 m) apart.

The first dataset was described by Otis et al. (1978: 32) as from ‘a drainage bottom of sagebrush, gambel oak, and serviceberry with pinyon pine and juniper on the uplands’. By matching with the ‘examples’ file of CAPTURE this was from East Stuart Gulch (ESG).

The second dataset (Otis et al. 1978: 87) was from Wet Swizer Creek or Gulch (WSG) in August 1975. No specific vegetation description is given for this site, but it is stated that Sherman traps were used and trapping was done twice daily.

Two minor inconsistencies should be noted. Although Otis et al. (1978) said they used data from morning trap clearances, the capture histories in ‘examples’ from CAPTURE include a ‘pm’ tag on each record. We assume the error was in the text description, as their numerical results can be reproduced from the data file. Huggins (1991) reproduced the East Stuart Gulch dataset (omitting spatial data that were not relevant to his method), but omitted two capture histories.

The data are provided as two single-session `capthist` objects ‘`deermouse.ESG`’ and ‘`deermouse.WSG`’. Each has a dataframe of individual covariates, but the fields differ between the two study areas. The individual covariates of `deermouse.ESG` are sex (factor levels ‘f’, ‘m’), age class (factor levels ‘y’, ‘sa’, ‘a’) and body weight in grams. The individual covariates of `deermouse.WSG` are sex (factor levels ‘f’, ‘m’) and age class (factor levels ‘j’, ‘y’, ‘sa’, ‘a’) (no data on body weight). The aging criteria used by Reid are not recorded.

The datasets were originally in the CAPTURE ‘xy complete’ format which for each detection gives the ‘column’ and ‘row’ numbers of the trap (e.g. ‘9 5’ for a capture in the trap at position (x=9, y=5) on the grid). Trap identifiers have been recoded as strings with no spaces by inserting zeros (e.g. ‘905’ in this example).

Sherman traps are designed to capture one animal at a time, but the data include double captures (1 at ESG and 8 at WSG – see Examples). The true detector type therefore falls between ‘single’ and ‘multi’. Detector type is set to ‘multi’ in the distributed data objects.

Some fitted `secr` models are included (ESG.0, ESG.b, ESG.t, ESG.h2, WSG.0, WSG.b, WSG.t, WSG.h2, each with the indicated effect on `g0`). Otis et al. (1978) draw attention to the tendency of *Peromyscus* to become ‘trap happy’, and we observe that models with a behavioural response (ESG.b, WSG.b) have the lowest AIC among those fitted here.

Object	Description
<code>deermouse.ESG</code>	capthist object, East Stuart Gulch
<code>deermouse.WSG</code>	capthist object, Wet Swizer Gulch
<code>ESG.0</code>	fitted <code>secr</code> model – ESG null
<code>ESG.b</code>	fitted <code>secr</code> model – ESG trap response <code>g0</code>
<code>ESG.h2</code>	fitted <code>secr</code> model – ESG finite mixture <code>g0</code>
<code>ESG.t</code>	fitted <code>secr</code> model – ESG time-varying <code>g0</code>
<code>WSG.0</code>	fitted <code>secr</code> model – WSG null
<code>WSG.b</code>	fitted <code>secr</code> model – WSG trap response <code>g0</code>
<code>WSG.h2</code>	fitted <code>secr</code> model – WSG finite mixture <code>g0</code>
<code>WSG.t</code>	fitted <code>secr</code> model – WSG time-varying <code>g0</code>

Source

File 'examples' distributed with program CAPTURE.

References

Huggins, R. M. (1991) Some practical aspects of a conditional likelihood approach to capture experiments. *Biometrics* **47**, 725–732.

Otis, D. L., Burnham, K. P., White, G. C. and Anderson, D. R. (1978) Statistical inference from capture data on closed animal populations. *Wildlife Monographs* **62**, 1–135.

Stanley, T. R. and Richards, J. D. (2005) A program for testing capture–recapture data for closure. *Wildlife Society Bulletin* **33**, 782–785.

See Also

[closure.test](#)

Examples

```
par(mfrow = c(1,2), mar = c(1,1,4,1))
plot(deermouse.ESG, title = "Peromyscus data from East Stuart Gulch",
     border = 10, gridlines = FALSE, tracks = TRUE)
plot(deermouse.WSG, title = "Peromyscus data from Wet Swizer Gulch",
     border = 10, gridlines = FALSE, tracks = TRUE)

closure.test(deermouse.ESG, SB = TRUE)

## reveal multiple captures
table(trap(deermouse.ESG), occasion(deermouse.ESG))
table(trap(deermouse.WSG), occasion(deermouse.WSG))
```

derived

Derived Parameters of Fitted SECR Model

Description

Compute derived parameters of spatially explicit capture-recapture model. Density is a derived parameter when a model is fitted by maximizing the conditional likelihood. So also is the effective sampling area (in the sense of Borchers and Efford 2008).

Usage

```
derived(object, sessnum = NULL, groups = NULL, alpha = 0.05,
        se.esa = FALSE, se.D = TRUE, loginterval = TRUE,
        distribution = NULL, ncores = 1)
esa(object, sessnum = 1, beta = NULL, real = NULL, noccasions = NULL)
```

Arguments

object	secr object output from <code>secr.fit</code> , or an object of class <code>c("list", "seclist")</code>
sessnum	index of session in <code>object\$capthist</code> for which output required
groups	vector of covariate names to define group(s) (see Details)
alpha	alpha level for confidence intervals
se.esa	logical for whether to calculate $SE(\text{mean}(\text{esa}))$
se.D	logical for whether to calculate $SE(\hat{D})$
loginterval	logical for whether to base interval on $\log(D)$
distribution	character string for distribution of the number of individuals detected
ncores	integer number of cores available for parallel processing
beta	vector of fitted parameters on transformed (link) scale
real	vector of ‘real’ parameters
noccasions	integer number of sampling occasions (see Details)

Details

The derived estimate of density is a Horvitz-Thompson-like estimate:

$$\hat{D} = \sum_{i=1}^n a_i(\hat{\theta})^{-1}$$

where $a_i(\hat{\theta})$ is the estimate of effective sampling area for animal i with detection parameter vector θ .

A non-null value of the argument `distribution` overrides the value in `object$details`. The sampling variance of \hat{D} from `secr.fit` by default is spatially unconditional (`distribution = "Poisson"`). For sampling variance conditional on the population of the habitat mask (and therefore dependent on the mask area), specify `distribution = "binomial"`. The equation for the conditional variance includes a factor $(1 - a/A)$ that disappears in the unconditional (Poisson) variance (Borchers and Efford 2007). Thus the conditional variance is always less than the unconditional variance. The unconditional variance may in turn be an overestimate or (more likely) an underestimate if the true spatial variance is non-Poisson.

Derived parameters may be estimated for population subclasses (groups) defined by the user with the `groups` argument. Each named factor in `groups` should appear in the covariates dataframe of `object$capthist` (or each of its components, in the case of a multi-session dataset).

`esa` is used by `derived` to compute individual-specific effective sampling areas:

$$a_i(\hat{\theta}) = \int_A p(\mathbf{X}; \mathbf{z}_i, \hat{\theta}) d\mathbf{X}$$

where $p(\mathbf{X})$ is the probability an individual at \mathbf{X} is detected at least once and the \mathbf{z}_i are optional individual covariates. Integration is over the area A of the habitat mask.

The argument `noccasions` may be used to vary the number of sampling occasions; it works only when detection parameters are constant across individuals and across time.

The effective sampling area ‘esa’ ($a(\hat{\theta})$) reported by `derived` is equal to the harmonic mean of the $a_i(\hat{\theta})$ (arithmetic mean prior to version 1.5). The sampling variance of $a(\hat{\theta})$ is estimated by

$$\widehat{\text{var}}(a(\hat{\theta})) = \hat{G}_\theta^T \hat{V}_\theta \hat{G}_\theta,$$

where \hat{V} is the asymptotic estimate of the variance-covariance matrix of the beta detection parameters (θ) and \hat{G} is a numerical estimate of the gradient of $a(\theta)$ with respect to θ , evaluated at $\hat{\theta}$.

A 100(1- α)% asymptotic confidence interval is reported for density. By default, this is asymmetric about the estimate because the variance is computed by backtransforming from the log scale. You may also choose a symmetric interval (variance obtained on natural scale).

The vector of detection parameters for `esa` may be specified via `beta` or `real`, with the former taking precedence. If neither is provided then the fitted values in `objectfitpar` are used. Specifying `real` parameter values bypasses the various linear predictors. Strictly, the ‘real’ parameters are for a naive capture (animal not detected previously).

The computation of sampling variances is relatively slow and may be suppressed with `se.esa` and `se.D` as desired.

If `ncores > 1` the **parallel** package is used to create processes on multiple cores (see [Parallel](#) for more).

For computing `derived` across multiple models in parallel see [par.derived](#).

Value

Dataframe with one row for each derived parameter (‘esa’, ‘D’) and columns as below

<code>estimate</code>	estimate of derived parameter
<code>SE.estimate</code>	standard error of the estimate
<code>lcl</code>	lower 100(1- α)% confidence limit
<code>ucl</code>	upper 100(1- α)% confidence limit
<code>CVn</code>	relative SE of number observed (Poisson or binomial assumption)
<code>CVa</code>	relative SE of effective sampling area
<code>CVD</code>	relative SE of density estimate

For a multi-session or multi-group analysis the value is a list with one component for each session and group.

The result will also be a list if `object` is an ‘`seclist`’.

Note

Before version 2.1, the output table had columns for ‘`varcomp1`’ (the variance in \hat{D} due to variation in n , i.e., Huggins’ s^2), and ‘`varcomp2`’ (the variance in \hat{D} due to uncertainty in estimates of detection parameters).

These quantities are related to `CVn` and `CVa` as follows:

$$CVn = \sqrt{\text{varcomp1}} / \hat{D}$$

$$CVa = \sqrt{\text{varcomp2}} / \hat{D}$$

References

Borchers, D. L. and Efford, M. G. (2007) Supplements to Biometrics paper. Available online at <http://www.otago.ac.nz/density>.

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture-recapture studies. *Biometrics*, **64**, 377–385.

Huggins, R. M. (1989) On the statistical analysis of capture experiments. *Biometrika* **76**, 133–140.

See Also

[predict.secr](#), [print.secr](#), [secr.fit](#), [empirical.varD](#) [par.derived](#)

Examples

```
## Not run:
## extract derived parameters from a model fitted previously
## by maximizing the conditional likelihood
derived (secrdemo.CL)

## what happens when sampling variance is conditional on mask N?
derived(secrdemo.CL, distribution = "binomial")
## fitted g0, sigma
esa(secrdemo.CL)
## force different g0, sigma
esa(secrdemo.CL, real = c(0.2, 25))

## End(Not run)
```

 details

Detail Specification for secr.fit

Description

The function `secr.fit` allows many options. Some of these are used infrequently and have been bundled as a single argument `details` to simplify the documentation. They are described here.

Detail components

`details$centred = TRUE` causes coordinates of both traps and mask to be centred on the centroid of the traps, computed separately for each session in the case of multi-session data. This may be necessary to overcome numerical problems when x- or y-coordinates are large numbers. The default is not to centre coordinates.

`details$distribution` specifies the distribution of the number of individuals detected n ; this may be conditional on the number in the masked area ("binomial") or unconditional ("poisson"). `distribution` affects the sampling variance of the estimated density. The default is "poisson". The component 'distribution' may also take a numeric value larger than `nrow(caphist)`, rather than "binomial" or "poisson". The likelihood then treats n as a binomial draw from a superpopulation of this size, with consequences for the variance of density estimates. This can help to reconcile MLE with Bayesian estimates using data augmentation.

`details$fixedbeta` may be used to fix values of beta parameters. It should be a numeric vector of length equal to the total number of beta parameters (coefficients) in the model. Parameters to be estimated are indicated by NA. Other elements should be valid values on the link scale and will be substituted during likelihood maximisation. Check the order of beta parameters in a previously fitted model.

`details$hessian` is a character string controlling the computation of the Hessian matrix from which variances and covariances are obtained. Options are "none" (no variances), "auto" (the default) or "fdhess" (use the function `fdHess` in **nlme**). If "auto" then the Hessian from the optimisation function is used. See also `method = "none"` below.

`details$ignoreusage = TRUE` causes the function to ignore usage (varying effort) information in the traps component. The default (`details$ignoreusage = FALSE`) is to include usage in the model.

`details$intwidth2` controls the half-width of the interval searched by `optimise()` for the maximum likelihood when there is a single parameter. Default 0.8 sets the search interval to $(0.2s, 1.8s)$ where s is the ‘start’ value.

`details$LLonly = TRUE` causes the function to return a single evaluation of the log likelihood at the ‘start’ values.

`details$param` chooses between various parameterisations of the SECR model. The default `details$param = 0` is the formulation in Borchers and Efford (2008) and later papers.

`details$param = 1` selects the Gardner & Royle parameterisation of the detection model ($p0, \sigma$; Gardner et al. 2009) when the detector type is ‘multi’. This parameterisation does not allow detector covariates.

`details$param = 2` selects parameterisation in terms of $(esa(g_0, \sigma), \sigma)$ (Efford and Mowat 2013).

`details$param = 3` selects parameterisation in terms of $(a_0(\lambda_0, \sigma), \sigma)$ (Efford and Mowat 2013). This parameterization is used automatically if a_0 appears in the model (e.g., $a_0 \sim 1$).

`details$param = 4` selects parameterisation of σ in terms of the coefficient sigmak and constant c ($\sigma = \text{sigmak} / D^{0.5} + c$) (Efford et al. in prep). If c is not included explicitly in the model (e.g., $c \sim 1$) then it is set to zero. This parameterization is used automatically if sigmak appears in the model (e.g., $\text{sigmak} \sim 1$).

`details$param = 5` combines parameterisations (3) and (4) (first compute σ from D , then compute λ_0 from σ).

`details$scaleg0 = TRUE` causes g_0 to be scaled by σ^{-2} . Deprecated from 2.6.2: use a_0 parameterisation instead.

`details$scalesigma = TRUE` causes σ to be scaled by $D^{-0.5}$. Deprecated from 2.7.1: use sigmak parameterisation instead.

`details$telemetrytype` determines how telemetry data in the attribute ‘xylist’ are treated. ‘none’ causes the xylist data to be ignored. ‘dependent’ uses information on the sampling distribution of each home-range centre in the SECR likelihood. ‘concurrent’ does that and more: it splits capthist according to telemetry status and appends all-zero histories to the telemetry part for any animals present in xylist. The default is ‘concurrent’.

`details$telemetrysigma = TRUE` uses coordinate information from telemetry for estimating spatial detection parameters when capthist has attribute ‘xylist’ (see [addTelemetry](#)). The default is FALSE. `details$telemetrysigma` is always TRUE when `details$telemetrytype = independent`.

`details$telemetrybvn = TRUE` includes a bivariate normal prior for the centres of telemetered individuals when `details$telemetrytype` is ‘concurrent’ or ‘dependent’; otherwise the sample mean of telemetry locations is taken as the known location (without uncertainty). The default is FALSE.

`details$normalize = TRUE` rescales detection so that individual range use sums to 1.0 (cf Royle et al. 2013)

`details$usecov` selects the mask covariate to be used for normalization. NULL limits denominator for normalization to distinguishing habitat from non-habitat.

References

Efford, M. G. and Mowat, G. (2013) Compensatory heterogeneity in capture–recapture data. *Ecology* In press.

Gardner, B., Royle, J. A. and Wegan, M. T. (2009) Hierarchical models for estimating density from DNA mark-recapture studies. *Ecology* **90**, 1106–1115.

Royle, J. A., Chandler, R. B., Sun, C. C. and Fuller, A. K. (2013) Integrating resource selection information with spatial capture–recapture. *Methods in Ecology and Evolution* **4**, 520–530.

See Also

[secur.fit](#)

detectfn Detection Functions

Description

A detection function relates the probability of detection g or the expected number of detections λ for an animal to the distance of a detector from a point usually thought of as its home-range centre. In **secur** only simple 2- or 3-parameter functions are used. Each type of function is identified by its number or by a 2–3 letter code (version $\geq 2.6.0$; see below). In most cases the name may also be used (as a quoted string).

Choice of detection function is usually not critical, and the default ‘HN’ is usually adequate.

Functions (14)–(18) are parameterised in terms of the expected number of detections λ , or cumulative hazard, rather than probability. ‘Exposure’ (e.g. Royle and Gardner 2011) is another term for cumulative hazard. This parameterisation is natural for the ‘count’ **detector** type or if the function is to be interpreted as a distribution of activity (home range). When one of the functions (14)–(18) is used to describe detection probability (i.e., for the binary detectors ‘single’, ‘multi’, ‘proximity’, ‘polygonX’ or ‘transectX’), the expected number of detections is internally transformed to a binomial probability using $g(d) = 1 - \exp(-\lambda(d))$.

The hazard halfnormal (14) is similar to the halfnormal exposure function used by Royle and Gardner (2011) except they omit the factor of 2 on σ^2 , which leads to estimates of σ that are larger by a factor of $\sqrt{2}$. The hazard exponential (16) is identical to their exponential function.

Code	Name	Parameters	Function
0 HN	halfnormal	g_0, σ	$g(d) = g_0 \exp\left(\frac{-d^2}{2\sigma^2}\right)$
1 HR	hazard rate	g_0, σ, z	$g(d) = g_0[1 - \exp\{-(d/\sigma)^{-z}\}]$
2 EX	exponential	g_0, σ	$g(d) = g_0 \exp\{-(d/\sigma)\}$
3 CHN	compound halfnormal	g_0, σ, z	$g(d) = g_0[1 - \{1 - \exp\left(\frac{-d^2}{2\sigma^2}\right)\}^z]$
4 UN	uniform	g_0, σ	$g(d) = g_0, d \leq \sigma; g(d) = 0, \text{ otherwise}$
5 WEX	w exponential	g_0, σ, w	$g(d) = g_0, d < w; g(d) = g_0 \exp\left(-\frac{d-w}{\sigma}\right), \text{ otherwise}$
6 ANN	annular normal	g_0, σ, w	$g(d) = g_0 \exp\left\{\frac{-(d-w)^2}{2\sigma^2}\right\}$
7 CLN	cumulative lognormal	g_0, σ, z	$g(d) = g_0[1 - F\{(d - \mu)/s\}]$
8 CG	cumulative gamma	g_0, σ, z	$g(d) = g_0\{1 - G(d; k, \theta)\}$
9 BSS	binary signal strength	b_0, b_1	$g(d) = 1 - F\{-(b_0 + b_1 d)\}$
10 SS	signal strength	β_0, β_1, s	$g(d) = 1 - F\{c - (\beta_0 + \beta_1 d)/s\}$
11 SSS	signal strength spherical	β_0, β_1, s	$g(d) = 1 - F\{c - (\beta_0 + \beta_1(d - 1) - 10 \log_{10} d^2)\}/s\}$
14 HHN	hazard halfnormal	λ_0, σ	$\lambda(d) = \lambda_0 \exp\left(\frac{-d^2}{2\sigma^2}\right); g(d) = 1 - \exp(-\lambda(d))$
15 HHR	hazard hazard rate	λ_0, σ, z	$\lambda(d) = \lambda_0(1 - \exp\{-(d/\sigma)^{-z}\}); g(d) = 1 - \exp(-\lambda(d))$
16 HEX	hazard exponential	λ_0, σ	$\lambda(d) = \lambda_0 \exp\{-(d/\sigma)\}; g(d) = 1 - \exp(-\lambda(d))$
17 HAN	hazard annular normal	λ_0, σ, w	$\lambda(d) = \lambda_0 \exp\left\{\frac{-(d-w)^2}{2\sigma^2}\right\}; g(d) = 1 - \exp(-\lambda(d))$
18 HCG	hazard cumulative gamma	λ_0, σ, z	$\lambda(d) = \lambda_0\{1 - G(d; k, \theta)\}; g(d) = 1 - \exp(-\lambda(d))$

Functions (1) and (15), the "hazard-rate" detection functions described by Hayes and Buckland (1983), are not recommended for SECR because of their long tail, and care is also needed with (2) and (16).

Function (3), the compound halfnormal, follows Efford and Dawson (2009).

Function (4) uniform is defined only for simulation as it poses problems for likelihood maximisation by gradient methods. Uniform probability implies uniform hazard, so there is no separate function 'HUN'.

For function (7), 'F' is the standard normal distribution function and μ and s are the mean and standard deviation on the log scale of a latent variable representing a threshold of detection distance. See Note for the relationship to the fitted parameters sigma and z.

For functions (8) and (18), 'G' is the cumulative distribution function of the gamma distribution with shape parameter k ($= z$) and scale parameter θ ($= \text{sigma}/z$). See R's [pgamma](#).

For functions (9), (10) and (11), 'F' is the standard normal distribution function and c is an arbitrary signal threshold. The two parameters of (9) are functions of the parameters of (10) and (11): $b_0 = (\beta_0 - c)/sdS$ and $b_1 = \beta_1/s$ (see Efford et al. 2009). Note that (9) does not require signal-strength data or c .

Function (11) includes an additional 'hard-wired' term for sound attenuation due to spherical spreading. Detection probability at distances less than 1 m is given by $g(d) = 1 - F\{(c - \beta_0)/sdS\}$

Functions (12) and (13) are undocumented methods for sound attenuation.

Note

The parameters of function (7) are potentially confusing. The fitted parameters describe a latent threshold variable on the natural scale: sigma (mean) = $\exp(\mu + s^2/2)$ and z (standard deviation) = $\sqrt{\exp(s^2 + 2\mu)(\exp(s^2) - 1)}$. As with other detection functions, sigma is a spatial scale parameter, although in this case it corresponds to the mean of the threshold variable; the standard deviation of the threshold variable (z) determines the shape (roughly $1/\max(\text{slope})$) of the detection function.

References

- Efford, M. G. and Dawson, D. K. (2009) Effect of distance-related heterogeneity on population size estimates from point counts. *Auk* **126**, 100–111.
- Efford, M. G., Dawson, D. K. and Borchers, D. L. (2009) Population density estimated from locations of individuals on a passive detector array. *Ecology* **90**, 2676–2682.
- Hayes, R. J. and Buckland, S. T. (1983) Radial-distance models for the line-transect method. *Bio-metrics* **39**, 29–42.
- Royle, J. A. and Gardner, B. (2011) Hierarchical spatial capture–recapture models for estimating density from trapping arrays. In: A.F. O'Connell, J.D. Nichols & K.U. Karanth (eds) *Camera Traps in Animal Ecology: Methods and Analyses*. Springer, Tokyo. Pp. 163–190.

See Also

[detectfnplot](#), [secr detection models](#)

detector	<i>Detector Type</i>
----------	----------------------

Description

Extract or replace the detector type.

Usage

```
detector(object, ...)  
detector(object) <- value
```

Arguments

object	object with 'detector' attribute e.g. traps
value	character string for detector type
...	other arguments (not used)

Details

Valid detector types are 'single', 'multi', 'proximity', 'count', 'signal', 'polygon', 'transect', 'polygonX', and 'transectX'. The detector type is stored as an attribute of a traps object. Detector types are mostly described by Efford et al. (2009a,b; see also [../doc/secr-overview.pdf](#)). Polygon and transect detector types are for area and linear searches as described in [../doc/secr-polygondetectors.pdf](#) and Efford (2011). The 'signal' detector type is used for acoustic data as described in [../doc/secr-sound.pdf](#).

Value

character string for detector type

References

- Efford, M. G. (2011) Estimation of population density by spatially explicit capture–recapture with area searches. *Ecology* in press.
- Efford, M. G., Borchers D. L. and Byrom, A. E. (2009a) Density estimation by spatially explicit capture-recapture: likelihood-based methods. In: D. L. Thomson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer, New York. Pp. 255–269.
- Efford, M. G., Dawson, D. K. and Borchers, D. L. (2009b) Population density estimated from locations of individuals on a passive detector array. *Ecology* **90**, 2676–2682.

See Also

[traps](#), [RShowDoc](#)

Examples

```
## Default detector type is "multi"  
temptrap <- make.grid(nx = 6, ny = 8)  
detector(temptrap) <- "proximity"  
summary(temptrap)
```

deviance

*Deviance of fitted secr model and residual degrees of freedom***Description**

Compute the deviance or residual degrees of freedom of a fitted secr model, treating multiple sessions and groups as independent. The likelihood of the saturated model depends on whether the ‘conditional’ or ‘full’ form was used, and on the distribution chosen for the number of individuals observed (Poisson or binomial).

Usage

```
## S3 method for class secr
deviance(object, ...)
## S3 method for class secr
df.residual(object, ...)
```

Arguments

object	secr object from secr.fit
...	other arguments (not used)

Details

The deviance is $-2\log(\hat{L}) + 2\log(L_{sat})$, where \hat{L} is the value of the log-likelihood evaluated at its maximum, and L_{sat} is the log-likelihood of the saturated model, calculated thus:

Likelihood conditional on n -

$$L_{sat} = \log(n!) + \sum_{\omega} [n_{\omega} \log(\frac{n_{\omega}}{n}) - \log(n_{\omega}!)]$$

Full likelihood, Poisson n -

$$L_{sat} = n\log(n) - n + \sum_{\omega} [n_{\omega} \log(\frac{n_{\omega}}{n}) - \log(n_{\omega}!)]$$

Full likelihood, binomial n -

$$L_{sat} = n\log(\frac{n}{N}) + (N - n)\log(\frac{N-n}{N}) + \log(\frac{N!}{(N-n)!}) + \sum_{\omega} [n_{\omega} \log(\frac{n_{\omega}}{n}) - \log(n_{\omega}!)]$$

n is the number of individuals observed at least once, n_{ω} is the number of distinct histories, and N is the number in a chosen area A that we estimate by $\hat{N} = \hat{D}A$.

The residual degrees of freedom is the number of distinct detection histories minus the number of parameters estimated. The detection histories of two animals are always considered distinct if they belong to different groups.

When samples are (very) large the deviance is expected to be distributed as χ^2 with $n_{\omega} - p$ degrees of freedom when p parameters are estimated. In reality, simulation is needed to assess whether a given value of the deviance indicates a satisfactory fit, or to estimate the overdispersion parameter c . `sim.secr` is a convenient tool.

Value

The scalar numeric value of the deviance or the residual degree of freedom extracted from the fitted model.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.

See Also

[secur.fit](#), [sim.secur](#)

Examples

```
deviance(secrdemo.0)
df.residual(secrdemo.0)
```

distancetotrap	<i>Distance To Nearest Detector</i>
----------------	-------------------------------------

Description

Compute distance from each of a set of points to the nearest detector in an array, or return the sequence number of the detector nearest each point.

Usage

```
distancetotrap(X, traps)
nearesttrap(X, traps)
```

Arguments

X	coordinates
traps	traps object or 2-column matrix of coordinates

Details

distancetotrap returns the distance from each point in X to the nearest detector in traps. It may be used to restrict the points on a habitat mask.

Value

distancetotrap returns a vector of distances (assumed to be in metres).
nearesttrap returns the index of the nearest trap.

Note

It is no longer (from version 2.3.0) necessary for ‘traps’ to be a traps object. It may be any 2-column matrix or dataframe of coordinates. From version 2.6.0 ‘traps’ may also be a simple (one-polygon) SpatialPolygonsDataFrame object from **sp**, in which case distances are to the boundary vertices (use with care!).

See Also[make.mask](#)**Examples**

```
## restrict a habitat mask to points within 70 m of traps
## this is nearly equivalent to using make.mask with the
## trapbuffer option
temptrap <- make.grid()
tempmask <- make.mask(temptrap)
d <- distancetotrap(tempmask, temptrap)
tempmask <- subset(tempmask, d < 70)
```

Dsurface

*Density Surfaces***Description**

S3 class for rasterized fitted density surfaces. A Dsurface is a type of ‘mask’ with covariate(s) for the predicted density at each point.

Usage

```
## S3 method for class Dsurface
print(x, scale = 1, ...)
## S3 method for class Dsurface
summary(object, scale = 1, ...)
```

Arguments

x, object	Dsurface object to display
scale	numeric multiplier for density
...	other arguments passed to print method for data frames or summary method for masks

Details

A Dsurface will usually have been constructed with [predictDsurface](#).

The ‘scale’ argument may be used to change the units of density from the default (animals / hectare) to animals / km² (scale = 100) or animals / 100km² (scale = 10000).

See Also[predictDsurface](#), [plot.Dsurface](#)**Examples**

```
shorePossums <- predictDsurface(possum.model.Dsh2)
head(shorePossums)
```

ellipse.secr *Confidence Ellipses*

Description

Plot joint confidence ellipse for two parameters of secr model, or for a distribution of points.

Usage

```
ellipse.secr(object, par = c("g0", "sigma"), alpha = 0.05,
             npts = 100, plot = TRUE, linkscale = TRUE, add = FALSE,
             col = palette(), ...)
```

```
ellipse.bvn(xy, alpha = 0.05, npts = 100, centroid = TRUE, add = FALSE, ...)
```

Arguments

object	secr object output from <code>secr.fit</code>
par	character vector of length two, the names of two ‘beta’ parameters
alpha	alpha level for confidence intervals
npts	number of points on perimeter of ellipse
plot	logical for whether ellipse should be plotted
linkscale	logical; if FALSE then coordinates will be backtransformed from the link scale
add	logical to add ellipse to an existing plot
col	vector of one or more plotting colours
...	arguments to pass to plot functions (or <code>polygon()</code> in the case of <code>ellipse.bvn</code>)
xy	2-column matrix of coordinates
centroid	logical; if TRUE the plotted ellipse is a confidence region for the centroid of points in xy

Details

`ellipse.secr` calculates coordinates of a confidence ellipse from the asymptotic variance-covariance matrix of the beta parameters (coefficients), and optionally plots it.

If `linkscale == FALSE`, the inverse of the appropriate link transformation is applied to the coordinates of the ellipse, causing it to deform.

If `object` is a list of secr models then one ellipse is constructed for each model. Colours are recycled as needed.

`ellipse.bvn` plots a bivariate normal confidence ellipse for the centroid of a 2-dimensional distribution of points (default `centroid = TRUE`), or a Jennrich and Turner (1969) elliptical home-range model.

Value

A list containing the x and y coordinates is returned invisibly from either function.

References

Jennrich, R. I. and Turner, F. B. (1969) Measurement of non-circular home range. *Journal of Theoretical Biology*, **22**, 227–237.

Examples

```
ellipse.secr(secrdemo.0)
```

empirical.varD	<i>Empirical Variance of H-T Density Estimate</i>
----------------	---

Description

Compute Horvitz-Thompson-like estimate of population density from a previously fitted spatial detection model, and estimate its sampling variance using the empirical spatial variance of the number observed in replicate sampling units. Wrapper functions are provided for several different scenarios, but all ultimately call `derived.nj`. The function `derived` also computes Horvitz-Thompson-like estimates, but it assumes a Poisson or binomial distribution of total number when computing the sampling variance.

Usage

```
derived.nj ( nj, esa, se.esa, method = c("SRS", "local", "poisson",
    "binomial"), xy = NULL, alpha = 0.05, loginterval = TRUE, area =
    NULL )
```

```
derived.mash ( object, sessnum = NULL, method = c("SRS", "local"),
    alpha = 0.05, loginterval = TRUE)
```

```
derived.cluster ( object, sessnum = NULL, method = c("SRS", "local"),
    alpha = 0.05, loginterval = TRUE)
```

```
derived.session ( object, method = c("SRS", "local"), xy = NULL,
    alpha = 0.05, loginterval = TRUE )
```

```
derived.external ( object, sessnum = NULL, nj, cluster, buffer = 100,
    mask = NULL, noccasions = NULL, method = c("SRS", "local"), xy = NULL,
    alpha = 0.05, loginterval = TRUE)
```

Arguments

object	fitted secr model
nj	vector of number observed in each sampling unit (cluster)
esa	scalar estimate of effective sampling area (\hat{a})
se.esa	estimated standard error of effective sampling area ($\widehat{SE}(\hat{a})$)
method	character string 'SRS' or 'local'

xy	dataframe of x- and y- coordinates (method = "local" only)
alpha	alpha level for confidence intervals
loginterval	logical for whether to base interval on log(N)
area	area of region for method = "binomial" (hectares)
sessnum	index of session in object\$capthist for which output required
cluster	'traps' object for a single cluster
buffer	width of buffer in metres (ignored if mask provided)
mask	mask object for a single cluster of detectors
noccasions	number of occasions (for nj)

Details

`derived.nj` accepts a vector of counts (n_j), along with \hat{a} and $\widehat{SE}(\hat{a})$. The argument `esa` may include both \hat{a} and $\widehat{SE}(\hat{a})$ - any form will do if it can be coerced to a vector of length 2. In the special case that n_j is of length 1, or `method` takes the values 'poisson' or 'binomial', the variance is computed using a theoretical variance rather than an empirical estimate. The value of `method` corresponds to 'distribution' in `derived`, and defaults to 'poisson'. For `method = binomial` you must specify `area` (see Examples).

`derived.cluster` accepts a model fitted to data from clustered detectors; each `cluster` is interpreted as a replicate sample. It is assumed that the sets of individuals sampled by different clusters do not intersect, and that all clusters have the same geometry (spacing, detector number etc.).

`derived.mash` accepts a model fitted to clustered data that have been 'mashed' for fast processing (see `mash`); each cluster is a replicate sample: the function uses the vector of cluster frequencies (n_j) stored as an attribute of the mashed `capthist` by `mash`.

`derived.external` combines detection parameter estimates from a fitted model with a vector of frequencies n_j from replicate sampling units configured as in `cluster`. Detectors in `cluster` are assumed to match those in the fitted model with respect to type and efficiency, but sampling duration (`noccasions`), spacing etc. may differ. The `mask` should match `cluster`; if `mask` is missing, one will be constructed using the `buffer` argument and defaults from `make.mask`.

`derived.session` accepts a single fitted model that must span multiple sessions; each session is interpreted as a replicate sample.

Spatial variance may be calculated assuming simple random sampling (`method = "SRS"`) or using the neighbourhood variance estimator recommended by Stevens and Olsen (2003) for generalized random tessellation stratified (GRTS) samples and implemented in package `spsurvey` (`method = "local"`). For 'local' variance estimates, the centre of each replicate must be provided in `xy`, except where centres may be inferred from the data. The options `method = "poisson"` and `method = "binomial"` use theoretical (model-based) variance rather than the empirical spatial variance.

Value

A dataframe with one row and the columns –

estimate	Horvitz-Thompson-like estimate of population density
SE.estimate	SE of density estimate
lcl	lower 100(1-alpha)% confidence limit
ucl	upper 100(1-alpha)% confidence limit
CVn	relative SE of number observed (across sampling units)
CVa	relative SE of effective sampling area
CVD	relative SE of density estimate

Note

In versions before 2.1, the functionality of `derived.nj` and `derived.session` was provided by `empirical.VarD`, which has been removed.

The variance of a Horvitz-Thompson-like estimate of density may be estimated as the sum of two components, one due to uncertainty in the estimate of effective sampling area (\hat{a}) and the other due to spatial variance in the total number of animals n observed on J replicate sampling units ($n = \sum_{j=1}^J n_j$). We use a delta-method approximation that assumes independence of the components:

$$\widehat{\text{var}}(\hat{D}) = \hat{D}^2 \left\{ \frac{\widehat{\text{var}}(n)}{n^2} + \frac{\widehat{\text{var}}(\hat{a})}{\hat{a}} \right\}$$

where $\widehat{\text{var}}(n) = \frac{J}{J-1} \sum_{j=1}^J (n_j - n/J)^2$. The estimate of $\text{var}(\hat{a})$ is model-based while that of $\text{var}(n)$ is design-based. This formulation follows that of Buckland et al. (2001, p. 78) for conventional distance sampling. Given sufficient independent replicates, it is a robust way to allow for unmodelled spatial overdispersion.

There is a complication in SECR owing to the fact that \hat{a} is a derived quantity (actually an integral) rather than a model parameter. Its sampling variance $\text{var}(\hat{a})$ is estimated indirectly in `secr` by combining the asymptotic estimate of the covariance matrix of the fitted detection parameters θ with a numerical estimate of the gradient of $a(\theta)$ with respect to θ . This calculation is performed in `derived`.

References

Buckland, S. T., Anderson, D. R., Burnham, K. P., Laake, J. L., Borchers, D. L. and Thomas, L. (2001) *Introduction to Distance Sampling: Estimating Abundance of Biological Populations*. Oxford University Press, Oxford.

Stevens, D. L. Jr and Olsen, A. R. (2003) Variance estimation for spatially balanced samples of environmental resources. *Environmetrics* **14**, 593–610.

See Also

[derived](#), [esa](#)

Examples

```
## The ovensong data are pooled from 75 replicate positions of a
## 4-microphone array. The array positions are coded as the first 4
## digits of each sound identifier. The sound data are initially in the
## object signalCH. We first impose a 52.5 dB signal threshold as in
## Dawson & Efford (2009, J. Appl. Ecol. 46:1201--1209). The vector nj
## includes 33 positions at which no ovenbird was heard. The first and
## second columns of temp hold the estimated effective sampling area
## and its standard error.
```

```
signalCH.525 <- subset(signalCH, cutval = 52.5)
nonzero.counts <- table(substring(rownames(signalCH.525),1,4))
nj <- c(nonzero.counts, rep(0, 75 - length(nonzero.counts)))
temp <- derived(ovensong.model.1, se.esa = TRUE)
derived.nj(nj, temp["esa",1:2])
```

```
## The result is very close to that reported by Dawson & Efford
## from a 2-D Poisson model fitted by maximizing the full likelihood.
```

```

## If nj vector has length 1, a theoretical variance is used...
msk <- ovensong.model.1$mask
A <- nrow(msk) * attr(msk, "area")
derived.nj (sum(nj), temp["esa",1:2], method = "poisson")
derived.nj (sum(nj), temp["esa",1:2], method = "binomial", area = A)

## Not run:

## Set up an array of small (4 x 4) grids,
## simulate a Poisson-distributed population,
## sample from it, plot, and fit a model.
## mash() condenses clusters to a single cluster

testregion <- data.frame(x = c(0,2000,2000,0),
  y = c(0,0,2000,2000))
t4 <- make.grid(nx = 4, ny = 4, spacing = 40)
t4.16 <- make.systematic (n = 16, cluster = t4,
  region = testregion)
popn1 <- sim.popn (D = 5, core = testregion,
  buffer = 0)
capt1 <- sim.caphist(t4.16, popn = popn1)
fit1 <- secr.fit(mash(capt1), CL = TRUE, trace = FALSE)

## Visualize sampling
tempmask <- make.mask(t4.16, spacing = 10, type =
  "clusterbuffer")
plot(tempmask)
plot(t4.16, add = TRUE)
plot(capt1, add = TRUE)

## Compare model-based and empirical variances.
## Here the answers are similar because the data
## were simulated from a Poisson distribution,
## as assumed by \code{derived}

derived(fit1)
derived.mash(fit1)

## Now simulate a patchy distribution; note the
## larger (and more credible) SE from derived.mash().

popn2 <- sim.popn (D = 5, core = testregion, buffer = 0,
  model2D = "hills", details = list(hills = c(-2,3)))
capt2 <- sim.caphist(t4.16, popn = popn2)
fit2 <- secr.fit(mash(capt2), CL = TRUE, trace = FALSE)
derived(fit2)
derived.mash(fit2)

## The detection model we have fitted may be extrapolated to
## a more fine-grained systematic sample of points, with
## detectors operated on a single occasion at each...
## Total effort 400 x 1 = 400 detector-occasions, compared
## to 256 x 5 = 1280 detector-occasions for initial survey.

t1 <- make.grid(nx = 1, ny = 1)
t1.100 <- make.systematic (cluster = t1, spacing = 100,

```

```

    region = testregion)
capt2a <- sim.caphist(t1.100, popn = popn2, noccasions = 1)
## one way to get number of animals per point
nj <- attr(mash(capt2a), "n.mash")
derived.external (fit2, nj = nj, cluster = t1, buffer = 100,
    noccasions = 1)

## Review plots
library(MASS)
base.plot <- function() {
  eqscplot( testregion, axes = FALSE, xlab = "",
    ylab = "", type = "n")
  polygon(testregion)
}
par(mfrow = c(1,3), xpd = T, xaxs = "i", yaxs = "i")
base.plot()
plot(popn2, add = TRUE, col = "blue")
mtext(side=3, line=0.5, "Population", cex=0.8, col="black")
base.plot()
plot (capt2a, add = TRUE,title = "Extensive survey")
base.plot()
plot(capt2, add = TRUE, title = "Intensive survey")

## End(Not run)

```

 esa.plot

Mask Buffer Diagnostic Plot

Description

Plot effective sampling area (Borchers and Efford 2008) as a function of increasing buffer width.

Usage

```

esa.plot (object, max.buffer = NULL, spacing = NULL, max.mask = NULL,
  detectfn, detectpar, noccasions, binomN = NULL, thin = 0.1,
  poly = NULL, session = 1, plt = TRUE, as.density = TRUE, n = 1,
  add = FALSE, overlay = TRUE, ...)

```

Arguments

object	traps object or secr object output from <code>secr.fit</code>
max.buffer	maximum width of buffer in metres
spacing	distance between mask points
max.mask	mask object
detectfn	integer code or character string for shape of detection function 0 = halfnormal etc. – see detectfn
detectpar	list of values for named parameters of detection function

noccasions	number of sampling occasions
binomN	integer code for discrete distribution (see secur.fit)
thin	proportion of mask points to retain in plot and output
poly	matrix of two columns interpreted as the x and y coordinates of a bounding polygon (optional)
session	vector of session indices (used if object spans multiple sessions)
plt	logical to plot results
as.density	logical; if TRUE the y-axis is n / esa
n	integer number of distinct individuals detected
add	logical to add line to an existing plot
overlay	logical; if TRUE then automatically add = TRUE for plots after the first
...	graphical arguments passed to plot() and lines()

Details

Effective sampling area (esa) is defined as the integral of net capture probability ($p(\mathbf{X})$) over a region. `esa.plot` shows the effect of increasing region size on the value of esa for fixed values of the detection parameters. The `max.buffer` or `max.mask` arguments establish the maximum extent of the region; points (cells) within this mask are sorted by their distance d_k from the nearest detector. `esa(buffer)` is defined as the cumulative sum of $cp(\mathbf{X})$ for $d_k(\mathbf{X}) \leq \text{buffer}$, where c is the area associated with each cell.

The default (`as.density = TRUE`) is to plot the reciprocal of esa multiplied by n ; this is on a more familiar scale (the density scale) and hence is easier to interpret.

Because `esa.plot` uses the criterion ‘distance to nearest detector’, `max.mask` should be constructed to include all habitable cells within the desired maximum buffer and no others. This is achieved with `type = "trapbuffer"` in `make.mask`. It is a good idea to set the `spacing` argument of `make.mask` rather than relying on the default based on `nx`. Spacing may be small (e.g. `sigma/10`) and the buffer of `max.mask` may be quite large (e.g. `10 sigma`), as computation is fast.

Thinning serves to reduce redundancy in the plotted points, and (if the result is saved and printed) to generate more legible numerical output. Use `thin=1` to include all points.

`esa.plot` calls the internal function `esa.plot.secur` when object is a fitted model. In this case `detectfn`, `detectpar` and `noccasions` are inferred from object.

Value

A dataframe with columns

buffer	buffer width
esa	computed effective sampling area
density	n/esa
pdot	$p(\mathbf{X})$
pdotmin	cumulative minimum ($p(\mathbf{X})$)

If `plt = TRUE` the dataframe is returned invisibly.

Note

The response of effective sampling area to buffer width is just one possible mask diagnostic; it’s fast, graphic, and often sufficient. `mask.check` performs more intensive checks, usually for a smaller number of buffer widths.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.

See Also

[mask](#), [pdot](#), [make.mask](#), [mask.check](#), [Detection functions](#)

Examples

```
## with previously fitted model
esa.plot(secrdemo.0)

## from scratch
trps <- make.grid()
msk <- make.mask(trps, buffer = 200, spacing = 5, type = "trapbuffer")
detectpar <- list(g0 = 0.2, sigma = 25)
esa.plot(trps,, msk, 0, detectpar, nocc = 10, col = "blue")
esa.plot(trps,, msk, 0, detectpar, nocc = 5, col = "green",
         add = TRUE)

esa.plot(trps,, msk, 0, detectpar, nocc = 5, thin = 0.002, plt = FALSE)
```

esa.plot.secr

Mask Buffer Diagnostic Plot (internal)

Description

Internal function used to plot effective sampling area (Borchers and Efford 2008) as a function of increasing buffer width given an ‘secr’ object

Usage

```
esa.plot.secr (object, max.buffer = NULL, max.mask = NULL,
             thin = 0.1, poly = NULL, session = 1, plt = TRUE, as.density
             = TRUE, add = FALSE, overlay = TRUE, ...)
```

Arguments

object	secr object output from <code>secr.fit</code>
max.buffer	maximum width of buffer in metres
max.mask	mask object
thin	proportion of mask points to retain in plot and output
poly	matrix of two columns interpreted as the x and y coordinates of a bounding polygon (optional)
session	vector of session indices (used if object spans multiple sessions)

plt	logical to plot results
as.density	logical; if TRUE the y-axis is n / esa
add	logical to add line to an existing plot
overlay	logical; if TRUE then automatically add = TRUE for plots after the first
...	graphical arguments passed to plot() and lines()

Details

esa.plot.secr provides a wrapper for [esa.plot](#) that is called internally from esa.plot when it is presented with an secr object. Arguments of esa.plot such as detectfn are inferred from the fitted model.

If max.mask is not specified then a maximal mask of type 'trapbuffer' is constructed using max.buffer and the spacing of the mask in object. In this case, if max.buffer is not specified then it is set either to the width of the existing plot (add = TRUE) or to 10 x sigma-hat from the fitted model in object (add = FALSE).

Value

see esa.plot

See Also

[esa.plot](#), [mask](#), [pdot](#), [make.mask](#), [mask.check](#), [Detection functions](#)

expected.n	<i>Expected Number of Individuals</i>
------------	---------------------------------------

Description

Computes the expected number of individuals detected across a detector layout or at each cluster of detectors.

Usage

```
expected.n(object, session = NULL, group = NULL, bycluster
           = FALSE, splitmask = FALSE)
```

Arguments

object	secr object output from secr.fit
session	character session vector
group	group – for future use
bycluster	logical to output the expected number for clusters of detectors rather than whole array
splitmask	logical for computation method (see Details)

Details

The expected number of individuals detected is $E(n) = \int p.(X)D(X)dX$ where the integration is a summation over object\$mask. $p.(X)$ is the probability an individual at X will be detected at least once either on the whole detector layout (bycluster = FALSE) or on the detectors in a single cluster (see [pdot](#) for more on $p.$). $D(X)$ is the expected density at X , given the model. $D(X)$ is constant (i.e. density surface flat) if object\$CL == TRUE or object\$model\$D == ~1, and for some other possible models.

If the bycluster option is selected and detectors are not, in fact, assigned to clusters then each detector will be treated as a cluster, with a warning.

By default, a full habitat mask is used for each cluster. This is the more robust option. Alternatively, the mask may be split into subregions defined by the cells closest to each cluster.

The calculation takes account of any fitted continuous model for spatial variation in density (note Warning).

Value

The expected count (bycluster = FALSE) or a vector of expected counts, one per cluster. For multi-session data, a list of such vectors.

Warning

This function changed slightly between 2.1.0 and 2.1.1, and now performs as indicated here when bycluster = TRUE and clusters are not specified.

Detectors are assumed to be independent (as with detector types 'proximity', 'count' etc.). The computed $E(n)$ does not apply when there is competition among detectors, e.g., when detector = 'multi'.

The prediction of density at present considers only the base level of density covariates, such as cell-specific habitat variables.

See Also

[region.N](#)

Examples

```
expected.n(secrdemo.0)

## Not run:
expected.n(secrdemo.0, bycluster = TRUE)
expected.n(ovenbird.model.D)

## Clustered design
mini <- make.grid(nx = 3, ny = 3, spacing = 50, detector =
"proximity")
tempgrids <- trap.builder (cluster = mini , method = "all",
  frame = expand.grid(x = seq(1000, 9000, 2000),
  y = seq(1000, 9000, 2000)), plt = TRUE)
capt <- sim.caphist(tempgrids, popn = list(D = 2))
tempmask <- make.mask(tempgrids, buffer = 100,
  type = "clusterbuffer")
fit <- secr.fit(capt, mask = tempmask, trace = FALSE)
En <- expected.n(fit, bycluster = TRUE)
```

```
## GoF or overdispersion statistic
p <- length(fit$fit$par)
y <- cluster.counts(capt)
## scaled by n-p
sum((y - En)^2 / En) / (length(En)-p)
sum((y - En)^2 / En) / sum(y/En)

## End(Not run)
```

Description

A place for hints and miscellaneous advice.

How do I install and start secr?

Follow the usual procedure for installing from CRAN archive (see menu item Packages | Install package(s)... in Windows). You also need to get the package **abind** from CRAN.

Other required packages (**MASS**, **nlme**, **stats**) should be available as part of your R installation.

Like other contributed packages, **secr** needs to be loaded before each use e.g., `library(secr)`.

You can learn about changes in the current version with `news(package = "secr")`.

How can I get help?

There are three general ways of displaying documentation from within R. Firstly, you can bring up help pages for particular functions from the command prompt. For example:

```
?secr or ?secr.fit
```

Secondly, `help.search()` lets you ask for a list of the help pages on a vague topic (or just use `??` at the prompt). For example:

```
?? "linear models"
```

Thirdly, you can display various **secr** documents listed in [secr-package](#).

Tip: to search all secr help pages open the pdf version of the manual in Acrobat Reader (`../doc/secr-manual.pdf`; see also `?secr`) and use `<ctrl> F`.

There is a support forum at <http://www.phidot.org/forum> under 'DENSITY|secr'. Please read the FAQ there before posting. See below for more R tips. Some specific problems with `secr.fit` are covered in [Troubleshooting](#).

How should I report a problem?

If you get really stuck or find something you think is a bug then please report the problem.

You may be asked to send an actual dataset - ideally, the simplest one that exhibits the problem. The correct address for this is `<density.software@otago.ac.nz>`. Use `save` to wrap several R objects together in one `.RData` file, e.g., `save("captdata", "secrdemo.0", "secrdemo.b", file = "mydata.RData")`. Also, paste into the text of your message the output from `packageDescription("secr")`.

Why do I get different answers from `secr` and `Density`?

Strictly speaking, this should not happen if you have specified the same model and likelihood, although you may see a little variation due to the different maximization algorithms. Likelihoods (and estimates) may differ if you use different integration meshes (habitat masks), which can easily happen because the programs differ in how they set up the mesh. If you want to make a precise comparison, save the `Density` mesh to a file and read it into `secr`, or vice versa.

Extreme data, especially rare long-distance movements, may be handled differently by the two programs. The 'minprob' component of the 'details' argument of `secr.fit` sets a lower threshold of probability for capture histories (smaller values are all set to minprob), whereas `Density` has no explicit limit.

How can I speed up model fitting and model selection?

There are many ways - see [Speed tips](#).

Does `secr` use multiple cores?

Some computations can be run in parallel on multiple processors (most desktops these days have multiple cores), but capability is limited. Check the 'ncores' argument of `sim.secr()` and `secr.fit()` and `?ncores`. The speed gain is significant for parametric bootstrap computations in `sim.secr`. Parallelisation is also allowed for the session likelihood components of a multi-session model in `secr.fit()`, but gains there seem to be small or negative.

Can a model use detector-level covariates that vary over time?

Yes. See `?timevaryingcov`. However, a more direct way to control for varying effort is provided - see the 'usage' attribute, which now allows continuous measure of effort ([./doc/secr-varyingeffort.pdf](#)). A tip: covariate models fit more quickly when the covariate takes only a few different values.

Things You Might Need To Know About R

The function `findFn` in package `sos` lets you search CRAN for R functions by matching text in their documentation.

There is now a vast amount of R advice available on the web. For the terminally frustrated, 'R inferno' by Patrick Burns is recommended (http://www.burns-stat.com/pages/Tutor/R_inferno.pdf). "If you are using R and you think you're in hell, this is a map for you".

Method functions for S3 classes cannot be listed in the usual way by typing the function name at the R prompt because they are 'hidden' in a namespace. Get around this with `getAnywhere()`. For example:

```
getAnywhere(print.secr)
```

R objects have 'attributes' that usually are kept out of sight. Important attributes are 'class' (all objects), 'dim' (matrices and arrays) and 'names' (lists). `secr` hides quite a lot of useful data as named 'attributes'. Usually you will use summary and extraction methods (`traps`, `covariates`, `usage` etc.) to view and change the attributes of the various classes of object in `secr`. If you're curious, you can reveal the lot with 'attributes'. For example, with the demonstration capture history data 'captdata':

```
traps(captdata)      ## extraction method for traps
attributes(captdata) ## all attributes
```

Also, the function `str` provides a compact summary of any object:

```
str(captdata)
```

References

Claeskens, G. and Hjort N. L. (2008) *Model Selection and Model Averaging*. Cambridge: Cambridge University Press.

 fxi

Probability Density of Home Range Centre

Description

Display contours of the probability density function for the estimated location of one or more range centres ($f(X|lwi)$), compute values for particular points X , or compute mode of pdf.

Usage

```
fxi.contour(object, i = 1, sessnum = 1, border = 100, nx = 64,
           levels = NULL, p = seq(0.1,0.9,0.1), plt = TRUE, add = FALSE,
           fitmode = FALSE, plotmode = FALSE, normal = TRUE, ...)
fxi.secr(object, i = 1, sessnum = 1, X, normal = TRUE)
fxi.mode(object, i = 1, sessnum = 1, start = NULL, ...)
```

Arguments

object	a fitted secr model
i	integer or character vector of individuals for which to plot contours, or a single individual as input to other functions
sessnum	session number if object\$scapthist spans multiple sessions
border	width of blank margin around the outermost detectors
nx	dimension of interpolation grid in x-direction
levels	numeric vector of confidence levels for $\Pr(X lwi)$
p	numeric vector of contour levels as probabilities
plt	logical to plot contours
add	logical to add contour(s) to an existing plot
fitmode	logical to refine estimate of mode of each pdf
plotmode	logical to plot mode of each pdf
X	2-column matrix of x- and y- coordinates
normal	logical; should values of pdf be normalised?
start	vector of x-y coordinates for maximization
...	additional arguments passed to contour or nlm

Details

`fxi.contour` computes contours of probability density for one or more detection histories. Increase `nx` for smoother contours. If `levels` is not set, contour levels are set to approximate the confidence levels in `np`.

`fxi.secr` computes the probability density for a single detection history; `X` may contain coordinates for one or several points; a dataframe or vector (`x` then `y`) will be coerced to a matrix.

`fxi.mode` finds the maximum of the pdf for a single detection history (i.e. `n` is of length 1). `fxi.mode` calls `nlm`.

`fxi.contour` with `fitmode = TRUE` uses `fxi.mode` to find the maximum of each pdf. Otherwise the reported mode is an approximation (mean of coordinates of highest contour).

If `i` is character it will be matched to row names of `object$capthist` (restricted to the relevant session in the case of a multi-session fit); otherwise it will be interpreted as a row number.

Values of the pdf are optionally normalised by dividing by the integral of $\Pr(wilX)$ over the habitat mask in `object`.

If `start` is not provided then the first detector site is used, but this is not guaranteed to work.

The `...` argument gives additional control over a contour plot; for example, set `drawlabels = FALSE` to suppress contour labels.

Value

`fxi.contour` –

Coordinates of the plotted contours are returned as a list with one component per polygon. The list is returned invisibly if `plt = TRUE`.

An additional component ‘mode’ reports the x-y coordinates of the highest point of each pdf (see Details).

`fxi.secr` –

Vector of probability densities

`fxi.mode` –

List with components ‘x’ and ‘y’

Note

These functions only work with homogeneous Poisson density models.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.

See Also

[pdot.contour](#), [contour](#)

Examples

```
fxi.secr(secrdemo.0, i = 1, X = c(365,605))

## contour first 5 detection histories
plot(secrdemo.0$capthist)
fxi.contour (secrdemo.0, i = 1:5, add = TRUE,
            plotmode = TRUE, drawlabels = FALSE)

## extract modes only
fxiout <- fxi.contour (secrdemo.0, i = 1:5, plt = FALSE, fitmode = TRUE)
t(sapply(fxiout, "[", "mode"))
```

hcov

Hybrid Mixture Model

Description

The argument `hcov` in `secr.fit` is used to fit a hybrid mixture model. ‘Hybrid’ refers to a flexible combination of latent classes (as in a finite mixture) and known classes (cf groups or sessions). A hybrid mixture model includes a parameter ‘`pmix`’ for the mixing proportion and optionally allows detection parameters to be modelled as class-specific ($\sim h2$). This is particularly useful for modelling sex ratio and sex differences in detection, and matches the Bayesian sex-specific model of Gardner et al. (2010).

For observed animals all of unknown class the model is identical to a finite mixture (i.e. latent-class) model. For observed animals all of known class, the classes are no longer ‘latent’ and the model is equivalent to a grouped model with an additional binomial factor for class membership.

Assumptions

`hcov` identifies a single individual covariate (the class covariate) that should be a factor with two levels, or contain character values that will be coerced to a factor (e.g., ‘f’, ‘m’). Missing values (NA) are used for individuals of unknown class. If `hcov` has more than two levels, all but the first two levels are converted to NA (but see exception for `h3` models below).

It is assumed that the probability of recording a missing value for the class covariate is independent of the true class membership (e.g., sex equally likely to be recorded for males and females).

Operational details

A hybrid mixture model is fitted whenever `hcov` is not NULL. Mixture models include a parameter ‘`pmix`’, the mixing proportion. If the covariate identified by `hcov` is missing (‘’ or NA) for all individuals *and* a mixture term (`h2` or `h3`) appears in the detection model (e.g., $g0 \sim h2$) then a conventional finite mixture model is fitted (cf Pledger 2000, Borchers & Efford 2008).

As with finite mixture models, any detection parameter (`g0`, `sigma` etc.) may be modelled as depending on mixture class by model specifications such as ($g0 \sim h2$, $sigma \sim h2$). See Examples.

In general `hcov` has been designed for two classes and two classes are assumed if neither ‘`h2`’ nor ‘`h3`’ appears in the model formulae. However, there is a small exception: `hcov` may have three non-missing levels if ‘`h3`’ appears in a model formula. Note that `h2` cannot be combined with `h3`; `h3` is for advanced use only and has not been fully tested.

The number of fitted parameters is the same as the corresponding finite mixture model if mixture terms ('h2', 'h3') appear in the model formulae. Otherwise (no mixture terms) estimating pmix requires a single extra parameter. The estimate of pmix then depends solely on the observed class proportions in the covariate, and the beta variance-covariance matrix will show zero covariance of pmix with other detection parameters.

Models for pmix

Variation in the parameter pmix may be modelled across sessions i.e., models such as `pmix ~ session` or `pmix ~ Session` are valid, as are formulae involving session covariates defined in the `sessioncov` argument of `secr.fit`.

If no mixture term appears in the formula for pmix then one is added automatically (usually 'h2'). This serves mostly to keep track of values in the output.

Attempting to model pmix as a function of individual covariates or other within-session terms (t, b etc.) will cause an error.

Interpreting output

When you display a fitted `secr` model the parameter estimates are in a final section headed 'Fitted (real) parameters evaluated at base levels of covariates'. The same output may be obtained by calling the `predict` method directly. Calling `predict` has the advantage that you can obtain estimates for levels of the covariates other than the base levels, by specifying `newdata`. An example below shows how to specify h2 in `newdata`. [Note: `predict` is generic, and you must consult `?predict.secr` to see the help for the specific implementation of this method for fitted `secr` objects].

The output from `predict.secr` for a mixture model is a list with one component for each (possibly latent) class. Each row corresponds to a fitted real parameter: ordinarily these include the detection parameters (e.g., `g0`, `sigma`) and the mixing proportion (`pmix`).

In the case of a model fitted by maximizing the full likelihood (`CL = FALSE`), density D will also appear in the output. Note that only one parameter for density is estimated, the total density across classes. This total density figure appears twice in the output, once for each class.

The standard error (`SE.estimate`) is shown for each parameter. These are asymptotic estimates back-transformed from the link scale. The confidence limits are also back-transformed from the link scale (95% CI by default; vary `alpha` in `predict.secr` if you want e.g. 90% CI).

The mixing proportion `pmix` depends on the composition of the sample with respect to `hcov` and the detection model. For a null detection model the mixing proportion is exactly the proportion in the sample, with appropriate binomial confidence limits. Otherwise, the mixing proportion adjusts for class differences in the probability and scale of detection (see Examples).

The preceding refers to the default behaviour when `pmix ~ h2`. It is possible also to fix the mixing proportion at any arbitrary value (e.g., `fixed = list(pmix = 0.5)` for 1:1 sex ratio).

On output the classes are tagged with the factor levels of `hcov`, regardless of how few or how many individuals were actually of known class. If only a small fraction were of known class, and there is cryptic variation unrelated to `hcov`, then the association between the fitted classes and the nominal classes (i.e. levels of `hcov`) may be weak, and should not be trusted.

Limitations

Hybrid mixture models are incompatible with groups as presently implemented.

The `hcov` likelihood conditions on the number of known-class individuals. A model fitted with `hcov = NULL` or with a different `hcov` covariate has in effect a different data set, and likelihoods, deviances or AICs cannot be compared. AIC can be used to compare models provided they all have the same `hcov` covariate in the call to `secr.fit`, whether or not `h2` appears in the model definition.

Likelihood

This is not the place for a full exposition of the likelihood. Please contact the author if you require this.

References

- Borchers, D.L. and Efford, M.G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.
- Gardner, B., Royle, J.A., Wegan, M.T., Rainbolt, R. and Curtis, P. (2010) Estimating black bear density using DNA data from hair snares. *Journal of Wildlife Management* **74**, 318–325.
- Pledger, S. (2000) Unified maximum likelihood estimates for closed capture–recapture models using mixtures. *Biometrics* **56**, 434–442.

See Also

[secr.fit](#)

Examples

```
## Not run:

## house mouse dataset, morning trap clearances
## 81 female, 78 male, 1 unknown
morning <- subset(housemouse, occ = c(1,3,5,7,9))
summary(covariates(morning))

## speedy model fitting with coarse mask
mmask <- make.mask(traps(morning), buffer = 20, nx = 32)

## assuming equal detection of males and females
## fitted sex ratio p(female) = 0.509434 = 81 / (81 + 78)
fit.0 <- secr.fit(morning, hcov = "sex", mask = mmask, trace = FALSE)
predict(fit.0)

## allowing sex-specific detection parameters
## this leads to new estimate of sex ratio
fit.h2 <- secr.fit(morning, hcov = "sex", mask = mmask, trace = FALSE,
  model = list(g0 ~ h2, sigma ~ h2))
predict(fit.h2)

## specifying newdata for h2 - equivalent to predict(fit.h2)
predict(fit.h2, newdata = data.frame(h2 = factor(c(f,m))))

## conditional likelihood fit of preceding model
## estimate of sex ratio does not change
fit.CL.h2 <- secr.fit(morning, hcov = "sex", mask = mmask, trace = FALSE,
  CL = TRUE, model = list(g0 ~ h2, sigma ~ h2))
predict(fit.CL.h2)

## did sexes differ in detection parameters?
fit.CL.0 <- secr.fit(morning, hcov = "sex", mask = mmask, trace = FALSE,
  CL = TRUE, model = list(g0 ~ 1, sigma ~ 1))
LR.test(fit.CL.h2, fit.CL.0)
```

```

## did sex ratio deviate from 1:1?
fit.CL.h2.50 <- secr.fit(morning, hcov = "sex", mask = mmask, trace = FALSE,
  CL = TRUE, model = list(g0 ~ h2, sigma ~ h2), fixed = list(pmix = 0.5))
LR.test(fit.CL.h2, fit.CL.h2.50)

## did sexes show extra-compensatory variation in lambda0?
## (Efford and Mowat ms)
fit.CL.a0 <- secr.fit(morning, hcov = "sex", mask = mmask, trace = FALSE,
  CL = TRUE, model = list(a0 ~ 1, sigma ~ h2))
LR.test(fit.CL.h2, fit.CL.a0)

## trend in ovenbird sex ratio, assuming sex-specific detection
omask <- make.mask(traps(ovenCH), buffer = 300, nx = 32)
fit.sextrend <- secr.fit(ovenCH, model = list(g0~h2, sigma~h2, pmix~Session),
  hcov = "Sex", CL = TRUE, mask = omask)
predict(fit.sextrend)[1:5]

## End(Not run)

```

head

First or Last Part of an Object

Description

Returns the first or last parts of secr objects

Usage

```

## S3 method for class mask
head(x, n=6L, ...)
## S3 method for class Dsurface
head(x, n=6L, ...)
## S3 method for class traps
head(x, n=6L, ...)
## S3 method for class capthist
head(x, n=6L, ...)
## S3 method for class mask
tail(x, n=6L, ...)
## S3 method for class Dsurface
tail(x, n=6L, ...)
## S3 method for class traps
tail(x, n=6L, ...)
## S3 method for class capthist
tail(x, n=6L, ...)

```

Arguments

x	'mask', 'traps' or 'capthist' object
n	a single integer. If positive, size for the resulting object: number of elements for a vector (including lists), rows for a matrix or data frame or lines for a function. If negative, all but the n last/first number of elements of x.
...	other arguments passed to subset

Details

These custom S3 methods retain the class of the target object, unlike the default methods applied to ‘mask’, ‘Dsurface’, ‘traps’ or ‘capthist’ objects.

Value

An object of the same class as x, but (usually) fewer rows.

See Also

[head](#), [tail](#)

Examples

```
head(possummask)
```

homerange

Home Range Statistics

Description

Some ad hoc measures of home range size may be calculated in **secr** from capture–recapture data:

`dbar` is the mean distance between consecutive capture locations, pooled over individuals (e.g. Efford 2004). `moves` returns the raw distances.

RPSV (for ‘Root Pooled Spatial Variance’) is a measure of the 2-D dispersion of the locations at which individual animals are detected, pooled over individuals.

MMDM (for ‘Mean Maximum Distance Moved’) is the average maximum distance between detections of each individual i.e. the observed range length averaged over individuals (Otis et al. 1978).

ARL or ‘Asymptotic Range Length’) is obtained by fitting an exponential curve to the scatter of observed individual range length vs the number of detections of each individual (Jett and Nichols 1987: 889).

Usage

```
dbar(capthist)
RPSV(capthist)
MMDM(capthist, min.recapt = 1, full = FALSE)
ARL(capthist, min.recapt = 1, plt = FALSE, full = FALSE)
moves(capthist)
```

Arguments

<code>capthist</code>	object of class capthist
<code>min.recapt</code>	integer minimum number of recaptures for a detection history to be used
<code>plt</code>	logical; if TRUE observed range length is plotted against number of recaptures
<code>full</code>	logical; set to TRUE for detailed output

Details

dbar is defined as

$$\bar{d} = \frac{\sum_{i=1}^n \sum_{j=1}^{n_i-1} \sqrt{(x_{i,j} - x_{i,j+1})^2 + (y_{i,j} - y_{i,j+1})^2}}{\sum_{i=1}^n (n_i - 1)}$$

RPSV is defined as

$$RPSV = \sqrt{\frac{\sum_{i=1}^n \sum_{j=1}^{n_i} [(x_{i,j} - \bar{x}_i)^2 + (y_{i,j} - \bar{y}_i)^2]}{\sum_{i=1}^n (n_i - 1) - 1}}$$

dbar and RPSV have a specific role as proxies for detection scale in inverse-prediction estimation of density (Efford 2004; see [ip.secr](#)).

RPSV is used in `autoini` to obtain plausible starting values for maximum likelihood estimation.

MMDM and ARL discard data from detection histories containing fewer than `min.recapt+1` detections.

Value

Scalar distance in metres, or a list of such values if `capthist` is a multi-session list.

The `full` argument may be used with MMDM and ARL to return more extensive output, particularly the observed range length for each detection history.

Note

All measures are affected by the arrangement of detectors. dbar is also affected quite strongly by serial correlation in the sampled locations. Using dbar with ‘proximity’ detectors raises a problem of interpretation, as the original sequence of multiple detections within an occasion is unknown. RPSV is a value analogous to the standard deviation of locations about the home range centre.

The value returned by dbar for ‘proximity’ or ‘count’ detectors is of little use because multiple detections of an individual within an occasion are in arbitrary order.

Inclusion of these measures in the **secr** package does not mean they are recommended for general use! It is usually better to use a spatial parameter from a fitted model (e.g., σ of the half-normal detection function). Even then, be careful that σ is not ‘contaminated’ with behavioural effects (e.g. attraction of animal to detector) or ‘detection at a distance’.

References

- Efford, M. G. (2004) Density estimation in live-trapping studies. *Oikos* **106**, 598–610.
- Jett, D. A. and Nichols, J. D. (1987) A field comparison of nested grid and trapping web density estimators. *Journal of Mammalogy* **68**, 888–892.
- Otis, D. L., Burnham, K. P., White, G. C. and Anderson, D. R. (1978) Statistical inference from capture data on closed animal populations. *Wildlife Monographs* **62**, 1–135.

See Also

[autoini](#)

Examples

```
dbr(captdata)
RPSV(captdata)
```

 hornedlizard

Flat-tailed Horned Lizard Dataset

Description

Data from multiple searches for flat-tailed horned lizards (*Phrynosoma mcalli*) on a plot in Arizona, USA.

Usage

```
data(hornedlizard)
```

Details

The flat-tailed horned lizard (*Phrynosoma mcalli*) is a desert lizard found in parts of southwestern Arizona, southeastern California and northern Mexico. There is considerable concern about its conservation status. The species is cryptically coloured and has the habit of burying under the sand when approached, making it difficult or impossible to obtain a complete count (Grant and Doherty 2007).

K. V. Young conducted a capture–recapture survey of flat-tailed horned lizards 25 km south of Yuma, Arizona, in the Sonoran Desert. The habitat was loose sand dominated by creosote bush and occasional bur-sage and Galletta grass. A 9-ha plot was surveyed 14 times over 17 days (14 June to 1 July 2005). On each occasion the entire 300 m x 300 m plot was searched for lizards. Locations within the plot were recorded by handheld GPS. Lizards were captured by hand and marked individually on their underside with a permanent marker. Marks are lost when the lizard sheds, but this happens infrequently and probably caused few or no identification errors during the 2.5-week study.

A total of 68 individuals were captured 134 times. Exactly half of the individuals were recaptured at least once.

Royle and Young (2008) analysed the present dataset to demonstrate a method for density estimation using data augmentation and MCMC simulation. They noted that the plot size was much larger than has been suggested as being practical in operational monitoring efforts for this species, that the plot was chosen specifically because a high density of individuals was present, and that high densities typically correspond to less movement in this species. The state space in their analysis was a square comprising the searched area and a 100-m buffer (J. A. Royle pers. comm.).

The detector type for these data is ‘polygonX’ and there is a single detector (the square plot). The data comprise a capture history matrix (the body of hornedlizardCH) and the x-y coordinates of each positive detection (stored as an attribute that may be displayed with the ‘xy’ function); the ‘traps’ attribute of hornedlizardCH contains the vertices of the plot. See [../doc/secr-datainput.pdf](#) for guidance on data input.

Non-zero entries in a polygonX capture-history matrix indicate the number of the polygon containing the detection. In this case there was just one polygon, so entries are 0 or 1. No animal can appear more than once per occasion with the polygonX detector type, so there is no need to specify ‘binomN = 1’ in secr.fit.

Object	Description
hornedlizardCH	single-session capthist object

Source

Royle and Young (2008) and J. A. Royle (pers. comm.), with additional information from K. V. Young (pers. comm.).

References

Efford, M. G. (2011) Estimation of population density by spatially explicit capture–recapture analysis of data from area searches. *Ecology* **92**, 2202–2207.

Grant, T. J. and Doherty, P. F. (2007) Monitoring of the flat-tailed horned lizard with methods incorporating detection probability. *Journal of Wildlife Management* **71**, 1050–1056

Marques, T. A., Thomas, L. and Royle, J. A. (2011) A hierarchical model for spatial capture–recapture data: Comment. *Ecology* **92**, 526–528.

Royle, J. A. and Young, K. V. (2008) A hierarchical model for spatial capture–recapture data. *Ecology* **89**, 2281–2289.

See Also

[capthist](#), [detector](#), [reduce.capthist](#)

Examples

```
plot(hornedlizardCH, tracks = TRUE, varycol = FALSE,
     lab1 = TRUE, laboff = 6, border = 10, title =
     "Flat-tailed Horned Lizards (Royle & Young 2008)")

table(table(animalID(hornedlizardCH)))
traps(hornedlizardCH)

## show first few x-y coordinates
head(xy(hornedlizardCH))

## Not run:
## Compare default (Poisson) and binomial models for number
## caught
FTHL.fit <- secr.fit(hornedlizardCH)
FTHLbn.fit <- secr.fit(hornedlizardCH, details =
  list(distribution = "binomial"))
collate(FTHL.fit, FTHLbn.fit)[,,"D"]

## Collapse occasions (does not run faster)
hornedlizardCH.14 <- reduce(hornedlizardCH, newoccasions =
  list(1:14), outputdetector = "polygon")
FTHL14.fit <- secr.fit(hornedlizardCH.14, binomN = 14)

## End(Not run)
```

housemouse

*House mouse live trapping data***Description**

Data of H. N. Coulombe from live trapping of feral house mice (*Mus musculus*) in a salt marsh, California, USA.

Usage

```
data(housemouse)
```

Details

H. N. Coulombe conducted a live-trapping study on an outbreak of feral house mice in a salt marsh in mid-December 1962 at Ballana Creek, Los Angeles County, California. A square 10 x 10 grid was used with 100 Sherman traps spaced 3 m apart. Trapping was done twice daily, morning and evening, for 5 days.

The dataset was described by Otis et al. (1978) and distributed with their CAPTURE software (now available from <http://http://www.mbr-pwrc.usgs.gov/software.html>). Otis et al. (1978 p. 62, 68) cite Coulombe's unpublished 1965 master's thesis from the University of California, Los Angeles, California.

The data are provided as a single-session `capthist` object. There are two individual covariates: sex (factor levels 'f', 'm') and age class (factor levels 'j', 'sa', 'a'). The sex of two animals is not available (NA); it is necessary to drop these records for analyses using 'sex'.

The datasets were originally in the CAPTURE 'xy complete' format which for each detection gives the 'column' and 'row' numbers of the trap (e.g. '9 5' for a capture in the trap at position (x=9, y=5) on the grid). Trap identifiers have been recoded as strings with no spaces by inserting zeros (e.g. '0905' in this example).

Sherman traps are designed to capture one animal at a time, but the data include 30 double captures and one occasion when there were 4 individuals in a trap at one time. The true detector type therefore falls between 'single' and 'multi'. Detector type is set to 'multi' in the distributed data objects.

Otis et al. (1978) report various analyses including a closure test on the full data, and model selection and density estimation on data from the mornings only. We include several `secr` models fitted to the 'morning' data (`morning.0`, `morning.b` etc.). Of these, a model including individual heterogeneity in both `g0` and `sigma` has the lowest AIC.

Object	Description
housemouse	capthist object
housemouse.0	fitted <code>secr</code> model – null
housemouse.ampm	fitted <code>secr</code> model – <code>g0</code> differs morning vs afternoon
housemouse.ampmh2h2	fitted <code>secr</code> model – as above, finite mixture <code>g0</code> , <code>sigma</code>
morning.0	fitted <code>secr</code> model – morning data only, null
morning.0h2	fitted <code>secr</code> model – mornings, null <code>g0</code> , finite mixture <code>sigma</code>
morning.b	fitted <code>secr</code> model – mornings, trap response <code>g0</code>
morning.h2	fitted <code>secr</code> model – mornings, finite mixture <code>g0</code>
morning.h2h2	fitted <code>secr</code> model – mornings, finite mixture <code>g0</code> , <code>sigma</code>
morning.t	fitted <code>secr</code> model – mornings, day-specific <code>g0</code>

Source

File ‘examples’ distributed with program CAPTURE.

References

Otis, D. L., Burnham, K. P., White, G. C. and Anderson, D. R. (1978) Statistical inference from capture data on closed animal populations. *Wildlife Monographs* **62**, 1–135.

Examples

```
plot(housemouse, title = paste("Coulombe (1965), Mus musculus,",
  "California salt marsh"), border = 5, rad = 0.5,
  gridlines = FALSE)

morning <- subset(housemouse, occ = c(1,3,5,7,9))
summary(morning)

## drop 2 unknown-sex mice
known.sex <- subset(housemouse, !is.na(covariates(housemouse)$sex))

## reveal multiple captures
table(trap(housemouse), occasion(housemouse))

AIC(morning.0, morning.b, morning.t, morning.h2, morning.0h2, morning.h2h2)

## assess need to distinguish morning and afternoon samples
## Not run:
housemouse.0 <- secr.fit (housemouse, buffer = 20)
housemouse.ampm <- secr.fit (housemouse, model = g0~tcov, buffer = 20,
  timecov = c(0,1,0,1,0,1,0,1,0,1))
AIC(housemouse.0, housemouse.ampm)

## End(Not run)
```

ip.secr

Spatially Explicit Capture–Recapture by Inverse Prediction

Description

Estimate population density by simulation and inverse prediction (Efford 2004; Efford, Dawson & Robbins 2004). A restricted range of SECR models may be fitted (detection functions with more than 2 parameters are not supported, nor are covariates).

Usage

```
ip.secr (capthist, predictorfn = pfn, predictortype = "null",
  detectfn = 0, mask = NULL, start = NULL, boxsize = 0.1,
  centre = 3, min.nsim = 10, max.nsim = 2000, CVmax = 0.002,
  var.nsim = 1000, maxbox = 5, maxtries = 2, ncores = 1, ...)

pfn(capthist, N.estimator = c("n", "null", "zipfin", "jackknife") )
```

Arguments

capthist	capthist object including capture data and detector (trap) layout
predictorfn	a function with two arguments (the first a capthist object) that returns a vector of predictor values
predictortype	value (usually character) passed as the second argument of predictorfn
detectfn	integer code or character string for shape of detection function 0 halfnormal, 2 exponential, 3 uniform) – see detectfn
mask	optional habitat mask to limit simulated population
start	vector of np initial parameter values (density, g0 and sigma)
boxsize	scalar or vector of length np for size of design as fraction of central parameter value
centre	number of centre points in simulation design
min.nsim	minimum number of simulations per point
max.nsim	maximum number of simulations per point
CVmax	tolerance for precision of points in predictor space
var.nsim	number of additional simulations to estimate variance-covariance matrix
maxbox	maximum number of attempts to ‘frame’ solution
maxtries	maximum number of attempts at each simulation
ncores	integer number of cores available for parallel processing
...	further arguments passed to sim.popn
N.estimator	character value indicating population estimator to use

Details

‘Inverse prediction’ uses methods from multivariate calibration (Brown 1982). The goal is to estimate population density (D) and the parameters of a detection function (usually g_0 and σ) by ‘matching’ statistics from `predictorfn(capthist)` (the target vector) and statistics from simulations of a 2-D population using the postulated detection model. Statistics (see Note) are defined by the predictor function, which should return a vector equal in length to the number of parameters ($np = 3$). Simulations of the 2-D population use [sim.popn](#). The simulated population is sampled with [sim.capthist](#) according to the detector type (e.g., ‘single’ or ‘multi’) and detector layout specified in `traps(capthist)`, including allowance for varying effort if the layout has a [usage](#) attribute.

... may be used to control aspects of the simulation by passing named arguments (other than D) to `sim.popn`. The most important arguments of `sim.popn` to keep an eye on are ‘buffer’ and ‘Ndist’. ‘buffer’ defines the region over which animals are simulated (unless mask is specified) - the region should be large enough to encompass all animals that might be caught. ‘Ndist’ controls the number of individuals simulated within the buffered or masked area. The default is ‘poisson’. Use ‘Ndist = fixed’ to fix the number in the buffered or masked area A at $N = DA$. This conditioning reduces the estimated standard error of \hat{D} , but conditioning is not always justified - seek advice from a statistician if you are unsure.

The simulated 2-D distribution of animals is Poisson by default. There is no ‘even’ option as in Density.

Simulations are conducted on a factorial experimental design in parameter space - i.e. at the vertices of a cuboid ‘box’ centred on the working values of the parameters, plus an optional number of centre points. The size of the ‘box’ is specified as a fraction of the working values, so for example the limits on the density axis are $D^*(1-\text{boxsize})$ and $D^*(1+\text{boxsize})$ where D^* is the working value of

D. For g_0 , this computation uses the odds transformation ($g_0/(1-g_0)$). `boxsize` may be a vector defining different scaling on each parameter dimension.

A multivariate linear model is fitted to predict each set of simulated statistics from the known parameter values. The number of simulations at each design point is increased (doubled) until the residual standard error divided by the central value is less than `CVmax` for all parameters. An error occurs if `max.nsim` is exceeded.

Once a model with sufficient precision has been obtained, a new working vector of parameter estimates is ‘predicted’ by inverting the linear model and applying it to the target vector. A working vector is accepted as the final estimate when it lies within the box; this reduces the bias from using a linear approximation to extrapolate a nonlinear function. If the working vector lies outside the box then a new design is centred on value for each parameter in the working vector.

Once a final estimate is accepted, further simulations are conducted to estimate the variance-covariance matrix. These also provide a parametric bootstrap sample to evaluate possible bias. Set `var.nsim = 0` to suppress the variance step.

See Efford et al. (2004) for another description of the method, and Efford et al. (2005) for an application.

The value of `predictortype` is passed as the second argument of the chosen `predictorfn`. By default this is `pdfn`, for which the second argument (`N.estimator`) is a character value from `c("n", "null", "zippin", "jackknife")`, corresponding respectively to the number of individuals caught (M_{t+1}), and \hat{N} from models M_0 , M_h and M_b of Otis et al. (1978).

If not provided, the starting values are determined automatically with `autoini`.

Linear measurements are assumed to be in metres and density in animals per hectare (10 000 m²).

If `ncores > 1` the **parallel** package is used to create processes on multiple cores (see [Parallel](#) for more).

Value

For `ip.secr`, a list comprising

<code>call</code>	the function call
<code>IP</code>	dataframe with estimated density ha^{-1} , g_0 and σ (m)
<code>vcov</code>	variance-covariance matrix of estimates
<code>ip.nsim</code>	total number of simulations
<code>variance.bootstrap</code>	dataframe summarising simulations for variance estimation
<code>proctime</code>	processor time (seconds)

For `pdfn`, a vector of numeric values corresponding to \hat{N} , \hat{p} , and RPSV, a measure of the spatial scale of individual detections.

Warning

Simulation becomes unreliable with very sparse populations, or sparse sampling, because some simulated datasets will have no recaptures or even no captures. Adjustments were made in `secr` 2.3.1 to make the function more stable in these conditions (e.g., allowing a failed simulation to be repeated, by setting the ‘`maxtries`’ argument > 1), but results probably should not be relied upon when there are warning messages regarding failed simulations.

Note

Each statistic is expected to have a monotonic relationship with one parameter when the other parameters are held constant. Typical statistics are -

Statistic	Parameter
\hat{N}	D
\hat{p}	g_0
$RPSV$	σ

where \hat{N} and \hat{p} are estimates of population size and capture probability from the naive application of a nonspatial population estimator, and $RPSV$ is a trap-revealed measure of the scale of movement.

This method provides nearly unbiased estimates of the detection parameter g_0 when data are from single-catch traps (likelihood-based estimates of g_0 are biased in this case - Efford, Borchers & Byrom 2009).

The implementation largely follows that in `Density`, and it may help to consult the `Density` online help. There are some differences: the `M0` and `Mb` estimates of population-size in `ip.secr` can take non-integer values; the simulation design used by `ip.secr` uses `odds(g0)` rather than `g0`; the default `boxsize` and `CVmax` differ from those in `Density 4.4`. There is no provision in `ip.secr` for two-phase estimation, using a different experimental design at the second phase. If you wish you can achieve the same effect by using the estimates as starting values for a second call of `ip.secr` (see examples).

Maximum likelihood estimates from `secr.fit` are preferable in several respects to estimates from inverse prediction (`speed*`; more complex models; tools for model selection). `ip.secr` is provided for checking estimates of g_0 from single-catch traps, and for historical continuity.

* `autoini` with `thin = 1` provides fast estimates from a simple halfnormal model if variances are not required.

References

- Brown, P. J. (1982) Multivariate calibration. *Journal of the Royal Statistical Society, Series B* **44**, 287–321.
- Efford, M. G. (2004) Density estimation in live-trapping studies. *Oikos* **106**, 598–610.
- Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture–recapture: likelihood-based methods. In: D. L. Thompson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer. Pp. 255–269.
- Efford, M. G., Dawson, D. K. and Robbins C. S. (2004) DENSITY: software for analysing capture–recapture data from passive detector arrays. *Animal Biodiversity and Conservation* **27**, 217–228.
- Efford, M. G., Warburton, B., Coleman, M. C. and Barker, R. J. (2005) A field test of two methods for density estimation. *Wildlife Society Bulletin* **33**, 731–738.
- Otis, D. L., Burnham, K. P., White, G. C. and Anderson, D. R. (1978) Statistical inference from capture data on closed animal populations. *Wildlife Monographs* **62**.

See Also

[caphist](#), [secr.fit](#), [RPSV](#), [autoini](#), [sim.popn](#), [Detection functions](#)

Examples

```
## Not run:
## these calculations may take several minutes

## default settings
ip.secr (captdata)
```

```

## coarse initial fit, no variance step
ip1 <- ip.secr (capthist, boxsize = 0.2, CVmax=0.01, var=0)
## refined fit
ip2 <- ip.secr (capthist, start = ip1$IP[, "estimate"],
               boxsize = 0.1, CVmax=0.002, var=1000)
ip2

## compare to MLE of same data using multi-catch assumption
predict(secrdemo.0)

## improvise another predictor function (dbar instead of RPSV)
pfn2 <- function (capthist, v) { ## v is not used
  sumni <- sum(capthist!=0) ## total detections
  n <- nrow(capthist) ## number of individuals
  nocc <- ncol(capthist) ## number of occasions
  c(N = n, p = sumni/n/nocc, dbar = dbar(capthist))
}
ip.secr (capthist, predictorfn = pfn2)

## End(Not run)

```

join

Combine or Split Sessions of capthist Object

Description

Make a single-session capthist object from a list of single-session objects, or a multi-session capthist object.

Usage

```

join(object, remove.dupl.sites = TRUE, tol = 0.001)
unjoin(object, interval, ...)

```

Arguments

object	list of single-session objects, or a multi-session capthist object [join], or a single-session capthist object [unjoin]
remove.dupl.sites	logical; if TRUE then a single record is retained for each trap site used in multiple input sessions
tol	absolute distance in metres within which sites are considered identical
interval	vector of times between occasions; zero indicates same session
...	other arguments passed to subset.capthist

Details

`join` The input sessions are assumed to be of the same detector type and to have the same attributes (e.g., covariates should be present for all or none).

The number of occasions (columns) in the output is equal to the sum of the number of occasions in each input.

A new dataframe of individual covariates is formed using the covariates for the first occurrence of each animal.

Attributes `xy` and `signal` are handled appropriately, as is trap usage.

`unjoin` The input grouping of occasions (columns) into sessions is specified via `interval`. This is a vector of length one less than the number of occasions (columns) in `object`. Elements greater than zero indicate a new session.

The `interval` argument may be omitted if `object` has a valid 'interval' attribute, as in the output from `join`.

Value

For `join`, A single-session `capthist` object. The attribute 'interval' records the distinction between occasions that are adjacent in the input (`interval = 0`) and those that are in consecutive sessions (`interval = 1`); 'interval' has length one less than the number of occasions.

For `unjoin`, a multi-session `capthist` object. Sessions are named with integers.

Note

Do not confuse `unjoin` with `split.capthist` which splits by row (animal) rather than by column (occasion).

Occasions survive intact; to pool occasions use `reduce.capthist`.

See Also

[MS.capthist](#), [rbind.capthist](#)

Examples

```
joined.ovenCH <- join (ovenCH)
summary(joined.ovenCH)
attr(joined.ovenCH, "interval")

summary(unjoin(joined.ovenCH))
```

Description

Calculate log likelihood over a grid of values of two beta parameters from a fitted `secr` model and optionally make an approximate contour plot of the log likelihood surface.

Usage

```
LLsurface.secr(object, betapar = c("g0", "sigma"), xval = NULL,
  yval = NULL, centre = NULL, realscale = TRUE, plot = TRUE,
  plotfitted = TRUE, ncores = 1, ...)
```

Arguments

object	secr object output from <code>secr.fit</code>
betapar	character vector giving the names of two beta parameters
xval	vector of numeric values for x-dimension of grid
yval	vector of numeric values for y-dimension of grid
centre	vector of central values for all beta parameters
realscale	logical. If TRUE input and output of x and y is on the untransformed (inverse-link) scale.
plot	logical. If TRUE a contour plot is produced
plotfitted	logical. If TRUE the MLE from object is shown on the plot (+)
ncores	integer number of cores available for parallel processing
...	other arguments passed to contour

Details

centre is set by default to the fitted values of the beta parameters in object. This has the effect of holding parameters other than those in betapar at their fitted values.

If xval or yval is not provided then 11 values are set at equal spacing between 0.8 and 1.2 times the values in centre (on the ‘real’ scale if realscale = TRUE and on the ‘beta’ scale otherwise).

Contour plots may be customized by passing graphical parameters through the ... argument.

If ncores > 1 the **parallel** package is used to create processes on multiple cores (see [Parallel](#) for more).

Value

Invisibly returns a matrix of the log likelihood evaluated at each grid point

Note

LLsurface.secr works for named ‘beta’ parameters rather than ‘real’ parameters. The default realscale = TRUE only works for beta parameters that share the name of the real parameter to which they relate i.e. the beta parameter for the base level of the real parameter. This is because link functions are defined for real parameters not beta parameters.

The contours are approximate because they rely on interpolation. See Examples for a more reliable way to compare the likelihood at the MLE with nearby points on the surface.

Examples

```
## Not run:
LLsurface.secr(secrdemo.CL, xval = seq(0.16,0.40,0.02),
  yval = 25:35, nlevels = 20)

## now verify MLE
```

```
## click on MLE and apparent peak
xy <- locator(2)
temp <- LLsurface.secr(secrdemo.CL, xval = xy$x,
  yval = xy$y, plot = FALSE)
temp

## End(Not run)
```

logit

Logit Transformation

Description

Transform real values to the logit scale, and the inverse.

Usage

```
logit(x)
invlogit(y)
```

Arguments

x	vector of numeric values in (0,1) (possibly a probability)
y	vector of numeric values

Details

The logit transformation is defined as $\text{logit}(x) = \log\left(\frac{x}{1-x}\right)$ for $x \in (0, 1)$.

Value

Numeric value on requested scale.

Note

logit is equivalent to [qlogis](#), and invlogit is equivalent to [plogis](#) (both R functions in the **stats** package). logit and invlogit are used in **secr** because they are slightly more robust to bad input, and their names are more memorable!

Examples

```
logit(0.5)
invlogit(logit(0.2))
```

logmultinom

*Multinomial Coefficient of SECR Likelihood***Description**

Compute the constant multinomial component of the SECR log likelihood

Usage

```
logmultinom(capthist, grp = NULL)
```

Arguments

capthist [capthist](#) object
 grp factor defining group membership, or a list (see Details)

Details

For a particular dataset and grouping, the multinomial coefficient is a constant; it does not depend on the parameters and may be ignored when maximizing the likelihood to obtain parameter estimates. Nevertheless, the log likelihood reported by `secr.fit` includes this component *unless* the detector type is 'signal', 'polygon', 'polygonX', 'transect' or 'transectX' (from 2.0.0).

If `grp` is `NULL` then all animals are assumed to belong to one group. Otherwise, the length of `grp` should equal the number of rows of `capthist`.

`grp` may also be any vector that can be coerced to a factor. If `capthist` is a multi-session `capthist` object then `grp` should be a list with one factor per session.

If capture histories are not assigned to groups the value is the logarithm of

$$\binom{n}{n_1, \dots, n_C} = \frac{n!}{n_1!n_2!\dots n_C!}$$

where n is the total number of capture histories and $n_1 \dots n_C$ are the frequencies with which each of the C unique capture histories were observed.

If capture histories are assigned to G groups the value is the logarithm of

$$\prod_{g=1}^G \frac{n_g!}{n_{g1}!n_{g2}!\dots n_{gC_g}!}$$

where n_g is the number of capture histories of group g and $n_{g1} \dots n_{gC_g}$ are the frequencies with which each of the C_g unique capture histories were observed for group g .

For multi-session data, the value is the sum of the single-session values. Both session structure and group structure therefore affect the value computed. Users will seldom need this function.

Value

The numeric value of the log likelihood component.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.

Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture–recapture: likelihood-based methods. In: D. L. Thompson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer. Pp. 255–269.

See Also

[stoatDNA](#)

Examples

```
## no groups
logmultinom(stoatCH)
```

LR.test

Likelihood Ratio Test

Description

Compute likelihood ratio test to compare two fitted models, one nested within the other.

Usage

```
LR.test(model1, model2)
```

Arguments

model1	fitted model
model2	fitted model

Details

The fitted models must be of a class for which there is a logLik method (e.g., ‘secr’ or ‘lm’). Check with `methods("logLik")`.

The test statistic is twice the difference of the maximized likelihoods. It is compared to a chi-square distribution with df equal to the number of extra parameters in the more complex model.

The models must be nested (no check is performed - this is up to the user), but either model1 or model2 may be the more general model.

Value

Object of class 'htest', a list with components

statistic	value the test statistic
parameter	degrees of freedom of the approximate chi-squared distribution of the test statistic
p.value	probability of test statistic assuming chi-square distribution
method	character string indicating the type of test performed
data.name	character string with names of models compared

See Also

[AIC.secr](#), [score.test](#)

Examples

```
## two pre-fitted models
AIC (secrdemo.0, secrdemo.b)
LR.test (secrdemo.0, secrdemo.b)
```

make.caphist	<i>Construct caphist Object</i>
--------------	---------------------------------

Description

Form a caphist object from a data frame of capture records and a traps object.

Usage

```
make.caphist(captures, traps, fmt = c("trapID", "XY"), noccasions = NULL,
  covnames = NULL, bysession = TRUE, sortrows = TRUE,
  cutval = NULL, tol = 0.01, noncapt = "NONE", signalcovariates)
```

Arguments

captures	dataframe of capture records in one of two possible formats (see Details)
traps	object of class traps describing an array of passive detectors
fmt	character string for capture format.
noccasions	number of occasions on which detectors were operated
covnames	character vector of names for individual covariate fields
bysession	logical, if true then ID are made unique by session
sortrows	logical, if true then rows are sorted in ascending order of animalID
cutval	numeric, threshold of signal strength for 'signal' detector type
tol	numeric, tolerance in metres when assigning coordinates for 'transect' detector type
noncapt	character value; animal ID used for 'no captures'
signalcovariates	character vector of field names from 'captures'

Details

make.caphist is the most flexible way to prepare data for secr.fit. See read.caphist for a more streamlined way to read data from text files for common detector types. Each row of the input data frame captures represents a detection on one occasion. The capture data frame may be formed from a text file with read.table.

Input formats are based on the Density software (Efford 2012; see also ../doc/secretainput.pdf). If fmt = "XY" the required fields are (session, ID, occasion, x, y) in that order. If fmt = "trapID" the required fields are (session, ID, occasion, trap), where trap is the numeric index of the relevant detector in traps. session and ID may be character-, vector- or factor-valued; other required fields are numeric. Fields are matched by position (column number), *not* by name. Columns after the required fields are interpreted as individual covariates that may be continuous (e.g., size) or categorical (e.g., age, sex).

If captures has data from multiple sessions then traps may be either a list of traps objects, one per session, or a single traps object that is assumed to apply throughout. Similarly, noccasions may be a vector specifying the number of occasions in each session.

Covariates are assumed constant for each individual; the first non-missing value is used. The length of covnames should equal the number of covariate fields in captures.

bysession takes effect when the same individual is detected in two or more sessions: TRUE results in one capture history per session, FALSE has the effect of generating a single capture history (this is not appropriate for the models currently provided in secr).

Deaths are coded as negative values in the occasion field of captures. Occasions should be numbered 1, 2, ..., noccasions. By default, the number of occasions is the maximum value of 'occasion' in captures.

Signal strengths may be provided in the fifth (fmt = trapID) or sixth (fmt = XY) columns. Detections with signal strength missing (NA) or below 'cutval' are discarded.

A session may result in no detections. In this case a null line is included in captures using the animal ID field given by noncapt, the maximum occasion number, and any trapID (e.g. "sess1 NONE 5 1" for a 5-occasion session) (or equivalently "sess1 NONE 5 10 10" for fmt = XY).

Value

An object of class caphist (a matrix or array of detection data with attributes for detector positions etc.). For 'single' and 'multi' detectors this is a matrix with one row per animal and one column per occasion (dim(caphist)=c(nc,noccasions)); each element is either zero (no detection) or a detector number (the row number in traps *not* the row name). For 'proximity' detectors caphist is an array of values {-1, 0, 1} and dim(caphist)=c(nc,noccasions,ntraps). The number of animals nc is determined from the input, as is noccasions if it is not specified. traps, covariates and other data are retained as attributes of caphist.

Deaths during the experiment are represented as negative values in caphist.

For 'signal' and 'signalnoise' detectors, the columns of captures identified in signalcovariates are saved along with signal strength measurements in the attribute 'signalframe'.

If the input has data from multiple sessions then the output is an object of class c("list","caphist") comprising a list of single-session caphist objects.

Note

make.caphist requires that the data for captures and traps already exist as R objects. To read data from external (text) files, first use read.table and read.traps, or try read.caphist for a one-step solution.

References

Efford, M. G. (2012) *DENSITY 5.0: software for spatially explicit capture–recapture*. Department of Mathematics and Statistics, University of Otago, Dunedin, New Zealand. <http://www.otago.ac.nz/density>.

See Also

[capthist](#), [traps](#), [read.capthist](#), [secre.fit](#), [sim.capthist](#)

Examples

```
## peek at demonstration data
head(captXY)
head(trapXY)

demotraps <- read.traps(data = trapXY)
demoCHxy <- make.capthist (captXY, demotraps, fmt = "XY")

demoCHxy          ## print method for capthist
plot(demoCHxy)    ## plot method for capthist
summary(demoCHxy) ## summary method for capthist

## To enter count data without manually repeating rows
## need a frequency vector f, length(f) == nrow(captXY)
n <- nrow(captXY)
f <- sample (1:5, size = n, prob = rep(0.2,5), replace = TRUE)
## repeat rows as required...
captXY <- captXY[rep(1:n, f),]
counttraps <- read.traps(data = trapXY, detector = "count")
countCH <- make.capthist (captXY, counttraps, fmt = "XY")
```

make.mask

Build Habitat Mask

Description

Construct a habitat mask object for spatially explicit capture-recapture. A mask object is a set of points with optional attributes.

Usage

```
make.mask(traps, buffer = 100, spacing = NULL, nx = 64, ny = 64, type =
  c("traprect", "trapbuffer", "pdot", "polygon", "clusterrect",
    "clusterbuffer", "rectangular"), poly = NULL, poly.habitat = TRUE,
  keep.poly = TRUE, check.poly = TRUE, pdotmin = 0.001, ...)
```

Arguments

traps	object of class traps
buffer	width of buffer in metres
spacing	spacing between grid points (metres)
nx	number of grid points in 'x' direction
ny	number of grid points in 'y' direction (type = 'rectangular')
type	character string for method
poly	bounding polygon to which mask should be clipped (see Details)
poly.habitat	logical for whether poly represents habitat or its inverse (non-habitat)
keep.poly	logical; if TRUE any bounding polygon is saved as the attribute 'polygon'
check.poly	logical; if TRUE a warning is given for traps that lie outside a bounding polygon
pdotmin	minimum detection probability for inclusion in mask when type = "pdot" (optional)
...	additional arguments passed to pdot when type = "pdot"

Details

The 'traprect' method constructs a grid of points in the rectangle formed by adding a buffer strip to the minimum and maximum x-y coordinates of the detectors in traps. Both 'trapbuffer' and 'pdot' start with a 'traprect' mask and drop some points.

The 'trapbuffer' method restricts the grid to points within distance buffer of any detector.

The 'pdot' method restricts the grid to points for which the net detection probability $p(\mathbf{X})$ (see [pdot](#)) is at least pdotmin. Additional parameters are used by pdot (detectpar, noccasions). Set these with the ... argument; otherwise make.mask will silently use the arbitrary defaults. pdot is currently limited to a halfnormal detection function.

The 'clusterrect' method constructs a grid of rectangular submasks centred on 'clusters' of detectors generated with [trap.builder](#) (possibly indirectly by [make.systematic](#)). The 'clusterbuffer' method resembles 'trapbuffer', but is usually faster when traps are arranged in clusters because it starts with a 'clusterrect' mask.

The 'rectangular' method constructs a simple rectangular mask with the given nx, ny and spacing.

If poly is specified, points outside poly are dropped. The 'polygon' method places points on a rectangular grid clipped to the polygon (buffer is not used). Thus 'traprect' is equivalent to 'polygon' when poly is supplied. poly may be either

- a matrix or dataframe of two columns interpreted as x and y coordinates, or
- a SpatialPolygonsDataFrame object as defined in the package 'sp', possibly from reading a shapefile with readShapePoly() from package 'maptools'.

If spacing is not specified then it is determined by dividing the range of the x coordinates (including any buffer) by nx.

Value

An object of class mask. When keep.poly = TRUE, poly and poly.habitat are saved as attributes of the mask.

Note

A warning is displayed if `type = "pdot"` and the buffer is too small to include all points with $p. > pdotmin$.

A habitat mask is needed to fit an SECR model and for some related computations. The default mask settings in `secr.fit` may be good enough, but it is preferable to use `make.mask` to construct a mask in advance and to pass that mask as an argument to `secr.fit`.

The function `buffer.contour` displays the extent of one or more 'trapbuffer' zones - i.e. the effect of buffering the detector array with varying strip widths.

See Also

[mask](#), [subset.mask](#), [pdot](#), [buffer.contour](#)

Examples

```
temptrap <- make.grid(nx = 10, ny = 10, spacing = 30)

## default method: traprect
tempmask <- make.mask(temptrap, spacing = 5)
plot(tempmask)
summary(tempmask)

## make irregular detector array by subsampling
## form mask by trapbuffer method
temptrap <- subset(temptrap, sample(nrow(temptrap), size = 30))
tempmask <- make.mask(temptrap, spacing = 5, type = "trapbuffer")
plot(tempmask)
plot(temptrap, add = TRUE)

## form mask by "pdot" method
temptrap <- make.grid(nx = 6, ny = 6)
tempmask <- make.mask(temptrap, buffer = 150, type = "pdot",
  pdotmin = 0.0001, detectpar = list(g0 = 0.1, sigma = 30),
  noccasions = 4)
plot(tempmask)
plot(temptrap, add = TRUE)

## Using an ESRI polygon shapefile for clipping (shapefile
## polygons may include multiple islands and holes).
## Requires the mapproj package of Nicholas J. Lewin-Koh, Roger
## Bivand, and others; mapproj uses the sp package of spatial
## classes by Ed Pebesma and Roger Bivand.

## Not run:
library(mapproj)
setwd(system.file("extdata", package = "secr"))
possumarea <- readShapePoly("possumarea") ## possumarea.shp etc.
possummask2 <- make.mask(traps(possumCH), spacing = 20,
  buffer = 250, type = "trapbuffer", poly = possumarea)
oldpar <- par(mar = c(1,6,6,6), xpd = TRUE)
plot(possummask2, ppoly = TRUE)
plot(traps(possumCH), add = T)
par(oldpar)
```

```
## if the polygon delineates non-habitat ...
seaPossumMask <- make.mask(traps(possumCH), buffer = 1000,
  type = "traprect", poly = possumarea, poly.habitat = FALSE)
plot(seaPossumMask)
plot(traps(possumCH), add = T)
## this mask is not useful!

## End(Not run)
```

make.systematic

Construct Systematic Detector Design

Description

A rectangular grid of clusters within a polygonal region.

Usage

```
make.systematic(n, cluster, region, spacing = NULL, origin = NULL, ...)
```

Arguments

n	integer approximate number of clusters (see Details)
cluster	traps object defining a single cluster
region	dataframe or SpatialPolygonsDataFrame with coordinates of perimeter
spacing	scalar distance between cluster centres
origin	vector giving x- and y-coordinates of fixed grid origin (origin is otherwise random)
...	arguments passed to trap.builder

Details

region may be any shape. The **sp** class SpatialPolygonsDataFrame is useful for complex shapes and input from shapefiles using **maptools** (see Examples). Otherwise, region should be a dataframe with columns 'x' and 'y'.

spacing may be a vector with separate values for spacing in x- and y- directions. If spacing is provided then n is ignored.

If n is a scalar, the spacing of clusters is determined from the area of the bounding box of region divided by the requested number of clusters (this does not necessarily result in exactly n clusters). If n is a vector of two integers these are taken to be the number of columns and the number of rows.

After preparing a frame of cluster centres, make.systematic calls [trap.builder](#) with method = 'all'; ... allows the arguments 'rotation', 'edgmethod', 'plt', and 'detector' to be passed. Setting the trap.builder arguments frame, method, and samplefactor has no effect.

Value

A single-session 'traps' object.

Note

Do not confuse with the simpler function `make.grid`, which places single detectors in a rectangular array.

See Also

[trap.builder](#), [cluster.centres](#), [readShapePoly](#)

Examples

```
mini <- make.grid(nx = 2, ny = 2, spacing = 100)
region <- cbind(x=c(0,2000,2000,0), y=c(0,0,2000,2000))
temp <- make.systematic(25, mini, region, plt = TRUE)
temp <- make.systematic(c(6, 6), mini, region, plt = TRUE,
  rotation = -1)

## Example using shapefile "possumarea.shp" in
## "extdata" folder. By default, each cluster is
## a single multi-catch detector

## Not run:
library(maptools)
setwd(system.file("extdata", package = "secr"))
possumarea <- readShapePoly("possumarea")
possumgrid <- make.systematic(spacing = 100, region =
  possumarea, plt = TRUE)

## or with 2 x 2 clusters
possumgrid2 <- make.systematic(spacing = 300,
  cluster = make.grid(nx = 2, ny = 2, spacing = 100),
  region = possumarea, plt = TRUE, edgemethod =
  "allinside")
## label clusters
text(cluster.centres(possumgrid2), levels(clusterID
  (possumgrid2)), cex=0.7)

## If you have GPSbabel installed and on the Path
## then coordinates can be projected and uploaded
## to a GPS with writeGPS, which also requires the
## package proj4. Defaults are for a Garmin GPS
## connected by USB.

writeGPS(possumgrid, proj = "+proj=nzmg")

## End(Not run)
```

 make.traps

Build Detector Array

Description

Construct a rectangular array of detectors (trapping grid) or a circle of detectors or a polygonal search area.

Usage

```
make.grid(nx = 6, ny = 6, spacex = 20, spacey = 20, spacing = NULL,
  detector = "multi", originxy = c(0,0), hollow = F,
  ID = "alphay")
```

```
make.circle (n = 20, radius = 100, spacing = NULL,
  detector = "multi", originxy = c(0,0), IDclockwise = T)
```

```
make.poly (polylist = NULL, x = c(-50,-50,50,50),
  y = c(-50,50,50,-50), exclusive = FALSE, verify = TRUE)
```

```
make.transect (transectlist = NULL, x = c(-50,-50,50,50),
  y = c(-50,50,50,-50), exclusive = FALSE)
```

```
make.telemetry (...)
```

Arguments

nx	number of columns of detectors
ny	number of rows of detectors
spacex	distance between detectors in 'x' direction (nominally in metres)
spacey	distance between detectors in 'y' direction (nominally in metres)
spacing	distance between detectors (x and y directions)
detector	character value for detector type - "single", "multi" etc.
originxy	vector origin for x-y coordinates
hollow	logical for hollow grid
ID	character string to control row names
n	number of detectors
radius	radius of circle (nominally in metres)
IDclockwise	logical for numbering of detectors
polylist	list of dataframes with coordinates for polygons
transectlist	list of dataframes with coordinates for transects
x	x coordinates of vertices
y	y coordinates of vertices
exclusive	logical; if TRUE animal can be detected only once per occasion
verify	logical if TRUE then the resulting traps object is checked with verify
...	arguments passed to <code>make.poly</code>

Details

`make.grid` generates coordinates for `nx.ny` traps at separations `spacex` and `spacey`. If spacing is specified it replaces both `spacex` and `spacey`. The bottom-left (southwest) corner is at `originxy`. For a hollow grid, only detectors on the perimeter are retained. By default, identifiers are constructed from a letter code for grid rows and an integer value for grid columns ("A1", "A2",...). 'Hollow' grids are always numbered clockwise in sequence from the bottom-left corner. Other values of ID have the following effects:

ID	Effect
<code>numx</code>	column-dominant numeric sequence
<code>numy</code>	row-dominant numeric sequence
<code>numxb</code>	column-dominant boustrophedonical numeric sequence (try it!)
<code>numyb</code>	row-dominant boustrophedonical numeric sequence
<code>alphax</code>	column-dominant alphanumeric
<code>alphay</code>	row-dominant alphanumeric
<code>xy</code>	combine column (x) and row(y) numbers

'xy' adds leading zeros as needed to give a string of constant length with no blanks.

`make.circle` generates coordinates for `n` traps in a circle centred on `originxy`. If spacing is specified then it overrides the `radius` setting; the radius is adjusted to provide the requested straightline distance between adjacent detectors. Traps are numbered from the trap due east of the origin, either clockwise or anticlockwise as set by `IDclockwise`.

Specialised functions for arrays using a triangular grid are described separately ([make.tri](#), [clip.hex](#)).

Polygon vertices may be specified with `x` and `y` in the case of a single polygon, or as `polylist` for one or more polygons. Each component of `polylist` is a dataframe with columns 'x' and 'y'. `polylist` takes precedence. `make.poly` automatically closes the polygon by repeating the first vertex if the first and last vertices differ.

Transects are defined by a sequence of vertices as for polygons, except that they are not closed.

`make.telemetry` merely calls `make.poly` and assigns 'telemetry' as the detector type of the result.

Value

An object of class `traps` comprising a data frame of `x`- and `y`-coordinates, the detector type ("single", "multi", or "proximity" etc.), and possibly other attributes.

Note

Several methods are provided for manipulating detector arrays - see [traps](#).

References

Efford, M. G. (2012) *DENSITY 5.0: software for spatially explicit capture–recapture*. Department of Mathematics and Statistics, University of Otago, Dunedin, New Zealand. <http://www.otago.ac.nz/density>.

Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture-recapture: likelihood-based methods. In: D. L. Thomson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer, New York. Pp. 255–269.

See Also

[read.traps,detector](#), [print.traps](#), [plot.traps](#), [traps](#), [make.tri](#), [addTelemetry](#)

Examples

```
demo.traps <- make.grid()
plot(demo.traps)

## compare numbering schemes
par (mfrow = c(2,4), mar = c(1,1,1,1), xpd = TRUE)
for (id in c("numx", "numy", "alphax", "alphay", "numxb",
            "numyb"))
{
  temptrap <- make.grid(nx = 7, ny = 5, ID = id)
  plot (temptrap, border = 10, label = TRUE, offset = 7,
        gridl = FALSE)
}

temptrap <- make.grid(nx = 7, ny = 5, hollow = TRUE)
plot (temptrap, border = 10, label = TRUE, gridl = FALSE)

plot(make.circle(n = 20, spacing = 30), label = TRUE, offset = 9)
summary(make.circle(n = 20, spacing = 30))

## jitter locations randomly within grid square
## and plot over mask
temptrap <- make.grid(nx = 7, ny = 7, spacing = 30)
tempmask <- make.mask(temptrap, buffer = 15, nx = 7, ny = 7)
temptrap[,] <- temptrap[,] + 30 * (runif(7*7*2) - 0.5)
plot(tempmask, dots = FALSE)
plot(temptrap, add = TRUE)
```

make.tri

Build Detector Array on Triangular or Hexagonal Grid

Description

Construct an array of detectors on a triangular grid and optionally select a hexagonal subset of detectors.

Usage

```
make.tri (nx = 10, ny = 12, spacing = 20, detector = "multi",
         originxy = c(0,0))

clip.hex (traps, side = 20, centre = c(50, 60*cos(pi/6)),
         fuzz = 1e-3, ID = "num", ...)
```

Arguments

nx	number of columns of detectors
ny	number of rows of detectors
spacing	distance between detectors (x and y directions)
detector	character value for detector type - "single", "multi" etc.
originxy	vector origin for x-y coordinates
traps	traps object
side	length of hexagon side
centre	x-y coordinates of hexagon centre
fuzz	floating point fuzz value
ID	character string to control row names
...	other parameters passed to subset.traps (not used)

Details

make.tri generates coordinates for nx.ny traps at separations spacing. The bottom-left (south-west) corner is at originxy. Identifiers are numeric. See [make.grid](#) for further explanation.

clip.hex clips a grid of detectors, retaining only those within a bounding hexagon. Detectors are re-labelled according to ID as follows:

ID	Effect
NULL	no change
num	numeric sequence
alpha	letter for 'shell'; number within shell

Value

An object of class traps comprising a data frame of x- and y-coordinates, the detector type ("single", "multi", or "proximity" etc.), and possibly other attributes.

Note

Several methods are provided for manipulating detector arrays - see [traps](#).

See Also

[make.grid](#), [detector](#)

Examples

```
tri.grid <- make.tri(spacing = 10)
plot(tri.grid, border = 5)

hex <- clip.hex(tri.grid, side = 30, ID = "alpha")
plot(hex, add = TRUE, detpar = list(pch = 16, cex = 1.4),
      label = TRUE, offset = 2.5 )
```

mask

*Mask Object***Description**

Encapsulate a habitat mask for spatially explicit capture–recapture.

Details

A habitat mask serves four main purposes in spatially explicit capture–recapture. Firstly, it defines an outer limit to the area of integration; habitat beyond the mask may be occupied, but animals there should have negligible chance of being detected (see [pdot](#) and below). Secondly, it distinguishes sites in the vicinity of the detector array that are ‘habitat’ (i.e. have the potential to be occupied) from ‘non-habitat’. Thirdly, it discretizes continuous habitat as a list of points. Each point is notionally associated with a cell (pixel) of uniform density. Discretization allows the SECR likelihood to be evaluated by summing over grid cells. Fourthly, the x-y coordinates of the mask and any habitat covariates may be used to build spatial models of density. For example, a continuous or categorical habitat covariate ‘cover’ measured at each point on the mask might be used in a formula for density such as $D \sim \text{cover}$.

In relation to the first purpose, the definition of ‘negligible’ is fluid. Any probability less than 0.001 seems OK in the sense of not causing noticeable bias in density estimates, but this depends on the shape of the detection function (fat-tailed functions such as ‘hazard rate’ are problematic). New tools for evaluating masks appeared in **secr** 1.5 ([mask.check](#), [esa.plot](#)), and [suggest.buffer](#) automates selection of a buffer width.

Mask points are stored in a data frame with columns ‘x’ and ‘y’. The number of rows equals the number of points.

Possible mask attributes

Attribute	Description
type	‘traprect’, ‘trapbuffer’, ‘pdot’, ‘polygon’, ‘clusterrect’, ‘clusterbuffer’ (see make.mask) or ‘user’
polygon	vertices of polygon defining habitat boundary, for type = ‘polygon’
pdotmin	threshold of $p(X)$ for type = ‘pdot’
covariates	dataframe of site-specific covariates
meanSD	data frame with centroid (mean and SD) of x and y coordinates
area	area (ha) of the grid cell associated with each point
spacing	nominal spacing (metres) between adjacent points
boundingbox	data frame of 4 rows, the vertices of the bounding box of all grid cells in the mask

Attributes other than `covariates` are generated automatically by `make.mask`. Type ‘user’ refers to masks input from a text file with `read.mask`.

Note

A habitat mask is needed by `secr.fit`, but one will be generated automatically if none is provided. You should be aware of this and check that the default settings (e.g. `buffer`) are appropriate.

See Also

[make.mask](#), [read.mask](#), [mask.check](#), [esa.plot](#), [suggest.buffer](#), [secr.fit](#), [secr density models](#)

mask.check	<i>Mask Diagnostics</i>
------------	-------------------------

Description

mask.check evaluates the effect of varying buffer width and mask spacing on either the likelihood or density estimates from secr.fit()

Usage

```
mask.check(object, buffers = NULL, spacings = NULL, poly = NULL,
           LLonly = TRUE, realpar = NULL, session = 1, file = NULL,
           drop = "", tracelevel = 0, ncores = 1, ...)
```

Arguments

object	object of class 'capthist' or 'secl'
buffers	vector of buffer widths
spacings	vector of mask spacings
poly	matrix of two columns, the x- and y-coordinates of a bounding polygon (optional)
LLonly	logical; if TRUE then only the log likelihood is computed
realpar	list of parameter values
session	vector of session indices (used if object spans multiple sessions)
file	name of output file (optional)
drop	character vector: names of fitted secl object to omit
tracelevel	integer for level of detail in reporting (0,1,2)
ncores	integer number of cores available for parallel processing
...	other arguments passed to secr.fit

Details

Masks of varying buffer width and spacing are constructed with the 'trapbuffer' method in make.mask, using the detector locations ('traps') from either a capthist object or a previous execution of secr.fit. Default values are provided for buffers and spacings if object is of class 'secl' (respectively c(1, 1.5, 2) and c(1, 0.75, 0.5) times the values in the existing mask). The default for buffers will not work if a detector is on the mask boundary, as the inferred buffer is then 0.

Variation in the mask may be assessed for its effect on –

- the log-likelihood evaluated for given values of the parameters (LLonly = TRUE)
- estimates from maximizing the likelihood with each mask (LLonly = FALSE)

realpar should be a list with one named component for each real parameter (see Examples). It is relevant only if LLonly = TRUE. realpar may be omitted if object is of class 'secl'; parameter values are then extracted from object.

session should be an integer or character vector suitable for indexing sessions in object, or in object\$capthist if object is a fitted model. Each session is considered separately; a model formula that refers to session or uses session covariates will cause an error.

If `file` is specified and `ncores = 1` then detailed results (including each model fit when `LLonly = FALSE`) are saved to an external `.RData` file. Loading this file creates or overwrites object(s) in the workspace: `mask.check.output` if `LLonly = TRUE`, otherwise `mask.check.output` and `mask.check.fit`. For multiple sessions these are replaced by lists with one component per session (`mask.check.outputs` and `mask.check.fits`). The `drop` argument is passed to `trim` and applied to each fitted model; use it to save space, at the risk of limiting further computation on the fitted models.

`tracelevel > 0` causes more verbose reporting of progress during execution.

If `ncores > 1` the **parallel** package is used to create processes on multiple cores (see [Parallel](#) for more), progress messages are suppressed, and nothing is output to file.

The `...` argument may be used to override existing settings in `object` - for example, a conditional likelihood fit (`CL = T`) may be selected even if the original model was fitted by maximizing the full likelihood.

Value

Array of log-likelihoods (`LLonly = TRUE`) or estimates (`LLonly = FALSE`) for each combination of buffers and spacings. The array has 3 dimensions if `LLonly = FALSE` and both buffers and spacings have multiple levels; otherwise it collapses to a matrix. Rows generally represent buffers, but rows represent spacings if a single buffer is specified.

Warning

`mask.check()` may fail if `object` is a fitted 'secr' model and a data object named in the original call of `secr.fit()` (i.e. `object$call`) is no longer in the working environment (`secr.fit` arguments `capthist`, `mask`, `verify` & `trace` are exempt). Fix by any of (1) applying `mask.check` directly to the 'capthist' object, specifying other arguments (`buffers`, `spacings`, `realpar`) as needed, (2) re-fitting the model and running `mask.check` in the same environment, (3) specifying the offending argument(s) in `...`, or (4) re-creating the required data object(s) in the working environment, possibly from saved inputs in `object` (e.g., `mytimecov <- myfit$timecov`).

Note

When `LLonly = TRUE` the functionality of `mask.check` resembles that of the 'Tools | ML SECR log likelihood' menu option in Density 4. The help page in Density 4 for ML SECR 2-D integration (see index) may be helpful.

Warning messages from `secr.fit` are suppressed. 'capthist' data provided via the `object` argument are checked with `verify.capthist` if `tracelevel > 0`.

The likelihood-only method is fast, but not definitive. It is reasonable to aim for stability in the third decimal place of the log likelihood. Slight additional variation in the likelihood may cause little change in the estimates; the only way to be sure is to check these by setting `LLonly = FALSE`.

The performance of a `mask` depends on the detection function; be sure to set the `detectfn` argument appropriately. The hazard rate function has a fat tail that can be problematic.

When provided with an 'secr' object, `mask.check` constructs a default vector of buffer widths as multiples of the buffer used in `object` *even though that value is not saved explicitly*. For this trick, detector locations in `traps(object$capthist)` are compared to the bounding box of `object$mask`; the base level of buffer width is the maximum possible within the bounding box.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture-recapture studies. *Biometrics* **64**, 377–385.

Efford, M. G. (2012) *DENSITY 5.0: software for spatially explicit capture–recapture*. Department of Mathematics and Statistics, University of Otago, Dunedin, New Zealand. <http://www.otago.ac.nz/density>.

See Also

[esa.plot](#), [make.mask](#), [secur.fit](#)

Examples

```
## Not run:

## from a capthist object, specifying almost everything
mask.check (possumCH, spacings = c(20, 30), buffers =c(200, 300),
  realpar = list(g0 = 0.2, sigma = 50), CL = TRUE)

## from a fitted model, using defaults
mask.check (stoat.model.HN)
## LL did not change with varying buffer (rows) or spacing (cols):
##      78.125  58.59375  39.0625
## 1000 -144.0015 -144.0015 -144.0015
## 1500 -144.0017 -144.0017 -144.0017
## 2000 -144.0017 -144.0017 -144.0017

## fit new models for each combination of buffer & spacing,
## and save fitted models to a file
mask.check (stoat.model.HN, buffers = 1500, spacings =
  c(40,60,80), LLonly = FALSE, file = "test", CL = TRUE)

## look in more detail at the preceding fits
## restores objects mask.check.output and mask.check.fit
load("test.RData")
lapply(mask.check.fit, predict)
lapply(mask.check.fit, derived)

## multi-session data
mask.check(ovenbird.model.1, session = c("2005","2009"))

## clipping mask
olddir <- setwd(system.file("extdata", package = "secur"))
possumarea <- read.table("possumarea.txt", header = TRUE)
setwd(olddir)
data (possum)
mask.check (possum.model.0, spacings = c(20, 30), buffers =
  c(200, 300), poly = possumarea, LLonly = FALSE,
  file = "temp", CL = TRUE)

## review fitted models
load ("temp.RData")
oldpar <- par(mfrow = c(2,2), mar = c(1,4,4,4), xpd = FALSE)
for (i in 1:4) {
  plot(traps(mask.check.fit[[i]]$capthist), border = 300,
    gridlines = FALSE)
  plot(mask.check.fit[[i]]$mask, add = TRUE)
  lines(possumarea)
```

```

      text ( 2698618, 6078427, names(mask.check.fit)[i])
      box()
    }
  par(oldpar)

## End(Not run)

```

 model.average

Averaging of SECR Models Using Akaike's Information Criterion

Description

AIC- or AICc-weighted average of estimated 'real' or 'beta' parameters from multiple fitted secr models.

Usage

```

model.average(..., realnames = NULL, betanames = NULL, newdata = NULL,
  alpha = 0.05, dmax = 10, covar = FALSE, average = c("link", "real"),
  criterion = c("AICc", "AIC"), CImethod = c("Wald", "MATA"))

collate (... , realnames = NULL, betanames = NULL, newdata = NULL,
  scaled = FALSE, alpha = 0.05, perm = 1:4, fields = 1:4)

```

Arguments

...	secr or secrlist objects
realnames	character vector of real parameter names
betanames	character vector of beta parameter names
newdata	optional dataframe of values at which to evaluate models
scaled	logical for scaling of sigma and g0 (see Details)
alpha	alpha level for confidence intervals
dmax	numeric, the maximum AIC or AICc difference for inclusion in confidence set
covar	logical, if TRUE then return variance-covariance matrix
average	character string for scale on which to average real parameters
criterion	character, information criterion to use for model weights
CImethod	character, type of confidence interval (see Details)
perm	permutation of dimensions in output from collate
fields	vector to restrict summary fields in output

Details

Models to be compared must have been fitted to the same data and use the same likelihood method (full vs conditional). If `realnames = NULL` and `betanames = NULL` then all real parameters will be averaged; in this case all models must use the same real parameters. To average beta parameters, specify `betanames` (this is ignored if a value is provided for `realnames`). See [predict.secr](#) for an explanation of the optional argument `newdata`; `newdata` is ignored when averaging beta parameters.

Model-averaged estimates for parameter θ are given by

$$\hat{\theta} = \sum_k w_k \hat{\theta}_k$$

where the subscript k refers to a specific model and the w_k are AIC or AICc weights (see [AIC.secr](#) for details). Averaging of real parameters may be done on the link scale before back-transformation (`average="link"`) or after back-transformation (`average="real"`).

Models for which `dAIC > dmax` (or `dAICc > dmax`) are given a weight of zero and effectively are excluded from averaging.

Also,

$$\text{var}(\hat{\theta}) = \sum_k w_k (\text{var}(\hat{\theta}_k | \beta_k) + \beta_k^2)$$

where $\hat{\beta}_k = \hat{\theta}_k - \hat{\theta}$ and the variances are asymptotic estimates from fitting each model k . This follows Burnham and Anderson (2004) rather than Buckland et al. (1997).

Two methods are offered for confidence intervals. The default 'Wald' uses the above estimate of variance. The alternative 'MATA' (model-averaged tail area) avoids estimating a weighted variance and is thought to provide better coverage at little cost in increased interval length (Turek and Fletcher 2012). Turek and Fletcher (2012) also found averaging with AIC weights (here criterion = AIC) preferable to using AICc weights, even for small samples. `CImethod` does not affect the reported standard errors.

`collate` extracts parameter estimates from a set of fitted `secr` model objects. `fields` may be used to select a subset of summary fields ("estimate", "SE.estimate", "lcl", "ucl") by name or number.

The argument `scaled` applies only to the detection parameters `g0` and `sigma`, and only to models fitted with `scalesigma` or `scaleg0` switched on (see `secr.fit` argument details). If `scaled` is `TRUE` then each estimate is multiplied by its scale factor ($1/D^{0.5}$ and $1/\text{sigma}^2$ respectively).

Value

For `model.average`, an array of model-averaged estimates, their standard errors, and a $100(1-\alpha)\%$ confidence interval. The interval for real parameters is backtransformed from the link scale. If there is only one row in `newdata` or beta parameters are averaged or averaging is requested for only one parameter then the array is collapsed to a matrix. If `covar = TRUE` then a list is returned with separate components for the estimates and the variance-covariance matrices.

For `collate`, a 4-dimensional array of model-specific parameter estimates. By default, the dimensions correspond respectively to rows in `newdata` (usually sessions), models, statistic fields (estimate, SE.estimate, lcl, ucl), and parameters ("D", "g0" etc.). For particular comparisons it often helps to reorder the dimensions with the `perm` argument.

Warning

`model.average` may conflict with a method of the same name in **RMark**

References

- Buckland S. T., Burnham K. P. and Augustin, N. H. (1997) Model selection: an integral part of inference. *Biometrics* **53**, 603–618.
- Burnham, K. P. and Anderson, D. R. (2002) *Model Selection and Multimodel Inference: A Practical Information-Theoretic Approach*. Second edition. New York: Springer-Verlag.
- Burnham, K. P. and Anderson, D. R. (2004) Multimodel inference - understanding AIC and BIC in model selection. *Sociological Methods & Research* **33**, 261–304.
- Turek, D. and Fletcher, D. (2012) Model-averaged Wald confidence intervals. *Computational statistics and data analysis* **56**, 2089–2815.

See Also

[AIC.secr](#), [secr.fit](#)

Examples

```
## Compare two models fitted previously
## secrdemo.0 is a null model
## secrdemo.b has a learned trap response

model.average(secrdemo.0, secrdemo.b)
model.average(secrdemo.0, secrdemo.b, betanames = c("D","g0","sigma"))

## In this case we find the difference was actually trivial...
## (subscripting of output is equivalent to setting fields = 1)

collate (secrdemo.0, secrdemo.b, perm = c(4,2,3,1))[,1,]
```

ms

Multi-session Objects

Description

Logical function to distinguish objects that span multiple sessions

Usage

```
## Default S3 method:
ms(object, ...)
## S3 method for class mask
ms(object, ...)
## S3 method for class secr
ms(object, ...)
```

Arguments

object	any object
...	other arguments (not used)

Details

The test applied varies with the type of object. The default method uses `inherits(object, "list")`.

Value

logical, TRUE if object contains data for multiple sessions

See Also

[caphist](#), [mask](#), [secr.fit](#)

Examples

```
ms(ovenCH)
ms(ovenbird.model.1)
ms(ovenCH[[1]])
```

ovenbird

Ovenbird Mist-netting Dataset

Description

Data from a multi-year mist-netting study of ovenbirds (*Seiurus aurocapilla*) at a site in Maryland, USA.

Usage

```
data(ovenbird)
```

Details

From 2005 to 2009 D. K. Dawson and M. G. Efford conducted a capture–recapture survey of breeding birds in deciduous forest at the Patuxent Research Refuge near Laurel, Maryland, USA. The forest was described by Stamm, Davis & Robbins (1960), and has changed little since. Analyses of data from previous mist-netting at the site by Chan Robbins were described in Efford, Dawson & Robbins (2004) and Borchers & Efford (2008).

Forty-four mist nets (12 m long, 30-mm mesh) spaced 30 m apart on the perimeter of a 600-m x 100-m rectangle were operated for approximately 9 hours on each of 9 or 10 non-consecutive days during late May and June in each year. Netting was passive (i.e. song playback was not used to lure birds into the nets). Birds received individually numbered bands, and both newly banded and previously banded birds were released at the net where captured. Sex was determined in the hand from the presence of a brood patch (females) or cloacal protuberance (males). A small amount of extra netting was done by other researchers after the main session in some years.

This dataset comprises all records of adult (after-hatch-year) ovenbirds caught during the main session in each of the five years 2005–2009. One ovenbird was killed by a predator in the net in 2009, as indicated by a negative net number in the dataset. Sex was determined in the hand from the presence of a brood patch (females) or cloacal protuberance (males). Birds are listed by their band number (4-digit prefix, ‘.’, and 5-digit number). Recaptures within a day are not included in this dataset, so each bird occurs at most once per day and the detector type is ‘multi’ rather than ‘proximity’. Although several individuals were captured in more than one year, no use is made of this information in the analyses presently offered in **secr**.

The data are provided as a multi-session capthist object 'ovenCH'. Sex is coded as a categorical individual covariate ("M" or "F").

An analysis of the data for males in the first four years showed that they tended to avoid nets after their first capture within a season (Dawson & Efford 2009). While the species was present consistently, the number of detections in any one year was too small to give reliable estimates of density; pooling of detection parameters across years helped to improve precision.

Included with the data are a mask and four models fitted as in Examples.

Object	Description
ovenCH	multi-session capthist object
ovenbird.model.1	fitted secr model – null
ovenbird.model.1b	fitted secr model – g0 net shyness
ovenbird.model.1T	fitted secr model – g0 time trend within years
ovenbird.model.h2	fitted secr model – g0 finite mixture
ovenbird.model.D	fitted secr model – trend in density across years
ovenmask	mask object

Source

D. K. Dawson (<ddawson@usgs.gov>) and M. G. Efford unpublished data.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture-recapture studies. *Biometrics* **64**, 377–385.

Dawson, D. K. and Efford, M. G. (2009) Bird population density estimated from acoustic signals. *Journal of Applied Ecology* **46**, 1201–1209.

Efford, M. G., Dawson, D. K. and Robbins C. S. (2004) DENSITY: software for analysing capture-recapture data from passive detector arrays. *Animal Biodiversity and Conservation* **27**, 217–228.

Stamm, D. D., Davis, D. E. and Robbins, C. S. (1960) A method of studying wild bird populations by mist-netting and banding. *Bird-Banding* **31**, 115–130.

See Also

[capthist](#)

Examples

```
## Not run:

## commands used to create ovenCH from the input files
## "netsites0509.txt" and "ovencapt.txt"
## for information only - these files not distributed
netsites0509 <- read.traps(file = "netsites0509.txt",
  skip = 1, detector = "multi")
temp <- read.table("ovencapt.txt", colClasses=c("character",
  "character", "numeric", "numeric", "character"))
ovenCH <- make.capthist(temp, netsites0509, covnames=c("Sex"))

## End(Not run)
```

```

oldpar <- par(mfrow = c(1,5), mar = c(1,1,4,1))
plot(ovenCH, tracks = TRUE, varycol = TRUE)
par(oldpar)

counts(ovenCH, "n")

## Not run:

## array constant over years, so build mask only once
ovenmask <- make.mask(traps(ovenCH)[["2005"]], type="pdot", buffer=400,
  spacing=15, detectpar=list(g0=0.03, sigma=90), nocc=10)

## fit constant-density model
ovenbird.model.1 <- secr.fit(ovenCH, mask = ovenmask)
ovenbird.model.1

## fit net avoidance model
ovenbird.model.1b <- secr.fit(ovenCH, mask = ovenmask, model =
  list(g0~b))
ovenbird.model.1b

## fit model with time trend in detection
ovenbird.model.1T <- secr.fit(ovenCH, mask = ovenmask, model =
  list(g0 ~ T))
ovenbird.model.1T

## fit model with 2-class mixture for g0
ovenbird.model.h2 <- secr.fit(ovenCH, mask = ovenmask, model =
  list(g0~h2))
ovenbird.model.h2

## End(Not run)

## compare & average pre-fitted models
AIC (ovenbird.model.1, ovenbird.model.1b, ovenbird.model.1T,
  ovenbird.model.h2)
model.average (ovenbird.model.1,ovenbird.model.1b, ovenbird.model.1T,
  ovenbird.model.h2, realnames = "D")

## select one year to plot
plot(ovenbird.model.1b, newdata = data.frame(session = "2005",
  b = 0))

```

ovensong

Ovenbird Acoustic Dataset

Description

Data from an acoustic survey of ovenbirds (*Seiurus aurocapilla*) at a site in Maryland, USA.

Usage

```
data(ovensong)
```

Details

In June 2007 D. K. Dawson and M. G. Efford used a moving 4-microphone array to survey breeding birds in deciduous forest at the Patuxent Research Refuge near Laurel, Maryland, USA. The data for ovenbirds were used to demonstrate a new method for analysing acoustic data (Dawson and Efford 2009). See [ovenbird](#) for mist-netting data from the same site over 2005–2009, and for other background.

Over five days, four microphones were placed in a square (21-m side) centred at each of 75 points in a rectangular grid (spacing 50 m); on each day points 100 m apart were sampled sequentially. Recordings of 5 minutes duration were made in .wav format on a 4-channel digital sound recorder.

The data are estimates of average power on each channel (microphone) for the first song of each ovenbird distinguishable in a particular 5-minute recording. Power was estimated with the sound analysis software Raven Pro 1.4 (Charif et al. 2008), using a window of 0.7 s duration and frequencies between 4200 and 5200 Hz, placed manually at the approximate centre of each ovenbird song. Sometimes this frequency range was obscured by insect noise so an alternative 1000-Hz range was measured and the values were adjusted by regression.

The data are provided as a single-session, single-occasion capthist object `signalCH`. The 'signal' attribute contains the power measurement in decibels for each detected sound on each channel where the power threshold is exceeded. As the threshold signal (attribute `cutval = 35`) is less than any signal value in this dataset, all detection histories are complete (1,1,1,1) across microphones. For analysis Dawson and Efford applied a higher threshold that treated weaker signals as 'not detected' (see Examples).

The row names of `signalCH` (e.g. "3755AX") are formed from a 4-digit number indicating the sampling location (one of 75 points on a 50-m grid) and a letter A–D to distinguish individual ovenbirds within a 5-minute recording; 'X' indicates power values adjusted by regression.

The default model for sound attenuation is a log-linear decline with distance from the source (linear decline on dB scale). Including a spherical spreading term in the sound attenuation model causes the likelihood surface to become multimodal in this case. Newton-Raphson, the default maximization method in `secr.fit`, is particularly inclined to settle on a local maximum; in the example below we use a set of starting values that have been found by trial and error to yield the global maximum.

Two fitted models are included (see Examples for details).

Object	Description
<code>signalCH</code>	capthist object
<code>ovensong.model.1</code>	fitted <code>secr</code> model – spherical spreading
<code>ovensong.model.2</code>	fitted <code>secr</code> model – no spherical spreading

Source

D. K. Dawson (<ddawson@usgs.gov>) and M. G. Efford unpublished data.

References

- Charif, R. A., Waack, A. M. and Strickman, L. M. (2008) Raven Pro 1.3 User's Manual. Cornell Laboratory of Ornithology, Ithaca, New York.
- Dawson, D. K. and Efford, M. G. (2009) Bird population density estimated from acoustic signals. *Journal of Applied Ecology* **46**, 1201–1209.
- Efford, M. G., Dawson, D. K. and Borchers, D. L. (2009) Population density estimated from locations of individuals on a passive detector array. *Ecology* **90**, 2676–2682.

See Also

[capthist](#), [ovenbird](#), [Detection functions](#)

Examples

```
summary(signalCH)
traps(signalCH)
signal(signalCH)

## apply signal threshold
signalCH.525 <- subset(signalCH, cutval = 52.5)

## Not run:
## models with and without spherical spreading
omask <- make.mask(traps(signalCH), buffer = 200)
ostart <- c(log(20), 80, log(0.1), log(2))
ovensong.model.1 <- secr.fit( signalCH.525, mask = omask,
  start = ostart, detectfn = 11 )
ovensong.model.2 <- secr.fit( signalCH.525, mask = omask,
  start = ostart, detectfn = 10 )

## End(Not run)

## compare fit of models
AIC(ovensong.model.1, ovensong.model.2)

## density estimates, dividing by 75 to allow for replication
collate(ovensong.model.1, ovensong.model.2)[1,, "D"]/75

## plot attenuation curves cf Dawson & Efford (2009) Fig 5
pars1 <- predict(ovensong.model.1)[c("beta0", "beta1"), "estimate"]
pars2 <- predict(ovensong.model.2)[c("beta0", "beta1"), "estimate"]
attenuationplot(pars1, xval=0:150, spherical = TRUE, ylim = c(40,110))
attenuationplot(pars2, xval=0:150, spherical = FALSE, add = TRUE,
  col = "red")
## spherical spreading only
pars1[2] <- 0
attenuationplot(pars1, xval=0:150, spherical = TRUE, add = TRUE, lty=2)
```

par.secr.fit

Fit Multiple SECR Models

Description

These functions are wrappers for [secr.fit](#), [region.N](#) and [derived](#) that allow multiple models to be fitted simultaneously on multi-core machines.

Usage

```
par.secr.fit (arglist, ncores = 1, seed = 123, trace = TRUE, logfile = "logfile.txt")
par.derived (seclist, ncores = 1, ...)
```

```
par.region.N (seclist, ncores = 1, ...)
```

Arguments

arglist	list of argument lists for <code>secr.fit</code> or a character vector naming such lists
ncores	integer number of cores to be used for parallel processing
seed	integer pseudorandom number seed
trace	logical; if TRUE intermediate output may be logged
logfile	character name of file to log progress reports
...	other arguments passed to <code>derived</code> or <code>region.N</code>
seclist	seclist object

Details

Any attempt in `arglist` to set `ncores > 1` for a particular `secr fit` is ignored.

`trace` overrides any settings in `arglist`. Reporting of intermediate results is unreliable on Windows when `ncores > 1`.

It is convenient to provide the names of the `capthist` and `mask` arguments in each component of `arglist` as character values; objects thus named are exported from the workspace to each worker process (see Examples).

Value

For `par.secr.fit - seclist` of model fits (see `secr.fit`). Names are created by prefixing “fit.” to the names of `arglist`. If `trace` is TRUE then the total execution time and finish time are displayed.

For `par.derived` - a list of dataframes output from `derived`, applied to each model in turn.

For `par.region.N` - a list of dataframes output from `region.N`, applied to each model in turn.

See Also

[secr.fit](#), [region.N](#), [derived](#), [AIC.secr](#), [predict.secr](#), [Parallel](#)

Examples

```
## Not run:

fit0 <- list(capthist = captdata, model = g0~1)
fitb <- list(capthist = captdata, model = g0~b)
fits <- par.secr.fit (c(fit0,fitb), ncores = 2)
AIC(fits)

par.derived(fits, ncores = 2, se.esa = FALSE)

par.region.N(fits, ncores = 2)

## End(Not run)
```

Parallel

*Multi-core Processing***Description**

From version 2.4.0 **secr** makes limited use of multiple cores (CPUs) through the package **parallel**. Only the few **secr** functions listed below make any use of parallel processing. Increased speed can be expected with `sim.secr` (e.g., x3 with 4 cores), but gains in `secr.fit` are much smaller and may be negative.

The function `par.secr.fit` added in 2.7.1 is useful if you have a set of different models you wish to fit: if you have as many cores as models then all will complete in about the time required to run the longest.

Function	Unit	Benefit	Notes
<code>secr.fit</code>	session likelihood	small-moderate	multi-session models only
<code>score.test</code>	model	moderate	multi-model comparisons only
<code>derived</code>	session	moderate	SE by parameter if one session
<code>mask.check</code>	spacing x buffer	moderate-large	no file output, suppresses messages
<code>sim.secr</code>	replicate	large	all models, suppresses messages
<code>ip.secr</code>	replicate	large	
<code>LLsurface.secr</code>	parameter combination	large	
<code>par.secr.fit</code>	model	large	
<code>par.derived</code>	fitted model	large	
<code>par.region.N</code>	fitted model	large	

'Unit' refers to the unit of work sent to each worker process. As a guide, a 'large' benefit means >60% reduction in process time with 4 CPUs.

parallel offers several different mechanisms, bringing together the functionality of **multicore** and **snow**. The mechanism used by **secr** is the simplest available, and is expected to work across all operating systems. Technically, it relies on Rscript and communication between the master and worker processes is *via* sockets. As stated in the **parallel** documentation "Users of Windows and Mac OS X may expect pop-up dialog boxes from the firewall asking if an R process should accept incoming connections".

To use multiple cores, install **parallel** from CRAN and set `ncores > 1` in the function call. Use `detectCores()` to get an idea of how many cores are available on your machine; this may (in Windows) include virtual cores over and above the number of physical cores. See `RShowDoc("parallel", package = "parallel")` in core R for explanation.

You may possibly get warnings from R about closing unused connections. These can safely be ignored.

In `sim.secr`, new datasets are generated in the master process, so there is no need to manage the random number streams in the worker processes.

In `secr.fit` the output component 'proctime' misrepresents the elapsed processing time when multiple cores are used.

Worker processes are created in `secr.fit` with `makeCluster` and the options `methods = FALSE`, `useXDR = FALSE`. This has been tested only on Windows systems.

The code used internally by **secr** is quite simple and could be adapted as a wrapper for user-defined simulations. See Examples.

Examples

```
## Not run:

# R version 2.15.2 (2012-10-26)
# Platform: x86_64-w64-mingw32/x64 (64-bit)
# quad-core i7 CPU

library(parallel)
detectCores()
# [1] 8

# ovenCH is a 5-session dataset
# multiple cores help a little here

system.time(f5 <- secr.fit(ovenCH, buffer = 400, trace = FALSE, ncores = 1))
# user system elapsed
# 61.21 0.95 62.28
system.time(f5 <- secr.fit(ovenCH, buffer = 400, trace = FALSE, ncores = 5))
# user system elapsed
# 8.51 8.66 35.81

# however, there is substantial benefit when simulating

system.time(s1 <- sim.secr(secrdemo.0, nsim = 20))
# user system elapsed
# 789.90 4.41 795.07
system.time(s4 <- sim.secr(secrdemo.0, nsim = 20, ncores = 4))
# user system elapsed
# 26.91 0.34 276.15

system.time(ip.secr (captdata, ncores = 1))
# user system elapsed
# 149.93 0.01 150.72
system.time(ip.secr (captdata, ncores = 6))
# user system elapsed
# 0.47 0.19 41.06

system.time(score.test (secrdemo.0, g0 ~ b, g0~t, g0 ~ bk, ncores = 1))
# user system elapsed
# 130.73 0.45 131.34
system.time(score.test (secrdemo.0, g0 ~ b, g0~t, g0 ~ bk, ncores = 4))
# user system elapsed
# 0.04 0.01 109.69

system.time(derived(ovenbird.model.D, ncores=1))
# user system elapsed
# 7.99 0.02 8.00
system.time(derived(ovenbird.model.D, ncores=5))
# user system elapsed
# 0.05 0.04 4.06

system.time( LLSurface.secr(secrdemo.0, ncores=1))
# user system elapsed
# 40.97 0.64 41.66
system.time( LLSurface.secr(secrdemo.0, ncores=4))
```

```

# user system elapsed
# 0.05 0.06 13.82
system.time( LLsurface.secr(secrdemo.0, ncores=8))
# user system elapsed
# 0.03 0.11 11.14

## the code used in LLsurface.secr() looks like this

if (ncores > 1) {
  require(parallel)
  clust <- makeCluster(ncores)
  # load secr in each worker process
  clusterEvalQ(clust, library(secr))
  # send data to each worker process from master process
  clusterExport(clust, c("object", "details"), environment())
  # run function LL for each row of matrix grid
  # LL accepts one argument, a vector of parameter values
  # (can also use parLapply, parSapply etc.)
  temp <- parRapply (clust, grid, LL)
  stopCluster(clust)
}

## End(Not run)

```

pdot

Net Detection Probability

Description

Compute spatially explicit net probability of detection for individual(s) at given coordinates.

Usage

```
pdot(X, traps, detectfn = 0, detectpar = list(g0 = 0.2,
      sigma = 25, z = 1), noccasions = NULL, binomN = NULL)
```

Arguments

X	vector or 2-column matrix of coordinates
traps	traps object
detectfn	integer code for detection function q.v.
detectpar	a list giving a value for each named parameter of detection function
noccasions	number of sampling intervals (occasions)
binomN	integer code for discrete distribution (see secr.fit)

Details

If traps has a `usage` attribute then `noccasions` is set accordingly; otherwise it must be provided.

The probability computed is $p(\mathbf{X}) = 1 - \prod_k \{1 - p_s(\mathbf{X}, k)\}^S$ where the product is over the detectors in traps, excluding any not used on a particular occasion. The per-occasion detection function p_s is halfnormal (0) by default, and is assumed not to vary over the S occasions.

For detection functions (10) and (11) the signal threshold ‘cutval’ should be included in `detectpar`, e.g., `detectpar = list(beta0 = 103, beta1 = -0.11, sdS = 2, cutval = 52.5)`.

The calculation is not valid for single-catch traps because $p(\mathbf{X})$ is reduced by competition between animals.

Value

A vector of probabilities, one for each row in `X`.

See Also

[secr](#), [make.mask](#), [Detection functions](#), [pdot.contour](#)

Examples

```
temptrap <- make.grid()
## per-session detection probability for an individual centred
## at a corner trap. By default, noccasions = 5.
pdot (c(0,0), temptrap, detectpar = list(g0 = 0.2, sigma = 25),
      noccasions = 5)
```

 PG

Telemetry Fixes in Polygons

Description

For a telemetry dataset, either as a standalone `capthist` object with detector type ‘telemetry’ or the `xylist` attribute of a combined `capthist` object resulting from `addTelemetry`, determine the proportion of fixes of each individual that lie within a set of polygons. Typically used to obtain the proportion of fixes on a trapping grid, hence ‘proportion on grid’.

Usage

```
PG(CH, poly = NULL, includeNULL = FALSE, plt = FALSE, ...)
```

Arguments

<code>CH</code>	capthist object including telemetry locations
<code>poly</code>	<code>SpatialPolygonsDataFrame</code> object from <code>sp</code>
<code>includeNULL</code>	logical; if TRUE then missing values are returned for animals without telemetry data
<code>plt</code>	logical; if TRUE then <code>poly</code> and telemetry locations are plotted
<code>...</code>	other arguments passed to buffer.contour

Details

By default poly is obtained by applying `buffer.contour` with arguments ... to the traps attribute of CH. Note that either a positive buffer argument or `convex = TRUE` is needed for the polygon to have `area > 0`.

If `plt = TRUE`, `buffer.contour` is used to plot poly and the points are overplotted (open circles outside, filled circles inside). To control the framing of the plot, create an initial plot (e.g., with `plot.traps`, setting the border argument) and use `add = TRUE` (see Examples).

Value

Numeric vector of proportions. If `includeNULL = TRUE` length equal to number of animals (rows) in CH; otherwise length is the number of animals for which there is telemetry data (because xylist may cover only a subset of animals in CH).

References

Grant, T. J. and Doherty, P. F. (2007) Monitoring of the flat-tailed horned lizard with methods incorporating detection probability. *Journal of Wildlife Management* **71**, 1050–1056

See Also

[addTelemetry](#), [buffer.contour](#), [SpatialPolygonsDataFrame](#), [pointsInPolygon](#)

Examples

```
## Not run:
setwd(d:/density communication/combining telemetry and secr/possums)
CvilleCH <- read.caphist(CVILLE summer captures 4occ.txt,
                       CVILLE detectors summer 4occ.txt,
                       detector = single)
CvilleGPS <- read.telemetry(CVILLE GPS Combined 4occ.txt)
CvilleGPSnew <- read.telemetry(CVILLE summer GPS New occasions.txt)
CvilleBoth <- addTelemetry(CvilleCH, CvilleGPSnew)
plot(CvilleBoth, border = 400)
PG(CvilleBoth, buffer = 100, convex = TRUE, plt = TRUE, add = T, col = red)

#####
## this code computes an area-adjusted density estimate
## cf Grant and Doherty 2007
PGD <- function (CH, estimator = h2, ...) {
  pg <- PG(CH, ...)
  PGbar <- mean(pg)
  N <- closedN(CH, estimator)
  A <- polyarea(buffer.contour(traps(CH), ...)[[1]])
  Dhat <- N$Nhat / A * PGbar
  varDhat <- (N$Nhat^2 * var(pg) + PGbar^2 * N$seNhat^2) / A^2
  c(Dhat = Dhat, seDhat = sqrt(varDhat))
}
plot(traps(CvilleBoth), border = 400)
PGD(CvilleBoth, buffer = 0, convex = TRUE, plt = TRUE, add = TRUE)
PGD(CvilleBoth, est=null, buffer = 0, convex = TRUE, plt = FALSE)

#####
## this code generates a PG summary for telemetry records randomly
```

```

## translated and rotated, keeping the centres within a habitat mask

randomPG <- function(CH, poly = NULL, mask, reorient = TRUE, nrepl = 1,
  seed = 12345, ...) {
  moveone <- function(xy, newcentre) {
    xy <- sweep(xy,2,apply(xy,2,mean))
    if (reorient) ## random rotation about centre
      xy <- rotate(xy, runif(1)*360)
    sweep(xy,2,unlist(newcentre), "+")
  }
  onerepl <- function(r) { ## r is dummy for replicate
    centres <- sim.popt(D = D, core = mask, model2D = "IHP",
      Ndist = "fixed")
    xyl <- mapply(moveone, xyl, split(centres, rownames(centres)))
    attr(CH, xyl) <- xyl ## substitute random placement
    PG(CH = CH , poly = poly, plt = FALSE, ...)
  }
  set.seed(seed)
  if (is.null(poly)) {
    poly <- buffer.contour (traps(CH), ...)
    srl <- lapply(poly, function(x) Polygon(as.matrix(x)))
    tmp <- Polygons(srl,1)
    poly <- SpatialPolygons(list(tmp))
    poly <- SpatialPolygonsDataFrame(poly, data = data.frame(ID =
      names(poly)))
  }
  xyl <- telemetryxy(CH)
  maskarea <- nrow(mask) * attr(mask, area)
  D <- length(xyl) / maskarea
  sapply(1:nrepl, onerepl)
}

mask <- make.mask (traps(CvilleBoth), buffer = 400, type = "trapbuffer")
pg <- randomPG (CvilleBoth, mask = mask, buffer = 100, convex = TRUE,
  nrepl = 20)
apply(pg, 1, mean)
#####

## End(Not run)

```

plot.caphist

Plot Detection Histories

Description

Display a plot of detection (capture) histories or telemetry data over a map of the detectors.

Usage

```

## S3 method for class caphist
plot(x, rad = 5,
  hidetraps = FALSE, tracks = FALSE,
  title = TRUE, subtitle = TRUE, add = FALSE, varycol = TRUE,

```

```
icolours = NULL, randcol = FALSE,
lab1cap = FALSE, laboffset = 4, ncap = FALSE,
splitocc = NULL, col2 = "green",
type = c("petal", "n.per.detector", "n.per.cluster"),
cappar = list(cex = 1.3, pch = 16, col = "blue"),
trkpar = list(col = "blue", lwd = 1),
labpar = list(cex = 0.7, col = "black"), ...)
```

```
plotMCP(x, add = FALSE, col = "black", fill = NA, lab1cap = FALSE,
laboffset = 4, ncap = FALSE, ...)
```

Arguments

x	an object of class <code>caphist</code>
rad	radial displacement of dot indicating each capture event from the detector location (used to separate overlapping points)
hidetraps	logical indicating whether trap locations should be displayed
tracks	logical indicating whether consecutive locations of individual animals should be joined by a line
title	logical or character string for title
subtitle	logical or character string for subtitle
add	logical for whether to add to existing plot
varycol	logical for whether to distinguish individuals by colour
icolours	vector of individual colours (when <code>varycol = TRUE</code>), or colour scale (non-petal plots)
randcol	logical to use random colours (<code>varycol = TRUE</code>)
lab1cap	logical for whether to label the first capture of each animal
laboffset	distance by which to offset labels from points
ncap	logical to display the number of detections per trap per occasion
splitocc	optional occasion from which second colour is to be used
col2	second colour (used with <code>splitocc</code>)
type	character string ("petal", "n.per.detector" or "n.per.cluster")
cappar	list of named graphical parameters for detections (passed to <code>par</code>)
trkpar	list of named graphical parameters for tracks (passed to <code>par</code>)
labpar	list of named graphical parameters for labels (passed to <code>par</code>)
...	arguments to be passed to <code>plot.traps</code>
col	vector of line colour numbers or names (<code>plotMCP</code> only)
fill	vector of fill colour numbers or names (<code>plotMCP</code> only)

Details

By default, a 'petal' plot is generated in the style of Density (Efford 2012) using `eqsplot` from the MASS library. If `type = "n.per.detector"` or `type = "n.per.cluster"` the result is a colour-coded plot of the number of individuals at each unit, pooled over occasions.

If `title = FALSE` no title is displayed; if `title = TRUE`, the session identifier is used for the title.

If `subtitle = FALSE` no subtitle is displayed; if `subtitle = TRUE`, the subtitle gives the numbers of occasions, detections and individuals.

If `x` is a multi-session caphist object then a separate plot is produced for each session. Use `par(mfrow = c(nr, nc))` to allow a grid of plots to be displayed simultaneously (`nr` rows x `nc` columns).

These arguments are used only for petal plots: `rad`, `tracks`, `varycol`, `randcol`, `lab1cap`, `laboffset`, `ncap`, `splitocc`, `col2`, `trkpar`, and `labpar`.

If `icolours = NULL` and `varycol = TRUE` then a vector of colours is generated automatically as `topo.colors((nrow(x)+1) * 1.5)`. If there are too few values in `icolours` for the number of individuals then colours will be re-used.

`plotMCP` plots minimum convex polygons of individual location data over a base plot of detector locations. Usually the data are telemetry locations in the `xylist` attribute of the caphist object; if this is not present and `x` is a polygon search caphist then the individual `xy` data are plotted.

To overplot the point telemetry locations use `xy2CH` to first convert the `xylist` attribute to a full telemetry caphist object (see Examples).

Value

For `type = "petal"`, the number of detections in `x`. For `type = "n.per.detector"` or `type = "n.per.cluster"`, a dataframe with data for a legend (see Examples).

`plotMCP` invisibly returns a list in which each component is a 2-column (`x,y`) dataframe of boundary coordinates for one individual.

References

Efford, M. G. (2012) *DENSITY 5.0: software for spatially explicit capture–recapture*. Department of Mathematics and Statistics, University of Otago, Dunedin, New Zealand. <http://www.otago.ac.nz/density>.

See Also

[caphist](#)

Examples

```
demotrap <- make.grid()
tempcapt <- sim.caphist(demotrap,
  popn = list(D = 5, buffer = 50),
  detectpar = list(g0 = 0.15, sigma = 30))
plot(tempcapt, border = 10, rad = 3, tracks = TRUE,
  lab1cap = TRUE, laboffset = 2.5)

## type = n.per.cluster

## generate some captures
testregion <- data.frame(x = c(0,2000,2000,0),
  y = c(0,0,2000,2000))
popn <- sim.popn (D = 10, core = testregion, buffer = 0,
  model2D = "hills", details = list(hills = c(-2,3)))
t1 <- make.grid(nx = 1, ny = 1)
t1.100 <- make.systematic (cluster = t1, spacing = 100,
  region = testregion)
```

```

capt <- sim.caphist(t1.100, popn = popn, noccasions = 1)

## now plot captures ...
temp <- plot(capt, title = "Individuals per cluster",
            type = "n.per.cluster", hidetraps = FALSE,
            gridlines = FALSE, cappar = list(cex = 1.5))

## Not run:
## add legend; click on map to place top left corner
legend (locator(1), pch = 21, pt.bg = temp$colour,
        pt.cex = 1.3, legend = temp$legend, cex = 0.8)

## End(Not run)

## Not run:
## try varying individual colours - requires RColorBrewer
library(RColorBrewer)
plot(infraCH[[2]], icolours = brewer.pal(12, "Set3"), tracks = T,
     bg = "black", cappar = list(cex = 2), border = 10, rad = 2,
     gridlines=F)

## End(Not run)

## Not run:
## generate telemetry data
## as in ?addTelemetry
te <- make.telemetry()
tr <- make.grid(detector = "proximity")
totalpop <- sim.popn(tr, D = 20, buffer = 100)
tepop <- subset(totalpop, runif(nrow(totalpop)) < 0.05)
trCH <- sim.caphist(tr, popn = totalpop, renumber = FALSE, detectfn = "HHN")
teCH <- sim.caphist(te, popn = tepop, renumber=FALSE, detectfn = "HHN",
                  detectpar = list(lambda0 = 3, sigma = 25))
combinedCH <- addTelemetry(trCH, teCH)

plotMCP(combinedCH)
plot(xy2CH(combinedCH), add=T)

## End(Not run)

```

plot.mask

Plot Habitat Mask, Density or Resource Surface

Description

Plot a habitat mask either as points or as an image plot. Colours maybe used to show the value of one mask covariate.

Usage

```

## S3 method for class mask
plot(x, border = 20, add = FALSE, covariate = NULL, axes = FALSE,
     dots = TRUE, col = "grey", breaks = 12, meshcol = NA, ppoly = TRUE,

```

```

    polycol = "red", ...)

## S3 method for class Dsurface
plot(x, covariate = "D", group = NULL, plottype =
     "shaded", scale = 1, ...)

## S3 method for class Rsurface
plot(x, covariate = "Resource", plottype =
     "shaded", scale = 1, ...)

spotHeight (object, prefix = NULL, dec = 2, point = FALSE, text = TRUE,
            sep = ", ", session = 1, scale = 1, ...)

```

Arguments

x, object	mask or Dsurface object
border	width of blank display border (metres)
add	logical for adding mask points to an existing plot
covariate	name (as character string in quotes) or column number of a covariate to use for colouring
axes	logical for plotting axes
dots	logical for plotting mask points as dots, rather than as square pixels
col	colour(s) to use for plotting
breaks	number of levels to use when cutting continuous covariate for plotting
meshcol	colour for pixel borders (NA for none)
ppoly	logical for whether the bounding polygon should be plotted (if 'poly' specified)
polycol	colour for outline of polygon (ppoly = TRUE)
...	other arguments passed to eqscplot (in the case of plot.mask), plot.mask (in the case of plot.Dsurface and plot.Rsurface), and points or text (in the case of spotHeight)
group	group for which plot required, if more than 1
plottype	character string c("dots", "shaded", "contour", "persp")
scale	numeric multiplier for density or other numeric covariate (see Dsurface)
prefix	character vector for name(s) of covariate(s) to retrieve
dec	number of decimal places for rounding density
point	logical for whether to plot point
text	logical for whether to place density label on plot
sep	character separator for elements if length(prefix)>1
session	session number or identifier

Details

The argument dots of plot.mask selects between two distinct types of plot (dots and shaded (coloured) pixels).

plot.Dsurface and plot.Rsurface offer contour and perspective plots in addition to the options in plot.mask. It may take some experimentation to get what you want - see [contour](#) and [persp](#).

If using a covariate or Dsurface or Rsurface to colour dots or pixels, the `col` argument should be a colour vector of length equal to the number of levels (the default palette is `heat.colors`, and this palette will also be used whenever there are too few levels in the palette provided; see Notes for more on palettes). Border lines around pixels are drawn in `'meshcol'`. Set this to `NA` to eliminate pixel borders.

If a covariate is specified in a call to `plot.Dsurface` then that covariate will be plotted instead of density. This is a handy way to contour a covariate (contouring is not available in `plot.mask`).

If `'breaks'` is an integer then the range of the covariate is divided into this number of equal intervals. Alternatively, `'breaks'` may be a vector of break points (length one more than the number of intervals). This gives more control and often `'prettier'`

`spotHeight` may be used to interrogate a plot produced with `plot.Dsurface` or `plot.Rsurface`, or by `plot.mask` if the mask has covariates. `prefix` defaults to `'density.'` for Dsurface objects and to `"` (all covariates) for mask objects. The predicted density or covariate at the nearest point is returned when the user clicks on the plot. Multiple values may be displayed (e.g., `prefix = c("lcl", "ucl")` if Dsurface includes confidence limits). Click outside the mask or hit the Esc key to end. `spotHeight` deals with one session at a time.

Value

If covariate is specified and `plottype = shaded` then `plot.mask` invisibly returns a character vector of the intervals defined by `'breaks'` (useful for plotting a legend).

If `'plottype = persp'` then `plot.mask` invisibly returns a the perspective matrix that may be used to add to the plot with [trans3d](#).

`spotHeight` invisibly returns a dataframe of the extracted values and their coordinates.

Note

Contouring requires a rectangular grid; if a Dsurface is not rectangular then `plot.Dsurface` with `plottype = contour` triggers a call to [rectangularMask](#).

The colour palettes [topo.colors](#), [heat.colors](#) and [terrain.colors](#) may be viewed with the `demo.pal` function in the Examples code on their help page.

The package **RColorBrewer** is a good source of palettes. Try `display.brewer.all()` and e.g., `col = brewer.pal(7, "YlGn")`.

See Also

[colours](#), [mask](#), [Dsurface](#), [rectangularMask](#), [contour persp](#)

Examples

```
# simple

temptrap <- make.grid()
tempmask <- make.mask(temptrap)
plot(tempmask)

## restrict to points over an arbitrary detection threshold,
## add covariate, plot image and overlay traps

tempmask <- subset(tempmask, pdot(tempmask, temptrap,
  nooccasions = 5)>0.001)
```

```

covariates (tempmask) <- data.frame(circle =
  exp(-(tempmask$x^2 + tempmask$y^2)/10000) )
plot (tempmask, covariate = "circle", dots = FALSE, axes = TRUE,
  add = TRUE, breaks = 8, col = terrain.colors(8), mesh = NA)
plot (temptrap, add = TRUE)

## add a legend
par(cex = 0.9)
covrange <- range(covariates(tempmask)$circle)
step <- diff(covrange)/8
colourlev <- terrain.colors(9)
zlev <- format(round(seq(covrange[1],covrange[2],step),2))
legend (x = "topright", fill = colourlev, legend = zlev,
  y.intersp = 0.8, title = "Covariate")

title("Colour mask points with p.(X) > 0.001")
mtext(side=3,line=-1, "g0 = 0.2, sigma = 20, nocc = 5")

## Not run:

## possum density surface extrapolated across region

regionmask <- make.mask(traps(possumCH), buffer = 1000, spacing = 10,
  poly = possumremovalarea)
dts <- distancetotrap(regionmask, possumarea)
covariates(regionmask) <- data.frame(d.to.shore = dts)
shorePossums <- predictDsurface(possum.model.Dsh2, regionmask)

## plot as coloured pixels with white lines
colourlev <- terrain.colors(7)
plot(shorePossums, breaks = seq(0,3.5,0.5), plottype = "shaded",
  poly = FALSE, col = colourlev, mesh = NA)
plot(traps(possumCH), add = TRUE, detpar = list(col = "black"))
polygon(possumremovalarea)

## check some point densities
spotHeight(shorePossums, dec = 1, col = "black")

## add a legend
zlev <- format(seq(0,3,0.5), digits = 1)
legend (x = "topright", fill = colourlev, legend =
  paste(zlev,"--"), y.intersp = 1, title = "Density / ha")

## End(Not run)

```

plot.popn

Plot popn Object

Description

Display animal locations from a popn object.

Usage

```
## S3 method for class popn
plot(x, add = FALSE, frame = TRUE,
     circles = NULL, ...)
```

Arguments

x	object of class popn
add	logical to add points to an existing plot
frame	logical to add frame or polygon within which points were simulated
circles	vector giving the radii if circles are to be plotted
...	arguments passed to eqscplot and points or symbols

Details

If circles is provided then a circle of the given radius is plotted for each animal using the symbols function. The arguments fg and bg may be used to control the colour of the perimeter and the fill of each circle (see Examples).

See Also

[popn](#), [sim.popn](#)

Examples

```
temppopn <- sim.popn(D = 5, expand.grid(
  x = c(0,100), y = c(0,100)))
plot(temppopn, pch = 16, col = "blue")

plot(temppopn, circles = 20, bg = "tan", fg =
  "white")
plot(temppopn, pch = 16, cex = 0.5, add = TRUE)
```

plot.secr

Plot Detection Functions

Description

Plot detection functions using estimates of parameters in an secr object, or as provided by the user.

Usage

```
## S3 method for class secr
plot(x, newdata = NULL, add = FALSE,
     sigmatick = FALSE, rgr = FALSE, limits = FALSE, alpha = 0.05,
     xval = 0:200, ylim = NULL, xlab = NULL, ylab = NULL, ...)

## S3 method for class secrlist
plot(x, newdata = NULL, add = FALSE,
```

```
sigmatick = FALSE, rgr = FALSE, limits = FALSE, alpha = 0.05,
xval = 0:200, ylim = NULL, xlab = NULL, ylab = NULL, ...,
overlay = TRUE)
```

```
detectfnplot (detectfn, pars, details = NULL, add = FALSE,
sigmatick = FALSE, rgr = FALSE, xval = 0:200, ylim = NULL,
xlab = NULL, ylab = NULL, ...)
```

```
attenuationplot (pars, add = FALSE, spherical = TRUE,
xval = 0:200, ylim = NULL, xlab = NULL, ylab = NULL, ...)
```

Arguments

x	an secr object
newdata	dataframe of data to form estimates
add	logical to add curve(s) to an existing plot
sigmatick	logical; if TRUE the scale parameter sigma is shown by a vertical line
rgr	logical; if TRUE a scaled curve $r.g(r)$ is plotted instead of $g(r)$
limits	logical; if TRUE pointwise confidence limits are drawn
alpha	alpha level for confidence intervals
xval	vector of distances at for which detection to be plotted
ylim	vector length 2 giving limits of y axis
xlab	label for x axis
ylab	label for y axis
...	arguments to pass to lines
overlay	logical; if TRUE then automatically add = TRUE for plots after the first
detectfn	integer code or character string for shape of detection function 0 = halfnormal etc. – see detectfn
pars	list, vector or matrix of parameter values
details	list of ancillary parameters
spherical	logical for whether to include spherical spreading term

Details

newdata is usually NULL, in which case one curve is plotted for each session and group. Otherwise, predict.secr is used to form estimates and plot a curve for each row in newdata.

If axis labels are not provided they default to ‘Distance (m)’ and ‘Detection probability’ or ‘Detection lambda’.

detectfnplot is an alternative in which the user nominates the type of function and provides parameter values. pars maybe a list as from [detectpar](#); it is first coerced to a numeric vector with unlist. Parameter values must be in the expected order (e.g. g_0 , sigma, z). If pars is a matrix then a separate curve is plotted with the parameter values in each row.

For detectfnplot the signal threshold parameters ‘cutval’ and ‘spherical’ should be provided in details (see examples).

Approximate confidence limits for $g(r)$ are calculated using a numerical first-order delta-method approximation to the standard error at each xval. The distribution is assumed to be normal on the logit scale; limits are back-transformed from that scale.

attenuationplot plots the expected decline in signal strength with distance, given parameters β_0 and β_1 for a log-linear model of sound attenuation.

Value

plot.secr invisibly returns a dataframe of the plotted values (or a list of dataframes in the case that newdata has more than one row).

See Also

[Detection functions](#), [plot](#), [secr](#)

Examples

```
plot (secrdemo.b, xval = 0:100, ylim = c(0, 0.4))
## Add recapture probability
plot (secrdemo.b, newdata = data.frame(b = 1), add = TRUE,
      col = "red")

## signal strength detection: 70dB at source, attenuation
## 0.3dB/m, sdS 5dB; detection threshold 40 dB.
detectfnplot (detectfn = 10, c(70, -0.3, 5), details =
              list(cutval = 40))

## add a function with louder source and spherical spreading...
detectfnplot (detectfn = 11, c(110, -0.3, 5), details =
              list(cutval = 40), add = TRUE, col = "red")

## matching sound attenuation curves; spherical-only dashed line
attenuationplot (c(70, -0.3), spherical = FALSE, ylim=c(-10,110))
attenuationplot (c(110, 0), spherical = TRUE, add=TRUE, lty=2)
attenuationplot (c(110, -0.3), spherical = TRUE, add = TRUE,
                 col = "red")
```

plot.traps

Plot traps Object

Description

Map the locations of detectors (traps).

Usage

```
## S3 method for class traps
plot(x, border = 100, label = FALSE, offset = c(6,6), add = FALSE,
     hidetr = FALSE, detpar = list(), txtpar = list(), bg = "white",
     gridlines = TRUE, gridspace = 100, gridcol = "grey",
     markused = FALSE, markvarying = FALSE, markvertices = FALSE,
     labelclusters = FALSE, ...)
```

Arguments

x	a traps object
border	width of blank margin around the outermost detectors
label	logical indicating whether a text label should appear by each detector
offset	vector displacement of label from point on x and y axes
add	logical to add detectors to an existing plot
hidetr	logical to suppress plotting of detectors
detpar	list of named graphical parameters for detectors (passed to par)
txtpar	list of named graphical parameters for labels (passed to par)
bg	background colour
gridlines	logical for plotting grid lines
gridspace	spacing of gridlines
gridcol	colour of gridlines
markused	logical to distinguish detectors used on at least one occasion
markvarying	logical to distinguish detectors whose usage varies among occasions
markvertices	logical or 0,1,2 for plotting transect or polygon points
labelclusters	logical to label clusters
...	arguments to pass to eqsplot

Details

offset may also be a scalar value for equal displacement on the x and y axes. The hidetr option is most likely to be used when plot.traps is called by plot.caphist. See [par](#) and [colours](#) for more information on setting graphical parameters. The initial values of graphical parameters are restored on exit.

Axes are not labeled. Use [axis](#) and [mtext](#) if necessary.

markvertices determines whether the vertices of each transect or polygon will be emphasised by overplotting a point symbol (detpar\$pch). Value may be logical (TRUE, FALSE) or integer (0 = no points, 1 = terminal vertices only, 2 = all vertices).

labelclusters requires x to have attributes 'clusterID' and 'clustertrap'.

Value

None

See Also

[plot](#), [traps](#), [clusterID](#)

Examples

```
temptrap <- make.grid()
plot(temptrap, detpar = list(pch = 16, col = "blue"),
     label = TRUE, offset = 7)
```

pointsInPolygon	<i>Points Inside Polygon</i>
-----------------	------------------------------

Description

Determines which of a set of points lie inside a closed polygon or at least one of a set of polygons

Usage

```
pointsInPolygon(xy, poly, logical = TRUE)
```

Arguments

xy	2-column matrix or dataframe of x-y coordinates for points to assess
poly	2-column matrix or dataframe containing perimeter points of polygon, or a SpatialPolygonsDataFrame object from package sp , or a 'mask' object (see Warning)
logical	logical to control the output when 'poly' is a mask (see Details)

Details

If poly is a SpatialPolygonsDataFrame object then the function `overlay` is used from **sp**. This allows multiple polygons and polygons with holes.

If poly is an secr 'mask' object then xy is discretized and matched to the cells in poly. If `logical = FALSE` then the returned value is a vector of integer indices to the row in 'poly' corresponding to each row of 'xy'; otherwise the result is a vector of logical values.

Otherwise, the algorithm is adapted from some code posted on the S-news list by Peter Perkins (23/7/1996). The polygon should be closed (last point same as first).

Value

Vector of logical or integer values, one for each row in xy

Warning

If poly is a mask object then its cells must be aligned to the x- and y- axes

See Also

[overlay](#)

Examples

```
## 100 random points in unit square
xy <- matrix(runif(200), ncol = 2)
## triangle centred on (0.5, 0.5)
poly <- data.frame(x = c(0.2,0.5,0.8,0.2), y = c(0.2,0.8,0.2,0.2))
plot(xy, pch = 1 + pointsInPolygon(xy, poly))
lines(poly)
```

polyarea	<i>Area of Polygon(s)</i>
----------	---------------------------

Description

Area of a single closed polygon (simple x-y coordinate input) or of multiple polygons, possibly with holes.

Usage

```
polyarea(xy, ha = TRUE)
```

Arguments

xy	dataframe or list with components 'x' and 'y', or a SpatialPolygons or SpatialPolygonsDataFrame object from package sp
ha	logical if TRUE output is converted from square metres to hectares

Details

For SpatialPolygons or SpatialPolygonsDataFrame objects, the packages **sp** and **rgeos** are used.

Value

A scalar.

See Also

[buffer.contour](#)

Examples

```
polyarea(make.grid(hollow = TRUE))
```

popn	<i>Population Object</i>
------	--------------------------

Description

Encapsulate the locations of a set of individual animals.

Details

An object of class popn records the locations of a set of individuals, together with ancillary data such as their sex. Often used for a realisation of a spatial point process (e.g. homogeneous Poisson) with known density (intensity). Locations are stored in a data frame with columns 'x' and 'y'.

A popn object has attributes

covariates	data frame with numeric, factor or character variables to be used as individual covariates
model2D	2-D distribution ("poisson", "cluster", "IHP")
Ndist	distribution of number of individuals ("poisson", "fixed")
boundingbox	data frame of 4 rows, the vertices of the rectangular area

The number of rows in `covariates` must match the length of `x` and `y`. See [sim.popn](#) for more information on `Ndist` and `model2D`.

Note

The `popn` class is used only occasionally: it is not central to spatially explicit capture recapture.

See Also

[sim.popn](#), [plot.popn](#), [transformations](#)

possum

Brush-tail Possum Trapping Dataset

Description

Data from a trapping study of brushtail possums at Waitarere, North Island, New Zealand.

Usage

```
data(possum)
```

Details

Brush-tail possums (*Trichosurus vulpecula*) are an unwanted invasive species in New Zealand. Although most abundant in forests, where they occasionally exceed densities of 15 / ha, possums live wherever there are palatable food plants and shelter.

Efford et al. (2005) reported a live-trapping study of possums in *Pinus radiata* plantation on coastal sand dunes. The 300-ha site at Waitarere in the North Island of New Zealand was a peninsula, bounded on one side by the sea and on two other sides by the Manawatu river. Cage traps were set in groups of 36 at 20-m spacing around the perimeter of five squares, each 180 m on a side. The squares ('hollow grids') were centred at random points within the 300-ha area. Animals were tagged and released daily for 5 days in April 2002. Subsequently, leg-hold trapping was conducted on a trapping web centred on each square (data not reported here), and strenuous efforts were made to remove all possums by cyanide poisoning and further leghold trapping across the entire area. This yielded a density estimate of 2.26 possums / ha.

Traps could catch at most one animal per day. The live-trapped animals comprised 46 adult females, 33 adult males, 10 immature females and 11 immature males; sex and/or age were not recorded for 4 individuals (M. Coleman unpubl. data). These counts do not sum to the number of capture histories - see Note. One female possum was twice captured at two sites on one day, having entered a second trap after being released; one record in each pair was selected arbitrarily and discarded.

The data are provided as a single-session `capthist` object 'possumCH'. 'possummask' is a matching mask object - see Examples. Several fitted models are provided for illustration.

The dataframe `possumarea` contains boundary coordinates of a habitat polygon that is used to clip `possummask` at the shore (from `secr` 1.5). `possumarea` comprises a single polygon representing the extent of terrestrial vegetation to the west, north and east, and an arbitrary straight southern boundary. The boundary is also included as a shapefile and as a text file ('possumarea.shp' etc. and 'possumarea.txt' in the package 'extdata' folder). See Examples in [make.mask](#).

The dataframe `possumremovalarea` contains boundary coordinates of another polygon, the nominal removal area of Efford et al. (2005 Fig. 1) (from `secr` 2.3).

Object	Description
possumCH	capthist object
possummask	mask object
possumarea	habitat perimeter
possumremovalarea	nominal boundary of removal region
possum.model.0	fitted secr model – null
possum.model.b	fitted secr model – trap response g0
possum.model.h2	fitted secr model – heterogeneity g0, sigma
possum.model.Dh2	fitted secr model – quadratic surface
possum.model.Dsh2	fitted secr model – distance to shore

Note

A significant problem with the data used by Efford et al. (2005) was noticed recently. Five capture histories in possumCH are for animals that had lost a previous tag. A further three histories may also have been animals that were tagged previously or mis-recorded. Analyses that treat each previously tagged animal as a new individual are in error (this includes the published analyses, the pre-fitted models described here, and those in the vignette `secr-densitysurfaces.pdf`). All eight questionable histories are now indicated in possumCH with the logical covariate ‘prev.tagged’.

Methods have not yet been developed to adjust for tag loss in SECR models.

Source

Landcare Research, New Zealand.

References

- Borchers, D.L. and Efford, M.G. (2008) Spatially explicit maximum likelihood methods for capture-recapture studies. *Biometrics* **64**, 377–385.
- Efford, M. G., Dawson, D. K. and Robbins C. S. (2004) DENSITY: software for analysing capture-recapture data from passive detector arrays. *Animal Biodiversity and Conservation* **27**, 217–228.
- Efford, M. G., Warburton, B., Coleman, M. C. and Barker, R. J. (2005) A field test of two methods for density estimation. *Wildlife Society Bulletin* **33**, 731–738.

See Also

[capthist](#)

Examples

```
plot(possummask)
plot(possumCH, tracks = TRUE, add = TRUE)
plot(traps(possumCH), add = TRUE)
lines(possumarea)
summary(possumCH)

## compare & average pre-fitted models
AIC(possum.model.0, possum.model.b, possum.model.h2)
model.average(possum.model.0, possum.model.b, possum.model.h2)

## Not run:
## Roughly estimate tag-loss error by dropping dubious histories
```

```
## i.e. restrict to "not previously tagged"
NPT <- !covariates(possumCH)$prev.tagged
possum.model.0.NPT <- secr.fit(subset(possumCH,NPT), mask =
  possummask, trace = FALSE)
predict(possum.model.0)[1,2]/ predict(possum.model.0.NPT)[1,2]
## ...about 9%

## End(Not run)
```

predict.secr

SECR Model Predictions

Description

Evaluate a spatially explicit capture–recapture model. That is, compute the ‘real’ parameters corresponding to the ‘beta’ parameters of a fitted model for arbitrary levels of any variables in the linear predictor.

Usage

```
## S3 method for class secr
predict(object, newdata = NULL, type = c("response", "link"), se.fit = TRUE,
  alpha = 0.05, savenew = FALSE, scaled = FALSE, ...)

## S3 method for class secrlist
predict(object, newdata = NULL, type = c("response", "link"), se.fit = TRUE,
  alpha = 0.05, savenew = FALSE, scaled = FALSE, ...)

## S3 method for class secr
detectpar(object, ..., byclass = FALSE)
```

Arguments

object	secr object output from <code>secr.fit</code> , or list of secr objects (secrlist)
newdata	optional dataframe of values at which to evaluate model
type	character; type of prediction required. The default ("response") provides estimates of the ‘real’ parameters.
se.fit	logical for whether output should include SE and confidence intervals
alpha	alpha level for confidence intervals
savenew	logical for whether newdata should be saved
scaled	logical for scaling of sigma and g0 (see Details)
...	other arguments
byclass	logical; if TRUE values are returned for each latent class in a mixture model, or class in a hybrid mixture (hcov) model

Details

The variables in the various linear predictors are described in [secr models](#) and listed for the particular model in the `vars` component of `object`.

Optional `newdata` should be a dataframe with a column for each of the variables in the model (see 'vars' component of `object`). If `newdata` is missing then a dataframe is constructed automatically. Default `newdata` are for a naive animal on the first occasion; numeric covariates are set to zero and factor covariates to their base (first) level.

Standard errors for parameters on the response (real) scale are by the delta method (Lebreton et al. 1992), and confidence intervals are backtransformed from the link scale.

The argument `scaled` applies only to the detection parameters `g0` and `sigma`, and only to models fitted with `scalesigma` or `scaleg0` switched on. If `scaled` is `TRUE` then each estimate is multiplied by its scale factor ($1/D^{0.5}$ and $1/\sigma^2$ respectively).

The value of `newdata` is optionally saved as an attribute.

`detectpar` is used to extract the detection parameter estimates from a simple model to pass to functions such as `esa.plot`. `detectpar` calls `predict.secr`. Parameters will be evaluated by default at base levels of the covariates, although this may be overcome by passing a one-line `newdata` to `predict` via the `...` argument. Groups and mixtures are a headache for `detectpar`: it merely returns the estimated detection parameters of the first group or mixture.

If the 'a0' parameterization has been used in `secr.fit` (i.e., `object$details$param == 3`) then `detectpar` automatically backtransforms (`a0`, `sigma`) to (`g0`, `sigma`) or (`lambda0`, `sigma`) depending on the value of `object$detectfn`.

Value

When `se.fit = FALSE`, a dataframe identical to `newdata` except for the addition of one column for each 'real' parameter. Otherwise, a list with one component for each row in `newdata`. Each component is a dataframe with one row for each 'real' parameter (`density`, `g0`, `sigma`, `b`) and columns as below

<code>link</code>	link function
<code>estimate</code>	estimate of real parameter
<code>SE.estimate</code>	standard error of the estimate
<code>lcl</code>	lower 100(1-alpha)% confidence limit
<code>ucl</code>	upper 100(1-alpha)% confidence limit

When `newdata` has only one row, the structure of the list is 'dissolved' and the return value is one data frame.

For `detectpar`, a list with the estimated values of detection parameters (e.g., `g0` and `sigma` if `detectfn = "halfnormal"`). In the case of multi-session data the result is a list of lists (one list per session).

Note

[predictDsurface](#) should be used for predicting density at many points from a model with spatial variation. This deals automatically with scaling of x- and y-coordinates, and is much faster than `predict.secr`. The resulting `Dsurface` object has its own plot method.

References

Lebreton, J.-D., Burnham, K. P., Clobert, J., Anderson, D. R. (1992) Modeling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecological Monographs* **62**, 67–118.

See Also

[secur.fit](#), [predictDsurface](#)

Examples

```
## load previously fitted secr model with trap response
## and extract estimates of real parameters for both
## naive (b = 0) and previously captured (b = 1) animals

predict (secrdemo.b, newdata = data.frame(b=0:1))

temp <- predict (secrdemo.b, newdata = data.frame(b=0:1),
  save = TRUE)
attr(temp, "newdata")

detectpar(secrdemo.0)
```

predictDsurface	<i>Predict Density Surface</i>
-----------------	--------------------------------

Description

Predict density at each point on a raster mask from a fitted secr model.

Usage

```
predictDsurface(object, mask = NULL, se.D = FALSE, cl.D = FALSE, alpha =
0.05)
```

Arguments

object	fitted secr object
mask	secur mask object
se.D	logical for whether to compute prediction SE
cl.D	logical for whether to compute confidence limits
alpha	alpha level for 100(1 – alpha)% confidence intervals

Details

Predictions use the linear model for density on the link scale in the fitted secr model ‘object’, or the fitted user-defined function, if that was specified in `secur.fit`.

If ‘mask’ is NULL then predictions are for the mask component of ‘object’.

SE and confidence limits are computed only if specifically requested. They are not available for user-defined density functions.

Density is adjusted automatically for the number of clusters in ‘mashed’ models (see [mash](#)).

Value

Object of class 'Dsurface' inheriting from 'mask'. Predicted densities are added to the covariate dataframe (attribute 'covariates') as column(s) with prefix 'D.' If the model uses multiple groups, multiple columns will be distinguished by the group name (e.g., "D.F" and "D.M"). If groups are not defined the column is named "D.0".

For multi-session models the value is a multi-session mask.

The pointwise prediction SE is saved as a covariate column prefixed 'SE.' (or multiple columns if multiple groups). Confidence limits are likewise saved with prefixes 'lcl.' and 'ucl.'.

See Also

[plot.Dsurface](#), [secur.fit](#), [predict.secur](#)

Examples

```
## use canned possum model
shorePossums <- predictDsurface(possum.model.Dsh2)
plot(shorePossums, plottype = "shaded", polycol = "blue", border = 100)
plot(traps(possumCH), detpar = list(col = "black"), add = TRUE)

## extract and summarise
summary(covariates(shorePossums))

## Not run:

## extrapolate to a new mask; add covariate needed by model; plot
regionmask <- make.mask(traps(possumCH), buffer = 1000, spacing = 10,
  poly = possumremovalarea)
dts <- distancetotrap(regionmask, possumarea)
covariates(regionmask) <- data.frame(d.to.shore = dts)
regionPossums <- predictDsurface(possum.model.Dsh2, regionmask,
  se.D = TRUE, cl.D = TRUE)
par(mfrow = c(1,2))
plot(regionPossums, plottype = "shaded", mesh = NA, breaks = 20)
plot(regionPossums, plottype = "contour", add = TRUE)
plot(regionPossums, covariate = "SE", plottype = "shaded",
  mesh = NA, breaks = 20)
plot(regionPossums, covariate = "SE", plottype = "contour",
  add = TRUE)

## confidence surfaces
plot(regionPossums, covariate = "lcl", breaks = seq(0,3,0.2),
  plottype = "shaded")
plot(regionPossums, covariate = "lcl", plottype = "contour",
  add = TRUE, levels = seq(0,2.7,0.2))
title("lower 95% surface")
plot(regionPossums, covariate = "ucl", breaks=seq(0,3,0.2),
  plottype = "shaded")
plot(regionPossums, covariate = "ucl", plottype = "contour",
  add = TRUE, levels = seq(0,2.7,0.2))
title("upper 95% surface")

## annotate with CI
par(mfrow = c(1,1))
```

```

plot(regionPossums, plottype = "shaded", mesh = NA, breaks = 20)
plot(traps(possumCH), add = TRUE, detpar = list(col = "black"))
spotHeight(regionPossums, dec = 1, pre = c("lcl","ucl"), cex = 0.8)

## perspective plot
pm <- plot(regionPossums, plottype = "persp", box = FALSE, zlim =
  c(0,3), phi=30, d = 5, col = "green", shade = 0.75, border = NA)
lines(trans3d (possumremovalarea$x, possumremovalarea$y,
  rep(1,nrow(possumremovalarea))), pmat = pm))

## compare estimates of region N
## grid cell area is 0.01 ha
sum(covariates(regionPossums)[,"D.0"]) * 0.01
region.N(possum.model.Dsh2, regionmask)

## End(Not run)

```

```
print.caphist          Print Detections
```

Description

Print method for caphist objects.

Usage

```
## S3 method for class caphist
print(x, ..., condense = FALSE, sortrows = FALSE)
```

Arguments

x	caphist object
...	arguments to pass to print.default
condense	logical, if true then use condensed format for 3-D data
sortrows	logical, if true then sort output by animal

Details

The condense option may be used to format data from proximity detectors in a slightly more readable form. Each row then presents the detections of an individual in a particular trap, dropping rows (traps) at which the particular animal was not detected.

Value

Invisibly returns a dataframe (condense = TRUE) or array in the format printed.

See Also

[print](#), [caphist](#)

Examples

```
## simulated detections of simulated default population of 5/ha
print(sim.caphist(make.grid(nx=5,ny=3)))
```

```
print.secr
```

```
Print secr Object
```

Description

Print results from fitting a spatially explicit capture–recapture model.

Usage

```
## S3 method for class secr
print(x, newdata = NULL, alpha = 0.05, deriv = FALSE, ...)
```

Arguments

x	secr object output from <code>secr.fit</code>
newdata	optional dataframe of values at which to evaluate model
alpha	alpha level
deriv	logical for calculation of derived D and esa
...	other arguments (not used currently)

Details

Results are potentially complex and depend upon the analysis (see below). Optional `newdata` should be a dataframe with a column for each of the variables in the model. If `newdata` is missing then a dataframe is constructed automatically. Default `newdata` are for a naive animal on the first occasion; numeric covariates are set to zero and factor covariates to their base (first) level. Confidence intervals are 100 (1 – alpha) % intervals.

call	the function call
time	date and time fitting started
N animals	number of distinct animals detected
N captures	number of detections
N occasions	number of sampling occasions
N detectors	number of detectors
Detector type	‘single’, ‘multi’, ‘proximity’ etc.
Model	model formula for each ‘real’ parameter
Fixed	fixed real parameters
Detection fn	detection function type (halfnormal or hazard-rate)
N parameters	number of parameters estimated
Log likelihood	log likelihood
AIC	Akaike’s information criterion
AICc	AIC with small sample adjustment (Burnham and Anderson 2002)
Beta parameters	coef of the fitted model, SE and confidence intervals
vcov	variance-covariance matrix of beta parameters
Real parameters	fitted (real) parameters evaluated at base levels of covariates
Derived parameters	derived estimates of density and mean effective sampling area

Derived parameters (see [derived](#)) are computed only for models fitted by maximizing the conditional likelihood (CL = TRUE).

References

Burnham, K. P. and Anderson, D. R. (2002) *Model selection and multimodel inference: a practical information-theoretic approach*. Second edition. New York: Springer-Verlag.

See Also

[AIC.secr](#), [secr.fit](#)

Examples

```
## load & print previously fitted null (constant parameter) model
print(secrdemo.0)

## Not run:
print(secrdemo.CL, deriv = TRUE)

## End(Not run)
```

print.traps

Print Detectors

Description

Print method for traps objects.

Usage

```
## S3 method for class traps
print(x, ...)
```

Arguments

x	traps object
...	arguments to pass to print.default

See Also

[print](#), [traps](#)

Examples

```
print(make.grid(nx = 5, ny = 3))
```

randomHabitat	<i>Random Landscape</i>
---------------	-------------------------

Description

The Modified Random Cluster algorithm of Saura and Martinez-Millan (2000) is used to generate a mask object representing patches of contiguous ‘habitat’ cells (pixels) within a ‘non-habitat’ matrix (‘non-habitat’ cells are optionally dropped). Spatial autocorrelation (fragmentation) of habitat patches is controlled via the parameter ‘p’. ‘A’ is the expected proportion of ‘habitat’ cells.

Usage

```
randomHabitat(mask, p = 0.5, A = 0.5, directions = 4, minpatch = 1,
drop = TRUE, covname = "habitat", plt = FALSE)
```

Arguments

mask	secr mask object to use as template
p	parameter to control fragmentation
A	parameter for expected proportion of habitat
directions	integer code for adjacency (rook’s move 4 or queen’s move 8)
minpatch	integer minimum size of patch
drop	logical for whether to drop non-habitat cells
covname	character name of covariate when drop = FALSE
plt	logical for whether intermediate stages should be plotted

Details

Habitat is simulated within the region defined by the cells of `mask`. The region may be non-rectangular.

The algorithm comprises stages A-D:

- A. Randomly select proportion p of cells from the input mask
- B. Cluster selected cells with any immediate neighbours as defined by `directions`
- C. Assign clusters to ‘non-habitat’ (probability 1–A) and ‘habitat’ (probability A)
- D. Cells not in any cluster from (B) receive the habitat class of the majority of the ≤ 8 adjacent cells assigned in (C), if there are any; otherwise they are assigned at random (with probabilities 1–A, A). Fragmentation declines, and cluster size increases, as p increases up to the ‘percolation threshold’ which is about 0.59 in the default case (Saura and Martinez-Millan 2000 p.664).

If `minpatch > 1` then habitat patches of less than `minpatch` cells are converted to non-habitat, and vice versa. This is likely to cause the proportion of habitat to deviate from A.

If `drop = FALSE` a binary-valued (0/1) covariate with the requested name is included in the output mask, which has the same extent as the input. Otherwise, non-habitat cells are dropped and no covariate is added.

Value

An object of class ‘mask’. By default (`covariate = FALSE`) this has fewer rows (points) than the input mask.

Note

Single-linkage clustering and adjacency operations use functions ‘clump’ and ‘adjacency’ of the package **raster**; ‘clump’ also requires package **igraph0** (**raster** still uses this deprecated version). Optional plotting of intermediate stages (`plt = TRUE`) uses the plot method for rasterLayers in **raster**.

A non-rectangular input mask is padded out to a rectangular rasterLayer for operations in **raster**; cells added as padding are ultimately dropped.

The procedure of Saura and Martinez-Millan (2000) has been followed as far as possible, but this implementation may not match theirs in every detail.

This implementation allows only two habitat classes. The parameter *A* is the *expected* value of the habitat proportion; the *realised* habitat proportion may differ quite strongly from *A*, especially for large *p* (e.g., $p > 0.5$).

Anisotropy is not implemented; it would require skewed adjacency filters (i.e. other than rook- or queen-move filters) that are not available in **raster**.

References

Hijmans, R. J. and van Etten, J. (2011) raster: Geographic analysis and modeling with raster data. R package version 1.9-33. <http://CRAN.R-project.org/package=raster>.

Saura, S. and Martinez-Millan, J. (2000) Landscape patterns simulation with a modified random clusters method. *Landscape Ecology*, **15**, 661–678.

See Also

[mask](#), [make.mask](#), [sim.popn](#)

Examples

```
## Not run:

tempmask <- make.mask(nx = 100, ny = 100, spacing = 20)
mrcmask <- randomHabitat(tempmask, p = 0.4, A = 0.4)
plot(mrcmask, dots = FALSE, col = "green")
pop <- sim.popn(10, mrcmask, model2D = "IHP")
plot(pop, add = TRUE)

## plot intermediate steps A, C, D
opar <- par(mfrow = c(1,3))
mrcmask <- randomHabitat(tempmask, p = 0.4, A = 0.4, plt = TRUE)
par(opar)

## keep non-habitat cells
mrcmask <- randomHabitat(tempmask, p = 0.4, A = 0.4, drop = FALSE)
plot(mrcmask, covariate = "habitat", dots = FALSE,
     col = c("grey", "green"), breaks = 2)

## effect of purging small patches
```

```

opar <- par(mfrow=c(1,2))
mrcmask <- randomHabitat(tempmask, p = 0.4, A = 0.4, minpatch = 1)
plot(mrcmask, dots = FALSE, col = "green")
mrcmask <- randomHabitat(tempmask, p = 0.4, A = 0.4, minpatch = 5)
plot(mrcmask, dots = FALSE, col = "green")
par(opar)

## End(Not run)

```

rbind.caphist

Combine caphist Objects

Description

Form a single caphist object from two or more compatible caphist objects.

Usage

```

MS.caphist(...)
rbind.caphist(..., renumber = TRUE, pool = NULL, verify = TRUE)

```

Arguments

...	one or more caphist objects or lists of caphist objects
renumber	logical, if TRUE assigns new composite individual ID
pool	list of vectors of session indices or names
verify	logical, if TRUE the output is checked with verify

Details

MS.caphist concatenates the sessions in the input objects as one multi-session caphist object. Each session may use a different detector array (traps) and a different number of sampling occasions. Session names are derived implicitly from the inputs, or may be given explicitly (see Examples); if any name is duplicated, all will be replaced with sequential integers. The ... argument may include lists of single-session caphist objects.

rbind.caphist is used to pool capture data from more than one session into a single session. The number of rows in the output session is the sum of the number of rows in the input sessions (i.e. each animal appears in only one session).

For rbind.caphist, the ... argument may be

1. A series of single-session caphist objects, which are pooled to form one new single-session object, or
2. One multi-session caphist object, when the components of 'pool' are used to define combinations of old sessions; e.g. pool = list(A=1:3, B=4:5) produces an object with two sessions (named 'A' and 'B') from 5 old ones. If pool = NULL (the default) then all the sessions are pooled to form one single-session caphist object.

Sessions to be pooled must have the same number of capture occasions and use the same detectors (traps). At present there is no function to pool caphist data from different detector arrays. For this it is recommended that you merge the input files and rebuild the caphist object from scratch.

The names of arguments other than ... should be given in full. If renumber = TRUE (the default), the session name will be prepended to the animal ID before pooling: animals 1, 2 and 3 in Session A will become A.1, A.2 and A.3, while those in Session B become B.1, B.2 and B.3. This ensures that each animal has a unique ID. If renumber = FALSE, the animal IDs will not change.

Other attributes (xy, signal) are handled appropriately. If the signal threshold (attribute 'cutval') differs among sessions, the maximum is used and detections of lower signal strength are discarded.

The use of rbind.caphist to concatenate sessions is now deprecated: use MS.caphist.

Although MS.caphist and rbind.caphist look like S3 methods, they aren't. The full function names must be used.

Value

For MS.caphist, a multi-session object of class 'caphist' with number of sessions equal to the number of sessions in the objects in ...

For rbind.caphist, either an object of class 'caphist' with one session formed by pooling the sessions in the input objects, or a caphist object with more than one session, each formed by pooling groups of sessions defined by the 'pool' argument. Covariate columns that appear in all input sessions are retained in the output.

See Also

[caphist](#), [subset.caphist](#)

Examples

```
## extend a multi-session object
## we fake the 2010 data by copying from 2005
## note how we name the appended session
fakeCH <- ovenCH[["2005"]]
MS.caphist(ovenCH, "2010" = fakeCH)

## simulate sessions for 2-part mixture
temptrap <- make.grid(nx = 8, ny = 8)
temp1 <- sim.caphist(temptrap,
  detectpar = list(g0 = 0.1, sigma = 40))
temp2 <- sim.caphist(temptrap,
  detectpar = list(g0 = 0.2, sigma = 20))

## concatenate sessions
temp3 <- MS.caphist(large.range = temp1, small.range = temp2)
summary(temp3)
## session-specific movement statistic
RPSV(temp3)

## pool sessions
temp4 <- rbind.caphist(temp1, temp2)
summary(temp4)
RPSV(temp4)

## compare mixture to sum of components
```

```

## note detectors visited is not additive for multi detector
## nor is detectors used
(summary(temp1)$counts + summary(temp2)$counts) -
  summary(temp4)$counts

## Not run:
## compare two different model fits
tempfit3 <- secr.fit(temp3, CL = TRUE, buffer = 150, model = list
  (g0 ~ session, sigma ~ session), trace = FALSE)
predict(tempfit3)

## if we can tell which animals had large ranges...
covariates(temp4) <- data.frame(range.size = rep(c("large",
  "small"), c(nrow(temp1), nrow(temp2))))
tempfit4 <- secr.fit(temp4, CL = TRUE, buffer = 150, model = list
  (g0 ~ range.size, sigma ~ range.size), trace = FALSE)
predict(tempfit4, newdata = data.frame(range.size = c("large",
  "small")))

## End(Not run)

```

rbind.popn

Combine popn Objects

Description

Form a single popn object from two or more existing popn objects, or a list.

Usage

```
rbind.popn(..., renumber = TRUE)
```

Arguments

...	one or more popn objects, or a single list of popn objects
renumber	logical for whether row names in the new object should be set to the row indices

Details

An attempt to combine objects will fail if they conflict in their `covariates` attributes. This is not an S3 method.

Value

An object of class `popn` with number of rows equal to the sum of the rows in the input objects.

See Also

[popn](#)

Examples

```
## generate and combine two subpopulations
trapobj <- make.grid()
p1 <- sim.popn(D = 3, core = trapobj)
p2 <- sim.popn(D = 2, core = trapobj)
covariates(p1) <- data.frame(size = rep("small", nrow(p1)))
covariates(p2) <- data.frame(size = rep("large", nrow(p2)))
pop <- rbind.popn(p1,p2)
```

rbind.traps	<i>Combine traps Objects</i>
-------------	------------------------------

Description

Form a single traps object from two or more existing traps objects.

Usage

```
## S3 method for class traps
rbind(..., renumber = TRUE, addusage)
```

Arguments

...	one or more traps objects
renumber	logical for whether row names in the new object should be set to the row indices
addusage	integer vector; if specified and the inputs lack usage attributes then a binary usage attribute will be generated with the given number of occasions for each input

Details

An attempt to combine objects will fail if they conflict in their `covariates` attributes. Differences in the usage attribute are handled as follows. If usage is missing for all inputs and `addusage = TRUE` is specified then usage codes are generated automatically (positive for the specified number of occasions). If usage is specified for one input but not other(s), the missing values are constructed assuming all detectors were operated for the maximum number of occasions in any input. If inputs differ in the number of 'usage' columns (occasions), the smaller matrices are padded with 'zero' columns to the maximum number of columns in any input.

Value

An object of class `traps` with number of rows equal to the sum of the rows in the input objects.

See Also

[traps](#), [subset.traps](#)

Examples

```
## nested hollow grids
hollow1 <- make.grid(nx = 8, ny = 8, hollow = TRUE)
hollow2 <- shift(make.grid(nx = 6, ny = 6, hollow = TRUE),
  c(20, 20))
nested <- rbind(hollow1, hollow2)
plot(nested, gridlines = FALSE, label = TRUE)
```

read.caphist

*Import or export data***Description**

Data in the DENSITY formats for capture data and trap layouts may be imported as a caphist object for analysis in **seer**. Data in a caphist object may also be exported in these formats for use in DENSITY (Efford 2009). read.caphist inputs data from text files and constructs a caphist object in one step using the functions read.traps and make.caphist.

Usage

```
read.caphist(captfile, trapfile, detector = "multi", fmt = c("trapID", "XY"),
  nooccasions = NULL, covnames = NULL, trapcovnames = NULL,
  cutval = NULL, verify = TRUE, noncapt = "NONE", ...)

write.caphist(object, filestem = deparse(substitute(object)),
  sess = "1", ndec = 2, covariates = FALSE, ...)
```

Arguments

captfile	name of capture data file
trapfile	name of trap layout file
detector	character value for detector type ('single', 'multi', 'proximity', etc.)
fmt	character value for capture format ('trapID' or 'XY')
nooccasions	number of occasions on which detectors were operated
covnames	character vector of names for individual covariate fields in 'captfile'
trapcovnames	character vector of names for detector covariate fields in 'trapfile'
cutval	numeric, threshold of signal strength for 'signal' detector type
verify	logical if TRUE then the resulting caphist object is checked with verify
noncapt	character value; animal ID used for 'no captures'
...	other arguments passed to read.table, write.table and count.fields
object	caphist object with the captures and trap locations to export
filestem	character value used to form names of output files
sess	character session identifier
ndec	number of digits after decimal point for x,y coordinates
covariates	logical or a character vector of covariates to export

Details

read.caphist

capfile should record one detection on each line. A detection comprises a session identifier, animal identifier, occasion number (1, 2,...,S where S is the number of occasions), and a detector identifier (fmt = "trapID") or X- and Y-coordinates (fmt = "XY"). Each line of trapfile has a detector identifier and its X- and Y-coordinates. In either file type the identifiers (labels) may be numeric or alphanumeric values. Values should be separated by blanks or tabs unless (i) the file name ends in '.csv' or (ii) sep = "," is passed in ..., in which case commas are assumed. Blank lines and any text after '#' are ignored. For further details see [../doc/sectr-datainput.pdf](#), [make.caphist](#) and 'Data formats' in the help for DENSITY.

The noccasions argument is needed only if there were no detections on the final occasion; it may be a positive integer (constant across all sessions) or a vector of positive integers, one for each session. covnames is needed only when capfile includes individual covariates. Likewise for trapcovnames and detector covariates. Values of noccasions and covnames are passed directly to make.caphist, and trapcovnames is passed to read.traps.

A session identifier is required even for single-session capture data. In the case of data from multiple sessions, trapfile may be a vector of file names, one for each session.

Additional data may be coded as for DENSITY. Specifically, capfile may include extra columns of individual covariates, and trapfile may code varying usage of each detector over occasions and detector covariates.

write.caphist

For a single-session analysis, DENSITY requires one text file of capture data and one text file with detector coordinates (the 'trap layout' file). write.caphist constructs names for these files by appending 'capt.txt' and 'trap.txt' to filestem which defaults to the name of the caphist object. If filestem is empty then output goes to the console.

If object contains multiple sessions with differing traps then a separate trap layout file is exported for each session and each file name includes the session name. All capture data are exported to one file regardless of the number of sessions. The DENSITY format used is 'TrapID' except when x-y coordinates are specific to a detection (i.e., polygon and transect detectors).

covariates controls the export of both detector and individual covariates. If it is TRUE or FALSE then it is taken to apply to both. A vector of covariate names is used as a lookup for both detector and caphist covariate fields: covariates are exported if their name matches; this may be used to export any combination of (uniquely named) detector and caphist covariates.

Existing text files will be replaced without warning. In the case of a multi-session caphist file, session names are taken from object rather than sess. Session names are truncated to 17 characters with blanks and commas removed.

To export data in comma-delimited ('.csv') format, pass sep = "," in The resulting files have extension '.csv' rather than '.txt' and may be opened with spreadsheet software.

Note

The original DENSITY formats accommodate 'single', 'multi' and 'proximity' data. Data for the newer detector types ('count', 'signal', 'polygon', 'polygonX', 'transect', 'transectX' and 'telemetry') may be input using the DENSITY formats with minor variations. They may also be output with write.caphist, but a warning is given that DENSITY does not understand these data types. See [detector](#) and [../doc/sectr-datainput.pdf](#) for more.

The ... argument is useful for some special cases. For example, if your input uses ';' instead of '#' for comments (; is also valid in DENSITY) then set comment.char = ";" in read.caphist.

In a similar fashion, write comma- or tab-separated values by setting `sep = ","` or `sep = "\t"` respectively.

The arguments of `count.fields` are a subset of those of `read.table` so ... is limited to any of `{sep, quote, skip, blank.lines.skip, comment.char}`.

If you fail to set `fmt` correctly in `read.caphist` then the error message from `verify` may be uninformative.

References

Efford, M. G. (2012) *DENSITY 5.0: software for spatially explicit capture–recapture*. Department of Mathematics and Statistics, University of Otago, Dunedin, New Zealand <http://www.otago.ac.nz/density>.

See Also

[read.telemetry](#), [read.traps](#), [make.caphist](#), [write.captures](#), [write.traps](#), [read.table](#)

Examples

```
## export ovenbird capture histories
## the files "ovenCHcapt.txt" and "ovenCHtrap.txt" are
## placed in the current folder (check with dir())

write.caphist(ovenCH)
```

read.mask

Read Habitat Mask From File

Description

Read coordinates of points on a habitat mask from a text file.

Usage

```
read.mask(file = NULL, data = NULL, spacing = NULL, columns = NULL, ...)
```

Arguments

<code>file</code>	character string with name of text file
<code>data</code>	dataframe
<code>spacing</code>	spacing of grid points in metres
<code>columns</code>	character vector naming the columns to save as covariates
<code>...</code>	other arguments to pass to <code>read.table</code>

Details

For file input, the x and y coordinates are usually the first two values on each line, separated by white space. If the file starts with a line of column headers and 'header = TRUE' is passed to read.table in the ... argument then 'x' and 'y' need not be the first two fields.

data is an alternative input route if the x and y coordinates already exist in R as columns in a dataframe. Only one of data or file should be specified.

The grid cell size spacing should be provided if known. If it is not provided then an attempt is made to infer it from the minimum spacing of points. This can be slow and may demand more memory than is available. In rare cases (highly fragmented masks) it may also yield the wrong answer.

From 2.3.0, additional columns in the input are saved as covariates. The default (columns = NULL) is to save all columns.

Value

object of class mask with type 'user'

Note

read.mask creates a single-session mask. If used in `secur.fit` with a multi-session capthist object a single-session mask will be replicated to the number of sessions. This is appropriate if all sessions relate to the same geographical region. If the 'sessions' relate to different regions you will need to construct a multi-session mask as a list of single-session masks (e.g. `mask <- list(mask1, mask2, mask3)`).

The package **SPACECAP** uses a 'state-space' file in 'csv' text format with columns 'X_COORD', 'Y_COORD' and 'HABITAT'. Such a file may be input directly to read.mask; rows with HABITAT != 1 are dropped.

See Also

[mask](#)

Examples

```
## Replace file name with a valid local name and remove #
# read.mask (file = "c:\\myfolder\\mask.txt",
# spacing = 3, header = TRUE)
## "mask.txt" should have lines like this
# x   y
# 265 265
# 268 265
# ...
```

read.telemetry

Import Radio Fixes

Description

A shortcut function for constructing a telemetry capthist object from a file of telemetry fixes. Telemetry data are generally similar in format to polygon data (see [addTelemetry](#)).

Usage

```
read.telemetry(file = NULL, data = NULL, noccasions = NULL, covnames = NULL,  
verify = TRUE, ...)
```

Arguments

file	character name of text file
data	data.frame containing fixes
noccasions	number of occasions (optional)
covnames	character vector of names for individual covariates
verify	logical for whether to check input
...	other arguments passed to countfields, read.table etc.

Details

Input data may be in a text file (argument `file`) or a dataframe (argument `data`). Data should be in the XY format for that function i.e. the first 5 columns should be Session, ID, Occasion, X, Y. Further columns are treated as individual covariates.

No ‘traps’ input is required. A traps object is generated automatically from the convex hull of the fixes, inflated by a tiny fraction ($1e-8$) in all directions to ensure all fixes lie inside.

Value

An secr capthist object including attribute ‘detectedXY’ with the x-y coordinates, and a ‘traps’ object with detector type = ‘telemetry’

See Also

[addTelemetry](#), [read.caphist](#)

Examples

```
## Not run:  
setwd(D:/bears/alberta)  
## peak at raw data  
head(readLines(gps2008.txt))  
gps2008CH <- read.telemetry("gps2008.txt")  
plot(gps2008CH, gridsp = 10000)  
head(gps2008CH)  
secr.fit(gps2008CH, start = log(4000), detectfn = HHN)  
  
## End(Not run)
```

read.traps

Read Detector Data From File

Description

Construct an object of class `traps` with detector locations from a text file or data frame. Usage per occasion and covariates may be included.

Usage

```
read.traps(file = NULL, data = NULL, detector = "multi", covnames =
NULL, binary.usage = TRUE, ...)
```

Arguments

<code>file</code>	character string with name of text file
<code>data</code>	data frame of detector coordinates
<code>detector</code>	character string for detector type
<code>covnames</code>	character vector of names for detector covariate fields
<code>binary.usage</code>	logical; if FALSE will read usage fields as continuous effort
<code>...</code>	other arguments to pass to <code>read.table</code>

Details

Reads a text file in which the first column is a character string (see Note) identifying a detector and the next two columns are its x- and y-coordinates, separated by white space. The coordinates optionally may be followed by a string of codes '0' or '1' indicating whether the detector was operated on each occasion. Trap-specific covariates may be added at the end of the line preceded by '/'. This format is compatible with the Density software (Efford 2012), except that all detectors are assumed to be of the same type (usage codes greater than 1 are treated as 1), and more than one covariate may be specified.

If `file` is missing then x-y coordinates will be taken instead from `data`. This option does not allow for covariates or usage, but they maybe added later.

`detector` specifies the behaviour of the detector following Efford et al. (2009). 'single' refers to a trap that is able to catch at most one animal at a time; 'multi' refers to a trap that may catch more than one animal at a time. For both 'single' and 'multi' detectors a trapped animals can appear at only one detector per occasion. Detectors of type 'proximity', such as camera traps and hair snags for DNA sampling, allow animals to be recorded at several detectors on one occasion. See [detector](#) for further detector types.

For polygon and transect detector types, each line corresponds to a vertex and starts with a code to identify the polygon or transect (hence the same code appears on 2 or more lines). For input from a dataframe the code column should be named 'polyID'. Also, usage and covariates are for the polygon or transect as a whole and not for each vertex. Usage and covariates are appended to the end of the line, just as for point detectors (traps etc.). The usage and covariates for each polygon or transect are taken from its first vertex. Although the end-of-line strings of other vertices are not used, they cannot be blank and should use the same spacing as the first vertex.

Value

An object of class `traps` comprising a data frame of x- and y-coordinates, the detector type ('single', 'multi', 'proximity', 'count', 'polygon' etc.), and possibly other attributes.

Note

Detector names, which become row names in the `traps` object, should not contain underscores.

References

Efford, M. G. (2012) *DENSITY 5.0: software for spatially explicit capture–recapture*. Department of Mathematics and Statistics, University of Otago, Dunedin, New Zealand. <http://www.otago.ac.nz/density>.

Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture-recapture: likelihood-based methods. In: D. L. Thomson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer, New York. Pp. 255–269.

See Also

[traps](#), [make.grid](#), [detector](#)

Examples

```
## Not run:
## Replace file name with a valid local name
read.traps ("c:/myfolder/mytraps.txt", detector = "proximity")
## "mytraps.txt" should have lines like this
# 1    365    365
# 2    365    395
# 3    365    425
# etc.

## End(Not run)
```

rectangularMask

Rectangular Mask

Description

Convert a mask or `Dsurface` with an irregular outline into a mask or `Dsurface` with a rectangular outline and the same bounding box. This enables contour plotting.

Usage

```
rectangularMask(mask)
```

Arguments

mask object of class mask or `Dsurface`

Details

The covariates of new points are set to missing. The operation may be reversed (nearly) with `subset(rectmask, attr(rectmask, "OK"))`.

The results are unpredictable if the mask has been rotated.

Value

A rectangular mask or `Dsurface` with the same 'area', 'boundingbox', 'meanSD', 'polygon' and 'polygon.habitat' attributes as `mask`. A logical vector attribute 'OK' is added identifying the points inherited from `mask`.

See Also

[plot.Dsurface](#)

Examples

```
rMask <- rectangularMask(possummask)
plot(rMask)
plot(possummask, add = TRUE, col = "blue")
```

reduce

Combine Columns

Description

Combine columns in a matrix-like object to create a new data set using the first non-zero value.

Usage

```
reduce (object, ...)
## Default S3 method:
reduce(object, columns, ...)
```

Arguments

<code>object</code>	object that may be coerced to a matrix
<code>columns</code>	list in which each component is a vector of subscripts for columns to be pooled
<code>...</code>	other arguments (not used currently)

Details

The first element of `columns` defines the columns of `object` for the first new column, the second for the second new column etc. This is a generic method. More useful methods exist for `capthist` and `traps` objects.

Value

A matrix with number of columns equal to `length(columns)`.

See Also

[caphist](#), [reduce.caphist](#), [reduce.traps](#)

Examples

```
## matrix with random zeros
temp <- matrix(runif(20), nc = 4)
temp[sample(20,10)] <- 0
temp

reduce(temp, list(1:2, 3:4))
```

reduce.caphist

Combine Occasions Or Detectors

Description

Use these methods to combine data from multiple occasions or multiple detectors in a caphist or traps object, creating a new data set and possibly converting between detector types.

Usage

```
## S3 method for class traps
reduce(object, newtraps = NULL, span = NULL, rename = FALSE, ...)

## S3 method for class caphist
reduce(object, newtraps = NULL, span = NULL, rename =
  FALSE, newoccasions = NULL, by = 1, outputdetector =
  detector(traps(object)), select = "last", dropunused = TRUE, verify
  = TRUE, sessions = NULL, ...)
```

Arguments

object	traps or caphist object
newtraps	list in which each component is a vector of subscripts for detectors to be pooled
span	numeric maximum span in metres of new detector
rename	logical; if TRUE the new detectors will be numbered from 1, otherwise a name will be constructed from the old detector names
newoccasions	list in which each component is a vector of subscripts for occasions to be pooled
by	number of old occasions in each new occasion
outputdetector	character value giving detector type for output
select	character value for method to resolve conflicts
dropunused	logical, if TRUE any never-used detectors are dropped
verify	logical, if TRUE the verify function is applied to the output
sessions	vector of session indices or names (optional)
...	other arguments passed by reduce.traps to hclust

Details

reduce.traps –

Grouping may be specified explicitly via `newtraps`, or implicitly by `span`.

If `span` is specified a clustering of detector sites will be performed with `hclust` and detectors will be assigned to groups with `cutree`. The default algorithm in `hclust` is complete linkage, which tends to yield compact, circular clusters; each will have diameter less than or equal to `span`.

reduce.caphist –

The first component of `newoccasions` defines the columns of object for new occasion 1, the second for new occasion 2, etc. If `newoccasions` is NULL then all occasions are output. Subscripts in a component of `newoccasions` that do not match an occasion in the input are ignored. When the output detector is one of the trap types ('single', 'multi'), reducing capture occasions can result in locational ambiguity for individuals caught on more than one occasion, and for single-catch traps there may also be conflicts between individuals at the same trap. The method for resolving conflicts among 'multi' detectors is determined by `select` which should be one of 'first', 'last' or 'random'. With 'single' detectors `select` is ignored and the method is: first, randomly select* one trap per animal per day; second, randomly select* one animal per trap per day; third, when collapsing multiple days use the first capture, if any, in each trap.

Usage data in the `traps` attribute are also pooled if present; usage is summed over contributing occasions and detectors.

* i.e., in the case of a single capture, use that capture; in the case of multiple 'competing' captures draw one at random.

If `newoccasions` is not provided then old occasions are grouped into new occasions as indicated by the `by` argument. For example, if there are 15 old occasions and `by = 5` then new occasions will be formed from occasions 1:5, 6:10, and 11:15. A warning is given when the number of old occasions is not a multiple of `by` as then the final new occasion will comprise fewer old occasions.

A special use of the `by` argument is to combine all occasions into one for each session in a multi-session dataset. This is done by setting `by = "all"`.

Value

reduce.traps –

An object of class `traps` with detectors combined according to `newtraps` or `span`. The new object has an attribute 'newtrap', a vector of length equal to the original number of detectors. Each element in `newtrap` is the index of the new detector to which the old detector was assigned (see Examples).

The object has no `clusterID` or `clustertrap` attribute.

reduce.caphist –

An object of class `caphist` with number of occasions (columns) equal to `length(newoccasions)`; detectors may simultaneously be aggregated as with `reduce.traps`. The detector type is inherited from object unless a new type is specified with the argument `outputdetector`.

Warning

The argument named 'columns' was renamed to 'newoccasions' in version 2.5.0, and arguments were added to `reduce.caphist` for the pooling of detectors. Old code should work as before if all arguments are named and 'columns' is changed.

Note

The reduce method may be used to re-assign the detector type (and hence data format) of a capthist object without combining occasions or detectors. Set the object and outputdetector arguments and leave others at their default values.

Automated clustering can produce unexpected outcomes. In particular, there is no guarantee that clusters will be equal in size. You should inspect the results of reduce.traps especially when using span.

reduce.traps is not implemented for polygons or transects.

See Also

[capthist](#), [subset.capthist](#), [hclust](#), [cutree](#)

Examples

```
tempcapt <- sim.capthist (make.grid(nx = 6, ny = 6), nocc = 6)
class(tempcapt)

pooled.tempcapt <- reduce(tempcapt, newocc = list(1,2:3,4:6))
summary (pooled.tempcapt)

pooled.tempcapt2 <- reduce(tempcapt, by = 2)
summary (pooled.tempcapt2)

## collapse multi-session dataset to single-session open population
onesess <- join(reduce(ovenCH, by = "all"))
summary(onesess)

# group detectors within 60 metres
plot (traps(captdata))
plot (reduce(captdata, span = 60), add = TRUE)

# plot linking old and new
old <- traps(captdata)
new <- reduce(old, span = 60)
newtrap <- attr(new, "newtrap")
plot(old, border = 10)
plot(new, add = TRUE, detpar = list(pch = 16), label = TRUE)
segments (new$x[newtrap], new$y[newtrap], old$x, old$y)
```

region.N

Population Size

Description

Estimate the expected and realised populations in a region, using a fitted spatially explicit capture–recapture model. Density is assumed to follow an inhomogeneous Poisson process in two dimensions. Expected N is the volume under a fitted density surface; realised N is the number of individuals within the region for the current realisation of the process (cf Johnson et al. 2010; see Note).

Usage

```
region.N (object, region = NULL, spacing = NULL, session = NULL,
         group = NULL, se.N = TRUE, alpha = 0.05, loginterval = TRUE,
         keep.region = FALSE, nlowerbound = TRUE, RN.method = "poisson",
         pooled.RN = FALSE)
```

Arguments

object	secr object output from <code>secr.fit</code>
region	mask object defining the possibly non-contiguous region for which population size is required, or vector polygon(s) (see Details)
spacing	spacing between grid points (metres) if region mask is constructed on the fly
session	character session
group	group – for future use
se.N	logical for whether to estimate $SE(\hat{N})$ and confidence interval
alpha	alpha level for confidence intervals
loginterval	logical for whether to base interval on $\log(N)$
keep.region	logical for whether to save the raster region
nlowerbound	logical for whether to use n as lower bound when computing log interval for realised N
RN.method	character string for method used to calculate realised N (RN) and its sampling variance. ‘poisson’ or ‘MSPE’.
pooled.RN	logical; if TRUE the estimate of realised N for a multi-session model is computed as if for combined sampling with all detectors (see Details)

Details

If the density surface of the fitted model is flat (i.e. `object$model$D == ~1` or `object$CL == TRUE`) then $E(N)$ is simply the density multiplied by the area of region, and the standard error is also a simple product. In the conditional likelihood case, the density and standard error are obtained by first calling `derived`.

If, on the other hand, the density has been modelled then the density surface is predicted at each point in region and $E(N)$ is obtained by discrete summation. Pixel size may have a minor effect on the result - check by varying `spacing`. Sampling variance is determined by the delta method, using a numerical approximation to the gradient of $E(N)$ with respect to each beta parameter.

The region may be defined as a mask object (if omitted, the mask component of `object` will be used). Alternatively, `region` may be a `SpatialPolygonsDataFrame` object (see package `sp`), and a raster mask will be constructed on the fly using the specified `spacing`. See `make.mask` for an example importing a shapefile to a `SpatialPolygonsDataFrame`.

Note: The option of specifying a polygon rather than a mask for `region` does not work if the density model in `object` uses spatial covariates: these must be passed in a mask.

Group-specific N has yet to be implemented.

Population size is adjusted automatically for the number of clusters in ‘mashed’ models (see `mask`). However, the population size reported is that associated with a single cluster unless `regionmask` is specified.

pooled.RN = TRUE handles the special case of a multi-session model in which the region of interest spans several patches (i.e., sampling in each session is localised within region. This is not yet fully implemented.

Use `par.region.N` to apply `region.N` in parallel to several models.

Value

If `se.N` = FALSE, the numeric value of expected population size, otherwise, a dataframe with rows 'E.N' and 'R.N', and columns as below.

estimate	estimate of N (expected or realised, depending on row)
SE.estimate	standard error of estimated N
lcl	lower 100(1-alpha)% confidence limit
ucl	upper 100(1-alpha)% confidence limit
n	total number of individuals detected

For multiple sessions, the value is a list with one component per session, each component as above.

If `keep.region` = TRUE then the mask object for the region is saved as the attribute 'region' (see Examples).

Note

The estimates of expected and realised N are generally very similar, or identical, but realised N usually has lower estimated variance, especially if the n detected animals comprise a large fraction.

Realised N is given by $R(N) = n + \int_B (1-p(X))D(X)dX$ (the second term represents undetected animals). This definition strictly holds only when region B is at least as large as the region of integration used to fit the model; only with this condition can we be sure all n detected animals have centres within B . The sampling variance of $R(N)$, technically a mean square prediction error (Johnson et al. 2010), is approximated by summing the expected Poisson variance of the true number of undetected animals and a delta-method estimate of its sampling variance, obtained as for $E(N)$.

By default, a shortcut is used to compute the sampling variance of realised N . With this option (`RN.method` = 'poisson') the sampling variance is the sampling variance of $E(N)$ minus the estimate of $E(N)$ (representing Poisson process variance). This has been found to give reliable confidence intervals in simulations (Efford and Fewster 2012).

If `RN.method` is neither 'MSPE' nor 'poisson' (ignoring case) then the estimate of expected N is also used for realised N , and the 'poisson' shortcut variance is used.

Johnson et al. (2010) use the notation $\mu(B)$ for expected N and $N(B)$ for realised N in region B .

In our case, the relative SE (CV) of $\mu(B)$ is the same as that for the estimated density D if D has been estimated using the Poisson distribution option in `secre.fit` or `derived()`. If D has been estimated with the binomial distribution option, its relative SE for simple models will be the same as that of $N(B)$, assuming that B is the full extent of the original mask.

References

- Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.
- Efford, M. G. and Fewster, R. M. (2013) Estimating population size by spatially explicit capture–recapture. *Oikos* **122**, 918–928.

Johnson, D. S., Laake, J. L. and Ver Hoef, J. M. (2010) A model-based approach for making ecological inference from distance sampling data. *Biometrics* **66**, 310–318.

See Also

[secre.fit](#), [derived](#), [make.mask](#), [expected.n](#), [closedN](#)

Examples

```
region.N(secrdemo.0)

## Not run:
## a couple more routine examples
region.N(secrdemo.CL)
region.N(ovenbird.model.D)

## region defined as vector polygon
## retain and plot region mask
temp <- region.N(possum.model.0, possumarea, spacing = 40,
  keep.region = TRUE)
temp
plot (attr(temp, "region"), type = "l")

## End(Not run)
```

RMarkInput

Convert Data to RMark Input Format

Description

A single-session capthist object is formed by RMarkInput into a dataframe that may be passed directly to RMark.

Usage

```
RMarkInput(object, grouped = FALSE, covariates = TRUE)
unRMarkInput(df, covariates = TRUE)
```

Arguments

object	secre capthist object
grouped	logical for whether to replace each group of identical capture histories with a single line
covariates	logical or character vector; see Details
df	dataframe with fields ‘ch’ and ‘freq’

Details

To convert a multi-session object first collapse the sessions with `join`.

If `covariates` is `TRUE` the all columns of individual covariates in the input are appended as columns in the output. If `covariates` is a character-valued vector then only the specified covariates will be appended.

If both `grouped` and `covariates` are specified in `RMarkInput`, `grouped` will be ignored, with a warning.

Value

For `RMarkInput` –

Dataframe with fields `ch` and `freq`. ‘`ch`’ is a character string of 0’s and 1’s. If `grouped = FALSE` the rownames are retained and the value of ‘`freq`’ is 1 or -1. Negative values of ‘`freq`’ indicate removal.

The dataframe also includes individual covariates specified with `covariates`.

The attribute ‘`interval`’ is copied from ‘`object`’, if present; otherwise it is set to a vector of zeros (indicating a closed-population sample).

For `unRMarkInput` –

A single-session capthist object with no `traps` attribute and hence no detector type (i.e. non-spatial capture histories). Covariates are copied as requested.

Note

In versions before 2.4.0, a spurious occasion was added by `RMarkInput` when `grouped = FALSE`. Thanks to Jeff Stetz for spotting this.

The default value for `grouped` changed to `FALSE` in secr 2.4.0

References

Laake, J. and Rexstad E. (2008) Appendix C. RMark - an alternative approach to building linear models in MARK. In: Cooch, E. and White, G. (eds) Program MARK: A Gentle Introduction. 6th edition. Available at <http://www.phidot.org/software/mark/docs/book/>.

See Also

`join`

Examples

```
## ovenCH is a 5-year mist-netting dataset
ovenRD <- RMarkInput (join(ovenCH))
head(ovenRD)

unRMarkInput(ovenRD)

RMarkInput(deermouse.ESG, grouped = TRUE)
RMarkInput(deermouse.ESG, covariates = TRUE)

## Not run:
## fit robust-design model in RMark (MARK must be installed)
library(RMark)
ovenRD.data <- process.data(ovenRD, model = "Robust",
```

```

time.interval = attr(ovenRD, "interval")
ovenRD.model <- mark(data = ovenRD.data, model = "Robust",
  model.parameters = list(p = list(formula = ~1, share = TRUE),
    GammaDoublePrime = list(formula = ~1),
    GammaPrime = list(formula = ~1),
    N = list(formula = ~1)))
cleanup(ask = FALSE)

## End(Not run)

```

Rsurface

*Smoothed Resource Surface***Description**

Creates a smoothed resource surface from a covariate of a mask. Smoothing entails summing the value in each pixel weighted by a detection kernel centred on the focal pixel. The detection kernel represents home-range utilization with spatial scale σ . The resulting surface is equivalent to the denominator used by Royle et al. (2013) to normalize site-specific detection.

Usage

```

Rsurface(mask, sigma, usecov = NULL, alpha2 = 1, detectfn = HHN, z = 1,
  inverse = FALSE, scale = TRUE)

```

Arguments

mask	secr habitat mask object (single-session)
sigma	numeric spatial scale of home range model
alpha2	numeric coefficient of spatial covariate
usecov	character name of resource covariate
detectfn	integer or character code for detection function
z	numeric shape parameter of home range model
inverse	logical; if TRUE the reciprocal of smoothed resource is returned
scale	logical; not used

Details

detectfn may be uniform ('UN') or one of the cumulative-hazard functions ('HHN', 'HHR', 'HEX', 'HAN', 'HCG') (or integer codes 4, 14:18; see [detectfn](#)).

The default 'HHN' corresponds to a halfnormal function on the hazard scale, or a bivariate circular normal home range.

If usecov is not named then it takes the value 1.0 for all points on the mask and zero otherwise.

The Rsurface can be used implicitly to normalize detection probability when fitting a model with detector-specific covariate equal to usecov (see [details](#), but the process is intricate and not fully documented).

Value

An object with class `c('Rsurface', 'mask', 'data.frame')` and covariate 'Resource' (other covariates are retained from the input mask). The attribute 'scale' is 1.0 if `scale = FALSE`; otherwise it is the average of the resource over the masked area.

Note

Consider a focal pixel \mathbf{s} and another point in the habitat mask \mathbf{x} , with distance $d = |\mathbf{x} - \mathbf{s}|$. Weights are given by a kernel $f(d)$. Typically the kernel will be halfnormal $f(d) = \exp(-d^2/(2\sigma^2))$ (`detectfn = 'HHN'`) or exponential $f(d) = \exp(-d/\sigma)$ (`detectfn = 'HEX'`) (see [detectfn](#) for other possibilities).

If $z(\mathbf{x})$ represents the covariate value at point \mathbf{x} , the summed resource availability at \mathbf{s} is given by

$$R(\mathbf{s}) = \sum_x f(d) \exp(\alpha_2 z(\mathbf{x})).$$

This corresponds to the denominator of eqn 4 in Royle et al. (2013).

By default, the numerical values reported by `Rsurface` are not raw R values. If `scale = TRUE`, values are standardized by dividing by the mean: $R'(\mathbf{s}) = R(\mathbf{s})/(\sum_s R(\mathbf{s})/n)$ where n is the number of pixels. Values of $R'(\mathbf{s})$ are centred on 1.0.

If `inverse = TRUE`, the numeric values are $1/R'(\mathbf{s})$ or $1/R(\mathbf{s})$ as determined by `scale`.

References

Royle, J. A., Chandler, R. B., Sun, C. C. and Fuller, A. K. (2013) Integrating resource selection information with spatial capture–recapture. *Methods in Ecology and Evolution* **4**, 520–530.

See Also

[mask](#), [plot.Rsurface](#), [spotHeight](#), [details](#)

Examples

```
## create binary covariate (0 outside habitat)
msk <- make.mask(traps(possumCH), buffer = 800)
covariates(msk) <- data.frame(z = as.numeric(pointsInPolygon
  (msk, possumarea)))

## derive and plot "resource availability"
Rs <- Rsurface(msk, sigma = 100, usecov = z)
plot(Rs, plottype = contour, col = topo.colors(10))
lines(possumarea)

## Not run:

spotHeight(Rs, dec = 2)

## End(Not run)
```

score.test	<i>Score Test for SECR Models</i>
------------	-----------------------------------

Description

Compute score tests comparing a fitted model and a more general alternative model.

Usage

```
score.test(secr, ..., betaindex = NULL, trace = FALSE, ncores = 1, .relStep = 0.001,
           minAbsPar = 0.1)
```

```
score.table(object, ..., sort = TRUE, dmax = 10)
```

Arguments

secr	fitted secr model
...	one or more alternative models OR a fitted secr model
trace	logical. If TRUE then output one-line summary at each evaluation of the likelihood
ncores	integer number of cores available for parallel processing
.relStep	see fdHess
minAbsPar	see fdHess
betaindex	vector of indices mapping fitted values to parameters in the alternative model
object	score.test object or list of such objects
sort	logical for whether output rows should be in descending order of AICc
dmax	threshold of dAICc for inclusion in model set

Details

Score tests allow fast model selection (e.g. Catchpole & Morgan 1996). Only the simpler model need be fitted. This implementation uses the observed information matrix, which may sometimes mislead (Morgan et al. 2007). The gradient and second derivative of the likelihood function are evaluated numerically at the point in the parameter space of the second model corresponding to the fit of the first model. This operation uses the function `fdHess` of the **nlme** package; the likelihood must be evaluated several times, but many fewer times than would be needed to fit the model. The score statistic is an approximation to the likelihood ratio; this allows the difference in AIC to be estimated.

Covariates are inferred from components of the reference model `secr`. If the new models require additional covariates these may usually be added to the respective component of `secr`.

Mapping of parameters between the fitted and alternative models sometimes requires user intervention via the `betaindex` argument. For example `betaindex = c(1,2,4)` is the correct mapping when comparing the null model ($D \sim 1, g_0 \sim 1, \sigma \sim 1$) to one with a behavioural effect on g_0 ($D \sim 1, g_0 \sim b, \sigma \sim 1$).

The arguments `.relStep` and `minAbsPar` control the numerical gradient calculation and are passed directly to `fdHess`. More investigation is needed to determine optimal settings.

score.table summarises one or more score tests in the form of a model comparison table. The ... argument here allows the inclusion of additional score test objects (note the meaning differs from score.test). Approximate AICc values are used to compute relative AIC model weights for all models within dmax AICc units of the best model.

Multiple cores provide some speed improvement in score.test when comparing more than two models.

Value

An object of class 'score.test' that inherits from 'htest', a list with components

statistic	the value the chi-squared test statistic (score statistic)
parameter	degrees of freedom of the approximate chi-squared distribution of the test statistic (difference in number of parameters H0, H1)
p.value	probability of test statistic assuming chi-square distribution
method	a character string indicating the type of test performed
data.name	character string with null hypothesis, alternative hypothesis and arguments to function call from fit of H0
H0	simpler model
np0	number of parameters in simpler model
H1	alternative model
H1.beta	coefficients of alternative model
AIC	Akaike's information criterion, approximated from score statistic
AICc	AIC with small-sample adjustment of Hurvich & Tsai 1989

If ... defines several alternative models then a list of score.test objects is returned.

The output from score.table is a dataframe with one row per model, including the reference model.

Note

This implementation is experimental. The AIC values, and values derived from them, are approximations that may differ considerably from AIC values obtained by fitting and comparing the respective models. Use of the observed information matrix may not be optimal.

score.test cannot be used to compare models that differ in the arguments scalesigma or scaleg0.

References

- Catchpole, E. A. and Morgan, B. J. T. (1996) Model selection of ring-recovery models using score tests. *Biometrics* **52**, 664–672.
- Hurvich, C. M. and Tsai, C. L. (1989) Regression and time series model selection in small samples. *Biometrika* **76**, 297–307.
- McCrea, R. S. and Morgan, B. J. T. (2011) Multistate mark-recapture model selection using score tests. *Biometrics* **67**, 234–241.
- Morgan, B. J. T., Palmer, K. J. and Ridout, M. S. (2007) Negative score test statistic. *American statistician* **61**, 285–288.

See Also

[AIC, LR.test](#)

Examples

```
## Not run:
  AIC (secdemo.0, secdemo.b)
  st <- score.test (secdemo.0, g0 ~ b)
  st
  score.table(st)

  ## adding a time covariate to separate occasions (1,2) from (3,4,5)
  secdemo.0$timecov <- data.frame(t2 = factor(c(1,1,2,2,2)))
  st2 <- score.test (secdemo.0, g0 ~ t2)
  score.table(st,st2)

## End(Not run)
```

secl.design.MS

*Construct Detection Model Design Matrices and Lookups***Description**

Internal functions used by [secl.fit](#).

Usage

```
secl.design.MS (capthist, models, timecov = NULL, sessioncov = NULL,
  groups = NULL, hcov = NULL, dframe = NULL, naive = FALSE, bygroup = FALSE,
  keep.dframe = FALSE, full.dframe = FALSE, ...)
```

```
make.lookup (tempmat)
```

Arguments

capthist	capthist object
models	list of formulae for parameters of detection
timecov	optional dataframe of values of time (occasion-specific) covariate(s).
sessioncov	optional dataframe of values of session-specific covariate(s).
groups	optional vector of one or more variables with which to form groups. Each element should be the name of a factor variable in the covariates attribute of capthist.
hcov	character name of an individual (capthist) covariate for known class membership in h2 models
dframe	optional data frame of design data for detection parameters
naive	logical if TRUE then modelled detection probability is for a naive animal (not caught previously); if FALSE then detection probability is contingent on individual's history of detection
bygroup	logical if TRUE then the individual dimension of the parameter matrix is automatically collapsed to one row per group; if FALSE then the full dimensionality is retained (one row per individual)

keep.dframe	logical; if TRUE the dataframe of design data is included in the output
full.dframe	logical; if FALSE then padding rows are purged from output dframe (ignored if keep.dframe = FALSE)
...	other arguments passed to the R function <code>model.matrix</code>
tempmat	matrix for which row lookup required

Details

This is an internal **secr** function that you are unlikely ever to use. ... may be used to pass `contrasts.arg` to `model.matrix`.

Each real parameter is notionally different for each unique combination of session, individual, occasion, detector and latent class, i.e., for R sessions, n individuals, S occasions and K detectors there are *potentially* $R \times n \times S \times K$ different values. Actual models always predict a *much* reduced set of distinct values, and the number of rows in the design matrix is reduced correspondingly; a parameter index array allows these to be retrieved for any combination of session, individual, occasion and detector.

The `keep.dframe` option is provided for the rare occasions that a user may want to check the data frame that is an intermediate step in computing each design matrix with `model.matrix` (i.e. the data argument of `model.matrix`).

Value

For `secr.design.MS`, a list with the components

<code>designMatrices</code>	list of reduced design matrices, one for each real detection parameter
<code>parameterTable</code>	index to row of the reduced design matrix for each real detection parameter; $\dim(\text{parameterTable}) = c(\text{uniquepar}, \text{np})$, where <code>uniquepar</code> is the number of unique combinations of parameter values ($\text{uniquepar} < RnSKM$) and <code>np</code> is the number of parameters in the detection model.
<code>PIA</code>	Parameter Index Array - index to row of <code>parameterTable</code> for a given session, animal, occasion and detector; $\dim(\text{PIA}) = c(R, n, S, K, M)$
<code>R</code>	number of sessions

If `models` is empty then all components are NULL except for `PIA` which is an array of 1's (M set to 1).

Optionally (`keep.dframe = TRUE`) -

<code>dframe</code>	dataframe of design data, one column per covariate, one row for each $c(R, n, S, K, M)$. For multi-session models n , S , and K refer to the maximum across sessions
<code>validdim</code>	list giving the valid dimensions (n, S, K, M) before padding

For `make.lookup`, a list with components

<code>lookup</code>	matrix of unique rows
<code>index</code>	indices in lookup of the original rows

See Also

[D.designdata](#), [model.matrix](#)

Examples

```

secr.design.MS (captdata, models = list(g0 = ~b))$designMatrices
secr.design.MS (captdata, models = list(g0 = ~b))$parameterTable

## peek at design data constructed for learned response model
head(captdata)
temp <- secr.design.MS (captdata, models = list(g0 = ~b),
  keep.dframe = TRUE)
a1 <- temp$dframe$animal == 1 & temp$dframe$detector %in% 8:10
temp$dframe[a1,]

## ... and trap specific learned response model
temp <- secr.design.MS (captdata, models = list(g0 = ~bk),
  keep.dframe = TRUE)
a1 <- temp$dframe$animal == 1 & temp$dframe$detector %in% 8:10
temp$dframe[a1,]

```

secr.fit

*Spatially Explicit Capture–Recapture***Description**

Estimate animal population density with data from an array of passive detectors (traps) by fitting a spatial detection model by maximizing the likelihood. Data must have been assembled as an object of class `capthist`. Integration is by summation over the grid of points in `mask`.

Usage

```

secr.fit (capthist, model = list(D~1, g0~1, sigma~1),
  mask = NULL, buffer = NULL, CL = FALSE, detectfn = NULL,
  binomN = NULL, start = NULL, link = list(), fixed = list(),
  timecov = NULL, sessioncov = NULL, hcov = NULL, groups = NULL,
  dframe = NULL, details = list(), method = "Newton-Raphson",
  verify = TRUE, biasLimit = 0.01, trace = NULL, ncores = 1, ...)

```

Arguments

<code>capthist</code>	<code>capthist</code> object including capture data and detector (trap) layout
<code>mask</code>	<code>mask</code> object
<code>buffer</code>	scalar mask buffer radius if <code>mask</code> not specified (default 100 m)
<code>CL</code>	logical, if true then the model is fitted by maximizing the conditional likelihood
<code>detectfn</code>	integer code or character string for shape of detection function 0 = halfnormal, 1 = hazard rate etc. – see <code>detectfn</code>
<code>binomN</code>	integer code for distribution of counts (see Details)
<code>start</code>	vector of initial values for beta parameters, or <code>secr</code> object from which they may be derived
<code>link</code>	list with optional components ‘D’, ‘g0’, ‘sigma’ and ‘z’, each a character string in {"log", "logit", "identity", "sin"} for the link function of the relevant real parameter

fixed	list with optional components corresponding to each ‘real’ parameter (e.g., ‘D’, ‘g0’, ‘sigma’), the scalar value to which parameter is to be fixed
model	list with optional components ‘D’, ‘g0’, ‘sigma’ and ‘z’, each symbolically defining a linear predictor for the relevant real parameter using formula notation
timecov	optional dataframe of values of time (occasion-specific) covariate(s).
sessioncov	optional dataframe of values of session-specific covariate(s).
hcov	character name of individual covariate for known membership of mixture classes.
groups	optional vector of one or more variables with which to form groups. Each element should be the name of a factor variable in the covariates attribute of capthist.
dframe	optional data frame of design data for detection parameters
details	list of additional settings, mostly model-specific (see Details)
method	character string giving method for maximizing log likelihood
verify	logical, if TRUE the input data are checked with verify
biasLimit	numeric threshold for predicted relative bias due to buffer being too small
trace	logical, if TRUE then output each evaluation of the likelihood, and other messages
ncores	integer number of cores to be used for parallel processing
...	other arguments passed to the maximization function

Details

`secr.fit` fits a SECR model by maximizing the likelihood. The likelihood depends on the detector type ("multi", "proximity", "count", "polygon" etc.) of the traps attribute of `capthist` (Borchers and Efford 2008, Efford, Borchers and Byrom 2009, Efford, Dawson and Borchers 2009, Efford 2011). The ‘multi’ form of the likelihood is also used, with a warning, when detector type = "single" (see Efford et al. 2009 for justification). The default `model` is null (constant density and detection probability). The set of variables available for use in linear predictors includes some that are constructed automatically (t, T, b, B, bk, Bk, k, K), group (g), and others that appear in the covariates of the input data. See also [usage](#) for varying effort, [timevaryingcov](#) to construct other time-varying detector covariates, and [secr models](#) and [./doc/secr-overview.pdf](#) for more on defining models.

`buffer` and `mask` are alternative ways to define the region of integration (see [mask](#)). If `mask` is not specified then a mask of type "trapbuffer" will be constructed automatically using the specified buffer width in metres.

`hcov` is used to define a hybrid mixture model, used especially to model sex differences (see [hcov](#)). The length of `timecov` should equal the number of sampling occasions (`ncol(capthist)`). Arguments `timecov`, `sessioncov` and `groups` are used only when needed for terms in one of the model specifications. Default link is `list(D="log", g0="logit", sigma="log")`.

If `start` is missing then [autoini](#) is used for D, g0 and sigma, and other beta parameters are set initially to arbitrary values, mostly zero. `start` may be a previously fitted nested model. In this case, a vector of starting beta values is constructed from the nested model and additional betas are set to zero. Mapping of parameters follows the default in [score.test](#), but user intervention is not allowed.

`binomN` (previously a component of `details`) determines the distribution that is fitted for the number of detections of an individual at a particular detector, on a particular occasion, when the detectors are of type ‘count’, ‘polygon’ or ‘transect’:

- `binomN > 1` binomial with size `binomN`
- `binomN = 1` binomial with size determined by `usage`
- `binomN = 0` Poisson
- `binomN < 0` negative binomial with size `abs(binomN)` – see `dnbinom`

The default with these detectors is to fit a Poisson distribution. The ‘size’ parameter of the negative binomial is not estimated: it must be supplied. `binomN` should be an integer unless negative.

`details` is used for various specialized settings listed below. These are described separately - see [details](#).

<code>centred</code>	centre x-y coordinates
<code>distribution</code>	binomial vs Poisson N
<code>fixedbeta</code>	specify fixed beta parameter(s)
<code>hessian</code>	variance method
<code>ignoreusage</code>	override usage in traps object of <code>capthist</code>
<code>intwidth2</code>	controls optimise when only one parameter
<code>LLonly</code>	compute one likelihood for values in <code>start</code>
<code>param</code>	optional parameterisation for multi-catch detectors
<code>scalesg0</code>	structural relationship between <code>g0</code> and <code>sigma</code>
<code>scalesigma</code>	structural relationship between <code>sigma</code> and density
<code>telemetrytype</code>	treat telemetry data as independent, dependent or concurrent
<code>telemetrysigma</code>	use coordinate information from telemetry
<code>telemetrybvn</code>	use bivariate normal prior for centres of telemetered animals
<code>normalize</code>	rescale detection to individual range use
<code>usecov</code>	spatial covariate of use for normalization

If `method = "Newton-Raphson"` then `nlm` is used to maximize the log likelihood (minimize the negative log likelihood); otherwise `optim` is used with the chosen method ("BFGS", "Nelder-Mead", etc.). If maximization fails a warning is given appropriate to the method.

From `secre 2.5.1`, `method = "none"` may be used to skip likelihood maximization and compute only the hessian for the current dataset at the values in `start`, and the corresponding variance-covariance matrix of beta parameters. The computation uses `fdHess` from `nlme`.

If `verify = TRUE` then `verify` is called to check `capthist` and `mask`; analysis is aborted if "errors" are found. Some conditions that trigger an "error" are benign (e.g., no detections in some sessions of a multi-session study of a sparse population); use `verify = FALSE` to avoid the check. See also [Note](#).

If `buffer` is used rather than `mask`, and `biasLimit` is valid, then the estimated density is checked for bias due to the choice of `buffer`. A warning is generated when `buffer` appears to be too small (`predicted RB(D-hat) > biasLimit`, default 1% relative bias). The prediction uses `bias.D`. No check is performed when `mask` is specified, when `biasLimit` is 0, negative or NA, or when the detector type is "polygon", "transect", "polygonX" or "transectX".

If `ncores > 1` the `parallel` package will be used to create processes on multiple cores (see [Parallel](#) for more). Specifying extra cores may improve the speed of multi-session analyses (it may also slow them down, as data must be copied back and forth). There is presently no benefit for single-session analyses.

Function `par.secre.fit` is an alternative and more effective way to take advantage of multiple cores when fitting several models.

Value

The function `secr.fit` returns an object of class `secr`. This has components

<code>call</code>	function call (as character string prior to <code>secr</code> 1.5)
<code>capthist</code>	saved input
<code>mask</code>	saved input
<code>detectfn</code>	saved input
<code>CL</code>	saved input
<code>timecov</code>	saved input
<code>sessioncov</code>	saved input
<code>hcov</code>	saved input (from 2.6.0)
<code>groups</code>	saved input
<code>dframe</code>	saved input
<code>design</code>	reduced design matrices, parameter table and parameter index array for actual animals (see secr.design.MS)
<code>design0</code>	reduced design matrices, parameter table and parameter index array for ‘naive’ animal (see secr.design.MS)
<code>start</code>	vector of starting values for beta parameters
<code>link</code>	list with one component for each real parameter (typically ‘D’, ‘g0’, ‘sigma’), giving the name of the link function used for each real parameter.
<code>fixed</code>	saved input
<code>parindx</code>	list with one component for each real parameter giving the indices of the ‘beta’ parameters associated with each real parameter
<code>model</code>	saved input
<code>details</code>	saved input
<code>vars</code>	vector of unique variable names in <code>model</code>
<code>betanames</code>	names of beta parameters
<code>realnames</code>	names of fitted (real) parameters
<code>fit</code>	list describing the fit (output from <code>nlm</code> or <code>optim</code>)
<code>beta.vcv</code>	variance-covariance matrix of beta parameters
<code>N</code>	if <code>CL = FALSE</code> , array of predicted number in each group at in each session, summed across <code>mask</code> , <code>dim(N) = c(ngroups, nsessions)</code> , otherwise <code>NULL</code>
<code>version</code>	<code>secr</code> version number
<code>starttime</code>	character string of date and time at start of fit
<code>proctime</code>	processor time for model fit, in seconds

Note

One system of units is used throughout **secr**. Distances are in metres and areas are in hectares (ha). The unit of density is animals per hectare. $1 \text{ ha} = 10000 \text{ m}^2 = 0.01 \text{ km}^2$. To convert density to animals / km^2 , multiply by 100.

`print`, `AIC`, `vcov`, and `predict` methods are provided. Take care with using `AIC`: not all models are comparable (see Notes section of [AIC.secr](#)) and large differences in `AIC` may relate to trivial differences in estimated density.

derived is used to compute the derived parameters ‘esa’ (effective sampling area) and ‘D’ (density) for models fitted by maximizing the conditional likelihood (CL = TRUE).

Components ‘version’ and ‘starttime’ were introduced in version 1.2.7, and recording of the completion time in ‘fitted’ was discontinued.

The Newton-Raphson algorithm is fast, but it sometimes fails to compute the information matrix correctly, causing some or all standard errors to be set to NA. This usually indicates a major problem in fitting the model, and parameter estimates should not be trusted. See [Troubleshooting](#).

The component D in output was replaced with N from version 2.3. Use [region.N](#) to obtain SE or confidence intervals for N-hat, or to infer N for a different region.

Prior to version 2.3.2 the buffer bias check could be switched off by setting `verify = FALSE`. This is now done by setting `biasLimit = 0`.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.

Efford, M. G. (2004) Density estimation in live-trapping studies. *Oikos* **106**, 598–610.

Efford, M. G. (2011) Estimation of population density by spatially explicit capture–recapture with area or transect searches. Unpublished manuscript.

Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture–recapture: likelihood-based methods. In: D. L. Thompson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer. Pp. 255–269.

Efford, M. G., Dawson, D. K. and Borchers, D. L. (2009) Population density estimated from locations of individuals on a passive detector array. *Ecology* **90**, 2676–2682.

See Also

[Detection functions](#), [AIC.secr](#), [capthist](#), [details](#), [derived](#), [hcov](#), [mask](#), [par.secr.fit](#), [predict.secr](#), [print.secr](#), [region.N](#), [Speed tips](#) [Troubleshooting usage](#), [vcov.secr](#), [verify](#),

Examples

```
## Not run:

## construct test data (array of 48 multi-catch traps)

detectors <- make.grid (nx = 6, ny = 8, detector = "multi")
detections <- sim.capthist (detectors, popn = list(D = 10,
  buffer = 100), detectpar = list(g0 = 0.2, sigma = 25))

## fit & print null (constant parameter) model
secr0 <- secr.fit (detections)
secr0  ## uses print method for secr

## compare fit of null model with learned-response model for g0

secrb <- secr.fit (detections, model = g0~b)
AIC (secr0, secrb)

## typical result
```

```
##           model  detectfn npar   logLik    AIC    AICc dAICc  AICwt
## secr0 D~1 g0~1 sigma~1 halfnormal   3 -347.1210 700.242 700.928 0.000 0.7733
## secrb D~1 g0~b sigma~1 halfnormal   4 -347.1026 702.205 703.382 2.454 0.2267

## End(Not run)
```

```
secr.make.newdata      Create Default Design Data
```

Description

Internal function used to generate a dataframe containing design data for the base levels of all predictors in an secr object.

Usage

```
secr.make.newdata(object)
```

Arguments

object fitted secr model object

Details

secr.make.newdata is used by predict in lieu of user-specified 'newdata'. There is seldom any need to call secr.make.newdata directly.

Value

A dataframe with one row for each session and group, and columns for the predictors used by object\$model.

See Also

[predict.secr](#), [secr.fit](#)

Examples

```
## from previously fitted model
secr.make.newdata(secrdemo.b)
```

Description

A family of capture–recapture models (e.g. SECR) may include submodels that constrain variation in core parameters and include the effects of covariates. The language of generalised linear models is convenient for describing submodels (e.g., Huggins 1989, Lebreton et al. 1992). Each parameter is treated as a linear combination of effects on its transformed (‘link’) scale. This is useful for combining effects because, given a suitable link function, any combination maps to a feasible value of the parameter. The logit scale has this property for probabilities in (0,1), and the natural log scale works for positive parameters i.e. (0, +Inf).

Submodels for spatially explicit capture–recapture in **secr** are defined symbolically using the R formula notation. A separate linear predictor is used for each core parameter. Core parameters are ‘real’ parameters in the terminology of MARK, and **secr** uses that term to reduce confusion. Four real parameters are commonly modelled in **secr**: D (density), g_0 , sigma and z. Only the last three real parameters, the ones jointly defining detection probability as a function of location, can be estimated directly when the model is fitted by maximizing the conditional likelihood. D is then a derived parameter. ‘z’ is a shape parameter used only when the detection function requires three parameters. Other real parameters are used for acoustic models (beta0, beta1; [../doc/secr-sound.pdf](#)) and for the mixture proportion (pmix) in finite mixture models ([../doc/secr-finitemixtures.pdf](#)).

Each real parameter has a linear predictor of the form

$$y = X * \text{beta},$$

where y is vector of parameter values on the link scale, X is a design matrix of predictor values, beta is a vector of coefficients, and ‘*’ stands for matrix multiplication. The elements of beta are estimated when we fit the model; in MARK these are called ‘beta parameters’ to distinguish them from the ‘real’ parameter values in y. X has one column for each element of beta. To repeat: there is an X and a beta for each real parameter; elsewhere in the documentation we use ‘beta’ to refer to the vector got by concatenating *all* the parameter-specific beta’s. We now describe design matrices in more detail.

[Some variations on the basic SECR model do not fit easily into this framework. An example is the choice of detection function (halfnormal vs hazard-rate). These are treated as higher-level choices.]

Design matrices

The design matrix contains a column of ‘1’s (for the constant or intercept term) and additional columns as needed to describe the effects in the submodel. Depending on the model, these may be continuous predictors (e.g. air temperature to predict occasion-to-occasion variation in g_0), indicator variables (e.g. 1 if animal i was caught before occasion s, 0 otherwise), or coded factor levels.

Within `secr.fit`, a design matrix is constructed automatically from the input data (`capthist`) and the model formula (e.g. `model$g0`) in a 2-stage process. First, a data frame is built containing ‘design data’ with one column for each variable in the formula. Second, the R function `model.matrix()` is used to construct the design matrix. This process is hidden from the user. The design matrix will have at least one more column than the design data, and more if the formula includes interactions or factors with more than two levels. For a good description of the general approach see the documentation for RMark (Laake and Rexstad 2008). The key point is that the necessary design data can be either extracted from the inputs (`capthist` and `mask`) or generated automatically (e.g. indicator of previous capture, mentioned in the previous paragraph).

Real parameters fall into two groups: density (D) and detection (g_0 , σ and z). Density and detection parameters are subject to different types of effect, so they use different design matrices and are described separately here [secr detection models](#) and here [secr density models](#).

Note

The structure of **secr** precludes certain types of model. Unlike density, detection parameters (g_0 , σ etc.) cannot be modelled as varying in space *per se*, whether continuously or discretely (e.g. as a function of habitat class). However, such variation may be modelled between detectors or between sessions. As an example, consider a measure of vegetation cover in a 50-m circle centred on each detector. This may be used as a detector covariate in models for g_0 or σ . A ‘detector-centred’ view of habitat effects is almost as sensible as an ‘animal-centred’ view; the one reservation is that the spatial scale (radius of the circle) is arbitrary rather than being driven by σ as you might like. Perhaps this could be fixed in future versions by computing the trap covariate ‘on the fly’ from covariates in the habitat mask, given the current magnitude of σ .

References

Laake, J. and Rexstad E. (2008) Appendix C. RMark - an alternative approach to building linear models in MARK. In: Cooch, E. and White, G. (eds) *Program MARK: A Gentle Introduction*. 6th edition. Available online at <http://www.phidot.org>.

secr.model.density *Density Models*

Description

SECR can fit an inhomogeneous Poisson model to describe the distribution of animals. This may be viewed as a surface of expected density across the study area.

The log likelihood is evaluated in `secr.fit` by summing values at points on a ‘habitat mask’. Each point in a habitat mask represents a grid cell of potentially occupied habitat (their combined area may be almost any shape and may include disjunct patches).

The density model may take one of two forms: a user-provided R function or a linear model on the link scale (see the `link` argument of `secr.fit`; the default link for density is ‘log’). User-provided functions are described in the accompanying vignette [../doc/secr-densitysurfaces.pdf](#). Here we focus on linear models.

The full design matrix for density (D) has one row for each point in the mask. The design matrix has one column for the intercept (constant) term and one for each predictor. Predictors may be based on Cartesian coordinates (e.g. ‘x’ for an east-west trend), a continuous habitat variable (e.g. vegetation cover) or a categorical (factor) habitat variable. Predictors must be known for all points in the mask (non-habitat excluded). The variables ‘x’, ‘y’, ‘x2’, ‘y2’, ‘xy’, ‘session’, ‘Session’ and ‘g’ are provided automatically. Other covariates should be named columns in the ‘covariates’ attribute of the habitat mask.

Variable	Description	Data source
x	x-coordinate	automatic
y	y-coordinate	automatic
x2	x-coordinate ²	automatic
y2	y-coordinate ²	automatic
xy	x-coordinate * y-coordinate	automatic

session	session factor	automatic
Session	session number 0:(R-1)	automatic
g	group factor	automatic
[user]	mask covariate	covariates(mask) as named in formula

The submodel for density (D) is a named component of the list used in the `model` argument of `secr.fit`. It is expressed in R formula notation by appending terms to `~`.

Density surfaces resulting from the fitting of SECR models are manipulated in **secr** as objects of class ‘Dsurface’. See the vignette [../doc/secr-densitysurfaces.pdf](#) for details and examples, including functions for prediction and plotting.

Note

Note that no density model is fitted when `secr.fit` is called with `CL = TRUE`.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.

See Also

[secr models](#), [secr detection models](#), [secr.fit](#), [Dsurface](#), [predictDsurface](#), [plot.Dsurface](#)

Examples

```
D = ~ 1      ## constant density (homogeneous Poisson)
D = ~ x      ## east-west trend
D = ~ cover  ## requires cover as a mask covariate
```

secr.model.detection *Models for Detection Parameters*

Description

For spatially explicit capture–recapture estimation of a closed population, we model the detection of individual i on occasion s at detector k . Given n observed individuals on S occasions at K detectors there are therefore $n.S.K$ detection probabilities of interest. We can think of these as elements of a 3-dimensional array. Strictly, we are also interested in the detection probabilities of unobserved individuals, but these are estimated only by extrapolation from those observed so we do not consider them in the array.

In a null (constant) model, all $n.S.K$ detection probabilities are the same. The conventional sources of variation in capture probability (Otis et al. 1978) appear as variation in the n dimension (‘individual heterogeneity’ h), in the S dimension (‘time variation’ t) or as a particular interaction in these two dimensions (‘behavioural response to capture’ b). Combined effects are possible.

Spatially explicit capture–recapture introduces two sorts of additional complexity. Firstly, detection probability is no longer a scalar (even for a particular animal, occasion and detector combination); it is described by the detection function, which may have two parameters (e.g. g_0 , σ for half-normal), three parameters (e.g. g_0 , σ , z for the hazard-rate function), or potentially more.

Secondly, many more types of variation are possible. Any of the parameters of the detection function may vary with respect to individual (i), occasion (s) or detector (k). For example, there may be a covariate associated with trap location that influences detection probability, and this effect may vary between occasions (see [timevaryingcov](#)).

The full design matrix for each detection submodel has one row for each combination of i , s and k (animal, occasion and trap). Allowing a distinct probability for each animal (the ‘ n ’ dimension) may seem excessive, as continuous individual-specific covariates are feasible only when a model is fitted by maximizing the conditional likelihood (cf Huggins 1989). However, the full $n.S.K$ array is convenient for coding both group membership (Lebreton et al. 1992, Cooch and White 2008) and experience of capture, even when individual-level heterogeneity cannot be modelled.

Variation between ‘sessions’ and between latent classes in a finite mixture adds two further dimensions: in principle there is an $n.S.K$ array for each latent class (classes are numbered 1.. M), and an $n.S.K.M$ array for each session (sessions are numbered 1.. R). The full design matrix has $n.S.K.M.R$ rows. We do not expand on this here.

Specifying effects on detection parameters

Effects on parameters of detection probability are specified with R formulae using standard variable names or named covariates supplied by the user. The formula for each detection parameter (g_0 , σ , z) may be constant (~ 1 , the default) or some combination of terms in standard R formula notation (see [formula](#)).

Variable	Description	Data source	Dim
t	time factor (one level for each occasion)	automatic	S
T	time trend (integer covariate 0:($S-1$))	automatic	S
tcov	default time covariate	timecov[,1]	S
kcov	default trap covariate	covariates (traps)[,1]	K
b	learned response	capthist	$n.S$
B	transient (Markovian) response	capthist	$n.S$
bk	animal x site learned response	capthist	$n.S.K$
Bk	animal x site transient response	capthist	$n.S.K$
k	site learned response	capthist	$S.K$
K	site transient response	capthist	$S.K$
g	group	see below	n
h2	2-class mixture	–	2
h3	3-class mixture	–	3
session	session factor (one level for each session)	automatic	R
Session	session number 0:($R-1$)	automatic	R
[user]	individual covariate	covariates (capthist)	n
[user]	session covariate	sessioncov	R
[user]	time covariate	timecov	S
[user]	detector covariate	covariates (traps)	K

The classic ‘learned response’ is a step change following first detection; this is implemented with the predictor variable ‘b’ which is FALSE up to and including the time of first capture and TRUE afterwards. An alternative is a response that depends only on detection at the last opportunity (‘B’).

The site-specific learned and transient responses ‘bk’ and ‘Bk’ imply that an individual becomes trap happy or trap shy in relation to a particular detector, as in the wolverine example of Royle et al. (2011).

Groups (‘g’) are defined by the interaction of the capthist categorical (factor) individual covari-

ates identified in `secr.fit` argument ‘groups’. Groups are redundant with conditional likelihood because individual covariates of whatever sort (continuous or categorical) may be included freely in the model.

Individual heterogeneity (‘h’ in the notation of Otis et al. 1978) may be modelled by treating any detection parameter as a 2-part or 3-part finite mixture e.g. $g_0 \sim h_2$. See [../doc/secr-finitemixtures.pdf](#).

Any other variable name appearing in a formula is assumed to refer to a user-defined predictor. These will be interpreted by searching for name matches in the dataframes of individual, session, time and trap covariates, in that order (remembering that individual covariates other than groups are allowed only when the model is fitted by maximizing the conditional likelihood). The type of the predictor is inferred from the data frame in which it first occurs. Thus if the model included the formula ‘ $g_0 \sim wetness$ ’, and ‘wetness’ was a column in the data frame of time covariates (timecov), then ‘wetness’ would be interpreted as a time covariate, and a column of the same name in covariates(traps) would be ignored. In this case, renaming the column in timecov would expose the traps covariate, and ‘wetness’ would be interpreted as an attribute of detectors, rather than sample intervals. This is a good reason to give covariates distinctive names!

The design matrix for detection parameters may also be provided manually in the argument `dframe`. This feature requires some care and is better avoided.

The submodels for ‘g0’, ‘sigma’ and ‘z’ are named components of the `model` argument of `secr.fit`. They are expressed in R formula notation by appending terms to \sim . The name of the response may optionally appear on the left hand side of the formula (e.g. $g_0 \sim b$).

Note

The parameter ‘z’ was previously called ‘b’; it was renamed to avoid confusion with the predictor b used in a formula for a learned trap response.

References

- Cooch, E. and White, G. (eds) (2008) *Program MARK: A Gentle Introduction*. 6th edition. Available online at <http://www.phidot.org>.
- Hayes, R. J. and Buckland, S. T. (1983) Radial-distance models for the line-transect method. *Biometrics* **39**, 29–42.
- Huggins, R. M. (1989) On the statistical analysis of capture experiments. *Biometrika* **76**, 133–140.
- Lebreton, J.-D., Burnham, K. P., Clobert, J. and Anderson, D. R. (1992) Modeling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecological Monographs* **62**, 67–118.
- Royle, J. A., Magoun, A. J., Gardner, B., Valkenburg, P. and Lowell, R. E. (2011) Density estimation in a wolverine population using spatial capture–recapture models. *Journal of Wildlife Management* **75**, 604–611.

See Also

[secr models](#), [secr density models](#), [secr.fit](#)

Examples

```
## constant (null) model
list(g0 = ~1, sigma = ~1)
```

```
## both detection parameters change after first capture
list(g0 = ~b, sigma = ~b)

## group-specific parameters; additive time effect on g0
## groups are defined via the groups argument of secr.fit
list(g0 = ~ g + t, sigma = ~ g)

## g0 depends on trap-specific covariate
list(g0 = ~ kcov)
```

secrdemo

SECR Models Fitted to Demonstration Data

Description

Demonstration data from program Density are provided as text files in the ‘extdata’ folder, as raw dataframes (trapXY, captXY), and as a combined capthist object (captdata) ready for input to secr.fit.

The fitted models are objects of class secr formed by

```
secrdemo.0 <- secr.fit (captdata)
```

```
secrdemo.b <- secr.fit (captdata, model = list(g0 = ~b))
```

```
secrdemo.CL <- secr.fit (captdata, CL = TRUE)
```

Usage

```
data(secrdemo)
```

Details

The raw data are 235 fictional captures of 76 animals over 5 occasions in 100 single-catch traps 30 metres apart on a square grid with origin at (365,365).

Dataframe trapXY contains the data from the Density input file ‘trap.txt’, and captXY contains the data from ‘capt.txt’ (Efford 2012).

The fitted models use a halfnormal detection function and the likelihood for multi-catch traps (expect estimates of g0 to be biased because of trap saturation Efford et al. 2009). The first is a null model (i.e. parameters constant) and the second fits a learned trap response.

Object	Description
captXY	data.frame of capture data
trapXY	data.frame of trap locations
captdata	capthist object
secrdemo.0	fitted secr model – null
secrdemo.b	fitted secr model – g0 trap response
secrdemo.CL	fitted secr model – null, conditional likelihood

References

Efford, M. G. (2012) *DENSITY 5.0: software for spatially explicit capture–recapture*. Department of Mathematics and Statistics, University of Otago, Dunedin, New Zealand. <http://www.otago.ac.nz/density>.

Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture-recapture: likelihood-based methods. In: D. L. Thomson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer, New York. Pp. 255–269.

See Also

[caphist](#), [read.caphist](#)

Examples

```
## Not run:

## navigate to folder with raw data files
olddir <- setwd (system.file("extdata", package="secr"))

## construct caphist object from raw data
captdata <- read.caphist ("capt.txt", "trap.txt", fmt = "XY")

## generate demonstration fits
secrdemo.0 <- secr.fit (captdata)
secrdemo.CL <- secr.fit (captdata, CL = TRUE)
secrdemo.b <- secr.fit (captdata, model = list(g0 ~ b))

## restore previous setting
setwd(olddir)

## End(Not run)

## display the null model fit, using the print method for secr
secrdemo.0

## compare fit of models
AIC(secrdemo.0, secrdemo.b)

## display estimates for the two models (single session)
collate(secrdemo.0, secrdemo.b)[1,,]
```

session

Session Vector

Description

Extract or replace the session names of a caphist object.

Usage

```
session(object, ...)
session(object) <- value
```

Arguments

object	object with 'session' attribute e.g. <code>capthist</code>
value	character vector or vector that may be coerced to character, one value per session
...	other arguments (not used)

Details

Replacement values will be coerced to character.

Value

a character vector with one value for each session in `capthist`

Note

Like `Density`, **secr** uses the term 'session' for a closed-population sample. A session usually includes data from several closely-spaced capture occasions (often consecutive days). Each 'primary session' in the 'robust' design of Pollock (1982) would be treated as a session in **secr**. **secr** also uses 'session' for independent subsets of the capture data distinguished by characteristics other than sampling time (as above). For example, two grids trapped simultaneously could be analysed as distinct sessions if (i) they were far enough apart that there was negligible prospect of the same animal being caught on both grids, and (ii) there was interest in comparing estimates from the two grids, or fitting a common detection model.

The log likelihood for a session model is the sum of the separate session log likelihoods. Although this assumes independence of sampling, parameters may be shared across sessions, or session-specific parameter values may be functions of session-level covariates. For many purposes, 'sessions' are equivalent to 'groups'. For multi-session models the detector array and mask are specified separately for each session. Group models are therefore generally simpler to implement. On the other hand, sessions offer more flexibility in defining and evaluating between-session models, including trend models.

Sessions are a recent addition to **secr** and the documentation and testing of session capability is therefore less advanced than for other features.

References

Pollock, K. H. (1982) A capture-recapture design robust to unequal probability of capture. *Journal of Wildlife Management* **46**, 752–757.

See Also

[capthist](#)

Examples

```
session(captdata)
```

signal*Signal Fields*

Description

Extract or replace signal attributes of a ‘capthist’ object.

Usage

```
signalframe(object)
signalframe(object) <- value

## S3 method for class capthist
signal(object, ...)
## S3 method for class capthist
noise(object, ...)

signal(object) <- value
noise(object) <- value
```

Arguments

object	a ‘capthist’ object
value	replacement value (see Details)
...	other arguments (not used)

Details

Signal attributes of a ‘capthist’ object are stored in a dataframe called the `signalframe`. This has one row per detection. The `signalframe` includes the primary field ‘signal’ and an unlimited number of other fields. To extract the signal field alone use the `signal` method.

These functions extract data on detections, ignoring occasions when an animal was not detected. Detections are ordered by occasion, animalID and trap.

Replacement values must precisely match object in number of detections and in their order.

Value

For `signalframe`, a dataframe containing signal data and covariates, one row per detection. The data frame has one row per detection. See [signalmatrix](#) for a matrix with one row per cue and columns for different microphones.

For `signal` and `noise`, a numeric vector with one element per detection.

If object has multiple sessions, the result is a list with one component per session.

See Also

[capthist](#), [signalmatrix](#)

Examples

```
## ovensong dataset has very simple signalframe
head(signalframe(signalCH))
```

 signalmatrix

Reformat Signal Data

Description

Produce sound x microphone matrix, possibly with sound covariates as extra columns.

Usage

```
signalmatrix(object, noise = FALSE, recodezero = FALSE,
             prefix = "Ch", signalcovariates = NULL, names = NULL)
```

Arguments

object	object inheriting from secr class ‘caphist’
noise	logical; if TRUE, noise is extracted instead of signal
recodezero	logical; if TRUE zero signals are set to NA
prefix	character value used to form channel names
signalcovariates	character vector of covariate names from signalframe to add as columns
names	character vector of column names

Details

This function extracts signal or noise data from a caphist object where is stored in the ‘signalframe’ attribute. in a natural sound x microphone table. There is no equivalent replacement function.

The `signalcovariates` argument may be used to specify additional columns of the signal frame to collapse and add as columns to the right of the actual signal data. Ordinarily there will be multiple rows in signalframe for each row in the output; the covariate value is taken from the first matching row.

If `names` is not provided, column names are constructed from the detector names. If the length of `names` is less than the number of columns, simple numerical names are constructed.

Value

A dataframe with $\text{dim} = c(n, K+j)$ where n is the number of separate sounds, K is the number of microphones, and j is the number of covariates (by default $j = 0$).

See Also

[ovensong](#)

Examples

```
## use secr ovenbird data
signalmatrix(signalCH)
```

sim.caphist *Simulate Detection Histories*

Description

Create a set of capture or marking-and-resighting histories by simulated sampling of a 2-D population using an array of detectors.

Usage

```
sim.caphist(traps, popn = list(D = 5, buffer = 100,
  Ndist = "poisson"), detectfn = 0, detectpar = list(),
  nooccasions = 5, nsessions = 1, binomN = NULL, exactN = NULL,
  p.available = 1, renumber = TRUE, seed = NULL,
  maxperpoly = 100)
sim.resight(traps, ..., q = 1, pID = 1, unmarked = TRUE,
  nonID = TRUE)
```

Arguments

traps	traps object with the locations and other attributes of detectors
popn	locations of individuals in the population to be sampled, either as a <code>popn</code> object or a list with named components 'D' (density) and 'buffer'
detectfn	integer code or character string for shape of detection function 0 = halfnormal etc. – see detectfn
detectpar	list of values for named parameters of detection function
nooccasions	number of occasions to simulate
nsessions	number of sessions to simulate
binomN	integer code for distribution of counts (see Details)
exactN	integer number of telemetry fixes per occasion
p.available	vector of one or two probabilities (see Details)
renumber	logical for whether output rows should labeled sequentially (TRUE) or retain the numbering of the population from which they were drawn (FALSE)
seed	an object specifying if and how the random number generator should be initialized ('seeded')
maxperpoly	integer maximum number of detections of an individual in one polygon or transect on any occasion
...	arguments to pass to <code>sim.caphist</code>
q	number of marking occasions
pID	probability of individual identification for marked animals

unmarked	logical, if true unmarked individuals are not recorded during 'sighting'
nonID	logical, if true then unidentified marked individuals are not recorded during 'sighting'

Details

If `popn` is not of class 'popn' then a homogeneous Poisson population with the desired density (animals/ha) is first simulated over the rectangular area of the bounding box of traps plus a buffer of the requested width (metres). The detection algorithm depends on the detector type of traps. For 'proximity' detectors, the actual detection probability of animal i at detector j is the naive probability given by the detection function. For 'single' and 'multi' detectors the naive probability is modified by competition between detectors and, in the case of 'single' detectors, between animals. See Efford (2004) and other papers below for details.

Detection parameters in `detectpar` are specific to the detection function, which is indicated by a numeric code (`detectfn`). Parameters may vary with time - for this provide a vector of length `noccasions`. The `g0` parameter may vary both by time and detector - for this provide a matrix with `noccasions` rows and as many columns as there are detectors. The default detection parameters are `list(g0 = 0.2, sigma = 25, z = 1)`.

The default is to simulate a single session. This may be overridden by providing a list of populations to sample (argument `popn`) or by specifying `nsessions > 1` (if both then the number of sessions must match). Using `nsessions > 1` results in replicate samples of populations with the same density etc. as specified directly in the `popn` argument.

`binomN` determines the statistical distribution of the number of detections of an individual at a particular 'count' detector or polygon on a particular occasion. A Poisson distribution is indicated by `binomN = 0`; see [secur.fit](#) for more. The distribution is always Bernoulli (binary) for 'proximity' and 'signal' detectors.

If `exactN` is not specified or zero then the number of telemetry fixes is a random variable determined by the other detection settings.

`p.available` specifies temporary non-availability for detection in multi-session simulations. If a single probability is specified then temporary non-availability is random (independent from session to session). If two probabilities are given then non-availability is Markovian (dependent on previous state) and the two values are for animals available and not available at the preceding session. In the Markovian case, availability in the first session is assigned at random according to the equilibrium probability $p2 / (1 - p1 + p2)$. Incomplete availability is not implemented for sampling lists of populations.

`detectpar` may include a component 'truncate' for the distance beyond which detection probability is set to zero. By default this value is NULL (no specific limit).

`detectpar` may also include a component 'recapfactor' for a general learned trap response. For 'single' and 'multi' detector types the probability of detection changes by this factor for all occasions after the occasion of first capture. Attempted use with other detector types causes an error. If `recapfactor x g(d) > 1.0`, `g(d)` is truncated at 1.0. Other types of response (site-specific `bk`, Markovian `B`) are not allowed.

If `popn` is specified by an object of class 'popn' then any individual covariates will be passed on; the `covariates` attribute of the output is otherwise set to NULL.

The random number seed is managed as in [simulate](#).

`sim.resight` generates mark-resight data for 'q' marking occasions followed by 'noccasions - q' sighting occasions. `sim.caphist` is first called with the arguments 'traps' and The detector type must be 'proximity'. The 'usage' attribute of traps is ignored at present, so the same detectors are operated on all occasions. Any detection-parameter vector of length 2 in ... is interpreted as providing differing constant values for the marking and sighting phases.

Value

For `sim.caphist`, an object of class `caphist`, a matrix or 3-dimensional array with additional attributes. Rows represent individuals and columns represent occasions; the third dimension, used when `detector type = 'proximity'`, codes presence or absence at each detector. For trap detectors ('single', 'multi') each entry in `caphist` is either zero (no detection) or the sequence number of the trap.

The initial state of the R random number generator is stored in the 'seed' attribute.

For `sim.resight`, an object of class `caphist`, always a 3-dimensional array, with additional attributes `Tu` and `Tm` containing counts of 'unmarked' and 'marked, not identified' sightings.

Note

External code is called to speed the simulations. The present version assumes a null model, i.e., naive detection probability is constant except for effects of distance and possibly time (using vector-valued detection parameters from 1.2.10). You can, however, use `rbind.caphist` to combine detections of population subclasses (e.g. males and females) simulated with different parameter values. This is not valid for detector type "single" because it fails to allow for competition for traps between subclasses. Future versions may allow more complex models.

`truncate` has no effect (i) when using a uniform detection function with radius (σ) \leq `truncate` and (ii) with signal strength detection (`detectfn 10, 11`). Note that truncated detection functions are provided for de novo simulation, but are not available when fitting models with `in.secr.fit` or simulating from a fitted model with `sim.secr`.

`maxperpoly` limits the size of the array allocated for detections in C code; an error results if the is number is exceeded.

References

Borchers, D. L. and Efford, M. G. (2008) Spatially explicit maximum likelihood methods for capture–recapture studies. *Biometrics* **64**, 377–385.

Efford, M. G. (2004) Density estimation in live-trapping studies. *Oikos* **106**, 598–610.

Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture-recapture: likelihood-based methods. In: D. L. Thomson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer, New York. Pp. 255–269.

Efford, M. G., Dawson, D. K. and Borchers, D. L. (2009) Population density estimated from locations of individuals on a passive detector array. *Ecology* **90**, 2676–2682.

See Also

[sim.popn](#), [caphist](#), [traps](#), [popn](#), [Detection functions](#), [simulate](#)

Examples

```
## simple example
## detector = "multi" (default)
temptrap <- make.grid(nx = 6, ny = 6, spacing = 20)
sim.caphist (temptrap, detectpar = list(g0 = 0.2, sigma = 20))

## with detector = "proximity", there may be more than one
## detection per individual per occasion
temptrap <- make.grid(nx = 6, ny = 6, spacing = 20, detector =
  "proximity")
```

```
summary(sim.caphist (temptrap, detectpar =
  list(g0 = 0.2, sigma = 20)))

## multiple sessions
grid4 <- make.grid(nx = 2, ny = 2)
temp <- sim.caphist (grid4, popn = list(D = 1), nsessions = 20)
summary(temp, terse = TRUE)

## unmarked or presence types
grid <- make.grid(nx = 10, ny = 10, detector = "unmarked")
CH <- sim.caphist (grid, noccasions = 5)
CH
## "presence" and "unmarked" data are stored as "count" data
## behaviour is controlled by detector type, e.g.
detector(traps(CH)) <- "presence"
CH
```

 sim.popn

Simulate 2-D Population

Description

Simulate a Poisson process representing the locations of individual animals.

Usage

```
sim.popn (D, core, buffer = 100, model2D = c("poisson", "cluster",
  "IHP", "coastal", "hills"), buffertype = "rect", poly = NULL, covariates =
  list(sex = c(M = 0.5, F = 0.5)), number.from = 1, Ndist = c("poisson",
  "fixed", "specified"), nsession = 1, details = NULL, seed = NULL, ...)

tile(popn, method = "reflect")
```

Arguments

D	density animals / hectare (10 000 m ²) (see Details for IHP case)
core	data frame of points defining the core area
buffer	buffer radius about core area
model2D	character string for 2-D distribution
buffertype	character string for buffer type
poly	bounding polygon (see Details)
covariates	list of named covariates
number.from	integer ID for animal
Ndist	character string for distribution of number of individuals
nsession	number of sessions to simulate

details	optional list with additional parameters
seed	value for setting .Random.seed - either NULL or an integer
...	arguments passed to subset if poly is not NULL
popn	popn object
method	character string "reflect" or "copy"

Details

core must contain columns 'x' and 'y'; a traps object is suitable. For buffertype = "rect", animals are simulated in the rectangular area obtained by extending the bounding box of core by buffer metres to top and bottom, left and right. This box has area A .

A notional random covariate 'sex' is generated by default.

Each element of covariates defines a categorical (factor) covariate with the given probabilities of membership in each class. No mechanism is provided for generating continuous covariates, but these may be added later (see Examples).

Ndist should usually be 'poisson' or 'fixed'. The number of individuals N has expected value DA . If DA is non-integer then Ndist = "fixed" results in $N \in \{\text{trunc}(DA), \text{trunc}(DA) + 1\}$, with probabilities set to yield DA individuals on average. The option 'specified' is undocumented; it is used in some open-population simulations.

If model2D = "cluster" then the simulated population approximates a Neyman-Scott clustered Poisson distribution. Ancillary parameters are passed as components of details: details\$mu is the fixed number of individuals per cluster and details\$sigma is the spatial scale (σ) of a 2-D kernel for location within each cluster. The algorithm is

1. Determine the number of clusters (parents) as a random Poisson variate with $\lambda = DA/\mu$
2. Locate each parent by drawing uniform random x- and y-coordinates
3. Generate mu offspring for each parent and locate them by adding random normal error to each parent coordinate
4. Apply toroidal wrapping to ensure all offspring locations are inside the buffered area

Function tile replicates a popn pattern by either reflecting or copying and translating it to fill a 3 x 3 grid.

Toroidal wrapping is a compromise. The result is more faithful to the Neyman-Scott distribution if the buffer is large enough that only a small proportion of the points are wrapped.

If model2D = "IHP" then an inhomogeneous Poisson distribution is simulated. core should be a habitat mask and D should be either a vector of length equal to the number of cells (rows) in core or the name of a covariate in core that contains cell-specific densities (animals / hectare), or a constant. The number of individuals in each cell is either (i) Poisson-distributed with mean DA where A is the cell area (an attribute of the mask) (Ndist = "poisson" or (ii) multinomial with size DA and relative cell probabilities given by D (Ndist = "fixed"). buffertype and buffer are ignored, as the extent of the population is governed entirely by the mask in core.

If model2D = "coastal" then a form of inhomogeneous Poisson distribution is simulated in which the x- and y-coordinates are drawn from independent Beta distributions. Default parameters generate the 'coastal' distribution used by Fewster and Buckland (2004) for simulations of line-transect distance sampling ($x \sim \text{Beta}(1, 1.5)$, $y \sim \text{Beta}(5, 1)$), which places 50% of the population in the 'northern' 13% of the rectangle). The four Beta parameters may be supplied in the vector component Beta of the 'details' list (see Examples). The Beta parameters (1,1) give a uniform distribution. Coordinates are scaled to fit the limits of a sampled rectangle, so this method assumes buffertype = "rect".

If `model2D = "hills"` then a form of inhomogeneous Poisson distribution is simulated in which intensity is a sine curve in the x- and y- directions (density varies symmetrically between 0 and $2 \times D$ along each axis). The number of hills in each direction (default 1) is determined by the 'hills' component of the 'details' list (e.g. `details = list(hills=c(2,3))`) for 6 hills). If either number is negative then alternate rows will be offset by half a hill. Displacements of the entire pattern to the right and top are indicated by further elements of the 'hills' component (e.g. `details = list(hills=c(1,1,0.5,0.5))`) for 1 hill shifted half a unit to the top right; coordinates are wrapped, so the effect is to split the hill into the four corners). Negative displacements are replaced by `runif(1)`. Density is zero at the edge when the displacement vector is (0,0) and rows are not offset.

If `poly` is specified, points outside `poly` are dropped. `poly` may be either

- a matrix or dataframe of two columns interpreted as x and y coordinates, or
- a `SpatialPolygonsDataFrame` object as defined in the package 'sp', possibly from reading a shapefile with `readShapePoly()` from package 'maptools'.

The `subset` method is called internally when `poly` is used; the ... argument may be used to pass values for `keep.poly` and `poly.habitat`.

The random number seed is managed as in `simulate.lm`.

Value

An object of class 'popn', a data frame with columns 'x' and 'y'. Rows correspond to individuals. Individual covariates (optional) are stored as a data frame attribute. The initial state of the R random number generator is stored in the 'seed' attribute.

Note

Other `buffertypes` will be defined later (e.g. convex hull, concave)

References

Fewster, R. M. and Buckland, S. T. 2004. Assessment of distance sampling estimators. In: S. T. Buckland, D. R. Anderson, K. P. Burnham, J. L. Laake, D. L. Borchers and L. Thomas (eds) *Advanced distance sampling*. Oxford University Press, Oxford, U. K. Pp. 281–306.

See Also

[popn](#), [plot.popn](#), [randomHabitat](#), [simulate](#)

Examples

```
temppop <- sim.popn (D = 10, expand.grid(x = c(0,100), y =
  c(0,100)), buffer = 50)

## plot, distinguishing "M" and "F"
plot(temppop, pch = 1, cex= 1.5,
  col = c("green", "red")[covariates(temppop)$sex])

## add a continuous covariate
## assumes covariates(temppop) is non-null
covariates(temppop)$size <- rnorm (nrow(temppop), mean = 15, sd = 3)
summary(covariates(temppop))
```

```

## Neyman-Scott cluster distribution
oldpar <- par(xpd = TRUE, mfrow=c(2,3))
for (h in c(5,15))
for (m in c(1,4,16)) {
  tempop <- sim.popn (D = 10, expand.grid(x = c(0,100),
    y = c(0,100)), model2D = "cluster", buffer = 100,
    details = list(mu = m, hsigma = h))
  plot(tempop)
  text (50,230,paste(" mu =",m, "hsigma =",h))
}
par(oldpar)

## Inhomogeneous Poisson distribution
xy <- secrdemo.0$mask$x + secrdemo.0$mask$y - 900
tempD <- xy^2 / 1000
plot(sim.popn(tempD, secrdemo.0$mask, model2D = "IHP"))

## Coastal distribution in 1000-m square, homogeneous in
## x-direction
arena <- data.frame(x = c(0, 1000, 1000, 0),
  y = c(0, 0, 1000, 1000))
plot(sim.popn(D = 5, core = arena, buffer = 0, model2D =
  "coastal", details = list(Beta = c(1, 1, 5, 1))))

## Hills
plot(sim.popn(D = 100, core = arena, model2D = "hills",
  buffer = 0, details = list(hills = c(-2,3,0,0)),
  cex = 0.4)

## tile demonstration
pop <- sim.popn(D = 100, core = make.grid(), model2D = "coastal")
par(mfrow = c(1,2), mar = c(2,2,2,2))
plot(tile(pop, "copy"))
polygon(cbind(-100,200,200,-100), c(-100,-100,200,200),
  col = "red", density = 0)
title("copy")
plot(tile(pop, "reflect"))
polygon(cbind(-100,200,200,-100), c(-100,-100,200,200),
  col = "red", density = 0)
title("reflect")

## Not run:
## simulate from inhomogeneous fitted density model
regionmask <- make.mask(traps(possumCH), type = "polygon",
  spacing = 20, poly = possumremovalarea)
dsurf <- predictDsurface(possum.model.Dh2, regionmask)
possD <- covariates(dsurf)$D.0
posspop <- sim.popn(D = possD, core = dsurf, model = "IHP")
plot(regionmask, dots = FALSE, ppoly = FALSE)
plot(posspop, add = TRUE, frame = FALSE)
plot(traps(possumCH), add = TRUE)

## End(Not run)

```

sim.secr

*Simulate From Fitted secr Model***Description**

Simulate a spatially distributed population, sample from that population with an array of detectors, and optionally fit an SECR model to the simulated data.

Usage

```
## S3 method for class secr
simulate(object, nsim = 1, seed = NULL, maxperpoly = 100,
         chat = 1, ...)

sim.secr(object, nsim = 1, extractfn = function(x) c(deviance =
  deviance(x), df = df.residual(x)), seed = NULL, maxperpoly = 100,
  data = NULL, tracelevel = 1, hessian = c("none", "auto", "fdHess"),
  start = object$fit$par, ncores = 1)
```

Arguments

object	an secr object
nsim	number of replicates
seed	value for setting <code>.Random.seed</code> - either NULL or an integer
maxperpoly	integer maximum number of detections of an individual in one polygon or transect on any occasion
chat	real value for overdispersion parameter
extractfn	function to extract output values from fitted model
data	optional list of simulated data saved from previous call to <code>simulate.secr</code>
tracelevel	integer for level of detail in reporting (0,1,2)
hessian	character or logical controlling the computation of the Hessian matrix
start	vector of starting 'beta' values for <code>secr.fit</code>
ncores	integer number of cores available for parallel processing
...	other arguments (not used)

Details

For each replicate, `simulate.secr` calls `sim.popn` to generate session- and group-specific realizations of the (possibly inhomogeneous) 2-D Poisson distribution fitted in `object`, across the habitat mask(s) in `object`. Group subpopulations are combined using `rbind.popn` within each session; information to reconstruct groups is retained in the individual-level factor covariate(s) of the resulting `popn` object (corresponding to `object$groups`). Each population is then sampled using the fitted detection model and detector (trap) array(s) in `object`.

The random number seed is managed as in `simulate.lm`.

`simulate.secr` does not yet work with models fitted using conditional likelihood (`object$CL = TRUE`). Detector type is determined by `detector(traps(object$capthist))`, which should be one of "single", "multi", "proximity", "areasearch" or "count".

`sim.secr` is a wrapper function. If `data = NULL` (the default) then it calls `simulate.secr` to generate `nsim` new datasets. If `data` is provided then `nsim` is taken to be `length(data)`. `secr.fit` is called to fit the original model to each new dataset. Results are summarized according to the user-provided function `extractfn`. The default `extractfn` returns the deviance and its degrees of freedom; a `NULL` value for `extractfn` returns the fitted `secr` objects after `trimming` to reduce bulk. Simulation uses the detector type of the data, even when another likelihood is fitted (this is the case with single-catch data, for which a multi-catch likelihood is fitted). Warning messages from `secr.fit` are suppressed.

`extractfn` should be a function that takes an `secr` object as its only argument.

`tracelevel=0` suppresses most messages; `tracelevel=1` gives a terse message at the start of each fit; `tracelevel=2` also sets `'details$trace = TRUE'` for `secr.fit`, causing each likelihood evaluation to be reported.

`hessian` controls computation of the Hessian matrix from which variances and covariances are obtained. `hessian` replaces the value in `object$details`. Options are "none" (no variances), "auto" (the default) or "fdhess" (see `secr.fit`). It is OK (and faster) to use `hessian="none"` unless `extractfn` needs variances or covariances. Logical `TRUE` and `FALSE` are interpreted by `secr.fit` as "auto" and "none".

If `ncores > 1` the **parallel** package is used to create processes on multiple cores (see [Parallel](#) for more) and progress messages are suppressed. New datasets are generated in the master process, so there is no need to manage the random number streams in the worker processes.

`sim.capthist` is a more direct way to simulate data from a null model (i.e. one with constant parameters for density and detection), or from a time-varying model.

Value

For `simulate.secr`, a list of data sets ('capthist' objects). This list has class `c("list", "secrdata")`; the initial state of the random number generator (roughly, the value of `.Random.seed`) is stored as the attribute 'seed'.

The value from `sim.secr` depends on `extractfn`: if that returns a numeric vector of length `n`, `extract` then the value is a matrix with `dim = c(nsim, n.extract)` (i.e., the matrix has one row per replicate and one column for each extracted value). Otherwise, the value returned by `sim.secr` is a list with one component per replicate (strictly, an object of class `c("list", "secrlist")`). Each simulated fit may be retrieved *in toto* by specifying `extractfn = identity`, or slimmed down by specifying `extractfn = NULL` or `extractfn = trim`, which are equivalent.

For either form of output from `sim.secr` the initial state of the random number generator is stored as the attribute 'seed'.

Note

The value returned by `simulate.secr` is a list of 'capthist' objects; if there is more than one session, each 'capthist' is itself a sort of list.

The classes 'secrdata' and 'secrlist' are used only to override the ugly and usually unwanted printing of the seed attribute. However, a few other methods are available for 'secrlist' objects (e.g. `plot.secrlist`).

The default value for `start` in `sim.secr` is the previously fitted parameter vector. Alternatives are `NULL` or `object$start`.

See Also

[sim.caphist](#), [secur.fit](#), [simulate](#)

Examples

```
## previously fitted model
simulate(secrdemo.0, nsim = 2)

## Not run:

## this would take a long time...
## adjust ncores for your machine (see ?Parallel)
sims <- sim.secr(secrdemo.0, nsim = 99, ncores = 8)
deviance(secrdemo.0)
devs <- c(deviance(secrdemo.0),sims$deviance)
quantile(devs, probs=c(0.95))
rank(devs)[1] / length(devs)

## to assess bias and CI coverage
## adjust ncores for your machine (see ?Parallel)
extrfn <- function (object) unlist(predict(object)["D",-1])
sims <- sim.secr(secrdemo.0, nsim = 50, hessian = "auto",
  extractfn = extrfn, ncores = 8)
sims

## with a larger sample, could get parametric bootstrap CI
quantile(sims[,1], c(0.025, 0.975))

## End(Not run)
```

 skink

Skink Pitfall Data

Description

Data from a study of skinks (*Oligosoma infrapunctatum* and *O. lineocellatum*) in New Zealand.

Usage

```
data(skink)
```

Details

Lizards were studied over several years on a steep bracken-covered hillside on Lake Station in the Upper Buller Valley, South Island, New Zealand. Pitfall traps (sunken cans baited with a morsel of fruit in sugar syrup) were set in two large grids, each 11 x 21 traps nominally 5 meters apart, surveyed by tape and compass (locations determined later with precision surveying equipment - see Examples). Three diurnal lizard species were trapped: *Oligosoma infrapunctatum*, *O. lineocellatum* and *O. polychroma* (Scincidae). The smallest species *O. polychroma* was seldom caught and these data are not included. The two other species are almost equal in average size (about 160 mm

total length); they are long-lived and probably mature in their second or third year. The study aimed to examine their habitat use and competitive interactions.

Traps were set for 12 3-day sessions over 1995–1996, but some sessions yielded very few captures because skinks were inactive, and some sessions were incomplete for logistical reasons. The data are from sessions 6 and 7 in late spring (17–20 October 1995 and 14–17 November 1995). Traps were cleared daily; the few skinks present when traps were closed on the morning of the fourth day are treated as Day 3 captures. Individuals were marked uniquely by clipping one toe on each foot. Natural toe loss caused some problems with long-term identification; captures were dropped from the dataset when identity was uncertain. Released animals were occasionally recaptured in a different trap on the same day; these records were also discarded.

The data are provided as two two-session capthist objects ‘infraCH’ and ‘lineoCH’. Also included is ‘LStraps’, the traps object with the coordinates and covariates of the trap sites (these data are also embedded in each of the capthist objects). Pitfall traps are multi-catch traps so `detector(LStraps) = ‘multi’`.

Habitat data for each trap site are included as a dataframe of trap covariates in LStraps. Ground cover and vegetation were recorded for a 1-m radius plot at each trap site. The dataframe also gives the total number of captures of each species by site on 31 days between April 1995 and March 1996, and the maximum potential annual solar radiation calculated from slope and aspect (Frank and Lee 1966). Each site was assigned to a habitat class by fuzzy clustering (Kaufman and Rousseauw 1990; package **cluster**) of a distance matrix using the ground cover, vegetation and solar radiation variables. Sites in class 1 were open with bare ground or low-canopy vegetation including the heath-like *Leucopogon fraseri* and grasses; sites in class 2 had more-closed vegetation, lacking *Leucopogon fraseri* and with a higher canopy that often included *Coriaria arborea*. Site variables are listed with definitions in the attribute `habitat.variables` of LStraps (see Examples).

Object	Description
infraCH	multi-session capthist object <i>O. infrapunctatum</i>
lineoCH	multi-session capthist object <i>O. lineocellatum</i>
LStraps	traps object – Lake Station grids

Source

M. G. Efford, B. W. Thomas and N. J. Spencer unpublished data.

References

- Efford, M. G., Spencer, N. J., Thomas, B. W., Mason, R. F. and Williams, P. In prep. Distribution of sympatric skink species in relation to habitat.
- Frank, E. C. and Lee, R. (1966) Potential solar beam irradiation on slopes. *United States Forest Service Research Paper* RM-118.
- Kaufman, L. and Rousseauw, P. J. (1990) *Finding groups in data: an introduction to cluster analysis*. John Wiley & Sons, New York.
- Spencer, N. J., Thomas, B. W., Mason, R. F. and Dugdale, J. S. (1998) Diet and life history variation in the sympatric lizards *Oligosoma nigriplantare polychroma* and *Oligosoma lineocellatum*. *New Zealand Journal of Zoology* 25: 457–463.

See Also

[capthist](#), [covariates](#)

Examples

```

summary (infraCH)
summary (lineoCH)

## check mean distance to nearest trap etc.
summary(LStraps)

## LStraps has several site covariates; terse descriptions are in
## an extra attribute that may be displayed thus
attr(LStraps, "habitat.variables")

## For density modelling we need covariate values at each point in the
## habitat mask. This requires both on-grid interpolation and
## extrapolation beyond the grids. One (crude) possibility is to
## extrapolate a mask covariate from a covariate of the nearest trap:

LSmask <- make.mask(LStraps, buffer = 30, type = "trapbuffer")
temp <- nearesttrap(LSmask, LStraps)
habclass <- covariates(LStraps)$class[temp]
habclass <- factor (habclass, levels = c(1,2))
covariates(LSmask) <- data.frame(habclass)

## plot mask with colour-coded covariate
oldpar <- par(fg="white") ## white pixel borders
plot (LSmask, covariate = "habclass", dots = FALSE, axes = FALSE,
      col = c("yellow","green"), border = 0)
plot(LStraps, add = TRUE, detpar = list(pch = 16))
par(oldpar)

```

snip

Slice Transect Into Shorter Sections

Description

This function splits the transects in a ‘transect’ or ‘transectX’ traps object into multiple shorter sections. The function may also be applied directly to a capthist object based on transect data. This makes it easy to convert detection data collected along linear transects to point detection data (see Example).

Usage

```
snip(object, from = 0, by = 1000, length.out = NULL, keep.incomplete = TRUE)
```

Arguments

object	secr ‘traps’ or ‘capthist’ object based on transects
from	numeric starting position (m)
by	numeric length of new transects (m)
length.out	numeric number of new transects, as alternative to ‘by’

`keep.incomplete`

logical; if TRUE then initial or terminal sections of each original transect that are less than 'by' will be retained in the output

Details

If a positive `length.out` is specified, `by` will be computed as $(\text{transectlength}(\text{object}) - \text{from}) / \text{length.out}$.

Value

A 'traps' or 'capthist' object, according to the input. If `keep.incomplete == FALSE` animals and detections from the

See Also

[transectlength](#)

Examples

```
x <- seq(0, 4*pi, length = 41)
temptrans <- make.transect(x = x*100, y = sin(x)*300, )
plot (snip(temptrans, by = 200), markvertices = 1)

## Not run:

## simulate some captures
tempcapt <- sim.capthist(temptrans, popn = list(D = 2,
  buffer = 300), detectpar = list(g0 = 0.5, sigma = 50),
  binomN = 0)

## snip capture histories
tempCH <- snip(tempcapt, by = 20)

## collapse from transect to multi, discarding location within transects
tempCH <- reduce(tempCH, outputdetector = "count")

## fit secr model and examine H-T estimates of density
derived(secr.fit(tempCH, buffer = 300, CL = TRUE, trace = FALSE))

## also, may split an existing transect into equal lengths
## same result:
plot(snip(temptrans, by = transectlength(temptrans)/10),
  markvertices = 1)
plot(snip(temptrans, length.out = 10), markvertices = 1)

## End(Not run)
```

sort.caphist	<i>Sort Rows of caphist Object</i>
--------------	------------------------------------

Description

Rows are sorted by fields in covariates or by a provided sort key of length equal to the number of rows.

Usage

```
## S3 method for class caphist
sort(x, decreasing = FALSE, by = "",
     byrowname = TRUE, ...)
```

Arguments

x	caphist object
decreasing	logical. Should the sort be increasing or decreasing?
by	character vector (names of covariates) or data frame whose columns will be used as sort keys
byrowname	logical. Should row name be used as a final sort key?
...	other arguments (not used)

Details

For multi-session caphist objects only the named covariate form is suitable as the number of rows varies between sessions.

If requested, rows are sorted by rowname within by. The effect of the defaults is to sort by rowname.

Value

caphist object with sorted rows; any relevant attributes are also sorted (covariates, signal, xy)

See Also

[caphist](#)

Examples

```
sort(ovenCH, by = "Sex")
covariates(ovenCH)[["2005"]]
covariates(sort(ovenCH, by = "Sex"))[["2005"]]
```

SPACECAP

*Exchange data with SPACECAP package***Description**

Data in a single-session **secr** capthist object may be written directly to the ‘csv’ format used by **SPACECAP**, a package for Bayesian spatially explicit capture–recapture (Singh et al. 2010). Data in csv format may also be read to construct a capthist object for analysis in **secr**.

Usage

```
write.SPACECAP(object, mask = NULL, buffer = 100, ndec = 2,
  filestem = "")
read.SPACECAP(AC, TD, detector = "proximity", session = "1")
```

Arguments

object	capthist object with the captures and trap locations to export
mask	mask object to use for state-space file
buffer	width of buffer in metres to use when creating a mask if none is specified
ndec	number of digits after decimal point for coordinates of mask on output
filestem	character value used to form names of output files
AC	character value giving name of ‘animal capture’ .csv file
TD	character value giving name of ‘trap deployment’ .csv file
detector	detector type (‘proximity’ or ‘count’)
session	character value to use as session name

Details

If successful, `write.SPACECAP` creates three output files with names ending in ‘AC.csv’, ‘TD.csv’ and ‘SS.csv’. These are respectively the ‘Animal Capture’, ‘Trap Deployment’ and ‘State-Space’ files required by **SPACECAP**.

Value

`write.SPACECAP` is used for its side effect of writing the required csv files. `read.SPACECAP` returns a capthist object.

Note

State-space csv files may be imported with `read.mask`.

References

Gopaldaswamy, A.M., Royle, J.A., Hines, J.E., Singh, P., Jathanna, D., Kumar, N.S. and Karanth, K.U. (2012) Program SPACECAP: software for estimating animal density using spatially explicit capture–recapture models. *Methods in Ecology and Evolution* **3**, 1067–1072.

Singh, P., Gopaldaswamy, A. M., Royle, A. J., Kumar, N. S. and Karanth, K. U. (2010) SPACECAP: A program to estimate animal abundance and density using Bayesian spatially explicit capture-recapture models. Version 1.0. Wildlife Conservation Society - India Program, Centre for Wildlife Studies, Bangalore, India.

See Also

[capthist](#), [mask](#), [read.mask](#)

Examples

```
## Not run:

## coerce data to proximity detector type for export
demo <- reduce(captdata, output = "proximity")
write.SPACECAP (demo, filestem = "demo")

## now read back the data just exported...
temp <- read.SPACECAP ("demoAC.csv", "demoTD.csv")
temp <- reduce(temp, output = "single")
summary (temp)
summary (captdata)

## should match exactly
identical(summary(temp), summary(captdata))

## End(Not run)
```

spacing

Detector or Mask Spacing

Description

Extract or replace the spacing attribute of a detector array or mask.

Usage

```
spacing(object, ...)
spacing(object) <- value

## S3 method for class traps
spacing(object, ..., recalculate = FALSE)
## S3 method for class mask
spacing(object, ..., recalculate = FALSE)
```

Arguments

object	object with 'spacing' attribute e.g. traps
value	numeric value for spacing
...	other arguments (not used)
recalculate	logical; if TRUE compute average spacing afresh

Details

The 'spacing' attribute of a detector array is the average distance from one detector to the nearest other detector.

The attribute was not always set by `make.grid()` and `read.traps()` in versions of **secr** before 1.5.0. If the attribute is found to be NULL then spacing will compute it on the fly.

Value

scalar numeric value of mean spacing, or a vector if object has multiple sessions

See Also

[traps](#)

Examples

```
temptrap <- make.grid(nx = 6, ny = 8)
spacing(temptrap)
```

speed

Speed Tips

Description

A compendium of ways to make [secr.fit](#) run faster.

Use an appropriate mask

Check the extent and spacing of the habitat mask that you are using. Execution time is roughly proportional to the number of mask points (`nrow(mymask)`). Default settings can lead to very large masks for detector arrays that are elongated 'north-south' because the number of points in the east-west direction is fixed. Compare results with a much sparser mask (e.g., `nx = 32` instead of `nx = 64`).

Use conditional likelihood

If you don't need to model variation in density over space or time then consider maximizing the conditional likelihood in `secr.fit` (`CL = TRUE`). This reduces the complexity of the optimization problem, especially where there are several sessions and you want session-specific density estimates (by default, `derived()` returns a separate estimate for each session even if the detection parameters are constant across sessions).

Model selection

Do you really need to fit all those complex models? Chasing down small decrements in AIC is so last-century. Remember that detection parameters are mostly nuisance parameters, and models with big differences in AIC may barely differ in their density estimates. This is a good topic for further research - we seem to need a ‘focussed information criterion’ (Claeskens and Hjort 2008) to discern the differences that matter. Be aware of the effects that can really make a difference: learned responses (b, bk etc.) and massive unmodelled heterogeneity.

Use `score.test()` to compare nested models. At each stage this requires only the more simple model to have been fitted in full; further processing is required to obtain a numerical estimate of the gradient of the likelihood surface for the more complex model, but this is much faster than maximizing the likelihood. The tradeoff is that the score test is only approximate, and you may want to later verify the results using a full AIC comparison.

Break problem down

Suppose you are fitting models to multiple separate datasets that fit the general description of ‘sessions’. If you are fitting separate detection parameters to each session (i.e., you do not need to pool detection information), and you are not modelling trend in density across sessions, then it is much quicker to fit each session separately than to try to do it all at once. See Examples.

Mash replicated clusters of detectors

If your detectors are arranged in similar clusters (e.g., small square grids) then try the function `mash`.

Reduce sparse ‘proximity’ data to ‘multi’

Full data from ‘proximity’ detectors has dimensions $n \times S \times K$ (n is number of individuals, S is number of occasions, K is number of traps). If the data are sparse (i.e. multiple detections of an individual on one occasion are rare) then it is efficient to treat proximity data as multi-catch data (dimension $n \times S$, maximum of one detection per occasion). Use `reduce(proxCH, outputdetector = "multi")`.

Use multiple cores when applicable

Some computations can be run in parallel on multiple processors (most desktops these days have multiple cores), but capability is limited. Check the ‘ncores’ argument of `sim.secr()` and `secr.fit()` and `?ncores`. The speed gain is significant for parametric bootstrap computations in `sim.secr`. Parallelisation is also allowed for the session likelihood components of a multi-session model in `secr.fit()`, but gains there seem to be small or negative.

Functions `par.secr.fit`, `par.derived`, and `par.secr.fit` are an alternative and more effective way to take advantage of multiple cores when fitting several models.

Avoid covariates with many levels

Categorical (factor) covariates with many levels and continuous covariates that take many values are not handled efficiently in `secr.fit`, and can dramatically slow down analyses and increase memory requirements.

Simulations

Model fitting is not needed to assess power. The precision of estimates from `secr.fit` can be predicted without laboriously fitting models to simulated datasets. Just use `method = "none"` to obtain the

asymptotic variance at the known parameter values for which data have been simulated (e.g. with `sim.caphist()`).

Suppress computation of standard errors by `derived()`. For a model fitted by conditional likelihood (`CL = TRUE`) the subsequent computation of derived density estimates can take appreciable time. If variances are not needed (e.g., when the aim is to predict the bias of the estimator across a large number of simulations) it is efficient to set `se.D = FALSE` in `derived()`.

It is tempting to save a list with the entire ‘`se`’ object from each simulated fit, and to later extract summary statistics as needed. Be aware that with large simulations the overheads associated with storage of the list can become very large. The solution is to anticipate the summary statistics you will want and save only these.

References

Claeskens, G. and Hjort N. L. (2008) *Model Selection and Model Averaging*. Cambridge: Cambridge University Press.

Examples

```
## Not run:

## compare timing of combined model with separate single-session models
## for 5-session ovenbird mistnetting data: 2977/78 = 38-fold difference

system.time(fit1 <- secr.fit(ovenCH, buffer = 300, model = list(D ~
  session, g0 ~ session, sigma ~ session)))
## user system elapsed
## 2875.06 62.59 2977.26

system.time(fit2 <- lapply (ovenCH, secr.fit, buffer = 300))
## user system elapsed
## 75.61 1.95 77.65

## ratio of density estimates
collate(fit1)[,1,1,"D"] / sapply(fit2, function(x) predict(x)["D","estimate"])
## session=2005 session=2006 session=2007 session=2008 session=2009
## 1.0000066 1.0000692 1.0000001 0.9999543 0.9999285

## End(Not run)
```

stoatDNA

Stoat DNA Data

Description

Data of A. E. Byrom from a study of stoats (*Mustela erminea*) in New Zealand. Individuals were identified from DNA in hair samples.

Usage

```
data(stoatDNA)
```

Details

The data are from a pilot study of stoats in red beech (*Nothofagus fusca*) forest in the Matakaitaki Valley, South Island, New Zealand. Sticky hair-sampling tubes ($n = 94$) were placed on a 3-km x 3-km grid with 500-m spacing between lines and 250-m spacing along lines. Tubes were baited with rabbit meat and checked daily for 7 days, starting on 15 December 2001. Stoat hair samples were identified to individual using DNA microsatellites amplified by PCR from follicular tissue (Gleeson et al. 2010). Six loci were amplified and the mean number of alleles was 7.3 per locus. Not all loci could be amplified in 27% of samples. A total of 40 hair samples were collected (Gleeson et al. 2010), but only 30 appear in this dataset; the rest presumably did not yield sufficient DNA for genotyping.

The data are provided as a single-session `capthist` object 'stoatCH'. Hair tubes are 'proximity' detectors which allow an individual to be detected at multiple detectors on one occasion (day), but there are no multiple detections in this dataset and for historical reasons the data are provided as detector type 'multi'. Three pre-fitted models are included: `stoat.model.HN`, `stoat.model.HZ`, and `stoat.model.EX` (with halfnormal, hazard-rate and negative exponential detection functions, respectively).

Object	Description
<code>stoatCH</code>	<code>capthist</code> object
<code>stoat.model.EX</code>	fitted <code>secr</code> model – null, exponential detection function
<code>stoat.model.HN</code>	fitted <code>secr</code> model – null, halfnormal detection function
<code>stoat.model.HZ</code>	fitted <code>secr</code> model – null, hazard-rate detection function

Note

The log-likelihood values reported for these data by `secr.fit` differ by a constant from those published by Efford et al. (2009) because the earlier version of `DENSITY` used in that analysis did not include the multinomial coefficient, which in this case is $\log(20!)$ or about +42.336. The previous analysis also used a coarser habitat mask than the default in `secr` (32 x 32 rather than 64 x 64) and this slightly alters the log-likelihood and ΔAIC values.

Fitting the hazard-rate detection function previously required the shape parameter z (or b) to be fixed, but the model can be fitted in `secr` without fixing z . However, the hazard rate function can cause problems owing to its long tail, and it is not recommended. The check on the buffer width, usually applied automatically on completion of `secr.fit`, causes an error and must be suppressed with `biasLimit = NA` (see Examples).

Gleeson et al. (2010) address the question of whether there is enough variability at the sampled microsatellite loci to distinguish individuals. The reference to 98 sampling sites in that paper is a minor error (A. E. Byrom pers. comm.).

Source

Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture-recapture: likelihood-based methods. In: D. L. Thomson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer, New York. Pp. 255–269.

References

Gleeson, D. M., Byrom, A. E. and Howitt, R. L. J. (2010) Non-invasive methods for genotyping of stoats (*Mustela erminea*) in New Zealand: potential for field applications. *New Zealand Journal of Ecology* **34**, 356–359. Available on-line at <http://www.newzealandecology.org>.

See Also

[caphist](#), [Detection functions](#), [secr.fit](#)

Examples

```
summary(stoatCH)

## Not run:
stoat.model.HN <- secr.fit(stoatCH, buffer = 1000, detectfn = 0)

# this generates an error unless we use biasLimit = NA
# to suppress the default bias check
stoat.model.HZ <- secr.fit(stoatCH, buffer = 1000, detectfn = 1,
  biasLimit = NA)

stoat.model.EX <- secr.fit(stoatCH, buffer = 1000, detectfn = 2)
confint(stoat.model.HN, "D")
## Profile likelihood interval(s)...
##      lcl      ucl
## D 0.01275125 0.04055662

## End(Not run)

## plot fitted detection functions
xv <- seq(0,800,10)
plot(stoat.model.EX, xval = xv, ylim = c(0,0.12), limits = FALSE,
  lty = 2)
plot(stoat.model.HN, xval = xv, limits = FALSE, lty = 1, add = TRUE)
plot(stoat.model.HZ, xval = xv, limits = FALSE, lty = 3, add = TRUE)

## review density estimates
collate(stoat.model.HZ, stoat.model.HN, stoat.model.EX,
  realnames = "D", perm = c(2,3,4,1))
## use secr:: in case of conflicting model.average from RMark
secr::model.average(stoat.model.HN, stoat.model.EX,
  realnames = "D")
```

subset.caphist

Subset or Split caphist Object

Description

Create a new caphist object or list of objects by selecting rows (individuals), columns (occasions) and traps from an existing caphist object.

Usage

```
## S3 method for class caphist
subset(x, subset = NULL, occasions = NULL, traps = NULL,
  sessions = NULL, cutval = NULL, dropnullCH = TRUE, dropnulloc = FALSE,
  dropunused = TRUE, droplosignals = TRUE, dropNAsignals = FALSE,
  cutabssignal = TRUE, renumber = FALSE, ...)
```

```
## S3 method for class caphist
split(x, f, drop = FALSE, prefix = "S", bytrap = FALSE, ...)
```

Arguments

<code>x</code>	object of class <code>caphist</code>
<code>subset</code>	vector of subscripts to select rows (individuals)
<code>occasions</code>	vector of subscripts to select columns (occasions)
<code>traps</code>	vector of subscripts to select detectors (traps)
<code>sessions</code>	vector of subscripts to select sessions
<code>cutval</code>	new threshold for signal strength
<code>dropnullCH</code>	logical for whether null (all-zero) capture histories should be dropped
<code>dropnulloc</code>	logical for whether occasions with no detections should be dropped
<code>dropunused</code>	logical for whether never-used detectors should be dropped
<code>droploWSignals</code>	logical for whether <code>cutval</code> should be applied at each microphone rather than to sound as a whole
<code>dropNAsignals</code>	logical for whether detections with missing signal should be dropped
<code>cutabssignal</code>	logical for whether to apply <code>cutval</code> to absolute signal strength or the difference between signal and noise
<code>renumber</code>	logical for whether <code>row.names</code> should be replaced with sequence number in new <code>caphist</code>
<code>f</code>	factor or object that may be coerced to a factor
<code>drop</code>	logical indicating if levels that do not occur should be dropped (if <code>f</code> is a factor)
<code>prefix</code>	a character prefix to be used for component names when values of <code>f</code> are numeric
<code>bytrap</code>	logical; if TRUE then each level of <code>f</code> identifies traps to include
<code>...</code>	other arguments (not used currently)

Details

Subscript vectors may be either logical- (length equal to the relevant dimension of `x`), character- or integer-valued. Subsetting is applied to attributes (e.g. `covariates`, `traps`) as appropriate. The default action is to include all animals, occasions, and detectors if the relevant argument is omitted.

When `traps` is provided, detections at other detectors are set to zero, as if the detector had not been used, and the corresponding rows are removed from `traps`. If the detector type is ‘proximity’ then selecting traps also reduces the third dimension of the `caphist` array.

`split` generates a list in which each component is a `caphist` object. Each component corresponds to a level of `f`.

To combine (pool) occasions use `reduce.caphist`. There is no equivalent of `unlist` for lists of `caphist` objects.

The effect of `droploWSignals = FALSE` is to retain below-threshold measurements of signal strength on all channels (microphones) as long as the signal is above `cutval` on at least one. In this case all retained sounds are treated as detected on all microphones. This fails when signals are already missing on some channels.

Subsetting is awkward with multi-session input when the criterion is an individual covariate. See the Examples for omne way this can be tackled.

Value

capthist object with the requested subset of observations, or a list of such objects (i.e., a multi-session capthist object). List input results in list output, except when a single session is selected.

See Also

[capthist](#), [rbind.capthist](#), [reduce.capthist](#)

Examples

```
tempcapt <- sim.capthist (make.grid(nx=6, ny=6), nocc=6)
summary(subset(tempcapt, occ=c(1,3,5)))

## Consider proximity detections at a random subset of detectors
## This would not make sense for multi detectors, as the
## excluded detectors influence detection probabilities in
## sim.capthist.

tempcapt2 <- sim.capthist (make.grid(nx = 6, ny = 6,
  detector = "proximity"), nocc = 6)
tempcapt3 <- subset(tempcapt2, traps = sample(1:36, 18,
  replace=FALSE))
summary(tempcapt3)
plot(tempcapt3)

split (tempcapt2, f = sample (c("A","B"), nrow(tempcapt2),
  replace = TRUE))

## split out captures on alternate rows of a grid
split(captdata, f = rep(1:2, 50), bytrap = TRUE)

## Applying a covariate criterion across all sessions of a
## multi-session capthist object e.g. selecting male ovenbirds from the
## 2005--2009 ovenCH dataset. We include a restriction on occasions
## to demonstrate the use of MoreArgs. Note that mapply() creates a
## list, and the class of the output must be restored manually.

ovenCH.males <- mapply(subset, ovenCH,
  subset = lapply(ovenCH, function(x) covariates(x)$Sex == "M"),
  MoreArgs = list(occasions = 1:5))
class(ovenCH.males) <- class(ovenCH)
summary(ovenCH.males)
```

subset.mask

Subset Mask Object

Description

Retain selected rows of a mask object.

Usage

```
## S3 method for class mask
subset(x, subset, ...)

## S3 method for class mask
rbind(...)
```

Arguments

x	mask object
subset	numeric or logical vector to select rows of mask
...	two or more mask objects (rbind only)

Details

The subscripts in subset may be of type integer, character or logical as described in [Extract](#).

Covariates are ignored by rbind.mask.

Value

For subset, an object of class 'mask' with only the requested subset of rows and 'type' attribute set to 'subset'.

For rbind, an object of class 'mask' with all unique rows from the masks in ..., and 'type' attribute set to 'rbind'.

Warning

The spacing attribute is carried over from the input (it is not updated automatically). In the case of very sparse masks (i.e. those with isolated points) this may lead to an unexpected value for this attribute. (Automatic updating requires excessive computation time and/or memory for very large masks).

See Also

[mask](#)

Examples

```
tempmask <- make.mask(make.grid())
OK <- (tempmask$x + tempmask$y) > 100
tempmask <- subset(tempmask, subset = OK)
plot(tempmask)
```

subset.popn	<i>Subset popn Object</i>
-------------	---------------------------

Description

Retain selected rows of a popn object.

Usage

```
## S3 method for class popn
subset(x, subset = NULL, sessions = NULL, poly = NULL,
       poly.habitat = TRUE, keep.poly = TRUE, renumber = FALSE, ...)
```

Arguments

x	popn object
subset	vector to subscript the rows of x
sessions	vector to subscript sessions if x is a multi-session population
poly	bounding polygon (see Details)
poly.habitat	logical for whether poly represents habitat or its inverse (non-habitat)
keep.poly	logical; if TRUE any bounding polygon is saved as the attribute 'polygon'
renumber	logical for whether to renumber rows in output
...	arguments passed to other functions

Details

The subscripts in subset may be of type integer, character or logical as described in [Extract](#). By default, all rows are retained.

In the case of a multi-session popn object (a list of populations), subset may be a list with one component for the subscripts in each new session.

Value

An object of class popn with only the requested subset of rows. Subsetting is applied to the covariates attribute if this is present. Attributes 'Ndist' and 'model2D' are set to NULL.

If poly is specified, points outside poly are dropped. poly may be either

- a matrix or dataframe of two columns interpreted as x and y coordinates, or
- a SpatialPolygonsDataFrame object as defined in the package 'sp', possibly from reading a shapefile with readShapePoly() from package 'maptools'.

See Also

[popn](#)

Examples

```

temppop <- sim.popn (D = 10, expand.grid(x = c(0,100), y =
  c(0,100)), buffer = 50)
## 50% binomial sample of simulated population
temppops <- subset(temppop, runif(nrow(temppop)) < 0.5)
plot(temppop)
plot(temppops, add = TRUE, pch = 16)

```

subset.traps

*Subset traps Object***Description**

Retain selected rows of a traps object.

Usage

```

## S3 method for class traps
subset(x, subset = NULL, occasions = NULL, ...)
## S3 method for class traps
split(x, f, drop = FALSE, prefix = "S", byoccasion = FALSE, ...)

```

Arguments

x	traps object
subset	vector to subscript the rows of x
occasions	vector to subscript columns in usage(x)
...	arguments passed to other functions
f	factor or object that may be coerced to a factor
drop	logical indicating if levels that do not occur should be dropped (if f is a factor)
prefix	a character prefix to be used for component names when values of f are numeric
byoccasion	logical ; if TRUE then f is used to split occasions

Details

The subscripts in subset may be of type integer, character or logical as described in [Extract](#). By default, all rows are retained.

In the case of ‘polygon’ and ‘transect’ detectors, subsetting is done at the level of whole polygons or transects. subset should therefore have the same length as levels(polyID(x)) or levels(transectID(x)).

split generates a list in which each component is a traps object. Each component corresponds to a level of f. The argument x of split cannot be a list (i.e. x must be a single-session traps object).

Value

An object of class traps with only the requested subset of rows. Subsetting is applied to usage and covariates attributes if these are present.

Splitting with byoccasion = TRUE produces a list of traps objects, each with usage codes for a subset of occasions. Traps not used on any occasion within a session are automatically dropped from that session.

See Also[traps](#), [rbind.traps](#)**Examples**

```
## odd-numbered traps only, using modulo operator
temptrap <- make.grid(nx = 7, ny = 7)
t2 <- subset(temptrap, as.logical(1:nrow(temptrap) %% 2))
plot(t2)
```

suggest.buffer

*Mask Buffer Width***Description**

Determines a suitable buffer width for an integration [mask](#). The ‘buffer’ in question defines a concave polygon around a detector array constructed using `make.mask` with `type = "trapbuffer"`. The method relies on an approximation to the bias of maximum likelihood density estimates (M. Efford unpubl).

Usage

```
suggest.buffer(object, detectfn = NULL, detectpar = NULL,
  noccasions = NULL, ignoreusage = FALSE, RBtarget = 0.001,
  interval = NULL, binomN = NULL, ...)
```

```
bias.D (buffer, traps, detectfn, detectpar, noccasions, binomN = NULL,
  control = NULL)
```

Arguments

<code>object</code>	single-session ‘secr’, ‘traps’ or ‘capthist’ object
<code>detectfn</code>	integer code or character string for shape of detection function 0 = halfnormal etc. – see detectfn
<code>detectpar</code>	list of values for named parameters of detection function – see detectpar
<code>noccasions</code>	number of sampling occasions
<code>ignoreusage</code>	logical for whether to discard usage information from <code>traps(capthist)</code>
<code>RBtarget</code>	numeric target for relative bias of density estimate
<code>interval</code>	a vector containing the end-points of the interval to be searched
<code>binomN</code>	integer code for distribution of counts (see secr.fit)
<code>...</code>	other argument(s) passed to <code>bias.D</code>
<code>buffer</code>	vector of buffer widths
<code>traps</code>	‘traps’ object
<code>control</code>	list of mostly obscure numerical settings (see Details)

Details

The basic input style of `suggest.buffer` uses a ‘traps’ object and a detection model specified by ‘detectpar’, ‘detectfn’ and ‘noccasions’, plus a target relative bias (RB). A numerical search is conducted for the buffer width that is predicted to deliver the requested RB. If `interval` is omitted it defaults to (1, 100S) where S is the spatial scale of the detection function (usually `detectpar$sigma`). An error is reported if the required buffer width is not within `interval`. This often happens with heavy-tailed detection functions (e.g., hazard-rate): choose another function, a larger `RBtarget` or a wider `interval`.

Convenient alternative input styles are –

- `secr` object containing a fitted model. Values of ‘traps’, ‘detectpar’, ‘detectfn’ and ‘noccasions’ are extracted from object and any values supplied for these arguments are ignored.
- `capthist` object containing raw data. If `detectpar` is not supplied then `autoini` is used to get ‘quick and dirty’ values of `g0` and `sigma` for a halfnormal detection function. `noccasions` is ignored. `autoini` tends to underestimate `sigma`, and the resulting buffer also tends to be too small.

`bias.D` is called internally by `suggest.buffer`.

Value

`suggest.buffer` returns a scalar value for the suggested buffer width in metres, or a vector of such values in the case of a multi-session object.

`bias.D` returns a dataframe with columns `buffer` and `RB.D` (approximate bias of density estimate using finite buffer width, relative to estimate with infinite buffer).

Note

The algorithm in `bias.D` uses one-dimensional numerical integration of a polar approximation to site-specific detection probability. This uses a further 3-part linear approximation for the length of contours of distance-to-nearest-detector (r) as a function of r .

The approximation seems to work well for a compact detector array, but it should not be taken as an estimate of the bias for any other purpose: do *not* report `RB.D` as "the relative bias of the density estimate". `RB.D` addresses only the effect of using a finite buffer. The effect of buffer width on final estimates should be checked with `mask.check`.

The default buffer type in `make.mask`, and hence in `secr.fit`, is ‘traprect’, not ‘trapbuffer’, but a buffer width that is adequate for ‘trapbuffer’ is always adequate for ‘traprect’.

`control` contains various settings of little interest to the user.

The potential components of `control` are –

`method` = 1 code for method of modelling $p(X)$ as a function of buffer ($q(r)$)

`bfactor` = 20 $q(r)$ vs $p(X)$ calibration mask buffer width in multiples of trap spacing

`masksample` = 1000 maximum number of points sampled from calibration mask

`spline.df` = 10 effective degrees of freedom for `smooth.spline`

See Also

[mask](#), [make.mask](#), [mask.check](#), [esa.plot](#)

Examples

```
## Not run:
temptraps <- make.grid()
detpar <- list(g0 = 0.2, sigma = 25)
suggest.buffer(temptraps, "halfnormal", detpar, 5)

RB <- bias.D(50:150, temptraps, "halfnormal", detpar, 5)
plot(RB)

detpar <- list(g0 = 0.2, sigma = 25, z=5)
RB <- bias.D(50:150, temptraps, "hazard rate", detpar, 5)
lines(RB)

## compare to esa plot
esa.plot (temptraps, max.buffer = 150, spacing = 4, detectfn = 0,
  detectpar = detpar, noccasions = 5, as.density = F)

## End(Not run)

## compare detection histories and fitted model as input
suggest.buffer(captdata)
suggest.buffer(secrdemo.0)
```

summary.caphist

*Summarise Detections***Description**

Concise description of caphist object.

Usage

```
## S3 method for class caphist
summary(object, terse = FALSE, ...)

## S3 method for class summary.caphist
print(x, ...)

counts(CHlist, counts = "M(t+1)")
```

Arguments

object	caphist object
terse	logical; provide only summary counts for multi-session object
x	summary.caphist object
...	arguments passed to other functions
CHlist	caphist object, especially a multi-session object
counts	character vector of count names

Details

These counts are reported by `summary.caphist`

n	number of individuals detected on each occasion
u	number of individuals detected for the first time on each occasion
f	number of individuals detected exactly f times
M(t+1)	cumulative number of individuals detected
losses	number of individuals reported as not released on each occasion
detections	number of detections, including within-occasion 'recaptures'
traps visited	number of detectors at which at least one detection was recorded
traps set	number of detectors, excluding any 'not set' in usage attribute of traps attribute

counts may be used to return the specified counts in a compact session x occasion table. If more than one count is named then a list is returned with one component for each type of count.

Value

From `summary.caphist`, an object of class `summary.caphist`, a list with at least these components

detector	detector type ("single", "multi", "proximity" etc.)
ndetector	number of detectors
xrange	range of x coordinates of detectors
yrange	range of y coordinates of detectors
spacing	mean distance from each trap to nearest other trap
counts	matrix of summary counts (rows) by occasion (columns). See Details.
dbar	mean recapture distance
RPSV	root pooled spatial variance

or, when `terse = TRUE` and object contains multiple sessions, a dataframe of counts per session.

See Also

[dbar](#), [RPSV](#), [caphist](#)

Examples

```
temptrap <- make.grid(nx = 5, ny = 3)
summary(sim.caphist(temptrap))
summary(sim.caphist(temptrap))$counts["n",]
```

summary.mask	<i>Summarise Habitat Mask</i>
--------------	-------------------------------

Description

Concise summary of a mask object.

Usage

```
## S3 method for class mask
summary(object, ...)
## S3 method for class summary.mask
print(x, ...)
```

Arguments

object	mask object
x	summary.mask object
...	other arguments (not used)

Details

The bounding box is the smallest rectangular area with edges parallel to the x- and y-axes that contains all points and their associated grid cells. A print method is provided for objects of class `summary.mask`.

Value

Object of class 'summary.mask', a list with components

detector	character string for detector type ("single", "multi", "proximity")
type	mask type ("traprect", "trapbuffer", "pdot", "polygon", "user", "subset")
nmaskpoints	number of points in mask
xrange	range of x coordinates
yrange	range of y coordinates
meanSD	dataframe with mean and SD of x, y, and each covariate
spacing	nominal spacing of points
cellarea	area (ha) of grid cell associated with each point
bounding box	dataframe with x-y coordinates for vertices of bounding box
covar	summary of each covariate

See Also

[mask](#)

Examples

```
tempmask <- make.mask(make.grid())
## left to right gradient
covariates (tempmask) <- data.frame(x = tempmask$x)
summary(tempmask)
```

summary.traps	<i>Summarise Detector Array</i>
---------------	---------------------------------

Description

Concise description of traps object.

Usage

```
## S3 method for class traps
summary(object, getspacing = TRUE, ...)
## S3 method for class summary.traps
print(x, terse = FALSE, ...)
```

Arguments

object	traps object
getspacing	logical to calculate spacing of detectors from scratch
x	summary.traps object
terse	if TRUE suppress printing of usage and covariate summary
...	arguments passed to other functions

Details

When object includes both categorical (factor) covariates and usage, usage is tabulated for each level of the covariates.

Computation of spacing (mean distance to nearest trap) is slow and may hit a memory limit when there are many traps. In this case, turn off the computation with `getspacing = FALSE`.

Value

An object of class `summary.traps`, a list with elements

detector	detector type ("single", "multi", "proximity" etc.)
ndetector	number of detectors
xrange	range of x coordinates
yrange	range of y coordinates
spacing	mean distance from each trap to nearest other trap
usage	table of usage by occasion
covar	summary of covariates

See Also

[print](#), [traps](#)

Examples

```
demo.traps <- make.grid()
summary(demo.traps) ## uses print method for summary.traps object
```

timevaryingcov	<i>Time-varying Detector Covariates</i>
----------------	---

Description

Extract or replace time varying trap covariates

Usage

```
timevaryingcov(object, ...)
timevaryingcov(object) <- value
```

Arguments

object	an object of class traps
value	a list of named vectors
...	other arguments (not used)

Details

The timevaryingcov attribute of a traps object is a list of one or more named vectors. Each vector identifies a subset of columns of covariates(object), one for each occasion. If character values are used they should correspond to covariate names.

The name of the vector may be used in a model formula; when the model is fitted, the value of the trap covariate on a particular occasion is retrieved from the column indexed by the vector.

For replacement, if object already has a [usage](#) attribute, the length of each vector in value must match exactly the number of columns in usage(object).

Value

timevaryingcov(object) returns the timevaryingcov attribute of object (may be NULL).

Note

It is usually better to model varying effort directly, via the [usage](#) attribute (see [../doc/secr-varyingeffort.pdf](#)).

Models for data from detectors of type 'multi', 'polygonX' or 'transectX' take much longer to fit when detector covariates of any sort are used.

See [../doc/secr-varyingeffort.pdf](#) for input of detector covariates from a file.

Examples

```
# make a trapping grid with simple covariates
temptrap <- make.grid(nx = 6, ny = 8, detector = "proximity")
covariates (temptrap) <- data.frame(matrix(
  c(rep(1,48*3),rep(2,48*2)), ncol = 5))
head(covariates (temptrap))

# identify columns 1-5 as daily covariates
timevaryingcov(temptrap) <- list(blockt = 1:5)
```

```

timevaryingcov(temptrap)

## Not run:

# default density = 5/ha, noccasions = 5
CH <- sim.caphist(temptrap, detectpar = list(g0 = c(0.15, 0.15,
  0.15, 0.3, 0.3), sigma = 25))

fit.1 <- secr.fit(CH, trace = FALSE)
fit.tvc2 <- secr.fit(CH, model = g0 ~ blockt, trace = FALSE)

# because variation aligns with occasions, we get the same with:
fit.t2 <- secr.fit(CH, model = g0 ~ tcov, timecov = c(1,1,1,2,2),
  trace = FALSE)

predict(fit.t2, newdata = data.frame(tcov = 1:2))
predict(fit.tvc2, newdata = data.frame(blockt = 1:2))

# now model some more messy variation
covariates (traps(CH))[1:10,] <- 3
fit.tvc3 <- secr.fit(CH, model = g0 ~ blockt, trace = FALSE)

AIC(fit.tvc2, fit.t2, fit.tvc3)
# fit.tvc3 is the wrong model

## End(Not run)

```

transformations

Transform Point Array

Description

Flip (reflect), rotate or slide (translate) an array of points. Methods are provided for ‘traps’ objects that ensure other attributes are retained. The methods may be used with `rbind.traps` to create complex geometries.

Usage

```

flip (object, lr = F, tb = F, ...)
rotate (object, degrees, centrexy = NULL, ...)
shift (object, shiftxy, ...)

## S3 method for class traps
  flip(object, lr = F, tb = F, ...)
## S3 method for class traps
  rotate(object, degrees, centrexy = NULL, ...)
## S3 method for class traps
  shift(object, shiftxy, ...)

## S3 method for class popn

```

```

flip(object, lr = F, tb = F, ...)
## S3 method for class popn
rotate(object, degrees, centrexy = NULL, ...)
## S3 method for class popn
shift(object, shiftxy, ...)

## S3 method for class mask
shift(object, shiftxy, ...)

```

Arguments

object	a 2-column matrix or object that can be coerced to a matrix
lr	either logical for whether array should be flipped left-right, or numeric value for x-coordinate of axis about which it should be flipped left-right
tb	either logical for whether array should be flipped top-bottom, or numeric value for y-coordinate of axis about which it should be flipped top-bottom
degrees	clockwise angle of rotation in degrees
centrexy	vector with xy coordinates of rotation centre
shiftxy	vector of x and y displacements
...	other arguments (not used)

Details

flip reflects points about a vertical or horizontal axis. Logical values for lr or tb indicate that points should be flipped about the mean on the relevant axis. Numeric values indicate the particular axis value(s) about which points should be flipped. The default arguments result in no change.

shift shifts the location of each point by the desired amount on each axis.

rotate rotates the array about a designated point. If centrexy is NULL then rotation is about (0,0) (rotate.default), the array centre (rotate.traps), or the centre of the bounding box (rotate.popn).

Value

A matrix or object of class 'traps' or 'popn' with the coordinates of each point transformed as requested.

See Also

[traps](#), [popn](#)

Examples

```

temp <- matrix(runif(20) * 2 - 1, nc = 2)

## flip
temp2 <- flip(temp, lr = 1)
plot(temp, xlim=c(-1.5,4), ylim = c(-1.5,1.5), pch = 16)
points(temp2, pch = 1)
arrows(temp[,1], temp[,2], temp2[,1], temp2[,2], length = 0.1)
abline(v = 1, lty = 2)

```

```

## rotate
temp2 <- rotate(temp, 25)
plot(temp, xlim=c(-1.5,1.5), ylim = c(-1.5,1.5), pch = 16)
points (0,0, pch=2)
points (temp2, pch = 1)
arrows (temp[,1], temp[,2], temp2[,1], temp2[,2], length = 0.1)

## shiftxy
temp2 <- shift(temp, c(0.1, 0.1))
plot(temp, xlim=c(-1.5,1.5), ylim = c(-1.5,1.5), pch = 16)
points (0,0, pch=2)
points (temp2, pch = 1)
arrows (temp[,1], temp[,2], temp2[,1], temp2[,2], length = 0.1)

## flip.traps
oldpar <- par(mfrow=c(1,2), xpd = TRUE)
traps1 <- make.grid(nx = 8, ny = 6, ID = "numxb")
traps2 <- flip (traps1, lr = TRUE)
plot(traps1, border = 5, label = TRUE, offset = 7, grid1 = FALSE)
plot(traps2, border = 5, label = TRUE, offset = 7, grid1 = FALSE)
par(oldpar)

## rotate.traps
hollow1 <- make.grid(nx = 8, ny = 8, hollow = TRUE)
nested <- rbind (hollow1, rotate(hollow1, 45, c(70, 70)))
plot(nested, gridlines = FALSE)

## shift.traps
hollow1 <- make.grid(nx = 8, ny = 8, hollow = TRUE)
hollow2 <- shift(make.grid(nx = 6, ny = 6, hollow = TRUE), c(20, 20))
nested <- rbind (hollow1, hollow2)
plot(nested, gridlines = FALSE, label = TRUE)

```

trap.builder

Complex Detector Layouts

Description

Construct detector layouts comprising small arrays (clusters) replicated across space, possibly at a probability sample of points.

Usage

```

trap.builder (n = 10, cluster, region = NULL, frame = NULL, method =
c("SRS", "GRTS", "all", "rank"), edgemethod = c("clip", "allowoverlap",
"allinside"), samplefactor = 2, ranks = NULL, rotation = NULL, detector,
exclude = NULL, exclmethod = c("clip", "alloutside"), plt = FALSE, add =
FALSE)

```

```

mash (object, origin = c(0,0), clustergroup = NULL, ...)

```

cluster.counts (object)

cluster.centres (object)

Arguments

n	integer number of clusters (ignored if method = "all")
cluster	traps object
region	bounding polygon
frame	data frame of points used as a finite sampling frame
method	character string (see Details)
edgmethod	character string (see Details)
samplefactor	oversampling to allow for rejection of edge clusters (multiple of n)
ranks	vector of relative importance (see Details)
rotation	angular rotation of each cluster about centre (degrees)
detector	character detector type (see detector)
exclude	polygon(s) from which detectors are to be excluded
exclmethod	character string (see Details)
plt	logical: should array be plotted?
add	logical: add to existing plot
object	single-session multi-cluster capthist object, or traps object for cluster.centres
origin	new coordinate origin for detector array
clustergroup	list of vectors subscripting the clusters to be mashed
...	other arguments passed by mash to make.capthist (e.g., sortrows)

Details

The detector array in `cluster` is replicated `n` times and translated to centres sampled from the area sampling frame in `region` or the finite sampling frame in `frame`. Each cluster may be rotated about its centre either by a fixed number of degrees (`rotation` positive), or by a random angle (`rotation` negative).

If the `cluster` argument is not provided then single detectors of the given type are placed according to the design.

The sampling frame is finite (the points in `frame`) whenever `frame` is not NULL. If `region` and `frame` are both specified, sampling uses the finite frame but sites may be clipped using the polygon. `region` and `exclude` may be a two-column matrix or dataframe of x-y coordinates for the boundary, or a `SpatialPolygonsDataFrame` object from `sp`.

`method` may be "SRS", "GRTS", "all" or "rank". "SRS" takes a simple random sample (without replacement in the case of a finite sampling frame). "GRTS" takes a spatially representative sample using the 'generalized random tessellation stratified' (GRTS) method of Stevens and Olsen (2004). "all" replicates `cluster` across all points in the finite sampling frame. "rank" selects `n` sites from `frame` on the basis of their ranking on the vector 'ranks', which should have length equal to the number of rows in `frame`; ties are resolved by drawing a site at random.

`edgmethod` may be "clip" (reject individual detectors), "allowoverlap" (no action) or "allinside" (reject whole cluster if any component is outside `region`). Similarly, `exclmethod` may be "clip" (reject individual detectors) or "alloutside" (reject whole cluster if any component is outside `exclude`).

Sufficient additional samples ($(\text{samplefactor}-1) * n$) must be drawn to allow for replacement of any rejected clusters; otherwise, an error is reported ('not enough clusters within polygon').

The package **sp** is required. GRTS samples require function `grts` in package **spsurvey** of Olsen and Kincaid. Much more sophisticated sampling designs may be specified by using `grts` directly.

`mash` collapses a multi-cluster `capthist` object as if all detections were made on a single cluster. The new detector coordinates in the 'traps' attribute are for a single cluster with $(\min(x), \min(y))$ given by `origin`. `clustergroup` optionally selects one or more groups of clusters to mash; if $\text{length}(\text{clustergroup}) > 1$ then a multisession `capthist` object will be generated, one 'session' per `clustergroup`. By default, all clusters are mashed.

`mash` discards detector-level covariates and occasion-specific 'usage', with a warning.

`cluster.counts` returns the number of *distinct* individuals detected per cluster in a single-session multi-cluster `capthist` object.

Value

`trap.builder` produces an object of class 'traps'.

`method = "GRTS"` causes messages to be displayed regarding the stratum (always "None"), and the initial, current and final number of levels from the GRTS algorithm.

`plt = TRUE` causes a plot to be displayed, including the polygon or finite sampling frame as appropriate.

`mash` produces a `capthist` object with the same number of rows as the input but different detector numbering and 'traps'. An attribute 'n.mash' is a vector of the numbers recorded at each cluster; its length is the number of clusters. An attribute 'centres' is a dataframe containing the x-y coordinates of the cluster centres. The `predict` method for `secr` objects and the function `derived` both recognise and adjust for mashing.

`cluster.counts` returns a vector with the number of individuals detected at each cluster.

`cluster.centres` returns a dataframe of x- and y-coordinates.

Note

The function `make.systematic` should be used to generate systematic random layouts. It calls `trap.builder`.

The sequence number of the cluster to which each detector belongs, and its within-cluster sequence number, may be retrieved with the functions `clusterID` and `clustertrap`.

References

Stevens, D. L., Jr., and Olsen, A. R. (2004) Spatially-balanced sampling of natural resources. *Journal of the American Statistical Association* **99**, 262–278.

See Also

[make.grid](#), [traps](#), [make.systematic](#), [clusterID](#), [clustertrap](#)

Examples

```
## solitary detectors placed randomly within a rectangle
tempgrid <- trap.builder (n = 10, method = "SRS",
  region = cbind(x = c(0,1000,1000,0),
    y = c(0,0,1000,1000)), plt = TRUE)
```

```

## GRTS sample of mini-grids within a rectangle
## edgmethod = "allinside" avoids truncation at edge
minigrid <- make.grid(nx = 3, ny = 3, spacing = 50,
  detector = "proximity")
tempgrid <- trap.builder (n = 20, cluster = minigrid,
  method = "GRTS", edgmethod = "allinside", region =
  cbind(x = c(0,6000,6000,0), y = c(0,0,6000,6000)),
  plt = TRUE)

## as before, but excluding detectors from a polygon
tempgrid <- trap.builder (n = 40, cluster = minigrid,
  method = "GRTS", edgmethod = "allinside", region =
  cbind(x = c(0,6000,6000,0), y = c(0,0,6000,6000)),
  exclude = cbind(x = c(3000,7000,7000,3000), y =
  c(2000,2000,4000,4000)), exclmethod = "alloutside",
  plt = TRUE)

## one detector in each 100-m grid cell -
## a form of stratified simple random sample
origins <- expand.grid(x = seq(0, 900, 100),
  y = seq(0, 1100, 100))
XY <- origins + runif(10 * 12 * 2) * 100
temp <- trap.builder (frame = XY, method = "all",
  detector = "multi")
## same as temp <- read.traps(data = XY)
plot(temp, border = 0) ## default grid is 100 m

## simulate some data
## regular lattice of mini-arrays
minigrid <- make.grid(nx = 3, ny = 3, spacing = 50,
  detector = "proximity")
tempgrid <- trap.builder (cluster = minigrid , method =
  "all", frame = expand.grid(x = seq(1000, 5000, 2000),
  y = seq(1000, 5000, 2000)), plt = TRUE)
tempcapt <- sim.caphist(tempgrid, popn = list(D = 10))
cluster.counts(tempcapt)
cluster.centres(tempgrid)

## "mash" the CH
summary(mash(tempcapt))

## compare timings (estimates are near identical)
## Not run:
tempmask1 <- make.mask(tempgrid, type = "clusterrect",
  buffer = 200, spacing = 10)
fit1 <- secr.fit(tempcapt, mask = tempmask1, trace = FALSE) ## 680 s

tempmask2 <- make.mask(minigrid, spacing = 10)
fit2 <- secr.fit(mash(tempcapt), mask = tempmask2, trace = FALSE) ## 6.2 s
## density estimate is adjusted automatically
## for the number of mashed clusters (9)

predict(fit1)
predict(fit2)
fit1$proctime
fit2$proctime

```

```
## End(Not run)

## two-phase design: preliminary sample across region,
## followed by selection of sites for intensive grids
## Not run:
arena <- data.frame(x = c(0,2000,2000,0), y = c(0,0,2500,2500))
t1 <- make.grid(nx = 1, ny = 1)
t4 <- make.grid(nx = 4, ny = 4, spacing = 50)
singletraps <- make.systematic (n = c(8,10), cluster = t1,
                               region = arena)
CH <- sim.caphist(singletraps, popn = list(D = 2))
plot(CH, type = "n.per.cluster", title = "Number per cluster")
temp <- trap.builder(10, frame = traps(CH), cluster = t4,
                    ranks = cluster.counts(CH), method = "rank",
                    edgemethod = "allowoverlap", plt = TRUE, add = TRUE)

## End(Not run)
```

traps

Detector Array

Description

An object of class `traps` encapsulates a set of detector (trap) locations and related data. A method of the same name extracts or replaces the `traps` attribute of a `capthist` object.

Usage

```
traps(object, ...)
traps(object) <- value
```

Arguments

<code>object</code>	a <code>capthist</code> object.
<code>value</code>	<code>traps</code> object to replace previous.
<code>...</code>	other arguments (not used).

Details

An object of class `traps` holds detector (trap) locations as a data frame of x-y coordinates. Trap identifiers are used as row names. The required attribute ‘`detector`’ records the type of detector (“single”, “multi” or “proximity” etc.; see [detector](#) for more).

Other possible attributes of a `traps` object are:

<code>spacing</code>	mean distance to nearest detector
<code>spacex</code>	
<code>spacey</code>	
<code>covariates</code>	dataframe of trap-specific covariates
<code>clusterID</code>	identifier of the cluster to which each detector belongs

<code>clustertrap</code>	sequence number of each trap within its cluster
<code>usage</code>	a traps x occasions matrix of effort (may be binary 0/1)
<code>newtrap</code>	vector recording aggregation of detectors by <code>reduce.traps</code>

If usage is specified, at least one detector must be ‘used’ (usage non-zero) on each occasion.

Various array geometries may be constructed with functions such as `make.grid` and `make.circle`, and these may be combined or placed randomly with `trap.builder`.

Note

Generic methods are provided to select rows (`subset.traps`), combine two or more arrays (`rbind.traps`), aggregate detectors (`reduce.traps`), shift an array (`shift.traps`), or rotate an array (`rotate.traps`).

The attributes `usage` and `covariates` may be extracted or replaced using generic methods of the same name.

References

Efford, M. G. (2012) *DENSITY 5.0: software for spatially explicit capture–recapture*. Department of Mathematics and Statistics, University of Otago, Dunedin, New Zealand. <http://www.otago.ac.nz/density>.

Efford, M. G., Borchers D. L. and Byrom, A. E. (2009) Density estimation by spatially explicit capture-recapture: likelihood-based methods. In: D. L. Thomson, E. G. Cooch and M. J. Conroy (eds) *Modeling Demographic Processes in Marked Populations*. Springer, New York. Pp. 255–269.

See Also

`make.grid`, `read.traps`, `rbind.traps`, `reduce.traps`, `plot.traps`, `secur.fit`, `spacing`, `detector`, `covariates`, `trap.builder`

Examples

```
demotraps <- make.grid(nx = 8, ny = 6, spacing = 30)
demotraps  ## uses print method for traps
summary (demotraps)

plot (demotraps, border = 50, label = TRUE, offset = 8,
      gridlines=FALSE)

## generate an arbitrary covariate randcov
covariates (demotraps) <- data.frame(randcov = rnorm(48))

## overplot detectors that have high covariate values
temptr <- subset(demotraps, covariates(demotraps)$randcov > 0.5)
plot (temptr, add = TRUE,
      detpar = list (pch = 16, col = "green", cex = 2))
```

Description

Extract or replace attributes of an object of class 'traps'.

Usage

```
polyID(object)
polyID(object) <- value
transectID(object)
transectID(object) <- value
searcharea(object)
transectlength(object)
```

Arguments

object	a 'traps' object
value	replacement value (see Details)

Details

The 'polyID' and 'transectID' functions assign and extract the attribute of a 'traps' object that relates vertices (rows) to particular polygons or transects. The replacement value should be a factor of length equal to nrow(object).

The 'searcharea' of a 'polygon' traps object is a vector of the areas of the component polygons in hectares. This value is read-only.

The 'transectlength' of a 'transect' traps object is a vector of the lengths of the component transects in metres. This value is read-only.

Value

polyID - a factor with one level per polygon. searcharea - numeric value of polygon areas, in hectares. transectlength - numeric value of transect lengths, in metres.

See Also

[traps](#)

Examples

```
## default is a single polygon
temp <- make.grid(detector = "polygon", hollow = TRUE)
polyID(temp)
plot(temp)

## split in two
temp <- make.grid(detector = "polygon", hollow = TRUE)
polyID(temp) <- factor(rep(c(1,2),rep(10,2)))
plot(temp)
```

`trim`*Drop Unwanted List Components*

Description

Drop unwanted components from a list object, usually to save space.

Usage

```
## Default S3 method:  
trim(object, drop, keep)  
## S3 method for class secr  
trim(object, drop = c("call", "mask", "design", "design0"),  
      keep = NULL)
```

Arguments

<code>object</code>	a list object
<code>drop</code>	vector identifying components to be dropped
<code>keep</code>	vector identifying components to be kept

Details

`drop` may be a character vector of names or a numeric vector of indices. If both `drop` and `keep` are given then the action is conservative, dropping only components in `drop` and not in `keep`.

Be warned that some further operations on fitted `secr` objects become impossible once you have discarded the default components.

Value

a list retaining selected components.

Examples

```
names(secrdemo.0)  
names(trim(secrdemo.0))  
object.size(secrdemo.0)  
object.size(trim(secrdemo.0))
```

Description

Although `secr.fit` is quite robust, it does not always work. Inadequate data or an overambitious model occasionally cause numerical problems in the algorithms used for fitting the model, or problems of identifiability, as described for capture–recapture models in general by Gimenez et al. (2004). Here are some tips that may help you.

`secr.fit` finishes, but some or all of the variances are missing

This usually means the model did not fit and the estimates should not be trusted. Extremely large variances or standard errors also indicate problems.

- Try another maximization method (`method = "Nelder-Mead"` is more robust than the default). The same maximum likelihood should be found regardless of method, so AIC values are comparable across methods.
- Repeat the maximization with different starting values. You can use `secr.fit(..., start = last.model)` where `last.model` is a previously fitted `secr` object.
- If you think the estimates are right but there was a problem in computing the variances, try re-running `secr.fit()` with the previous model as starting values (see preceding) and set `method = "none"`. This bypasses maximization and computes the variances afresh using `fdHess` from **nlme**.
- Try a finer mask (e.g., vary argument `nx` in `make.mask`). Check that the extent of the mask matches your data.
- The maximization algorithms work poorly when the beta coefficients are of wildly different magnitude. This may happen when using covariates: ensure beta coefficients are similar (within a factor of 5–10 seems adequate, but this is not based on hard evidence) by scaling any covariates you provide. This can be achieved by setting the `tysize` argument of `nlm` or the `parscale` control argument of `optim`.
- Examine the model. Boundary values (e.g., `g0` near 1.0) may give problems. In the case of more complicated models you may gain insight by fixing the value of a difficult-to-estimate parameter (argument `fixed`).

See also the section ‘Potential problems’ in [../doc/secr-densitysurfaces.pdf](#).

`secr.fit` finishes with warning `nlm` code 1 or 3

These conditions do not invariably indicate a failure of model fitting. Proceed with caution, checking as suggested in the preceding section.

`secr.fit` crashes part of the way through maximization

A feature of the maximization algorithm used by default in `nlm` is that it takes a large step in the parameter space early on in the maximization. The step may be so large that it causes floating point underflow or overflow in one or more real parameters. This can be controlled by passing the ‘`stepmax`’ argument of `nlm` in the `...` argument of `secr.fit` (see first example). See also the previous point about scaling of covariates.

secr.fit crashes near end

When fitting a model with `verify = TRUE` you see the log likelihood converge (assuming `trace = TRUE`), but `secr.fit` crashes without returning, perhaps with an obscure message referring to `nls`, or "Error in `integrate...` : the integral is probably divergent". This is most likely due to numerical problems in the optional bias check with `bias.D`. Simply set `verify = FALSE` and repeat.

secr.fit demands more memory than is available

This is a problem particularly when using individual covariates in a model fitted by maximizing the conditional likelihood. The memory required is then roughly proportional to the product of the number of individuals, the number of occasions, the number of detectors and the number of latent classes (for finite-mixture models). When maximizing the full-likelihood, substitute 'number of groups' for 'number of individuals'. [The limit is reached in external C used for the likelihood calculation, which uses the R function 'R_alloc'.]

The `mash` function may be used to reduce the number of detectors when the design uses many identical and independent clusters. Otherwise, apply your ingenuity to simplify your model, e.g., by casting 'groups' as 'sessions'. Memory is less often an issue on 64-bit systems (see link below).

Estimates from mixture models appear unstable

These models have known problems due to multimodality of the likelihood. See [../doc/secr-finitemixtures.pdf](#).

References

Gimenez, O., Viallefont, A., Catchpole, E. A., Choquet, R. and Morgan, B. J. T. (2004) Methods for investigating parameter redundancy. *Animal Biodiversity and Conservation* **27**, 561–572.

See Also

[secr.fit, Memory-limits](#)

usage

Detector Usage

Description

Extract or replace usage information of a `traps` object.

Usage

```
usage(object, ...)
usage(object) <- value
```

Arguments

<code>object</code>	traps object
<code>value</code>	numeric matrix of detectors x occasions, or a vector (see Details).
<code>...</code>	other arguments (not used)

Details

In secr versions before 2.5.0, usage was defined as a binary value (1 if trap k used on occasion s , zero otherwise).

In later versions, usage may take nonnegative real values and will be interpreted as effort. This corresponds to the constant T_s used for the duration of sampling by Borchers and Efford (2008). Effort is modelled as a known linear coefficient of detection probability on the hazard scale ([./doc/secr-varyingeffort.pdf](#); Efford et al. 2013).

For replacement, various forms are possible for value:

- a matrix in which the number of rows of value exactly matches the number of traps K in object
- a vector of two values, the usage (typically 1) and the number of occasions S (a $K \times S$ matrix will be filled with the first value)
- a vector of $R+I$ values where R is the number of sessions in a multi-session object and elements $2..R+I$ correspond to the numbers of occasions $S1, S2, \dots$ in each session
- the usage only (typically 1) (only works when replacing an existing usage matrix with known number of occasions).

Value

usage(object) returns the usage matrix of the traps object. usage(object) may be NULL.

Note

At present, assignment of usage to the traps objects of a multisession capthist object results in the loss of session names from the latter.

References

Efford, M. G., Borchers D. L. and Mowat, G. (2013) Varying effort in capture–recapture studies. *Methods in Ecology and Evolution* **4**, 629–636.

See Also

[traps](#), [usagePlot](#)

Examples

```
demo.traps <- make.grid(nx = 6, ny = 8)
## random usage over 5 occasions
usage(demo.traps) <- matrix(sample(0:1, 48*5, replace = TRUE,
  p = c(0.5,0.5)), nc = 5)
usage(demo.traps)
summary(demo.traps)

usage(traps(ovenCH)) <- c(1,9,10,10,10,10)
## restore lost names
names(ovenCH) <- 2005:2009
```

`usagePlot`*Plot Usage*

Description

This function displays variation in effort (usage) over detectors as a bubble plot (circles with radius scaled so that area is proportional to effort).

Usage

```
usagePlot(object, add = FALSE, occasion = NULL, col = "black", fill =
FALSE, scale = 2, metres = TRUE, rad = 5, ...)
```

Arguments

<code>object</code>	traps object with usage attribute
<code>add</code>	logical; if FALSE <code>plot.traps</code> is called to create a base plot
<code>occasion</code>	integer number of the occasion for which effort is plotted, or NULL
<code>col</code>	character or integer colour value
<code>fill</code>	logical; if TRUE the circle is filled with the line colour
<code>scale</code>	numeric value used to scale radius
<code>metres</code>	logical; if TRUE scale is a value in metres (see Details)
<code>rad</code>	numeric; radial displacement of symbol centre for each occasion from true detector location (metres)
<code>...</code>	other arguments passed to <code>plot.traps</code>

Details

By default (`occasion = NULL`) circles representing usage on each occasion are plotted around the detector location at distance `rad`, as in the petal plot of [plot.caphist](#). Otherwise, the usage on a single specified occasion is plotted as a circle centred at the detector location.

The `metres` argument switches between two methods. If `metres = TRUE`, the `symbols` function is used with `inches = FALSE` to plot circles with radius scaled in the units of `object` (i.e. metres; `scale` is then the radius in metres of the symbol for a detector with `usage = 1.0`). Otherwise, plotting uses points; this has the advantage of producing better filled circles, but a suitable value of `scale` must be found by trial and error.

Package **sp** provides an alternative (see Examples).

Value

No value is returned.

See Also

[usage](#), [symbols](#), [codebubble](#)

Examples

```

simgrid <- make.grid(nx = 10, ny = 10, detector = "proximity")
usage(simgrid) <- matrix(rep(1:10, 50), nrow = 100, ncol = 5)
usagePlot(simgrid, border = 20, scale = 1.5, fill = FALSE,
  metres = FALSE)

# It is hard to get the legend just right
# here is one attempt
legend (x = -50, y = 185, legend = c(1,2,5,10), pch = 1, pt.cex =
  c(1,2,5,10)^0.5 * 1.5, x.intersp = 3, y.intersp = 1.8, adj = 1,
  bty = "n", title = "Usage")

usagePlot(simgrid, occasion = NULL, border = 20, scale = 1.5, fill = FALSE,
  metres = FALSE)

## Not run:
# bubble plot in package sp
library(sp)
simgrid$usage <- usage(simgrid)[,1] ## occasion 1
class(simgrid) <- "data.frame"
coordinates(simgrid) <- c("x","y")
bubble(simgrid)

## End(Not run)

```

vcov.secr

Variance - Covariance Matrix of SECR Parameters

Description

Variance-covariance matrix of beta or real parameters from fitted secr model.

Usage

```

## S3 method for class secr
vcov(object, realnames = NULL, newdata = NULL,
  byrow = FALSE, ...)

```

Arguments

object	secr object output from the function secr.fit
realnames	vector of character strings for names of ‘real’ parameters
newdata	dataframe of predictor values
byrow	logical for whether to compute covariances among ‘real’ parameters for each row of new data, or among rows for each real parameter
...	other arguments (not used)

Details

By default, returns the matrix of variances and covariances among the estimated model coefficients (beta parameters).

If `realnames` and `newdata` are specified, the result is either a matrix of variances and covariances for each 'real' parameter among the points in predictor-space given by the rows of `newdata` or among real parameters for each row of `newdata`. Failure to specify `newdata` results in a list of variances only.

Value

A matrix containing the variances and covariances among beta parameters on the respective link scales, or a list of among-parameter variance-covariance matrices, one for each row of `newdata`, or a list of among-row variance-covariance matrices, one for each 'real' parameter.

See Also

[vcov](#), [secr.fit](#), [print.secr](#)

Examples

```
## previously fitted secr model
vcov(secrdemo.0)
```

verify

Check SECR Data

Description

Check that the data and attributes of an object are internally consistent to avoid crashing functions such as `secr.fit`

Usage

```
## Default S3 method:
verify(object, report, ...)
## S3 method for class traps
verify(object, report = 2, ...)
## S3 method for class capthist
verify(object, report = 2, tol = 0.01, ...)
## S3 method for class mask
verify(object, report = 2, ...)
```

Arguments

<code>object</code>	an object of class 'traps', 'capthist' or 'mask'
<code>report</code>	integer code for level of reporting to the console. 0 = no report, 1 = errors only, 2 = full.
<code>tol</code>	numeric tolerance for deviations from transect line (m)
<code>...</code>	other arguments (not used)

Details

Checks are performed specific to the class of 'object'. The default method is called when no specific method is available (i.e. class not 'traps', 'capthist' or 'mask'), and does not perform any checks.

`verify.capthist`

1. No 'traps' component
2. Invalid 'traps' component reported by `verify.traps`
3. No live detections
4. Missing values not allowed in `capthist`
5. Live detection(s) after reported dead
6. More than one capture in single-catch trap(s)
7. More than one detection per detector per occasion at proximity detector(s)
8. Signal detector signal(s) less than threshold or invalid threshold
9. Number of rows in 'traps' object not compatible with reported detections
10. Number of rows in dataframe of individual covariates differs from `capthist`
11. Number of occasions in usage matrix differs from `capthist`
12. Detections at unused detectors
13. Number of coordinates does not match number of detections ('polygon', 'polygonX', 'transect' or 'transectX' detectors)
14. Coordinates of detection(s) outside polygons ('polygon' or 'polygonX' detectors)
15. Coordinates of detection(s) do not lie on any transect ('transect' or 'transectX' detectors)
16. Row names (animal identifiers) not unique
17. Levels of factor covariate(s) differ between sessions

`verify.traps`

1. Missing detector coordinates not allowed
2. Number of rows in dataframe of detector covariates differs from expected
3. Number of detectors in usage matrix differs from expected
4. Occasions with no used detectors
5. Polygons overlap
6. Polygons concave east-west ('polygon' detectors)
7. PolyID missing or not factor
8. Polygon detector is concave in east-west direction
9. Levels of factor trap covariate(s) differ between sessions

`verify.mask`

1. Valid x and y coordinates
2. Number of rows in covariates dataframe differs from expected
3. Levels of factor mask covariate(s) differ between sessions

Earlier errors may mask later errors: fix & re-run.

Value

A list with the component errors, a logical value indicating whether any errors were found. If object contains multi-session data then session-specific results are contained in a further list component bysession.

Full reporting is the same as 'errors only' except that a message is posted when no errors are found.

See Also

[capthist](#), [secre.fit](#)

Examples

```
verify(captdata)

## create null (complete) usage matrix, and mess it up
temptraps <- make.grid()
usage(temptraps) <- matrix(1, nr = nrow(temptraps), nc = 5)
usage(temptraps)[,5] <- 0
verify (temptraps)

## create mask, and mess it up
tempmask <- make.mask(temptraps)
verify(tempmask)
tempmask[1,1] <- NA
verify(tempmask)
```

write.captures

Write Data to Text File

Description

Export detections or detector layout to a text file in format suitable for input to DENSITY.

Usage

```
write.captures(object, file = "", deblank = TRUE, header = TRUE,
  append = FALSE, sess = "1", ndec = 2, covariates = FALSE, ...)

write.traps(object, file = "", deblank = TRUE, header = TRUE,
  ndec = 2, covariates = FALSE, ...)
```

Arguments

object	capthist or traps object
file	character name of output file
deblank	logical; if TRUE remove any blanks from character string used to identify detectors

header	logical; if TRUE output descriptive header
append	logical; if TRUE output is appended to an existing file
sess	character session identifier
ndec	number of digits after decimal point for x,y coordinates
covariates	logical or a character vector of covariates to export
...	other arguments passed to <code>write.table</code>

Details

Existing file will be replaced without warning if `append = FALSE`. In the case of a multi-session `capthist` file, session names are taken from `object` rather than `sess`.

`write.capthist` is generally simpler to use if you want to export both the capture data and trap layout from a `capthist` object.

By default individual covariates are not exported. When exported they are repeated for each detection of an individual. Factor covariates are coerced to numeric before export.

Examples

```
write.captures (captdata)
```

writeGPS

Upload to GPS

Description

Upload a set of point locations as waypoints to a GPS unit connected by USB or via a serial port. Intended primarily for detector locations in a `traps` object. Uses the `GPSBabel` package which must have been installed. Coordinates are first inverse-projected to latitude and longitude using function `project` from **rgdal**.

Usage

```
writeGPS(xy, o = "garmin", F = "usb:", proj = "+proj=nzmg")
```

Arguments

xy	2-column matrix or dataframe of x-y coordinates
o	character output format (see <code>GPSBabel</code> documentation)
F	character for destination (see <code>Details</code>)
proj	character string describing projection

Details

This function is derived in part from readGPS in **maptools**.

For users of Garmin GPS units, useful values of `o` are "garmin" for direct upload via USB or serial ports, and "gdb" for a file in Mapsource database format.

`F` may be "usb:" or "com4:" etc. for upload via USB or serial ports, or the name of a file to create.

The `proj` argument may be complex. For further information see the Examples, http://www.remotesensing.org/geotiff/proj_list/ and the help for related package **rgdal**. If `proj` is an empty string then coordinates are assumed already to be latitudes (column 1) and longitudes (column 2).

Waypoint names are derived from the rownames of `xy`.

Value

No value is returned. The effect is to upload waypoints to an attached GPS or file.

Note

GPSSbabel is available free from <http://www.gpsbabel.org/>. Remember to add it to the Path. On Windows this means following something like Settings > Control panel > System > Advanced settings > Environment variables > (select Path) Edit and adding ";C:/Program Files (x86)/gpsbabel" to the end (without the quotes). Or ";C:/Program Files/gpsbabel" on 32-bit systems.

See Also

[make.systematic](#), [readGPS](#), [project](#)

Examples

```
## Example using shapefile "possumarea.shp" in
## "extdata" folder. As cluster is not specified,
## the grid comprises single multi-catch detectors.

## Not run:
library(maptools)
setwd(system.file("extdata", package = "secl"))
possumarea <- readShapePoly("possumarea")
possumgrid <- make.systematic(spacing = 100, region =
  possumarea, plt = TRUE)

## May upload directly to GPS...
writeGPS(possumgrid, proj = "+proj=nzmg")

## ...or save as Mapsource file
writeGPS(possumgrid, o = "gdb", F = "tempgrid.gdb",
  proj = "+proj=nzmg")

## If region had been specified in another projection we
## would need to specify this as in Proj.4. Here is a
## hypothetical example for New Zealand Transverse Mercator
## with datum NZGD2000 (EPSG:2193)

NZTM <- paste("+proj=tmerc +lat_0=0 +lon_0=173 +k=0.9996",
  "+x_0=1600000 +y_0=1000000 +ellps=GRS80",
```

```
    " +towgs84=0,0,0,0,0,0,0 +units=m +no_defs")

writeGPS(possumgridNZTM, o = "gdb", F = "tempNZTM.txt",
        proj = NZTM)

## Or to upload coordinates from UTM Zone 18 in eastern
## Maryland, USA...

writeGPS(MarylandUTMgrid, proj =
        "+proj=utm +zone=18 +ellps=WGS84")

## End(Not run)
```

Index

*Topic **IO**

- BUGS, 14
- read.caphist, 138
- read.mask, 140
- read.telemetry, 141
- read.traps, 143
- SPACECAP, 189
- write.captures, 225
- writeGPS, 226

*Topic **classes**

- caphist, 16
- Dsurface, 46
- mask, 92
- popn, 122
- traps, 214

*Topic **datagen**

- make.mask, 83
- make.traps, 88
- make.tri, 90
- randomHabitat, 132
- sim.caphist, 175
- sim.popn, 178
- sim.secr, 182

*Topic **datasets**

- deermouse, 34
- hornedlizard, 67
- housemouse, 69
- ovenbird, 99
- ovensong, 101
- possum, 123
- secrdemo, 170
- skink, 184
- stoatDNA, 193

*Topic **hplot**

- contour, 29
- ellipse.secr, 47
- esa.plot, 52
- esa.plot.secr, 54
- fxi, 59
- LLsurface.secr, 76
- plot.caphist, 110
- plot.mask, 113
- plot.popn, 116

- plot.secr, 117
- plot.traps, 119
- usagePlot, 221

*Topic **htest**

- closure.test, 24
- LR.test, 80
- score.test, 155

*Topic **manip**

- addCovariates, 6
- addTelemetry, 8
- caphist.parts, 17
- clone, 21
- cluster, 26
- covariates, 31
- CV, 32
- D.designdata, 33
- distancetotrap, 45
- FAQ, 57
- head, 64
- join, 75
- logit, 78
- make.caphist, 81
- make.systematic, 86
- mask.check, 93
- ms, 98
- pdot, 107
- PG, 108
- pointsInPolygon, 121
- polyarea, 122
- predictDsurface, 127
- rbind.caphist, 134
- rbind.popn, 136
- rbind.traps, 137
- rectangularMask, 144
- reduce, 145
- reduce.caphist, 146
- RMarkInput, 151
- Rsurface, 153
- secr.design.MS, 157
- signal, 173
- signalmatrix, 174
- snip, 186
- sort.caphist, 188

- speed, 191
- subset.caphist, 195
- subset.popn, 199
- subset.traps, 200
- timevaryingcov, 207
- transformations, 208
- trap.builder, 210
- traps.info, 216
- trim, 217
- usage, 219
- verify, 223
- *Topic **models**
 - AIC.secr, 10
 - autoini, 12
 - circular, 19
 - closedN, 22
 - coef.secr, 27
 - confint.secr, 27
 - derived, 36
 - details, 39
 - detectfn, 41
 - detector, 43
 - deviance, 44
 - empirical.varD, 48
 - expected.n, 55
 - hcov, 61
 - homerange, 65
 - ip.secr, 70
 - logmultinom, 79
 - model.average, 96
 - predict.secr, 125
 - region.N, 148
 - secr.fit, 159
 - secr.make.newdata, 164
 - secr.model, 165
 - secr.model.density, 166
 - secr.model.detection, 167
 - session, 171
 - sim.secr, 182
 - spacing, 190
 - subset.mask, 197
 - suggest.buffer, 201
 - summary.caphist, 203
 - summary.mask, 205
 - summary.traps, 206
 - Troubleshooting, 218
 - vcov.secr, 222
- *Topic **model**
 - par.secr.fit, 103
- *Topic **package**
 - secr-package, 4
- *Topic **print**
 - print.caphist, 129
 - print.secr, 130
 - print.traps, 131
 - [.secrlist (AIC.secr), 10
 - addCovariates, 6
 - addTelemetry, 8, 40, 90, 109, 141, 142
 - AIC, 12, 156
 - AIC.secr, 10, 81, 97, 98, 104, 131, 162, 163
 - AIC.secrlist (AIC.secr), 10
 - alive (caphist.parts), 17
 - alongtransect (caphist.parts), 17
 - animalID (caphist.parts), 17
 - ARL (homerange), 65
 - attenuationplot (plot.secr), 117
 - autoini, 12, 66, 72, 74, 160, 202
 - axis, 120
 - bias.D, 161, 219
 - bias.D (suggest.buffer), 201
 - binomN (secr.fit), 159
 - bubble, 221
 - buffer.contour, 85, 108, 109, 122
 - buffer.contour (contour), 29
 - BUGS, 14
 - captdata (secrdemo), 170
 - caphist, 6, 9, 14, 16, 16, 18, 22, 24, 25, 65, 68, 74, 79, 82, 83, 99, 100, 103, 112, 124, 129, 135, 146, 148, 159, 163, 171–173, 177, 185, 188, 190, 195, 197, 203, 204, 225
 - caphist.parts, 17
 - captXY (secrdemo), 170
 - circular, 19
 - clip.hex, 89
 - clip.hex (make.tri), 90
 - clone, 21
 - closedN, 22, 151
 - closure.test, 24, 24, 36
 - cluster, 26, 49
 - cluster.centres, 26, 87
 - cluster.centres (trap.builder), 210
 - cluster.counts, 26
 - cluster.counts (trap.builder), 210
 - clusterID, 120, 212, 214
 - clusterID (cluster), 26
 - clusterID<- (cluster), 26
 - clustertrap, 212, 215
 - clustertrap (cluster), 26
 - clustertrap<- (cluster), 26
 - coef.secr, 27
 - collate (model.average), 96

- colours, 115, 120
- confint.secr, 27, 33
- contour, 29, 60, 77, 114, 115
- Coulombe (housemouse), 69
- count (detector), 43
- counts (summary.caphist), 203
- covariates, 31, 185, 214, 215
- covariates<- (covariates), 31
- cutree, 147, 148
- CV, 32
- CVa (CV), 32
- CVa0 (CV), 32

- D.designdata, 33, 158
- dbar, 14, 204
- dbar (homerange), 65
- deer mouse, 5, 34
- derived, 33, 36, 49, 50, 103–105, 131, 151, 163
- derived.cluster, 26
- derived.cluster (empirical.varD), 48
- derived.external (empirical.varD), 48
- derived.mash (empirical.varD), 48
- derived.nj (empirical.varD), 48
- derived.session (empirical.varD), 48
- details, 33, 39, 153, 154, 161, 163
- detectfn, 13, 19, 20, 29, 41, 52, 71, 118, 153, 154, 159, 175, 176, 201
- detectfnplot, 20, 42
- detectfnplot (plot.secr), 117
- Detection functions, 163
- Detection functions (detectfn), 41
- detector, 41, 43, 68, 90, 91, 139, 143, 144, 146, 204, 206, 211, 214, 215
- detector<- (detector), 43
- detectpar, 118, 201
- detectpar (predict.secr), 125
- deviance, 44
- deviance.secr, 12
- df.residual (deviance), 44
- distancetotrap, 45
- dnbinom, 161
- Dsurface, 46, 114, 115, 167

- effort (usage), 219
- ellipse.bvn (ellipse.secr), 47
- ellipse.secr, 47
- empirical.varD, 39, 48
- esa, 13, 50
- esa (derived), 36
- esa.plot, 27, 52, 55, 92, 95, 202
- esa.plot.secr, 54
- ESG.0 (deer mouse), 34
- ESG.b (deer mouse), 34
- ESG.h2 (deer mouse), 34
- ESG.t (deer mouse), 34
- expected.n, 55, 151
- Extract, 198–200

- FAQ, 57
- fdHess, 155
- flip (transformations), 208
- formula, 168
- fxi, 59

- hclust, 147, 148
- hcov, 61, 160, 163
- head, 64, 65
- heat.colors, 115
- homerange, 65
- hornedlizard, 5, 67
- hornedlizardCH, 16
- hornedlizardCH (hornedlizard), 67
- housemouse, 5, 69

- infraCH (skink), 184
- integrate, 19
- invlogit (logit), 78
- ip.secr, 66, 70, 105

- join, 75, 152

- lineoCH (skink), 184
- LLsurface.secr, 76, 105
- logit, 78
- logLik.secr (AIC.secr), 10
- logmultinom, 79
- LR.test, 11, 12, 80, 156
- LStraps (skink), 184

- make.caphist, 17, 81, 139, 140
- make.circle, 215
- make.circle (make.traps), 88
- make.grid, 87, 91, 144, 212, 215
- make.grid (make.traps), 88
- make.lookup (secr.design.MS), 157
- make.mask, 7, 30, 46, 54, 55, 83, 92, 95, 108, 123, 133, 149, 151, 202, 218
- make.poly (make.traps), 88
- make.systematic, 84, 86, 212, 227
- make.telemetry, 9
- make.telemetry (make.traps), 88
- make.transect (make.traps), 88
- make.traps, 88
- make.tri, 89, 90, 90
- mash, 26, 49, 127, 149, 192, 219
- mash (trap.builder), 210

- mask, 6, 14, 17, 34, 52, 54, 55, 85, 92, 99, 115, 132, 133, 141, 154, 159, 160, 163, 179, 190, 198, 201, 202, 205
- mask.check, 53–55, 92, 93, 105, 202
- MMDM (homerange), 65
- model.average, 11, 12, 96
- model.matrix, 158
- morning.0 (housemouse), 69
- morning.0h2 (housemouse), 69
- morning.b (housemouse), 69
- morning.h2 (housemouse), 69
- morning.h2h2 (housemouse), 69
- morning.t (housemouse), 69
- moves (homerange), 65
- ms, 98
- MS.caphist, 17, 76
- MS.caphist (rbind.caphist), 134
- mtext, 120
- multi (detector), 43
- Multi-core processing (Parallel), 105
- ncores (Parallel), 105
- nearesttrap (distancetotrap), 45
- nlm, 60, 161
- noise (signal), 173
- noise<- (signal), 173
- occasion (caphist.parts), 17
- optim, 161
- ovenbird, 5, 99, 102, 103
- ovenCH (ovenbird), 99
- ovenmask (ovenbird), 99
- ovensong, 5, 101, 174
- overlay, 121
- par, 120
- par.derived, 38, 39, 105, 192
- par.derived (par.secr.fit), 103
- par.region.N, 105, 150
- par.region.N (par.secr.fit), 103
- par.secr.fit, 103, 105, 161, 163, 192
- Parallel, 38, 72, 77, 94, 104, 105, 161, 183
- parallel, 105
- pdot, 30, 54–56, 84, 85, 92, 107
- pdot.contour, 60, 108
- pdot.contour (contour), 29
- persp, 114, 115
- pfn (ip.secr), 70
- PG, 108
- pgamma, 42
- plogis, 78
- plot, 119, 120
- plot.caphist, 110, 221
- plot.Dsurface, 46, 128, 145, 167
- plot.Dsurface (plot.mask), 113
- plot.mask, 113
- plot.popn, 116, 123, 180
- plot.Rsurface, 154
- plot.Rsurface (plot.mask), 113
- plot.secr, 117
- plot.secrlist (plot.secr), 117
- plot.traps, 90, 119, 215
- plotMCP (plot.caphist), 110
- pointsInPolygon, 109, 121
- polyarea, 122
- polygon (detector), 43
- polygonX (detector), 43
- polyID, 18
- polyID (traps.info), 216
- polyID<- (traps.info), 216
- popn, 117, 122, 136, 175, 177, 180, 199, 209
- population size (region.N), 148
- possum, 5, 123
- possumarea (possum), 123
- possumCH (possum), 123
- possummask (possum), 123
- possumremovalarea (possum), 123
- predict.secr, 39, 97, 104, 125, 128, 163, 164
- predict.secrlist (predict.secr), 125
- predictDsurface, 46, 126, 127, 127, 167
- print, 129, 131, 206
- print.caphist, 129
- print.default, 129, 131
- print.Dsurface (Dsurface), 46
- print.secr, 12, 39, 130, 163, 223
- print.summary.caphist (summary.caphist), 203
- print.summary.mask (summary.mask), 205
- print.summary.traps (summary.traps), 206
- print.traps, 90, 131
- project, 227
- proximity (detector), 43
- qlogis, 78
- randomHabitat, 132, 180
- rbind.caphist, 17, 76, 134, 177, 197
- rbind.mask (subset.mask), 197
- rbind.popn, 136, 182
- rbind.traps, 137, 201, 208, 215
- read.caphist, 6, 8, 17, 82, 83, 138, 142, 171
- read.DA (BUGS), 14
- read.mask, 7, 92, 140, 190
- read.SPACECAP (SPACECAP), 189
- read.table, 140
- read.telemetry, 8, 9, 140, 141

- read.traps, 7, 90, 140, 143, 215
- readGPS, 227
- readShapePoly, 87
- rectangularMask, 115, 144
- reduce, 145
- reduce.caphist, 17, 68, 76, 146, 146, 196, 197
- reduce.traps, 146, 215
- reduce.traps (reduce.caphist), 146
- region.N, 23, 24, 56, 103, 104, 148, 163
- RMarkInput, 151
- rotate (transformations), 208
- rotate.traps, 215
- RPSV, 13, 74, 204
- RPSV (homerange), 65
- RShowDoc, 43
- Rsurface, 153
- save, 57
- score.table (score.test), 155
- score.test, 12, 33, 81, 105, 155, 160
- searcharea (traps.info), 216
- secr, 108, 119
- secr (secr-package), 4
- secr density models
 - (secr.model.density), 166
- secr detection models
 - (secr.model.detection), 167
- secr models, 126, 160
- secr models (secr.model), 165
- secr-package, 4
- secr.design.MS, 34, 157, 162
- secr.fit, 4, 6, 10, 12, 14, 17, 27, 29, 33, 39, 41, 45, 53, 63, 74, 83, 92, 95, 98, 99, 103–105, 107, 127, 128, 131, 141, 151, 157, 159, 164, 166, 167, 169, 176, 183, 184, 191, 195, 201, 215, 219, 222, 223, 225
- secr.make.newdata, 164
- secr.model, 165
- secr.model.density, 166
- secr.model.detection, 167
- secrdemo, 170
- secrlist, 104
- secrlist (AIC.secr), 10
- session, 171
- session<- (session), 171
- shift (transformations), 208
- shift.traps, 215
- signal, 173
- signal<- (signal), 173
- signalCH (ovensong), 101
- signalframe (signal), 173
- signalframe<- (signal), 173
- signalmatrix, 18, 173, 174
- sim.caphist, 13, 15, 17, 71, 83, 175, 184
- sim.popn, 21, 71, 74, 117, 123, 133, 177, 178, 182
- sim.resight (sim.caphist), 175
- sim.secr, 45, 105, 182
- simulate, 176, 177, 180, 184
- simulate (sim.secr), 182
- single (detector), 43
- skink, 5, 184
- snip, 186
- sort.caphist, 188
- SPACECAP, 189
- spacing, 190, 214, 215
- spacing<- (spacing), 190
- SpatialPolygonsDataFrame, 109
- speed, 191
- Speed tips, 58, 163
- Speed tips (speed), 191
- split.caphist, 76
- split.caphist (subset.caphist), 195
- split.traps (subset.traps), 200
- spotHeight, 154
- spotHeight (plot.mask), 113
- stoat.model.EX (stoatDNA), 193
- stoat.model.HN (stoatDNA), 193
- stoat.model.HZ (stoatDNA), 193
- stoatCH (stoatDNA), 193
- stoatDNA, 5, 80, 193
- subset, 180
- subset.caphist, 17, 75, 135, 148, 195
- subset.mask, 85, 197
- subset.popn, 199
- subset.traps, 137, 200, 215
- suggest.buffer, 92, 201
- summary.caphist, 203
- summary.Dsurface (Dsurface), 46
- summary.mask, 205
- summary.traps, 206
- symbols, 221
- tail, 65
- tail.caphist (head), 64
- tail.Dsurface (head), 64
- tail.mask (head), 64
- tail.traps (head), 64
- telemetered (caphist.parts), 17
- telemetryxy, 8, 9
- telemetryxy (caphist.parts), 17
- terrain.colors, 115
- tile (sim.popn), 178
- timevaryingcov, 32, 160, 168, 207

timevaryingcov<- (timevaryingcov), 207
topo.colors, 115
trans3d, 115
transect (detector), 43
transectID (traps.info), 216
transectID<- (traps.info), 216
transectlength, 187
transectlength (traps.info), 216
transectX (detector), 43
transformations, 123, 208
trap (capthist.parts), 17
trap.builder, 26, 84, 86, 87, 210, 215
traps, 6, 17, 26, 43, 83, 89–91, 120, 131, 137,
144, 177, 191, 201, 206, 209, 212,
214, 216, 220
traps object (traps), 214
traps.info, 216
traps<- (traps), 214
trapXY (secrdemo), 170
trim, 94, 183, 217
Troubleshooting, 57, 163, 218

uniroot, 13, 28
unjoin (join), 75
unRMarkInput (RMarkInput), 151
usage, 13, 30, 58, 71, 108, 160, 161, 163, 207,
215, 219, 221
usage<- (usage), 219
usagePlot, 220, 221

vcov, 223
vcov.secr, 163, 222
verify, 14, 16, 88, 134, 138, 160, 161, 163,
223
verify.capthist, 94

write.capthist, 226
write.capthist (read.capthist), 138
write.captures, 140, 225
write.DA (BUGS), 14
write.SPACECAP (SPACECAP), 189
write.traps, 140
write.traps (write.captures), 225
writeGPS, 226
WSG.0 (deermouse), 34
WSG.b (deermouse), 34
WSG.h2 (deermouse), 34
WSG.t (deermouse), 34

xy (capthist.parts), 17
xy2CH, 112
xy2CH (addTelemetry), 8
xy<- (capthist.parts), 17