

Validation of 'sasLM' Package

Kyun-Seop Bae MD PhD

2021-01-16

Contents

1	Tested Version and Books used for the Validation	4
1.1	Packages Used	4
1.2	Books and Articles used for the Test	4
2	ARS20-8	5
2.1	p8	5
2.2	p42	5
2.3	p101	8
3	Snee EMS ANOVA 1974	12
4	Goodnight	27
4.1	Type I SS	27
4.2	Type II SS	33
4.3	Type III SS	35
5	SAS for Linear Models 4e	39
5.1	Chapter 2	39
5.2	Chapter 3	44
5.3	Chapter 4	49
5.4	Chapter 5	57
5.5	Chapter 6	60
5.6	Chapter 7	66
5.7	Chapter 8	80
5.8	Chapter 11	83

6	Sahai - Unbalanced	108
6.1	Table 11.2	108
6.2	Table 12.6	109
6.3	Table 13.6	110
6.4	Table 14.2	111
6.5	Table 15.3	113
6.6	Table 16.3	115
7	Federer - Variations	120
7.1	Example 1.1	120
7.2	Example 1.2	122
7.3	Example 2.1	124
7.4	Example 2.2	127
7.5	Example 3.1	139
7.6	Example 4.1	181
7.7	Example 5.1	203
7.8	Example 7.1	215
7.9	Example 7.2	221
7.10	Example 7.3	225
7.11	Example 8.1	237
7.12	Example 9.1	250
7.13	Example 9.2	252
7.14	Example 10.1	255
7.15	Example 10.2	270
7.16	Example 11.1	279
7.17	Example 11.2	284
7.18	Example 11.3	291
8	Hinkelmann & Kempthorne - Volume 1	297
8.1	Chapter 6	297
8.2	Chapter 7	299
8.3	Chapter 8	301
8.4	Chapter 9	304
8.5	Chapter 10	312

8.6	Chapter 11	318
8.7	Chapter 12	332
8.8	Chapter 13	336
8.9	Chapter 14	339
9	Hinkelmann & Kempthorne - Volume 2	342
9.1	Chapter 1	342
9.2	Chapter 2	344
9.3	Chapter 6	346
9.4	Chapter 7	349
9.5	Chapter 8	354
9.6	Chapter 9	359
9.7	Chapter 10	368
9.8	Chapter 14	369
9.9	Chapter 16	376
9.10	Chapter 17	382
9.11	Chapter 19	385
10	Lawson - DAE with SAS	389
10.1	Chapter 2	389
10.2	Chapter 3	392
10.3	Chapter 4	402
10.4	Chapter 5	407
10.5	Chapter 7	409
10.6	Chapter 8	413
10.7	Chapter 9	425
10.8	Chapter 11	435
10.9	Chapter 12	438
11	Searle - Linear Models 2e	453
11.1	7.2 (p390, 59%)	453
11.2	7.2 (p393, 60%)	455
12	Test Summary	457
13	Session Information	458

1 Tested Version and Books used for the Validation

1.1 Packages Used

- 'sasLM' version: 0.3.0
- 'SAS' version: 9.4 Licensed and University Edition
- 'car' version: 3.0.10
- R version: R version 4.0.3 (2020-10-10)

The 'car' package is not necessary for 'sasLM.' It is used for the comparison of the results.

If you see any difference between 'car' and 'sasLM', 'SAS' results coincide with 'sasLM', not with 'car.'

Before 'sasLM' is available on CRAN, you can download using the following command in R.

```
install.packages("sasLM", repos="http://r.acr.kr")
```

1.2 Books and Articles used for the Test

1. Harvey WR. Least-Squares Analysis of Data with Unequal Subclass Frequencies. USDA, Agriculture Research Service, ARS 20-8. 1960. reprinted with corrections as ARS H-4, 1975, also reprinted 1979.
2. Snee RD. Computation and Use of Expected Mean Squares in Analysis of Variance. J Qual Tech. 1974;6(3):128-137.
3. Goodnight JH. The General Linear Models Procedure, Proceedings of the First International SAS User's Group, SAS Institute, Raleigh, N.C. 1976.
4. Littell RC, Stroup WW, Freund RJ. SAS for Linear Models 4e. John Wiley & Sons Inc. 2002.
5. Sahai H, Ojeda MM. Analysis of Variance for Random Models Volume 2 Unbalanced Data. 2005.
6. Federer WT, King F. Variations on Split Plot and Split Block Experiment Designs. John Wiley & Sons Inc. 2007.
7. Hinkelmann K, Kempthorne O. Design and Analysis of Experiments Volume 1 Introduction to Experimental Design. 2e. John Wiley & Sons Inc. 2008.
8. Hinkelmann K, Kempthorne O. Design and Analysis of Experiments Volume 2 Advanced Experimental Design. John Wiley & Sons Inc. 2005.
9. Lawson J. Design and Analysis of Experiments with SAS. Taylor and Francis Group. 2010.
10. Searle SR, Gruber MHJ. Linear Models 2e, Kindle Edition. John Wiley & Sons Inc. 2016.

2 ARS20-8

Reference

- Harvey WR. Least-Squares Analysis of Data with Unequal Subclass Frequencies. USDA, Agriculture Research Service, ARS 20-8. 1960. reprinted with corrections as ARS H-4, 1975, also reprinted 1979.

2.1 p8

(1) MODEL

```
p8 = read.csv("C:/G/Rt/ANOVA/ARS20-8p8.csv")
p8 = af(p8, c("PigNo", "Ration"))
GLM(Barrow ~ Ration, p8)
```

\$ANOVA

Response : Barrow

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	2	11.111	5.5556	1.2626	0.3113
RESIDUALS	15	66.000	4.4000		
CORRECTED TOTAL	17	77.111			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Ration	2	11.111	5.5556	1.2626	0.3113

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Ration	2	11.111	5.5556	1.2626	0.3113

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Ration	2	11.111	5.5556	1.2626	0.3113

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	5	0.85635	5.8387	3.261e-05 ***
Ration1	-1	1.35401	-0.7385	0.4716
Ration2	1	1.13284	0.8827	0.3913
Ration3	0	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

2.2 p42

(2) MODEL

```
p42 = read.csv("C:/G/Rt/ANOVA/ARS20-8p42.csv")
p42 = af(p42, c("Ration", "Pig", "Sire"))
GLM(Y ~ Sire + Ration, p42)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	20.819	6.9397	1.7259	0.2075
RESIDUALS	14	56.292	4.0209		
CORRECTED TOTAL	17	77.111			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	2	11.1111	5.5556	1.3817	0.2834
Ration	1	9.7079	9.7079	2.4144	0.1425

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	2	15.6829	7.8414	1.9502	0.1790
Ration	1	9.7079	9.7079	2.4144	0.1425

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	2	15.6829	7.8414	1.9502	0.1790
Ration	1	9.7079	9.7079	2.4144	0.1425

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	5.2697	0.83682	6.2973	1.964e-05 ***
Sire1	-0.4607	1.34009	-0.3438	0.7361
Sire2	1.7416	1.18344	1.4716	0.1632
Sire3	0.0000	0.00000		
Ration1	-1.6180	1.04129	-1.5538	0.1425
Ration2	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(3) MODEL

```
GLM(Y ~ Sire + Ration + Sire:Ration, p42)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	5	51.044	10.2089	4.6997	0.01311 *
RESIDUALS	12	26.067	2.1722		

CORRECTED TOTAL 17 77.111

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	2	11.1111	5.5556	2.5575	0.118799
Ration	1	9.7079	9.7079	4.4691	0.056129 .
Sire:Ration	2	30.2255	15.1127	6.9573	0.009859 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	2	15.6829	7.8414	3.6099	0.059238 .
Ration	1	9.7079	9.7079	4.4691	0.056129 .
Sire:Ration	2	30.2255	15.1127	6.9573	0.009859 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	2	21.0007	10.5004	4.8339	0.028853 *
Ration	1	3.5919	3.5919	1.6535	0.222736
Sire:Ration	2	30.2255	15.1127	6.9573	0.009859 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	5.4000	0.65912	8.1927	2.944e-06 ***
Sire1	-2.9000	1.23311	-2.3518	0.03659 *
Sire2	2.9333	1.07634	2.7253	0.01843 *
Sire3	0.0000	0.00000		
Ration1	-2.4000	1.61452	-1.4865	0.16294
Ration2	0.0000	0.00000		
Sire1:Ration1	5.4000	2.18607	2.4702	0.02948 *
Sire1:Ration2	0.0000	0.00000		
Sire2:Ration1	-1.3333	1.94041	-0.6871	0.50506
Sire2:Ration2	0.0000	0.00000		
Sire3:Ration1	0.0000	0.00000		
Sire3:Ration2	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

2.3 p101

(4) MODEL

```
p101 = read.csv("C:/G/Rt/ANOVA/ARS20-8p101.csv")
p101 = af(p101, c("Line", "Sire", "Dam", "Steer"))
GLM(Gain ~ Line + Sire + Dam + Line:Dam + Age + Weight, p101)
```

\$ANOVA

Response : Gain

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	16	2.4972	0.156073	3.0675	0.001364 **
RESIDUALS	48	2.4422	0.050879		
CORRECTED TOTAL	64	4.9394			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Line	2	0.38009	0.190046	3.7352	0.03107 *
Sire	6	0.92634	0.154391	3.0345	0.01347 *
Dam	2	0.11894	0.059471	1.1689	0.31940
Line:Dam	4	0.64889	0.162222	3.1884	0.02113 *
Age	1	0.16462	0.164622	3.2356	0.07835 .
Weight	1	0.25828	0.258283	5.0764	0.02886 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Line	0				
Sire	6	0.95299	0.15883	3.1217	0.01155 *
Dam	2	0.32039	0.16019	3.1485	0.05190 .
Line:Dam	4	0.46516	0.11629	2.2856	0.07373 .
Age	1	0.34830	0.34830	6.8456	0.01185 *
Weight	1	0.25828	0.25828	5.0764	0.02886 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Line	0				
Sire	6	0.95299	0.15883	3.1217	0.01155 *
Dam	2	0.12469	0.06234	1.2253	0.30268
Line:Dam	4	0.46516	0.11629	2.2856	0.07373 .
Age	1	0.34830	0.34830	6.8456	0.01185 *

Weight 1 0.25828 0.25828 5.0764 0.02886 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	2.95068	0.51867	5.6889	7.461e-07	***
Line1	0.08058	0.14600	0.5519	0.583562	
Line2	0.25898	0.13801	1.8765	0.066672	.
Line3	0.00000	0.00000			
Sire1	0.07353	0.13054	0.5633	0.575872	
Sire2	-0.12448	0.13720	-0.9072	0.368814	
Sire3	0.00000	0.00000			
Sire4	-0.23837	0.12753	-1.8692	0.067704	.
Sire5	0.00000	0.00000			
Sire6	0.10359	0.13013	0.7960	0.429928	
Sire7	-0.02129	0.12129	-0.1756	0.861372	
Sire8	-0.33135	0.12662	-2.6168	0.011834	*
Sire9	0.00000	0.00000			
Dam3	0.36999	0.11530	3.2090	0.002375	**
Dam4	0.27711	0.10444	2.6533	0.010777	*
Dam5	0.00000	0.00000			
Line1:Dam3	-0.44415	0.19686	-2.2562	0.028649	*
Line1:Dam4	-0.30365	0.16070	-1.8896	0.064862	.
Line1:Dam5	0.00000	0.00000			
Line2:Dam3	-0.26743	0.19635	-1.3620	0.179554	
Line2:Dam4	-0.35600	0.17540	-2.0297	0.047954	*
Line2:Dam5	0.00000	0.00000			
Line3:Dam3	0.00000	0.00000			
Line3:Dam4	0.00000	0.00000			
Line3:Dam5	0.00000	0.00000			
Age	-0.00815	0.00312	-2.6164	0.011845	*
Weight	0.00197	0.00087	2.2531	0.028860	*

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(5) MODEL

GLM(Gain ~ Sire + Dam + Line:Dam, p101)

\$ANOVA

Response : Gain

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	14	2.0743	0.148162	2.5856	0.006996 **
RESIDUALS	50	2.8651	0.057302		
CORRECTED TOTAL	64	4.9394			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	8	1.30644	0.163305	2.8499	0.01089 *
Dam	2	0.11894	0.059471	1.0379	0.36172
Dam:Line	4	0.64889	0.162222	2.8310	0.03412 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	6	1.06000	0.176667	3.0831	0.01202 *
Dam	2	0.11894	0.059471	1.0379	0.36172
Dam:Line	4	0.64889	0.162222	2.8310	0.03412 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	6	1.06000	0.176667	3.0831	0.01202 *
Dam	2	0.02569	0.012844	0.2242	0.79999
Dam:Line	4	0.64889	0.162222	2.8310	0.03412 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.35075	0.09704	24.2246	< 2.2e-16 ***
Sire1	0.20311	0.14084	1.4422	0.155488
Sire2	-0.06287	0.13258	-0.4742	0.637414
Sire3	0.16834	0.15153	1.1109	0.271905
Sire4	0.18107	0.14313	1.2650	0.211718
Sire5	0.31743	0.14313	2.2178	0.031143 *
Sire6	-0.01585	0.13038	-0.1215	0.903749
Sire7	-0.11844	0.12299	-0.9630	0.340164
Sire8	-0.42213	0.13012	-3.2442	0.002102 **
Sire9	0.00000	0.00000		
Dam3	0.33813	0.12177	2.7768	0.007706 **
Dam4	0.27529	0.11078	2.4849	0.016348 *
Dam5	0.00000	0.00000		
Dam3:Line1	-0.45707	0.20303	-2.2512	0.028796 *
Dam3:Line2	-0.38540	0.20378	-1.8913	0.064384 .
Dam3:Line3	0.00000	0.00000		
Dam4:Line1	-0.38180	0.16807	-2.2717	0.027443 *
Dam4:Line2	-0.43029	0.18374	-2.3418	0.023215 *
Dam4:Line3	0.00000	0.00000		

Dam5:Line1	0.00000	0.00000
Dam5:Line2	0.00000	0.00000
Dam5:Line3	0.00000	0.00000

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

3 Snee EMS ANOVA 1974

Reference

- Snee RD. Computation and Use of Expected Mean Squares in Analysis of Variance. J Qual Tech. 1974;6(3);128-137.

(6) MODEL

```
Snee = read.csv("C:/G/Rt/ANOVA/Snee_EMS_ANOVA1974.csv")
Snee = af(Snee, c("Machine", "Analyst", "Test", "Day"))
GLM(Y ~ Day/Machine/Analyst/Test, Snee)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	167	751.27	4.4986		
RESIDUALS	0	0.00			
CORRECTED TOTAL	167	751.27			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Day	41	365.58	8.9166		
Day:Machine	42	196.59	4.6807		
Day:Machine:Analyst	42	118.80	2.8285		
Day:Machine:Analyst:Test	42	70.31	1.6739		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Day	41	365.58	8.9166		
Day:Machine	42	196.59	4.6807		
Day:Machine:Analyst	42	118.80	2.8285		
Day:Machine:Analyst:Test	42	70.31	1.6739		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Day	41	359.44	8.7669		
Day:Machine	42	199.40	4.7477		
Day:Machine:Analyst	42	118.80	2.8285		
Day:Machine:Analyst:Test	42	70.31	1.6739		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	11.3			
Day1	-2.5			
Day10	-2.0			

Day11	-7.3
Day12	-1.6
Day13	-6.7
Day14	-9.2
Day15	-1.6
Day16	-1.3
Day17	-1.1
Day18	-2.1
Day19	-0.5
Day2	-3.2
Day20	-1.9
Day21	-1.0
Day22	-1.0
Day23	-3.0
Day24	0.3
Day25	-1.9
Day26	0.0
Day27	0.1
Day28	-1.7
Day29	-9.1
Day3	-3.9
Day30	-4.7
Day31	0.2
Day32	-2.2
Day33	-6.7
Day34	-3.4
Day35	-2.3
Day36	-3.2
Day37	-1.9
Day38	-0.4
Day39	-2.3
Day4	-3.3
Day40	-3.5
Day41	-2.0
Day42	-4.5
Day5	-1.8
Day6	-2.1
Day7	1.5
Day8	-2.1
Day9	0.0
Day1:Machine1	-2.2
Day1:Machine2	0.0
Day10:Machine1	1.0
Day10:Machine2	0.0
Day11:Machine1	6.0
Day11:Machine2	0.0
Day12:Machine1	-0.9
Day12:Machine2	0.0

Day13:Machine1	2.1
Day13:Machine2	0.0
Day14:Machine1	6.8
Day14:Machine2	0.0
Day15:Machine1	0.2
Day15:Machine2	0.0
Day16:Machine1	-1.8
Day16:Machine2	0.0
Day17:Machine1	-2.7
Day17:Machine2	0.0
Day18:Machine1	-2.6
Day18:Machine2	0.0
Day19:Machine1	-7.7
Day19:Machine2	0.0
Day2:Machine1	0.1
Day2:Machine2	0.0
Day20:Machine1	-2.2
Day20:Machine2	0.0
Day21:Machine1	0.4
Day21:Machine2	0.0
Day22:Machine1	-1.9
Day22:Machine2	0.0
Day23:Machine1	-0.7
Day23:Machine2	0.0
Day24:Machine1	1.0
Day24:Machine2	0.0
Day25:Machine1	0.2
Day25:Machine2	0.0
Day26:Machine1	1.3
Day26:Machine2	0.0
Day27:Machine1	-0.6
Day27:Machine2	0.0
Day28:Machine1	-4.5
Day28:Machine2	0.0
Day29:Machine1	4.4
Day29:Machine2	0.0
Day3:Machine1	0.6
Day3:Machine2	0.0
Day30:Machine1	2.0
Day30:Machine2	0.0
Day31:Machine1	1.0
Day31:Machine2	0.0
Day32:Machine1	1.3
Day32:Machine2	0.0
Day33:Machine1	6.0
Day33:Machine2	0.0
Day34:Machine1	-0.7
Day34:Machine2	0.0

Day35:Machine1	-1.2
Day35:Machine2	0.0
Day36:Machine1	-3.7
Day36:Machine2	0.0
Day37:Machine1	-0.7
Day37:Machine2	0.0
Day38:Machine1	0.3
Day38:Machine2	0.0
Day39:Machine1	1.3
Day39:Machine2	0.0
Day4:Machine1	-1.5
Day4:Machine2	0.0
Day40:Machine1	-0.8
Day40:Machine2	0.0
Day41:Machine1	-1.6
Day41:Machine2	0.0
Day42:Machine1	0.8
Day42:Machine2	0.0
Day5:Machine1	-7.2
Day5:Machine2	0.0
Day6:Machine1	-5.2
Day6:Machine2	0.0
Day7:Machine1	-1.1
Day7:Machine2	0.0
Day8:Machine1	-2.4
Day8:Machine2	0.0
Day9:Machine1	-0.8
Day9:Machine2	0.0
Day1:Machine1:Analyst1	0.0
Day1:Machine1:Analyst2	0.0
Day1:Machine2:Analyst1	0.0
Day1:Machine2:Analyst2	0.0
Day10:Machine1:Analyst1	0.3
Day10:Machine1:Analyst2	0.0
Day10:Machine2:Analyst1	0.0
Day10:Machine2:Analyst2	0.0
Day11:Machine1:Analyst1	-1.6
Day11:Machine1:Analyst2	0.0
Day11:Machine2:Analyst1	0.0
Day11:Machine2:Analyst2	0.0
Day12:Machine1:Analyst1	1.8
Day12:Machine1:Analyst2	0.0
Day12:Machine2:Analyst1	0.0
Day12:Machine2:Analyst2	0.0
Day13:Machine1:Analyst1	0.5
Day13:Machine1:Analyst2	0.0
Day13:Machine2:Analyst1	0.0
Day13:Machine2:Analyst2	0.0

Day14:Machine1:Analyst1	-0.9
Day14:Machine1:Analyst2	0.0
Day14:Machine2:Analyst1	0.0
Day14:Machine2:Analyst2	0.0
Day15:Machine1:Analyst1	-1.2
Day15:Machine1:Analyst2	0.0
Day15:Machine2:Analyst1	0.0
Day15:Machine2:Analyst2	0.0
Day16:Machine1:Analyst1	0.5
Day16:Machine1:Analyst2	0.0
Day16:Machine2:Analyst1	0.0
Day16:Machine2:Analyst2	0.0
Day17:Machine1:Analyst1	-0.7
Day17:Machine1:Analyst2	0.0
Day17:Machine2:Analyst1	0.0
Day17:Machine2:Analyst2	0.0
Day18:Machine1:Analyst1	0.0
Day18:Machine1:Analyst2	0.0
Day18:Machine2:Analyst1	0.0
Day18:Machine2:Analyst2	0.0
Day19:Machine1:Analyst1	4.0
Day19:Machine1:Analyst2	0.0
Day19:Machine2:Analyst1	0.0
Day19:Machine2:Analyst2	0.0
Day2:Machine1:Analyst1	1.4
Day2:Machine1:Analyst2	0.0
Day2:Machine2:Analyst1	0.0
Day2:Machine2:Analyst2	0.0
Day20:Machine1:Analyst1	2.8
Day20:Machine1:Analyst2	0.0
Day20:Machine2:Analyst1	0.0
Day20:Machine2:Analyst2	0.0
Day21:Machine1:Analyst1	-1.2
Day21:Machine1:Analyst2	0.0
Day21:Machine2:Analyst1	0.0
Day21:Machine2:Analyst2	0.0
Day22:Machine1:Analyst1	-0.7
Day22:Machine1:Analyst2	0.0
Day22:Machine2:Analyst1	0.0
Day22:Machine2:Analyst2	0.0
Day23:Machine1:Analyst1	1.2
Day23:Machine1:Analyst2	0.0
Day23:Machine2:Analyst1	0.0
Day23:Machine2:Analyst2	0.0
Day24:Machine1:Analyst1	-0.4
Day24:Machine1:Analyst2	0.0
Day24:Machine2:Analyst1	0.0
Day24:Machine2:Analyst2	0.0

Day25:Machine1:Analyst1	0.8
Day25:Machine1:Analyst2	0.0
Day25:Machine2:Analyst1	0.0
Day25:Machine2:Analyst2	0.0
Day26:Machine1:Analyst1	-2.0
Day26:Machine1:Analyst2	0.0
Day26:Machine2:Analyst1	0.0
Day26:Machine2:Analyst2	0.0
Day27:Machine1:Analyst1	-0.2
Day27:Machine1:Analyst2	0.0
Day27:Machine2:Analyst1	0.0
Day27:Machine2:Analyst2	0.0
Day28:Machine1:Analyst1	2.2
Day28:Machine1:Analyst2	0.0
Day28:Machine2:Analyst1	0.0
Day28:Machine2:Analyst2	0.0
Day29:Machine1:Analyst1	0.4
Day29:Machine1:Analyst2	0.0
Day29:Machine2:Analyst1	0.0
Day29:Machine2:Analyst2	0.0
Day3:Machine1:Analyst1	-1.3
Day3:Machine1:Analyst2	0.0
Day3:Machine2:Analyst1	0.0
Day3:Machine2:Analyst2	0.0
Day30:Machine1:Analyst1	-1.6
Day30:Machine1:Analyst2	0.0
Day30:Machine2:Analyst1	0.0
Day30:Machine2:Analyst2	0.0
Day31:Machine1:Analyst1	-3.3
Day31:Machine1:Analyst2	0.0
Day31:Machine2:Analyst1	0.0
Day31:Machine2:Analyst2	0.0
Day32:Machine1:Analyst1	1.3
Day32:Machine1:Analyst2	0.0
Day32:Machine2:Analyst1	0.0
Day32:Machine2:Analyst2	0.0
Day33:Machine1:Analyst1	0.0
Day33:Machine1:Analyst2	0.0
Day33:Machine2:Analyst1	0.0
Day33:Machine2:Analyst2	0.0
Day34:Machine1:Analyst1	3.2
Day34:Machine1:Analyst2	0.0
Day34:Machine2:Analyst1	0.0
Day34:Machine2:Analyst2	0.0
Day35:Machine1:Analyst1	0.6
Day35:Machine1:Analyst2	0.0
Day35:Machine2:Analyst1	0.0
Day35:Machine2:Analyst2	0.0

Day36:Machine1:Analyst1	2.4
Day36:Machine1:Analyst2	0.0
Day36:Machine2:Analyst1	0.0
Day36:Machine2:Analyst2	0.0
Day37:Machine1:Analyst1	1.4
Day37:Machine1:Analyst2	0.0
Day37:Machine2:Analyst1	0.0
Day37:Machine2:Analyst2	0.0
Day38:Machine1:Analyst1	-0.2
Day38:Machine1:Analyst2	0.0
Day38:Machine2:Analyst1	0.0
Day38:Machine2:Analyst2	0.0
Day39:Machine1:Analyst1	-0.3
Day39:Machine1:Analyst2	0.0
Day39:Machine2:Analyst1	0.0
Day39:Machine2:Analyst2	0.0
Day4:Machine1:Analyst1	0.7
Day4:Machine1:Analyst2	0.0
Day4:Machine2:Analyst1	0.0
Day4:Machine2:Analyst2	0.0
Day40:Machine1:Analyst1	1.0
Day40:Machine1:Analyst2	0.0
Day40:Machine2:Analyst1	0.0
Day40:Machine2:Analyst2	0.0
Day41:Machine1:Analyst1	-0.5
Day41:Machine1:Analyst2	0.0
Day41:Machine2:Analyst1	0.0
Day41:Machine2:Analyst2	0.0
Day42:Machine1:Analyst1	1.2
Day42:Machine1:Analyst2	0.0
Day42:Machine2:Analyst1	0.0
Day42:Machine2:Analyst2	0.0
Day5:Machine1:Analyst1	4.8
Day5:Machine1:Analyst2	0.0
Day5:Machine2:Analyst1	0.0
Day5:Machine2:Analyst2	0.0
Day6:Machine1:Analyst1	5.0
Day6:Machine1:Analyst2	0.0
Day6:Machine2:Analyst1	0.0
Day6:Machine2:Analyst2	0.0
Day7:Machine1:Analyst1	-1.9
Day7:Machine1:Analyst2	0.0
Day7:Machine2:Analyst1	0.0
Day7:Machine2:Analyst2	0.0
Day8:Machine1:Analyst1	1.2
Day8:Machine1:Analyst2	0.0
Day8:Machine2:Analyst1	0.0
Day8:Machine2:Analyst2	0.0

Day9:Machine1:Analyst1	0.4
Day9:Machine1:Analyst2	0.0
Day9:Machine2:Analyst1	0.0
Day9:Machine2:Analyst2	0.0
Day1:Machine1:Analyst1:Test1	-0.5
Day1:Machine1:Analyst1:Test2	0.0
Day1:Machine1:Analyst2:Test1	0.0
Day1:Machine1:Analyst2:Test2	0.0
Day1:Machine2:Analyst1:Test1	0.0
Day1:Machine2:Analyst1:Test2	0.0
Day1:Machine2:Analyst2:Test1	0.0
Day1:Machine2:Analyst2:Test2	0.0
Day10:Machine1:Analyst1:Test1	-0.9
Day10:Machine1:Analyst1:Test2	0.0
Day10:Machine1:Analyst2:Test1	0.0
Day10:Machine1:Analyst2:Test2	0.0
Day10:Machine2:Analyst1:Test1	0.0
Day10:Machine2:Analyst1:Test2	0.0
Day10:Machine2:Analyst2:Test1	0.0
Day10:Machine2:Analyst2:Test2	0.0
Day11:Machine1:Analyst1:Test1	2.1
Day11:Machine1:Analyst1:Test2	0.0
Day11:Machine1:Analyst2:Test1	0.0
Day11:Machine1:Analyst2:Test2	0.0
Day11:Machine2:Analyst1:Test1	0.0
Day11:Machine2:Analyst1:Test2	0.0
Day11:Machine2:Analyst2:Test1	0.0
Day11:Machine2:Analyst2:Test2	0.0
Day12:Machine1:Analyst1:Test1	-2.3
Day12:Machine1:Analyst1:Test2	0.0
Day12:Machine1:Analyst2:Test1	0.0
Day12:Machine1:Analyst2:Test2	0.0
Day12:Machine2:Analyst1:Test1	0.0
Day12:Machine2:Analyst1:Test2	0.0
Day12:Machine2:Analyst2:Test1	0.0
Day12:Machine2:Analyst2:Test2	0.0
Day13:Machine1:Analyst1:Test1	1.2
Day13:Machine1:Analyst1:Test2	0.0
Day13:Machine1:Analyst2:Test1	0.0
Day13:Machine1:Analyst2:Test2	0.0
Day13:Machine2:Analyst1:Test1	0.0
Day13:Machine2:Analyst1:Test2	0.0
Day13:Machine2:Analyst2:Test1	0.0
Day13:Machine2:Analyst2:Test2	0.0
Day14:Machine1:Analyst1:Test1	2.2
Day14:Machine1:Analyst1:Test2	0.0
Day14:Machine1:Analyst2:Test1	0.0
Day14:Machine1:Analyst2:Test2	0.0

Day14:Machine2:Analyst1:Test1	0.0
Day14:Machine2:Analyst1:Test2	0.0
Day14:Machine2:Analyst2:Test1	0.0
Day14:Machine2:Analyst2:Test2	0.0
Day15:Machine1:Analyst1:Test1	0.6
Day15:Machine1:Analyst1:Test2	0.0
Day15:Machine1:Analyst2:Test1	0.0
Day15:Machine1:Analyst2:Test2	0.0
Day15:Machine2:Analyst1:Test1	0.0
Day15:Machine2:Analyst1:Test2	0.0
Day15:Machine2:Analyst2:Test1	0.0
Day15:Machine2:Analyst2:Test2	0.0
Day16:Machine1:Analyst1:Test1	-1.6
Day16:Machine1:Analyst1:Test2	0.0
Day16:Machine1:Analyst2:Test1	0.0
Day16:Machine1:Analyst2:Test2	0.0
Day16:Machine2:Analyst1:Test1	0.0
Day16:Machine2:Analyst1:Test2	0.0
Day16:Machine2:Analyst2:Test1	0.0
Day16:Machine2:Analyst2:Test2	0.0
Day17:Machine1:Analyst1:Test1	-1.0
Day17:Machine1:Analyst1:Test2	0.0
Day17:Machine1:Analyst2:Test1	0.0
Day17:Machine1:Analyst2:Test2	0.0
Day17:Machine2:Analyst1:Test1	0.0
Day17:Machine2:Analyst1:Test2	0.0
Day17:Machine2:Analyst2:Test1	0.0
Day17:Machine2:Analyst2:Test2	0.0
Day18:Machine1:Analyst1:Test1	2.3
Day18:Machine1:Analyst1:Test2	0.0
Day18:Machine1:Analyst2:Test1	0.0
Day18:Machine1:Analyst2:Test2	0.0
Day18:Machine2:Analyst1:Test1	0.0
Day18:Machine2:Analyst1:Test2	0.0
Day18:Machine2:Analyst2:Test1	0.0
Day18:Machine2:Analyst2:Test2	0.0
Day19:Machine1:Analyst1:Test1	4.4
Day19:Machine1:Analyst1:Test2	0.0
Day19:Machine1:Analyst2:Test1	0.0
Day19:Machine1:Analyst2:Test2	0.0
Day19:Machine2:Analyst1:Test1	0.0
Day19:Machine2:Analyst1:Test2	0.0
Day19:Machine2:Analyst2:Test1	0.0
Day19:Machine2:Analyst2:Test2	0.0
Day2:Machine1:Analyst1:Test1	-1.1
Day2:Machine1:Analyst1:Test2	0.0
Day2:Machine1:Analyst2:Test1	0.0
Day2:Machine1:Analyst2:Test2	0.0

Day2:Machine2:Analyst1:Test1	0.0
Day2:Machine2:Analyst1:Test2	0.0
Day2:Machine2:Analyst2:Test1	0.0
Day2:Machine2:Analyst2:Test2	0.0
Day20:Machine1:Analyst1:Test1	0.3
Day20:Machine1:Analyst1:Test2	0.0
Day20:Machine1:Analyst2:Test1	0.0
Day20:Machine1:Analyst2:Test2	0.0
Day20:Machine2:Analyst1:Test1	0.0
Day20:Machine2:Analyst1:Test2	0.0
Day20:Machine2:Analyst2:Test1	0.0
Day20:Machine2:Analyst2:Test2	0.0
Day21:Machine1:Analyst1:Test1	-0.4
Day21:Machine1:Analyst1:Test2	0.0
Day21:Machine1:Analyst2:Test1	0.0
Day21:Machine1:Analyst2:Test2	0.0
Day21:Machine2:Analyst1:Test1	0.0
Day21:Machine2:Analyst1:Test2	0.0
Day21:Machine2:Analyst2:Test1	0.0
Day21:Machine2:Analyst2:Test2	0.0
Day22:Machine1:Analyst1:Test1	-2.0
Day22:Machine1:Analyst1:Test2	0.0
Day22:Machine1:Analyst2:Test1	0.0
Day22:Machine1:Analyst2:Test2	0.0
Day22:Machine2:Analyst1:Test1	0.0
Day22:Machine2:Analyst1:Test2	0.0
Day22:Machine2:Analyst2:Test1	0.0
Day22:Machine2:Analyst2:Test2	0.0
Day23:Machine1:Analyst1:Test1	-0.3
Day23:Machine1:Analyst1:Test2	0.0
Day23:Machine1:Analyst2:Test1	0.0
Day23:Machine1:Analyst2:Test2	0.0
Day23:Machine2:Analyst1:Test1	0.0
Day23:Machine2:Analyst1:Test2	0.0
Day23:Machine2:Analyst2:Test1	0.0
Day23:Machine2:Analyst2:Test2	0.0
Day24:Machine1:Analyst1:Test1	-2.6
Day24:Machine1:Analyst1:Test2	0.0
Day24:Machine1:Analyst2:Test1	0.0
Day24:Machine1:Analyst2:Test2	0.0
Day24:Machine2:Analyst1:Test1	0.0
Day24:Machine2:Analyst1:Test2	0.0
Day24:Machine2:Analyst2:Test1	0.0
Day24:Machine2:Analyst2:Test2	0.0
Day25:Machine1:Analyst1:Test1	-1.0
Day25:Machine1:Analyst1:Test2	0.0
Day25:Machine1:Analyst2:Test1	0.0
Day25:Machine1:Analyst2:Test2	0.0

Day25:Machine2:Analyst1:Test1	0.0
Day25:Machine2:Analyst1:Test2	0.0
Day25:Machine2:Analyst2:Test1	0.0
Day25:Machine2:Analyst2:Test2	0.0
Day26:Machine1:Analyst1:Test1	-0.3
Day26:Machine1:Analyst1:Test2	0.0
Day26:Machine1:Analyst2:Test1	0.0
Day26:Machine1:Analyst2:Test2	0.0
Day26:Machine2:Analyst1:Test1	0.0
Day26:Machine2:Analyst1:Test2	0.0
Day26:Machine2:Analyst2:Test1	0.0
Day26:Machine2:Analyst2:Test2	0.0
Day27:Machine1:Analyst1:Test1	-3.6
Day27:Machine1:Analyst1:Test2	0.0
Day27:Machine1:Analyst2:Test1	0.0
Day27:Machine1:Analyst2:Test2	0.0
Day27:Machine2:Analyst1:Test1	0.0
Day27:Machine2:Analyst1:Test2	0.0
Day27:Machine2:Analyst2:Test1	0.0
Day27:Machine2:Analyst2:Test2	0.0
Day28:Machine1:Analyst1:Test1	4.2
Day28:Machine1:Analyst1:Test2	0.0
Day28:Machine1:Analyst2:Test1	0.0
Day28:Machine1:Analyst2:Test2	0.0
Day28:Machine2:Analyst1:Test1	0.0
Day28:Machine2:Analyst1:Test2	0.0
Day28:Machine2:Analyst2:Test1	0.0
Day28:Machine2:Analyst2:Test2	0.0
Day29:Machine1:Analyst1:Test1	-1.0
Day29:Machine1:Analyst1:Test2	0.0
Day29:Machine1:Analyst2:Test1	0.0
Day29:Machine1:Analyst2:Test2	0.0
Day29:Machine2:Analyst1:Test1	0.0
Day29:Machine2:Analyst1:Test2	0.0
Day29:Machine2:Analyst2:Test1	0.0
Day29:Machine2:Analyst2:Test2	0.0
Day3:Machine1:Analyst1:Test1	1.9
Day3:Machine1:Analyst1:Test2	0.0
Day3:Machine1:Analyst2:Test1	0.0
Day3:Machine1:Analyst2:Test2	0.0
Day3:Machine2:Analyst1:Test1	0.0
Day3:Machine2:Analyst1:Test2	0.0
Day3:Machine2:Analyst2:Test1	0.0
Day3:Machine2:Analyst2:Test2	0.0
Day30:Machine1:Analyst1:Test1	1.0
Day30:Machine1:Analyst1:Test2	0.0
Day30:Machine1:Analyst2:Test1	0.0
Day30:Machine1:Analyst2:Test2	0.0

Day30:Machine2:Analyst1:Test1	0.0
Day30:Machine2:Analyst1:Test2	0.0
Day30:Machine2:Analyst2:Test1	0.0
Day30:Machine2:Analyst2:Test2	0.0
Day31:Machine1:Analyst1:Test1	4.2
Day31:Machine1:Analyst1:Test2	0.0
Day31:Machine1:Analyst2:Test1	0.0
Day31:Machine1:Analyst2:Test2	0.0
Day31:Machine2:Analyst1:Test1	0.0
Day31:Machine2:Analyst1:Test2	0.0
Day31:Machine2:Analyst2:Test1	0.0
Day31:Machine2:Analyst2:Test2	0.0
Day32:Machine1:Analyst1:Test1	0.4
Day32:Machine1:Analyst1:Test2	0.0
Day32:Machine1:Analyst2:Test1	0.0
Day32:Machine1:Analyst2:Test2	0.0
Day32:Machine2:Analyst1:Test1	0.0
Day32:Machine2:Analyst1:Test2	0.0
Day32:Machine2:Analyst2:Test1	0.0
Day32:Machine2:Analyst2:Test2	0.0
Day33:Machine1:Analyst1:Test1	3.6
Day33:Machine1:Analyst1:Test2	0.0
Day33:Machine1:Analyst2:Test1	0.0
Day33:Machine1:Analyst2:Test2	0.0
Day33:Machine2:Analyst1:Test1	0.0
Day33:Machine2:Analyst1:Test2	0.0
Day33:Machine2:Analyst2:Test1	0.0
Day33:Machine2:Analyst2:Test2	0.0
Day34:Machine1:Analyst1:Test1	-0.4
Day34:Machine1:Analyst1:Test2	0.0
Day34:Machine1:Analyst2:Test1	0.0
Day34:Machine1:Analyst2:Test2	0.0
Day34:Machine2:Analyst1:Test1	0.0
Day34:Machine2:Analyst1:Test2	0.0
Day34:Machine2:Analyst2:Test1	0.0
Day34:Machine2:Analyst2:Test2	0.0
Day35:Machine1:Analyst1:Test1	-1.9
Day35:Machine1:Analyst1:Test2	0.0
Day35:Machine1:Analyst2:Test1	0.0
Day35:Machine1:Analyst2:Test2	0.0
Day35:Machine2:Analyst1:Test1	0.0
Day35:Machine2:Analyst1:Test2	0.0
Day35:Machine2:Analyst2:Test1	0.0
Day35:Machine2:Analyst2:Test2	0.0
Day36:Machine1:Analyst1:Test1	-0.3
Day36:Machine1:Analyst1:Test2	0.0
Day36:Machine1:Analyst2:Test1	0.0
Day36:Machine1:Analyst2:Test2	0.0

Day36:Machine2:Analyst1:Test1	0.0
Day36:Machine2:Analyst1:Test2	0.0
Day36:Machine2:Analyst2:Test1	0.0
Day36:Machine2:Analyst2:Test2	0.0
Day37:Machine1:Analyst1:Test1	-0.9
Day37:Machine1:Analyst1:Test2	0.0
Day37:Machine1:Analyst2:Test1	0.0
Day37:Machine1:Analyst2:Test2	0.0
Day37:Machine2:Analyst1:Test1	0.0
Day37:Machine2:Analyst1:Test2	0.0
Day37:Machine2:Analyst2:Test1	0.0
Day37:Machine2:Analyst2:Test2	0.0
Day38:Machine1:Analyst1:Test1	0.0
Day38:Machine1:Analyst1:Test2	0.0
Day38:Machine1:Analyst2:Test1	0.0
Day38:Machine1:Analyst2:Test2	0.0
Day38:Machine2:Analyst1:Test1	0.0
Day38:Machine2:Analyst1:Test2	0.0
Day38:Machine2:Analyst2:Test1	0.0
Day38:Machine2:Analyst2:Test2	0.0
Day39:Machine1:Analyst1:Test1	-1.4
Day39:Machine1:Analyst1:Test2	0.0
Day39:Machine1:Analyst2:Test1	0.0
Day39:Machine1:Analyst2:Test2	0.0
Day39:Machine2:Analyst1:Test1	0.0
Day39:Machine2:Analyst1:Test2	0.0
Day39:Machine2:Analyst2:Test1	0.0
Day39:Machine2:Analyst2:Test2	0.0
Day4:Machine1:Analyst1:Test1	2.1
Day4:Machine1:Analyst1:Test2	0.0
Day4:Machine1:Analyst2:Test1	0.0
Day4:Machine1:Analyst2:Test2	0.0
Day4:Machine2:Analyst1:Test1	0.0
Day4:Machine2:Analyst1:Test2	0.0
Day4:Machine2:Analyst2:Test1	0.0
Day4:Machine2:Analyst2:Test2	0.0
Day40:Machine1:Analyst1:Test1	0.9
Day40:Machine1:Analyst1:Test2	0.0
Day40:Machine1:Analyst2:Test1	0.0
Day40:Machine1:Analyst2:Test2	0.0
Day40:Machine2:Analyst1:Test1	0.0
Day40:Machine2:Analyst1:Test2	0.0
Day40:Machine2:Analyst2:Test1	0.0
Day40:Machine2:Analyst2:Test2	0.0
Day41:Machine1:Analyst1:Test1	-0.6
Day41:Machine1:Analyst1:Test2	0.0
Day41:Machine1:Analyst2:Test1	0.0
Day41:Machine1:Analyst2:Test2	0.0

Day41:Machine2:Analyst1:Test1	0.0
Day41:Machine2:Analyst1:Test2	0.0
Day41:Machine2:Analyst2:Test1	0.0
Day41:Machine2:Analyst2:Test2	0.0
Day42:Machine1:Analyst1:Test1	-0.4
Day42:Machine1:Analyst1:Test2	0.0
Day42:Machine1:Analyst2:Test1	0.0
Day42:Machine1:Analyst2:Test2	0.0
Day42:Machine2:Analyst1:Test1	0.0
Day42:Machine2:Analyst1:Test2	0.0
Day42:Machine2:Analyst2:Test1	0.0
Day42:Machine2:Analyst2:Test2	0.0
Day5:Machine1:Analyst1:Test1	1.0
Day5:Machine1:Analyst1:Test2	0.0
Day5:Machine1:Analyst2:Test1	0.0
Day5:Machine1:Analyst2:Test2	0.0
Day5:Machine2:Analyst1:Test1	0.0
Day5:Machine2:Analyst1:Test2	0.0
Day5:Machine2:Analyst2:Test1	0.0
Day5:Machine2:Analyst2:Test2	0.0
Day6:Machine1:Analyst1:Test1	-0.5
Day6:Machine1:Analyst1:Test2	0.0
Day6:Machine1:Analyst2:Test1	0.0
Day6:Machine1:Analyst2:Test2	0.0
Day6:Machine2:Analyst1:Test1	0.0
Day6:Machine2:Analyst1:Test2	0.0
Day6:Machine2:Analyst2:Test1	0.0
Day6:Machine2:Analyst2:Test2	0.0
Day7:Machine1:Analyst1:Test1	0.0
Day7:Machine1:Analyst1:Test2	0.0
Day7:Machine1:Analyst2:Test1	0.0
Day7:Machine1:Analyst2:Test2	0.0
Day7:Machine2:Analyst1:Test1	0.0
Day7:Machine2:Analyst1:Test2	0.0
Day7:Machine2:Analyst2:Test1	0.0
Day7:Machine2:Analyst2:Test2	0.0
Day8:Machine1:Analyst1:Test1	1.0
Day8:Machine1:Analyst1:Test2	0.0
Day8:Machine1:Analyst2:Test1	0.0
Day8:Machine1:Analyst2:Test2	0.0
Day8:Machine2:Analyst1:Test1	0.0
Day8:Machine2:Analyst1:Test2	0.0
Day8:Machine2:Analyst2:Test1	0.0
Day8:Machine2:Analyst2:Test2	0.0
Day9:Machine1:Analyst1:Test1	0.1
Day9:Machine1:Analyst1:Test2	0.0
Day9:Machine1:Analyst2:Test1	0.0
Day9:Machine1:Analyst2:Test2	0.0

```
Day9:Machine2:Analyst1:Test1      0.0
Day9:Machine2:Analyst1:Test2      0.0
Day9:Machine2:Analyst2:Test1      0.0
Day9:Machine2:Analyst2:Test2      0.0
```

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ Day/Machine/Analyst/Test, Snee), type=3, singular.ok=TRUE)
# NOT WORKING
```

4 Goodnight

Reference

- Goodnight JH. The General Linear Models Procedure, Proceedings of the First International SAS User's Group, SAS Institute, Raleigh, N.C. 1976.

4.1 Type I SS

4.1.1 p7

(7) MODEL

```
p7 = read.csv("C:/G/Rt/ANOVA/Goodnight-p7.csv")
p7 = af(p7, c("A", "B"))
GLM(y ~ A + B + A:B, p7)
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	13.6027	4.5342	2.807	0.1721
RESIDUALS	4	6.4613	1.6153		
CORRECTED TOTAL	7	20.0639			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	10.8113	10.8113	6.6929	0.06087 .
B	1	1.3122	1.3122	0.8123	0.41839
A:B	1	1.4792	1.4792	0.9157	0.39279

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	10.8113	10.8113	6.6929	0.06087 .
B	1	1.3122	1.3122	0.8123	0.41839
A:B	1	1.4792	1.4792	0.9157	0.39279

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	10.8113	10.8113	6.6929	0.06087 .
B	1	1.3122	1.3122	0.8123	0.41839
A:B	1	1.4792	1.4792	0.9157	0.39279

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	6.610	0.8987	7.3551	0.00182 **
A1	-1.465	1.2710	-1.1527	0.31324
A2	0.000	0.0000		
B1	0.050	1.2710	0.0393	0.97050
B2	0.000	0.0000		
A1:B1	-1.720	1.7974	-0.9569	0.39279
A1:B2	0.000	0.0000		
A2:B1	0.000	0.0000		
A2:B2	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(8) MODEL

```
GLM(y ~ A + A:B + B, p7)
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	13.6027	4.5342	2.807	0.1721
RESIDUALS	4	6.4613	1.6153		
CORRECTED TOTAL	7	20.0639			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	10.8113	10.8113	6.6929	0.06087 .
A:B	2	2.7914	1.3957	0.8640	0.48764
B	0				

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	10.8113	10.8113	6.6929	0.06087 .
A:B	1	1.4792	1.4792	0.9157	0.39279
B	1	1.3122	1.3122	0.8123	0.41839

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	10.8113	10.8113	6.6929	0.06087 .
A:B	1	1.4792	1.4792	0.9157	0.39279

B 1 1.3122 1.3122 0.8123 0.41839

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	6.610	0.8987	7.3551	0.00182 **
A1	-1.465	1.2710	-1.1527	0.31324
A2	0.000	0.0000		
A1:B1	-1.670	1.2710	-1.3140	0.25914
A1:B2	0.000	0.0000		
A2:B1	0.050	1.2710	0.0393	0.97050
A2:B2	0.000	0.0000		
B1	0.000	0.0000		
B2	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(9) MODEL

GLM(y ~ B + A + A:B, p7)

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	13.6027	4.5342	2.807	0.1721
RESIDUALS	4	6.4613	1.6153		
CORRECTED TOTAL	7	20.0639			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
B	1	1.3122	1.3122	0.8123	0.41839
A	1	10.8113	10.8113	6.6929	0.06087 .
B:A	1	1.4792	1.4792	0.9157	0.39279

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
B	1	1.3122	1.3122	0.8123	0.41839
A	1	10.8113	10.8113	6.6929	0.06087 .
B:A	1	1.4792	1.4792	0.9157	0.39279

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

B    1  1.3122  1.3122  0.8123 0.41839
A    1 10.8113 10.8113  6.6929 0.06087 .
B:A  1  1.4792  1.4792  0.9157 0.39279
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	6.610	0.8987	7.3551	0.00182 **
B1	0.050	1.2710	0.0393	0.97050
B2	0.000	0.0000		
A1	-1.465	1.2710	-1.1527	0.31324
A2	0.000	0.0000		
B1:A1	-1.720	1.7974	-0.9569	0.39279
B1:A2	0.000	0.0000		
B2:A1	0.000	0.0000		
B2:A2	0.000	0.0000		

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(10) MODEL

GLM(y ~ B + A:B + A, p7)

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	13.6027	4.5342	2.807	0.1721
RESIDUALS	4	6.4613	1.6153		
CORRECTED TOTAL	7	20.0639			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
B	1	1.3122	1.3122	0.8123	0.4184
B:A	2	12.2905	6.1452	3.8043	0.1187
A	0				

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
B	1	1.3122	1.3122	0.8123	0.41839
B:A	1	1.4792	1.4792	0.9157	0.39279
A	1	10.8113	10.8113	6.6929	0.06087 .

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

B      1  1.3122  1.3122  0.8123 0.41839
B:A    1  1.4792  1.4792  0.9157 0.39279
A      1 10.8113 10.8113  6.6929 0.06087 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	6.610	0.8987	7.3551	0.00182 **
B1	0.050	1.2710	0.0393	0.97050
B2	0.000	0.0000		
B1:A1	-3.185	1.2710	-2.5060	0.06634 .
B1:A2	0.000	0.0000		
B2:A1	-1.465	1.2710	-1.1527	0.31324
B2:A2	0.000	0.0000		
A1	0.000	0.0000		
A2	0.000	0.0000		

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(11) MODEL

GLM(y ~ A:B + A + B, p7)

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	13.6027	4.5342	2.807	0.1721
RESIDUALS	4	6.4613	1.6153		
CORRECTED TOTAL	7	20.0639			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A:B	3	13.603	4.5342	2.807	0.1721
A	0				
B	0				

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A:B	1	1.4792	1.4792	0.9157	0.39279
A	1	10.8113	10.8113	6.6929	0.06087 .
B	1	1.3122	1.3122	0.8123	0.41839

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```
A:B 1 1.4792 1.4792 0.9157 0.39279
A 1 10.8113 10.8113 6.6929 0.06087 .
B 1 1.3122 1.3122 0.8123 0.41839
```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	6.610	0.8987	7.3551	0.00182 **
A1:B1	-3.135	1.2710	-2.4667	0.06920 .
A1:B2	-1.465	1.2710	-1.1527	0.31324
A2:B1	0.050	1.2710	0.0393	0.97050
A2:B2	0.000	0.0000		
A1	0.000	0.0000		
A2	0.000	0.0000		
B1	0.000	0.0000		
B2	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(12) MODEL

GLM(y ~ A:B + A + B, p7)

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	13.6027	4.5342	2.807	0.1721
RESIDUALS	4	6.4613	1.6153		
CORRECTED TOTAL	7	20.0639			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A:B	3	13.603	4.5342	2.807	0.1721
A	0				
B	0				

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A:B	1	1.4792	1.4792	0.9157	0.39279
A	1	10.8113	10.8113	6.6929	0.06087 .
B	1	1.3122	1.3122	0.8123	0.41839

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

A:B  1  1.4792  1.4792  0.9157  0.39279
A    1 10.8113 10.8113  6.6929  0.06087 .
B    1  1.3122  1.3122  0.8123  0.41839
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)   6.610     0.8987  7.3551  0.00182 **
A1:B1         -3.135     1.2710 -2.4667  0.06920 .
A1:B2         -1.465     1.2710 -1.1527  0.31324
A2:B1          0.050     1.2710  0.0393  0.97050
A2:B2          0.000     0.0000
A1             0.000     0.0000
A2             0.000     0.0000
B1             0.000     0.0000
B2             0.000     0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

4.2 Type II SS

4.2.1 p14

(13) MODEL

```
GLM(y ~ A + B + A:B, p7[-8,]) # p16
```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      3 12.7672  4.2557  2.0088 0.2906
RESIDUALS  3  6.3555  2.1185
CORRECTED TOTAL 6 19.1227

```

```

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
A      1  9.9567  9.9567  4.6999 0.1187
B      1  1.9225  1.9225  0.9075 0.4111
A:B    1  0.8880  0.8880  0.4192 0.5635

```

```

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
A      1 11.1715 11.1715  5.2733 0.1053
B      1  1.9225  1.9225  0.9075 0.4111
A:B    1  0.8880  0.8880  0.4192 0.5635

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	9.5258	9.5258	4.4965	0.1241
B	1	1.3690	1.3690	0.6462	0.4803
A:B	1	0.8880	0.8880	0.4192	0.5635

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	6.840	1.4555	4.6994	0.01823 *
A1	-1.695	1.7826	-0.9508	0.41183
A2	0.000	0.0000		
B1	-0.180	1.7826	-0.1010	0.92594
B2	0.000	0.0000		
A1:B1	-1.490	2.3014	-0.6474	0.56347
A1:B2	0.000	0.0000		
A2:B1	0.000	0.0000		
A2:B2	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

4.2.2 p24

(14) MODEL

```
p24 = read.csv("C:/G/Rt/ANOVA/Goodnight-p24.csv")
p24 = af(p24, c("A", "B", "C"))
GLM(Y ~ A + B + C, p24) # p27
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	6	45.924	7.6540	9.1615	0.00499 **
RESIDUALS	7	5.848	0.8354		
CORRECTED TOTAL	13	51.772			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	4.724	4.7235	5.6538	0.04904 *
B	3	37.998	12.6660	15.1606	0.00191 **
C	2	3.203	1.6013	1.9167	0.21686

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	0				
B	2	0.4424	0.2212	0.2648	0.7747
C	2	3.2025	1.6013	1.9167	0.2169

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	0				
B	2	0.4424	0.2212	0.2648	0.7747
C	2	3.2026	1.6013	1.9167	0.2169

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	10.290	1.11945	9.1920	3.718e-05 ***
A1	-2.305	0.91403	-2.5218	0.03971 *
A2	0.000	0.00000		
B1	-6.450	2.23891	-2.8809	0.02362 *
B2	-4.080	1.29263	-3.1563	0.01601 *
B3	-1.610	0.91403	-1.7614	0.12155
B4	0.000	0.00000		
C1	1.065	2.23891	0.4757	0.64879
C2	1.760	1.29263	1.3616	0.21553
C3	0.000	0.00000		
C4	0.000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

4.3 Type III SS

4.3.1 p27

(15) MODEL

```
p27 = read.csv("C:/G/Rt/ANOVA/Goodnight-p27.csv")
p27 = af(p27, c("A", "B"))
GLM(y ~ A + B + A:B, p27) # p29
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	5	128.193	25.6386	53.469	6.77e-05 ***
RESIDUALS	6	2.877	0.4795		
CORRECTED TOTAL	11	131.070			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	2	89.580	44.790	93.4102	3.013e-05 ***
B	2	38.542	19.271	40.1901	0.0003351 ***
A:B	1	0.071	0.071	0.1471	0.7145464

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	2	126.778	63.389	132.1977	1.093e-05 ***
B	2	38.542	19.271	40.1901	0.0003351 ***
A:B	1	0.071	0.071	0.1471	0.7145464

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	2	126.778	63.389	132.1977	1.093e-05 ***
B	2	38.542	19.271	40.1901	0.0003351 ***
A:B	1	0.071	0.071	0.1471	0.7145464

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	16.270	0.84809	19.1844	1.298e-06 ***
A1	-8.870	0.97929	-9.0576	0.0001015 ***
A2	-4.915	0.69246	-7.0979	0.0003927 ***
A3	0.000	0.00000		
B1	-4.900	0.69246	-7.0762	0.0003993 ***
B2	-1.875	0.97929	-1.9147	0.1040334
B3	0.000	0.00000		
A1:B1	0.000	0.00000		
A1:B2	-0.460	1.19937	-0.3835	0.7145464
A1:B3	0.000	0.00000		
A2:B1	0.000	0.00000		
A2:B2	0.000	0.00000		
A2:B3	0.000	0.00000		
A3:B1	0.000	0.00000		
A3:B2	0.000	0.00000		
A3:B3	0.000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

4.3.2 p33

(16) MODEL

```
p33 = read.csv("C:/G/Rt/ANOVA/Goodnight-p33.csv")
p33 = af(p33, c("A", "B"))
GLM(y ~ A + B + A:B, p33) # p35
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	34.905	8.7261		
RESIDUALS	0	0.000			
CORRECTED TOTAL	4	34.905			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	2	11.3739	5.6870		
B	1	23.5225	23.5225		
A:B	1	0.0081	0.0081		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	3.0276	3.0276		
B	1	23.5225	23.5225		
A:B	1	0.0081	0.0081		

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	3.0276	3.0276		
B	1	23.5225	23.5225		
A:B	1	0.0081	0.0081		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	9.53			
A1	-1.63			
A2	0.02			
A3	0.00			
B1	-4.76			
B2	0.00			
B3	0.00			
A1:B1	-0.18			
A1:B2	0.00			
A1:B3	0.00			
A2:B1	0.00			

A2:B2	0.00
A2:B3	0.00
A3:B1	0.00
A3:B2	0.00
A3:B3	0.00

```
options(contrasts = c("contr.sum", "contr.poly"))  
Anova(lm(y ~ A + B + A:B, p33), type=3, singular.ok=TRUE) # NOT WORKING
```

5 SAS for Linear Models 4e

Reference

- Littell RC, Stroup WW, Freund RJ. SAS for Linear Models 4e. John Wiley & Sons Inc. 2002.

5.1 Chapter 2

5.1.1 p5

(17) MODEL

```
p5 = read.table("C:/G/Rt/SAS4lm/p5.txt", head=TRUE)
GLM(COST ~ CATTLE, p5) # p6 Output 2.2
```

\$ANOVA

Response : COST

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	1	6582.1	6582.1	59.34	6.083e-07 ***
RESIDUALS	17	1885.7	110.9		
CORRECTED TOTAL	18	8467.8			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	6582.1	6582.1	59.34	6.083e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	6582.1	6582.1	59.34	6.083e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	6582.1	6582.1	59.34	6.083e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	7.1965	4.3751	1.6449	0.1184
CATTLE	4.5640	0.5925	7.7032	6.083e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.1.2 p12

(18) MODEL

```
p12 = read.table("C:/G/Rt/SAS4lm/p12.txt", head=TRUE)  
GLM(COST ~ CATTLE + CALVES + HOGS + SHEEP, p12)
```

\$ANOVA

Response : COST

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	7936.7	1984.18	52.31	2.885e-08 ***
RESIDUALS	14	531.0	37.93		
CORRECTED TOTAL	18	8467.8			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	6582.1	6582.1	173.5265	2.801e-09 ***
CALVES	1	186.7	186.7	4.9213	0.0435698 *
HOGS	1	489.9	489.9	12.9145	0.0029351 **
SHEEP	1	678.1	678.1	17.8773	0.0008431 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	2200.71	2200.71	58.0183	2.413e-06 ***
CALVES	1	136.08	136.08	3.5876	0.0790616 .
HOGS	1	113.66	113.66	2.9964	0.1054198
SHEEP	1	678.11	678.11	17.8773	0.0008431 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	2200.71	2200.71	58.0183	2.413e-06 ***
CALVES	1	136.08	136.08	3.5876	0.0790616 .
HOGS	1	113.66	113.66	2.9964	0.1054198
SHEEP	1	678.11	678.11	17.8773	0.0008431 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  2.2884      3.3874  0.6756 0.5103160
CATTLE       3.2155      0.4222  7.6170 2.413e-06 ***
CALVES      1.6131      0.8517  1.8941 0.0790616 .
HOGS        0.8148      0.4707  1.7310 0.1054198
SHEEP       0.8026      0.1898  4.2282 0.0008431 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(19) MODEL

```
GLM(COST ~ CATTLE + CALVES + SHEEP, p12)
```

```

$ANOVA
Response : COST
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      3 7823.1 2607.69  60.673 1.281e-08 ***
RESIDUALS  15  644.7   42.98
CORRECTED TOTAL 18 8467.8
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
CATTLE  1 6582.1  6582.1 153.1443 2.835e-09 ***
CALVES  1  186.7   186.7   4.3432 0.0546701 .
SHEEP   1 1054.3  1054.3  24.5306 0.0001735 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
CATTLE  1 2519.8  2519.8  58.6265 1.471e-06 ***
CALVES  1  260.6   260.6   6.0634 0.0263909 *
SHEEP   1 1054.3  1054.3  24.5306 0.0001735 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
CATTLE  1 2519.8  2519.8  58.6265 1.471e-06 ***
CALVES  1  260.6   260.6   6.0634 0.0263909 *
SHEEP   1 1054.3  1054.3  24.5306 0.0001735 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  1.0709      3.5272  0.3036 0.7655951
CATTLE       3.3665      0.4397  7.6568 1.471e-06 ***
CALVES      2.1046      0.8547  2.4624 0.0263909 *
SHEEP       0.9267      0.1871  4.9528 0.0001735 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(20) MODEL

```
GLM(COST ~ CATTLE + CALVES + offset(1*HOGS) + SHEEP, p12)
```

```

$ANOVA
Response : COST
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      3 7823.1 2607.69  60.673 1.281e-08 ***
RESIDUALS  15  644.7   42.98
CORRECTED TOTAL 18 8467.8
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
CATTLE  1 6582.1  6582.1 153.1443 2.835e-09 ***
CALVES  1  186.7   186.7   4.3432 0.0546701 .
SHEEP   1 1054.3  1054.3  24.5306 0.0001735 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
CATTLE  1 2519.8  2519.8  58.6265 1.471e-06 ***
CALVES  1  260.6   260.6   6.0634 0.0263909 *
SHEEP   1 1054.3  1054.3  24.5306 0.0001735 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
CATTLE  1 2519.8  2519.8  58.6265 1.471e-06 ***
CALVES  1  260.6   260.6   6.0634 0.0263909 *
SHEEP   1 1054.3  1054.3  24.5306 0.0001735 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
$Parameter
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1.0709	3.5272	0.3036	0.7655951
CATTLE	3.3665	0.4397	7.6568	1.471e-06 ***
CALVES	2.1046	0.8547	2.4624	0.0263909 *
SHEEP	0.9267	0.1871	4.9528	0.0001735 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(21) MODEL

GLM(COST ~ CATTLE + CALVES + I(HOGS + SHEEP), p12)

\$ANOVA

Response : COST

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	7936.7	2645.6	74.726	3.011e-09 ***
RESIDUALS	15	531.1	35.4		
CORRECTED TOTAL	18	8467.8			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	6582.1	6582.1	185.9151	7.406e-10 ***
CALVES	1	186.7	186.7	5.2726	0.03649 *
I(HOGS + SHEEP)	1	1168.0	1168.0	32.9896	3.883e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	2215.48	2215.48	62.5775	9.887e-07 ***
CALVES	1	155.03	155.03	4.3788	0.0538 .
I(HOGS + SHEEP)	1	1167.96	1167.96	32.9896	3.883e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	2215.48	2215.48	62.5775	9.887e-07 ***
CALVES	1	155.03	155.03	4.3788	0.0538 .
I(HOGS + SHEEP)	1	1167.96	1167.96	32.9896	3.883e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
--	----------	------------	---------	----------

```

(Intercept)      2.2721      3.1899  0.7123   0.4872
CATTLE           3.2162      0.4066  7.9106  9.887e-07 ***
CALVES          1.6194      0.7739  2.0926   0.0538 .
I(HOGS + SHEEP) 0.8052      0.1402  5.7437  3.883e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(22) MODEL

```
REG(COST ~ CATTLE + CALVES + I(HOGS + SHEEP), p12, NOINT=TRUE)
```

```

                Estimate Std. Error t value Pr(>|t|)
CATTLE           3.3000     0.38314  8.6131 2.100e-07 ***
CALVES           1.9672     0.59108  3.3281 0.004259 **
I(HOGS + SHEEP)  0.8068     0.13800  5.8466 2.479e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.2 Chapter 3

5.2.1 p63

(23) MODEL

```

p63w = read.table("C:/G/Rt/SAS41m/p63.txt", header=TRUE)
p63l = reshape(p63w,
  direction = "long",
  varying = list(names(p63w)[2:9]),
  v.names = "fruitwt",
  idvar = c("irrig"),
  timevar = "bloc",
  times = 1:8)
p63l = af(p63l, c("bloc"))
GLM(fruitwt ~ bloc + irrig, p63l) # p64

```

\$ANOVA

```

Response : fruitwt
                Df Sum Sq Mean Sq F value    Pr(>F)
MODEL           11 445334   40485   12.04 6.643e-08 ***
RESIDUALS       28  94147    3362
CORRECTED TOTAL 39 539481
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

```

      Df Sum Sq Mean Sq F value    Pr(>F)
bloc   7 401308   57330 17.0503 1.452e-08 ***
irrig  4  44026   11006  3.2734  0.02539 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

```

      Df Sum Sq Mean Sq F value    Pr(>F)
bloc   7 401308   57330 17.0503 1.452e-08 ***
irrig  4  44026   11006  3.2734  0.02539 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

```

      Df Sum Sq Mean Sq F value    Pr(>F)
bloc   7 401308   57330 17.0503 1.452e-08 ***
irrig  4  44026   11006  3.2734  0.02539 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

      Estimate Std. Error t value Pr(>|t|)
(Intercept)  220.150     31.760  6.9316 1.553e-07 ***
bloc1         152.600     36.674  4.1610 0.0002725 ***
bloc2         249.600     36.674  6.8060 2.155e-07 ***
bloc3          83.400     36.674  2.2741 0.0308206 *
bloc4        -112.000     36.674 -3.0540 0.0049132 **
bloc5         115.400     36.674  3.1467 0.0038956 **
bloc6         101.800     36.674  2.7758 0.0097029 **
bloc7          45.000     36.674  1.2270 0.2300251
bloc8           0.000         0.000
irrigbasin    -9.250     28.993 -0.3190 0.7520625
irrigflood   -70.000     28.993 -2.4144 0.0225461 *
irrigspray   -75.875     28.993 -2.6170 0.0141421 *
irrigsprnkler -7.625     28.993 -0.2630 0.7944806
irrigtrickle  0.000         0.000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.2.2 p72

(24) MODEL

```

p72 = read.table("C:/G/Rt/SAS4lm/p72.txt", header=TRUE)
p72 = af(p72, c("run", "pos", "mat"))
GLM(wtloss ~ run + pos + mat, p72) # p73

```

\$ANOVA

Response : wtloss

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	9	7076.5	786.28	12.837	0.002828 **
RESIDUALS	6	367.5	61.25		
CORRECTED TOTAL	15	7444.0			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
run	3	986.5	328.83	5.3687	0.0390130 *
pos	3	1468.5	489.50	7.9918	0.0161685 *
mat	3	4621.5	1540.50	25.1510	0.0008498 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
run	3	986.5	328.83	5.3687	0.0390130 *
pos	3	1468.5	489.50	7.9918	0.0161685 *
mat	3	4621.5	1540.50	25.1510	0.0008498 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
run	3	986.5	328.83	5.3687	0.0390130 *
pos	3	1468.5	489.50	7.9918	0.0161685 *
mat	3	4621.5	1540.50	25.1510	0.0008498 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	210.25	6.1872	33.9815	4.325e-08 ***
run1	9.25	5.5340	1.6715	0.1456579
run2	7.00	5.5340	1.2649	0.2528101
run3	21.75	5.5340	3.9303	0.0077104 **
run4	0.00	0.0000		
pos1	8.50	5.5340	1.5360	0.1754542
pos2	26.25	5.5340	4.7434	0.0031802 **
pos3	8.25	5.5340	1.4908	0.1866076
pos4	0.00	0.0000		
matA	35.25	5.5340	6.3697	0.0007032 ***
matB	-10.50	5.5340	-1.8974	0.1065582
matC	11.25	5.5340	2.0329	0.0883093 .
matD	0.00	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
GLM(shrink ~ run + pos + mat, p72) # p73
```

\$ANOVA

Response : shrink

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	9	265.75	29.528	9.8426	0.005775 **
RESIDUALS	6	18.00	3.000		
CORRECTED TOTAL	15	283.75			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
run	3	33.25	11.083	3.6944	0.081254 .
pos	3	60.25	20.083	6.6944	0.024212 *
mat	3	172.25	57.417	19.1389	0.001786 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
run	3	33.25	11.083	3.6944	0.081254 .
pos	3	60.25	20.083	6.6944	0.024212 *
mat	3	172.25	57.417	19.1389	0.001786 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
run	3	33.25	11.083	3.6944	0.081254 .
pos	3	60.25	20.083	6.6944	0.024212 *
mat	3	172.25	57.417	19.1389	0.001786 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	41.75	1.3693	30.4899	8.261e-08 ***
run1	0.50	1.2247	0.4082	0.697261
run2	1.25	1.2247	1.0206	0.346810
run3	3.75	1.2247	3.0619	0.022172 *
run4	0.00	0.0000		
pos1	2.75	1.2247	2.2454	0.065859 .
pos2	5.00	1.2247	4.0825	0.006484 **

```

pos3          0.75      1.2247  0.6124  0.562764
pos4          0.00      0.0000
matA          6.75      1.2247  5.5114  0.001499 **
matB         -2.00      1.2247 -1.6330  0.153590
matC          2.75      1.2247  2.2454  0.065859 .
matD          0.00      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.2.3 p75

(25) MODEL

```

p75w = read.table("C:/G/Rt/SAS41m/p75.txt", header=TRUE)
p75l = reshape(p75w,
  direction = "long",
  varying = list(names(p75w)[4:9]),
  v.names = "Y",
  idvar = c("method", "variety", "trt"),
  timevar = "yield",
  times = 1:6)
p75l = af(p75l, c("variety", "yield"))
GLM(Y ~ method*variety, p75l) # p78

```

\$ANOVA

```

Response : Y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      14 1339.0   95.645   4.8674 2.723e-06 ***
RESIDUALS  75 1473.8   19.650
CORRECTED TOTAL 89 2812.8
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

```

          Df Sum Sq Mean Sq F value    Pr(>F)
method      2  953.16   476.58  24.2531 7.525e-09 ***
variety      4   11.38     2.85   0.1448  0.96476
method:variety 8  374.49    46.81   2.3822  0.02409 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

```

          Df Sum Sq Mean Sq F value    Pr(>F)
method      2  953.16   476.58  24.2531 7.525e-09 ***
variety      4   11.38     2.85   0.1448  0.96476
method:variety 8  374.49    46.81   2.3822  0.02409 *

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
method	2	953.16	476.58	24.2531	7.525e-09 ***
variety	4	11.38	2.85	0.1448	0.96476
method:variety	8	374.49	46.81	2.3822	0.02409 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	12.5500	1.8097	6.9348	1.23e-09 ***
methoda	9.7833	2.5593	3.8226	0.0002707 ***
methodb	6.6667	2.5593	2.6049	0.0110772 *
methodc	0.0000	0.0000		
variety1	5.8667	2.5593	2.2923	0.0246955 *
variety2	7.3667	2.5593	2.8784	0.0052049 **
variety3	4.7667	2.5593	1.8625	0.0664519 .
variety4	2.2833	2.5593	0.8922	0.3751569
variety5	0.0000	0.0000		
methoda:variety1	-6.4333	3.6194	-1.7775	0.0795479 .
methoda:variety2	-7.8500	3.6194	-2.1689	0.0332634 *
methoda:variety3	-3.9667	3.6194	-1.0959	0.2766108
methoda:variety4	1.3500	3.6194	0.3730	0.7102090
methoda:variety5	0.0000	0.0000		
methodb:variety1	-10.0000	3.6194	-2.7629	0.0072031 **
methodb:variety2	-11.3500	3.6194	-3.1359	0.0024473 **
methodb:variety3	-8.5333	3.6194	-2.3577	0.0210000 *
methodb:variety4	-8.0000	3.6194	-2.2103	0.0301340 *
methodb:variety5	0.0000	0.0000		
methodc:variety1	0.0000	0.0000		
methodc:variety2	0.0000	0.0000		
methodc:variety3	0.0000	0.0000		
methodc:variety4	0.0000	0.0000		
methodc:variety5	0.0000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.3 Chapter 4

5.3.1 p94

(26) MODEL

```

p94w = read.table("C:/G/Rt/SAS41m/p94.txt", head=TRUE)
p94l = reshape(p94w,
  direction = "long",
  varying = list(names(p94w)[3:8]),
  v.names = "ct",
  idvar = c("package"),
  timevar = "sample",
  times = 1:6)
p94l$sampleA = floor((p94l$sample + 1)/2)
p94l$sampleB = 2 - (p94l$sample) %% 2
p94l$logct = log10(p94l$ct)
p94l = af(p94l, c("sample", "sampleA", "sampleB", "package"))
GLM(logct ~ package + sampleA %in% package, p94l) # p97

```

\$ANOVA

Response : logct

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	59	50.463	0.85531	22.229	< 2.2e-16 ***
RESIDUALS	60	2.309	0.03848		
CORRECTED TOTAL	119	52.772			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
package	19	30.529	1.60680	41.760	< 2.2e-16 ***
package:sampleA	40	19.934	0.49836	12.952	< 2.2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
package	19	30.529	1.60680	41.760	< 2.2e-16 ***
package:sampleA	40	19.934	0.49836	12.952	< 2.2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
package	19	30.529	1.60680	41.760	< 2.2e-16 ***
package:sampleA	40	19.934	0.49836	12.952	< 2.2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	3.02560	0.13870	21.8135	< 2.2e-16 ***

package1	0.31817	0.19616	1.6220	0.1100424	
package10	-0.70207	0.19616	-3.5791	0.0006900	***
package11	0.03927	0.19616	0.2002	0.8420172	
package12	0.17644	0.19616	0.8995	0.3719839	
package13	0.24985	0.19616	1.2737	0.2076669	
package14	-0.50666	0.19616	-2.5829	0.0122522	*
package15	-0.38616	0.19616	-1.9686	0.0536211	.
package16	1.06635	0.19616	5.4362	1.049e-06	***
package17	-0.05000	0.19616	-0.2549	0.7996621	
package18	-0.45347	0.19616	-2.3118	0.0242394	*
package19	0.92320	0.19616	4.7065	1.530e-05	***
package2	-0.39384	0.19616	-2.0078	0.0491774	*
package20	1.01238	0.19616	5.1611	2.924e-06	***
package3	0.20244	0.19616	1.0321	0.3061898	
package4	0.60840	0.19616	3.1016	0.0029318	**
package5	-0.36644	0.19616	-1.8681	0.0666346	.
package6	-0.65494	0.19616	-3.3389	0.0014498	**
package7	0.75615	0.19616	3.8548	0.0002847	***
package8	-0.71501	0.19616	-3.6451	0.0005600	***
package9	0.00000	0.00000			
package1:sampleA1	-0.52570	0.19616	-2.6800	0.0094902	**
package1:sampleA2	-1.09124	0.19616	-5.5631	6.503e-07	***
package1:sampleA3	0.00000	0.00000			
package10:sampleA1	0.36835	0.19616	1.8779	0.0652619	.
package10:sampleA2	-0.57562	0.19616	-2.9345	0.0047275	**
package10:sampleA3	0.00000	0.00000			
package11:sampleA1	0.30298	0.19616	1.5446	0.1277034	
package11:sampleA2	0.34699	0.19616	1.7690	0.0819836	.
package11:sampleA3	0.00000	0.00000			
package12:sampleA1	0.48746	0.19616	2.4851	0.0157584	*
package12:sampleA2	0.45769	0.19616	2.3333	0.0230013	*
package12:sampleA3	0.00000	0.00000			
package13:sampleA1	-0.27369	0.19616	-1.3953	0.1680716	
package13:sampleA2	-1.23093	0.19616	-6.2752	4.243e-08	***
package13:sampleA3	0.00000	0.00000			
package14:sampleA1	0.65235	0.19616	3.3256	0.0015089	**
package14:sampleA2	1.60043	0.19616	8.1590	2.625e-11	***
package14:sampleA3	0.00000	0.00000			
package15:sampleA1	0.84917	0.19616	4.3291	5.770e-05	***
package15:sampleA2	-0.54462	0.19616	-2.7764	0.0073206	**
package15:sampleA3	0.00000	0.00000			
package16:sampleA1	0.61863	0.19616	3.1538	0.0025178	**
package16:sampleA2	-0.19465	0.19616	-0.9923	0.3250282	
package16:sampleA3	0.00000	0.00000			
package17:sampleA1	0.32227	0.19616	1.6429	0.1056276	
package17:sampleA2	-0.79379	0.19616	-4.0467	0.0001508	***
package17:sampleA3	0.00000	0.00000			
package18:sampleA1	0.94770	0.19616	4.8314	9.762e-06	***

```

package18:sampleA2  0.18877    0.19616  0.9623  0.3397458
package18:sampleA3  0.00000    0.00000
package19:sampleA1 -0.16228    0.19616 -0.8273  0.4113450
package19:sampleA2 -0.81114    0.19616 -4.1352  0.0001120 ***
package19:sampleA3  0.00000    0.00000
package2:sampleA1   0.77575    0.19616  3.9548  0.0002049 ***
package2:sampleA2   0.98663    0.19616  5.0298  4.741e-06 ***
package2:sampleA3   0.00000    0.00000
package20:sampleA1 -1.01138    0.19616 -5.1560  2.980e-06 ***
package20:sampleA2 -0.59234    0.19616 -3.0197  0.0037126 **
package20:sampleA3  0.00000    0.00000
package3:sampleA1  -0.39744    0.19616 -2.0262  0.0472007 *
package3:sampleA2  -0.29306    0.19616 -1.4940  0.1404174
package3:sampleA3   0.00000    0.00000
package4:sampleA1  -0.31976    0.19616 -1.6301  0.1083175
package4:sampleA2  -1.63645    0.19616 -8.3426  1.278e-11 ***
package4:sampleA3   0.00000    0.00000
package5:sampleA1   0.88257    0.19616  4.4993  3.188e-05 ***
package5:sampleA2   0.61557    0.19616  3.1382  0.0026355 **
package5:sampleA3   0.00000    0.00000
package6:sampleA1  -0.73405    0.19616 -3.7422  0.0004105 ***
package6:sampleA2  -0.43175    0.19616 -2.2011  0.0315906 *
package6:sampleA3   0.00000    0.00000
package7:sampleA1  -0.56541    0.19616 -2.8825  0.0054684 **
package7:sampleA2  -0.06881    0.19616 -0.3508  0.7269701
package7:sampleA3   0.00000    0.00000
package8:sampleA1  -0.11367    0.19616 -0.5795  0.5644332
package8:sampleA2   0.37569    0.19616  1.9153  0.0602278 .
package8:sampleA3   0.00000    0.00000
package9:sampleA1  -0.27176    0.19616 -1.3854  0.1710573
package9:sampleA2  -0.08033    0.19616 -0.4095  0.6836214
package9:sampleA3   0.00000    0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.3.2 p116

(27) MODEL

```
GLM(Y ~ method + variety + method:variety, p75l) # p116
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	14	1339.0	95.645	4.8674	2.723e-06 ***
RESIDUALS	75	1473.8	19.650		

CORRECTED TOTAL 89 2812.8

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
method	2	953.16	476.58	24.2531	7.525e-09	***
variety	4	11.38	2.85	0.1448	0.96476	
method:variety	8	374.49	46.81	2.3822	0.02409	*

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
method	2	953.16	476.58	24.2531	7.525e-09	***
variety	4	11.38	2.85	0.1448	0.96476	
method:variety	8	374.49	46.81	2.3822	0.02409	*

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
method	2	953.16	476.58	24.2531	7.525e-09	***
variety	4	11.38	2.85	0.1448	0.96476	
method:variety	8	374.49	46.81	2.3822	0.02409	*

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	12.5500	1.8097	6.9348	1.23e-09	***
methoda	9.7833	2.5593	3.8226	0.0002707	***
methodb	6.6667	2.5593	2.6049	0.0110772	*
methodc	0.0000	0.0000			
variety1	5.8667	2.5593	2.2923	0.0246955	*
variety2	7.3667	2.5593	2.8784	0.0052049	**
variety3	4.7667	2.5593	1.8625	0.0664519	.
variety4	2.2833	2.5593	0.8922	0.3751569	
variety5	0.0000	0.0000			
methoda:variety1	-6.4333	3.6194	-1.7775	0.0795479	.
methoda:variety2	-7.8500	3.6194	-2.1689	0.0332634	*
methoda:variety3	-3.9667	3.6194	-1.0959	0.2766108	
methoda:variety4	1.3500	3.6194	0.3730	0.7102090	
methoda:variety5	0.0000	0.0000			
methodb:variety1	-10.0000	3.6194	-2.7629	0.0072031	**
methodb:variety2	-11.3500	3.6194	-3.1359	0.0024473	**
methodb:variety3	-8.5333	3.6194	-2.3577	0.0210000	*
methodb:variety4	-8.0000	3.6194	-2.2103	0.0301340	*

```

methodb:variety5  0.0000    0.0000
methodc:variety1  0.0000    0.0000
methodc:variety2  0.0000    0.0000
methodc:variety3  0.0000    0.0000
methodc:variety4  0.0000    0.0000
methodc:variety5  0.0000    0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.3.3 p122

(28) MODEL

```

p122 = read.table("C:/G/Rt/SAS41m/p122.txt", header=TRUE)
p122 = af(p122, c("et", "wafer", "pos"))
GLM(resista ~ et + wafer %in% et + pos + et:pos, p122)

```

```

$ANOVA
Response : resista
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      23  9.3250  0.40544   3.6477 0.001263 **
RESIDUALS  24  2.6676  0.11115
CORRECTED TOTAL 47 11.9926
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
          Df Sum Sq Mean Sq F value    Pr(>F)
et          3  3.1122  1.03739   9.3333 0.0002851 ***
et:wafer    8  4.2745  0.53431   4.8071 0.0012742 **
pos         3  1.1289  0.37630   3.3855 0.0345139 *
et:pos      9  0.8095  0.08994   0.8092 0.6125279
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
          Df Sum Sq Mean Sq F value    Pr(>F)
et          3  3.1122  1.03739   9.3333 0.0002851 ***
et:wafer    8  4.2745  0.53431   4.8071 0.0012742 **
pos         3  1.1289  0.37630   3.3855 0.0345139 *
et:pos      9  0.8095  0.08994   0.8092 0.6125279
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
          Df Sum Sq Mean Sq F value    Pr(>F)

```

```

et          3 3.1122 1.03739  9.3333 0.0002851 ***
et:wafer   8 4.2745 0.53431  4.8071 0.0012742 **
pos        3 1.1289 0.37630  3.3855 0.0345139 *
et:pos     9 0.8095 0.08994  0.8092 0.6125279
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
Estimate Std. Error t value Pr(>|t|)
(Intercept)  6.1775    0.23574 26.2044 < 2.2e-16 ***
et1          -0.8017    0.33339 -2.4046  0.024265 *
et2          -0.1792    0.33339 -0.5374  0.595934
et3          -0.0467    0.33339 -0.1400  0.889847
et4           0.0000    0.00000
et1:wafer1   0.7025    0.23574  2.9799  0.006508 **
et1:wafer2   0.8300    0.23574  3.5208  0.001750 **
et1:wafer3   0.0000    0.00000
et2:wafer1  -0.0800    0.23574 -0.3394  0.737295
et2:wafer2  -0.1650    0.23574 -0.6999  0.490709
et2:wafer3   0.0000    0.00000
et3:wafer1  -0.5125    0.23574 -2.1740  0.039796 *
et3:wafer2   0.4000    0.23574  1.6968  0.102675
et3:wafer3   0.0000    0.00000
et4:wafer1   0.6850    0.23574  2.9057  0.007755 **
et4:wafer2   0.4025    0.23574  1.7074  0.100660
et4:wafer3   0.0000    0.00000
pos1         -0.2000    0.27221 -0.7347  0.469628
pos2          0.0133    0.27221  0.0490  0.961339
pos3         -0.6433    0.27221 -2.3634  0.026551 *
pos4          0.0000    0.00000
et1:pos1     -0.0733    0.38497 -0.1905  0.850525
et1:pos2     -0.4500    0.38497 -1.1689  0.253910
et1:pos3      0.3100    0.38497  0.8053  0.428573
et1:pos4      0.0000    0.00000
et2:pos1      0.2767    0.38497  0.7187  0.479279
et2:pos2      0.2567    0.38497  0.6667  0.511307
et2:pos3      0.4933    0.38497  1.2815  0.212262
et2:pos4      0.0000    0.00000
et3:pos1      0.2433    0.38497  0.6321  0.533304
et3:pos2      0.2400    0.38497  0.6234  0.538882
et3:pos3      0.3233    0.38497  0.8399  0.409254
et3:pos4      0.0000    0.00000
et4:pos1      0.0000    0.00000
et4:pos2      0.0000    0.00000
et4:pos3      0.0000    0.00000
et4:pos4      0.0000    0.00000

```

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.3.4 p136

(29) MODEL

```
p136 = read.table("C:/G/Rt/SAS41m/p136.txt", header=TRUE)
p136 = af(p136, "rep")
GLM(drywt ~ rep + cult + rep:cult + inoc + cult:inoc, p136)
```

\$ANOVA

Response : drywt

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	157.208	14.2917	20.26	4.594e-06 ***
RESIDUALS	12	8.465	0.7054		
CORRECTED TOTAL	23	165.673			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	3	25.320	8.440	11.9646	0.0006428 ***
cult	1	2.407	2.407	3.4117	0.0895283 .
rep:cult	3	9.480	3.160	4.4796	0.0249095 *
inoc	2	118.176	59.088	83.7631	8.919e-08 ***
cult:inoc	2	1.826	0.913	1.2942	0.3097837

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	3	25.320	8.440	11.9646	0.0006428 ***
cult	1	2.407	2.407	3.4117	0.0895283 .
rep:cult	3	9.480	3.160	4.4796	0.0249095 *
inoc	2	118.176	59.088	83.7631	8.919e-08 ***
cult:inoc	2	1.826	0.913	1.2942	0.3097837

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	3	25.320	8.440	11.9646	0.0006428 ***
cult	1	2.407	2.407	3.4117	0.0895283 .
rep:cult	3	9.480	3.160	4.4796	0.0249095 *
inoc	2	118.176	59.088	83.7631	8.919e-08 ***
cult:inoc	2	1.826	0.913	1.2942	0.3097837

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  31.4917    0.59389  53.0259 1.332e-15 ***
rep1         3.4000    0.68577   4.9579 0.0003319 ***
rep2         3.8000    0.68577   5.5412 0.0001275 ***
rep3         0.9333    0.68577   1.3610 0.1985240
rep4         0.0000    0.00000
cultA        0.6917    0.83989   0.8235 0.4262768
cultB        0.0000    0.00000
rep1:cultA   -2.0000    0.96982  -2.0622 0.0615275 .
rep1:cultB   0.0000    0.00000
rep2:cultA   -2.6000    0.96982  -2.6809 0.0200035 *
rep2:cultB   0.0000    0.00000
rep3:cultA   0.3333    0.96982   0.3437 0.7370149
rep3:cultB   0.0000    0.00000
rep4:cultA   0.0000    0.00000
rep4:cultB   0.0000    0.00000
inocCON      -5.5000    0.59389  -9.2609 8.156e-07 ***
inocDEA      -2.8750    0.59389  -4.8409 0.0004044 ***
inocLIV       0.0000    0.00000
cultA:inocCON 0.2500    0.83989   0.2977 0.7710547
cultA:inocDEA -1.0250    0.83989  -1.2204 0.2457544
cultA:inocLIV 0.0000    0.00000
cultB:inocCON 0.0000    0.00000
cultB:inocDEA 0.0000    0.00000
cultB:inocLIV 0.0000    0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.4 Chapter 5

5.4.1 p142

(30) MODEL

```

p142 = read.table("C:/G/Rt/SAS4lm/p142.txt", header=TRUE, na.strings=".")
p142 = af(p142, c("STUDY", "PATIENT"))
GLM(FLUSH ~ STUDY + TRT, p142) # Incomplete data, 56 lines are truncated.

```

\$ANOVA

Response : FLUSH

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	5	3619.9	723.98	2.392	0.04607 *
RESIDUALS	71	21489.2	302.67		
CORRECTED TOTAL	76	25109.1			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
STUDY	4	3553.9	888.46	2.9355	0.02638 *
TRT	1	66.0	66.04	0.2182	0.64185

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
STUDY	4	3599.4	899.85	2.9731	0.02496 *
TRT	1	66.0	66.04	0.2182	0.64185

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
STUDY	4	3599.4	899.85	2.9731	0.02496 *
TRT	1	66.0	66.04	0.2182	0.64185

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	20.7038	5.1627	4.0103	0.0001481 ***
STUDY42	18.8049	11.1730	1.6831	0.0967562 .
STUDY43	3.3539	5.8408	0.5742	0.5676300
STUDY44	-9.6707	7.1273	-1.3569	0.1791234
STUDY45	9.6932	6.0879	1.5922	0.1157835
STUDY46	0.0000	0.0000		
TRTA	-1.8583	3.9782	-0.4671	0.6418492
TRTB	0.0000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(31) MODEL

```
GLM(FLUSH ~ TRT + STUDY + TRT:STUDY, p142) # Different data
```

\$ANOVA

Response : FLUSH

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	9	4093.7	454.86	1.4501	0.1851
RESIDUALS	67	21015.4	313.66		
CORRECTED TOTAL	76	25109.1			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
TRT	1	20.5	20.49	0.0653	0.79906
STUDY	4	3599.4	899.85	2.8688	0.02956 *
TRT:STUDY	4	473.8	118.45	0.3776	0.82383

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
TRT	1	66.0	66.04	0.2105	0.64783
STUDY	4	3599.4	899.85	2.8688	0.02956 *
TRT:STUDY	4	473.8	118.45	0.3776	0.82383

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
TRT	1	1.9	1.93	0.0062	0.9377
STUDY	4	3339.4	834.85	2.6616	0.0400 *
TRT:STUDY	4	473.8	118.45	0.3776	0.8238

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	24.2321	6.6940	3.6200	0.0005671 ***
TRTA	-9.5030	9.8532	-0.9645	0.3382875
TRTB	0.0000	0.0000		
STUDY42	4.1012	18.9334	0.2166	0.8291705
STUDY43	0.3108	8.1984	0.0379	0.9698723
STUDY44	-12.8822	9.8532	-1.3074	0.1955439
STUDY45	4.1451	8.5629	0.4841	0.6299091
STUDY46	0.0000	0.0000		
TRTA:STUDY42	24.4078	23.8240	1.0245	0.3092815
TRTA:STUDY43	6.6743	11.9120	0.5603	0.5771416
TRTA:STUDY44	6.9476	14.5635	0.4771	0.6348740
TRTA:STUDY45	11.6841	12.4143	0.9412	0.3499931
TRTA:STUDY46	0.0000	0.0000		
TRTB:STUDY42	0.0000	0.0000		
TRTB:STUDY43	0.0000	0.0000		
TRTB:STUDY44	0.0000	0.0000		
TRTB:STUDY45	0.0000	0.0000		
TRTB:STUDY46	0.0000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.5 Chapter 6

5.5.1 p171

(32) MODEL

```
p171 = read.table("C:/G/Rt/SAS41m/p171.txt", header=TRUE)
GLM(score2 ~ teach, p171) # p173 Output 6.2, p174 Output 6.5
```

\$ANOVA

Response : score2

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	2	49.74	24.868	0.5598	0.5776
RESIDUALS	28	1243.94	44.426		
CORRECTED TOTAL	30	1293.68			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
teach	2	49.736	24.868	0.5598	0.5776

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
teach	2	49.736	24.868	0.5598	0.5776

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
teach	2	49.736	24.868	0.5598	0.5776

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	72.455	2.0097	36.0530	<2e-16 ***
teachJAY	3.545	3.3828	1.0481	0.3036
teachPAT	0.903	2.6855	0.3361	0.7393
teachROBIN	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.5.2 p188

(33) MODEL

```
p188 = read.table("C:/G/Rt/SAS41m/p188.txt", header=TRUE)
p188 = af(p188, c("a", "b"))
GLM(y ~ a + b + a:b, p188) # p189
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	5	63.711	12.7422	5.866	0.005724 **
RESIDUALS	12	26.067	2.1722		
CORRECTED TOTAL	17	89.778			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	1	7.803	7.8028	3.5921	0.082395 .
b	2	20.492	10.2459	4.7168	0.030798 *
a:b	2	35.416	17.7082	8.1521	0.005807 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	1	15.850	15.850	7.2968	0.019265 *
b	2	20.492	10.246	4.7168	0.030798 *
a:b	2	35.416	17.708	8.1521	0.005807 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	1	9.641	9.6407	4.4382	0.056865 .
b	2	30.866	15.4330	7.1047	0.009212 **
a:b	2	35.416	17.7082	8.1521	0.005807 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	5.4000	0.65912	8.1927	2.944e-06 ***
a1	-4.4000	1.61452	-2.7253	0.018427 *
a2	0.0000	0.00000		
b1	-2.9000	1.23311	-2.3518	0.036594 *
b2	2.9333	1.07634	2.7253	0.018427 *
b3	0.0000	0.00000		
a1:b1	7.4000	2.18607	3.3851	0.005417 **
a1:b2	0.6667	1.94041	0.3436	0.737114
a1:b3	0.0000	0.00000		
a2:b1	0.0000	0.00000		
a2:b2	0.0000	0.00000		
a2:b3	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.5.3 p203

(34) MODEL

```
GLM(y ~ a + b + a:b, p188[-8,])
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	45.816	11.4539	5.2729	0.01097 *
RESIDUALS	12	26.067	2.1722		
CORRECTED TOTAL	16	71.882			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	1	2.9252	2.9252	1.3466	0.268432
b	2	13.3224	6.6612	3.0665	0.083997 .
a:b	1	29.5681	29.5681	13.6119	0.003095 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	1	5.5652	5.5652	2.5620	0.135442
b	2	13.3224	6.6612	3.0665	0.083997 .
a:b	1	29.5681	29.5681	13.6119	0.003095 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	1	0.3507	0.3507	0.1615	0.694881
b	2	16.0733	8.0367	3.6997	0.056021 .
a:b	1	29.5681	29.5681	13.6119	0.003095 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	5.4000	0.65912	8.1927	2.944e-06 ***
a1	-3.7333	1.07634	-3.4685	0.004644 **
a2	0.0000	0.00000		
b1	-2.9000	1.23311	-2.3518	0.036594 *
b2	2.9333	1.07634	2.7253	0.018427 *
b3	0.0000	0.00000		

```

a1:b1          6.7333    1.82503  3.6894  0.003095 **
a1:b2          0.0000    0.00000
a1:b3          0.0000    0.00000
a2:b1          0.0000    0.00000
a2:b2          0.0000    0.00000
a2:b3          0.0000    0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.5.4 p215

(35) MODEL

```

p215 = read.table("C:/G/Rt/SAS41m/p215.txt", header=TRUE)
p215 = af(p215, c("irrig", "reps"))
GLM(yield ~ irrig/reps + cult + irrig:cult, p215) # p216 Book is wrong.

```

\$ANOVA

Response : yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	67.662	6.1511	0.6253	0.7636
RESIDUALS	6	59.023	9.8372		
CORRECTED TOTAL	17	126.685			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
irrig	2	7.320	3.6600	0.3721	0.7042
irrig:reps	6	59.870	9.9783	1.0143	0.4933
cult	1	0.467	0.4672	0.0475	0.8347
irrig:cult	2	0.004	0.0022	0.0002	0.9998

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
irrig	2	7.320	3.6600	0.3721	0.7042
irrig:reps	6	59.870	9.9783	1.0143	0.4933
cult	1	0.467	0.4672	0.0475	0.8347
irrig:cult	2	0.004	0.0022	0.0002	0.9998

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
irrig	2	7.320	3.6600	0.3721	0.7042
irrig:reps	6	59.870	9.9783	1.0143	0.4933
cult	1	0.467	0.4672	0.0475	0.8347
irrig:cult	2	0.004	0.0022	0.0002	0.9998

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	30.6667	2.5609	11.9750	2.055e-05 ***
irrig1	2.6333	3.6216	0.7271	0.4945
irrig2	3.5833	3.6216	0.9894	0.3607
irrig3	0.0000	0.0000		
irrig1:reps1	-4.9000	3.1364	-1.5623	0.1692
irrig1:reps2	-1.5000	3.1364	-0.4783	0.6494
irrig1:reps3	0.0000	0.0000		
irrig2:reps1	-5.6000	3.1364	-1.7855	0.1244
irrig2:reps2	-3.3500	3.1364	-1.0681	0.3266
irrig2:reps3	0.0000	0.0000		
irrig3:reps1	-1.7000	3.1364	-0.5420	0.6073
irrig3:reps2	-0.8000	3.1364	-0.2551	0.8072
irrig3:reps3	0.0000	0.0000		
cultA	0.3667	2.5609	0.1432	0.8908
cultB	0.0000	0.0000		
irrig1:cultA	-0.0667	3.6216	-0.0184	0.9859
irrig1:cultB	0.0000	0.0000		
irrig2:cultA	-0.0667	3.6216	-0.0184	0.9859
irrig2:cultB	0.0000	0.0000		
irrig3:cultA	0.0000	0.0000		
irrig3:cultB	0.0000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Compare with SAS output

(36) MODEL

GLM(yield ~ reps + irrig + reps:irrig + cult + cult:irrig, p215)

\$ANOVA

Response : yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	67.662	6.1511	0.6253	0.7636
RESIDUALS	6	59.023	9.8372		
CORRECTED TOTAL	17	126.685			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
reps	2	49.703	24.8517	2.5263	0.1600
irrig	2	7.320	3.6600	0.3721	0.7042
reps:irrig	4	10.167	2.5417	0.2584	0.8944
cult	1	0.467	0.4672	0.0475	0.8347
irrig:cult	2	0.004	0.0022	0.0002	0.9998

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
reps	2	49.703	24.8517	2.5263	0.1600
irrig	2	7.320	3.6600	0.3721	0.7042
reps:irrig	4	10.167	2.5417	0.2584	0.8944
cult	1	0.467	0.4672	0.0475	0.8347
irrig:cult	2	0.004	0.0022	0.0002	0.9998

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
reps	2	49.703	24.8517	2.5263	0.1600
irrig	2	7.320	3.6600	0.3721	0.7042
reps:irrig	4	10.167	2.5417	0.2584	0.8944
cult	1	0.467	0.4672	0.0475	0.8347
irrig:cult	2	0.004	0.0022	0.0002	0.9998

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	30.6667	2.5609	11.9750	2.055e-05 ***
reps1	-1.7000	3.1364	-0.5420	0.6073
reps2	-0.8000	3.1364	-0.2551	0.8072
reps3	0.0000	0.0000		
irrig1	2.6333	3.6216	0.7271	0.4945
irrig2	3.5833	3.6216	0.9894	0.3607
irrig3	0.0000	0.0000		
reps1:irrig1	-3.2000	4.4356	-0.7214	0.4978
reps1:irrig2	-3.9000	4.4356	-0.8793	0.4131
reps1:irrig3	0.0000	0.0000		
reps2:irrig1	-0.7000	4.4356	-0.1578	0.8798
reps2:irrig2	-2.5500	4.4356	-0.5749	0.5863
reps2:irrig3	0.0000	0.0000		
reps3:irrig1	0.0000	0.0000		
reps3:irrig2	0.0000	0.0000		
reps3:irrig3	0.0000	0.0000		
cultA	0.3667	2.5609	0.1432	0.8908
cultB	0.0000	0.0000		
irrig1:cultA	-0.0667	3.6216	-0.0184	0.9859
irrig1:cultB	0.0000	0.0000		
irrig2:cultA	-0.0667	3.6216	-0.0184	0.9859
irrig2:cultB	0.0000	0.0000		
irrig3:cultA	0.0000	0.0000		
irrig3:cultB	0.0000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.6 Chapter 7

5.6.1 p232

(37) MODEL

```
p232 = read.table("C:/G/Rt/SAS4lm/p232.txt", header=TRUE)
p232 = af(p232, c("trt", "rep"))
GLM(final ~ trt + initial, p232) # p233
```

\$ANOVA

Response : final

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	5	354.45	70.889	235.05	5.493e-13 ***
RESIDUALS	14	4.22	0.302		
CORRECTED TOTAL	19	358.67			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
trt	4	198.41	49.602	164.47	1.340e-11 ***
initial	1	156.04	156.040	517.38	1.867e-12 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
trt	4	12.089	3.022	10.021	0.0004819 ***
initial	1	156.040	156.040	517.384	1.867e-12 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
trt	4	12.089	3.022	10.021	0.0004819 ***
initial	1	156.040	156.040	517.384	1.867e-12 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.49486	1.02786	2.4272	0.029298 *
trt1	-0.24446	0.57658	-0.4240	0.678022
trt2	-0.28027	0.49291	-0.5686	0.578630
trt3	1.65476	0.42943	3.8534	0.001756 **
trt4	1.10711	0.47175	2.3468	0.034170 *

```

trt5          0.00000    0.00000
initial       1.08318    0.04762 22.7461 1.867e-12 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.6.2 p240

(38) MODEL

```
GLM(final ~ initial + trt + trt:initial, p232) # p240
```

\$ANOVA

Response : final

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	9	355.84	39.537	139.51	2.572e-09 ***
RESIDUALS	10	2.83	0.283		
CORRECTED TOTAL	19	358.67			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
initial	1	342.36	342.36	1208.0336	9.211e-12 ***
trt	4	12.09	3.02	10.6645	0.001247 **
initial:trt	4	1.39	0.35	1.2247	0.360175

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
initial	1	156.040	156.040	550.5987	4.478e-10 ***
trt	4	12.089	3.022	10.6645	0.001247 **
initial:trt	4	1.388	0.347	1.2247	0.360175

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
initial	1	68.529	68.529	241.8091	2.472e-08 ***
trt	4	1.696	0.424	1.4963	0.2752
initial:trt	4	1.388	0.347	1.2247	0.3602

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
--	----------	------------	---------	----------

```

(Intercept)  -0.4318      2.1328 -0.2025      0.8436
initial      1.2239      0.1017 12.0298 2.854e-07 ***
trt1         5.6731      3.5715  1.5884   0.1433
trt2        -8.7175      8.9578 -0.9732   0.3534
trt3         5.2498      3.4875  1.5053   0.1632
trt4         4.7276      2.9399  1.6081   0.1389
trt5         0.0000      0.0000
initial:trt1 -0.2412      0.1398 -1.7256   0.1151
initial:trt2  0.2775      0.3358  0.8263   0.4279
initial:trt3 -0.1678      0.1509 -1.1123   0.2920
initial:trt4 -0.1670      0.1269 -1.3153   0.2178
initial:trt5  0.0000      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.6.3 p241

(39) MODEL

```

p241 = read.table("C:/G/Rt/SAS41m/p241.txt", header=TRUE)
p241 = af(p241, c("STORE", "DAY"))
GLM(Q1 ~ P1 + DAY + P1:DAY, p241) # p242

```

\$ANOVA

Response : Q1

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	1111.52	101.048	4.6445	0.0008119 ***
RESIDUALS	24	522.15	21.756		
CORRECTED TOTAL	35	1633.68			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P1	1	516.59	516.59	23.7444	5.739e-05 ***
DAY	5	430.54	86.11	3.9578	0.009275 **
P1:DAY	5	164.39	32.88	1.5112	0.223566

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P1	1	696.73	696.73	32.0243	7.925e-06 ***
DAY	5	430.54	86.11	3.9578	0.009275 **
P1:DAY	5	164.39	32.88	1.5112	0.223566

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P1	1	554.79	554.79	25.4999	3.665e-05 ***
DAY	5	201.17	40.23	1.8493	0.1412
P1:DAY	5	164.39	32.88	1.5112	0.2236

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	73.273	13.4837	5.4341	1.39e-05 ***
P1	-1.225	0.2652	-4.6199	0.0001092 ***
DAY1	-54.597	19.7355	-2.7664	0.0107321 *
DAY2	-34.786	20.2511	-1.7177	0.0987253 .
DAY3	-27.943	29.4284	-0.9495	0.3518193
DAY4	-24.123	21.3933	-1.1276	0.2706307
DAY5	4.626	30.6284	0.1510	0.8812016
DAY6	0.000	0.0000		
P1:DAY1	1.005	0.3941	2.5494	0.0175983 *
P1:DAY2	0.602	0.3988	1.5088	0.1444129
P1:DAY3	0.614	0.5703	1.0768	0.2922646
P1:DAY4	0.430	0.4151	1.0349	0.3110314
P1:DAY5	0.029	0.5703	0.0515	0.9593643
P1:DAY6	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.6.4 p243

(40) MODEL

```
GLM(Q1 ~ DAY + DAY:P1, p241)
```

\$ANOVA

Response : Q1

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	1111.52	101.048	4.6445	0.0008119 ***
RESIDUALS	24	522.15	21.756		
CORRECTED TOTAL	35	1633.68			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

DAY      5 250.40  50.079  2.3018 0.0764717 .
DAY:P1   6 861.13 143.521  6.5967 0.0003239 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
DAY     5 250.40  50.079   2.3018 0.0764717 .
DAY:P1  6 861.13 143.521   6.5967 0.0003239 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
DAY     5 201.17  40.234   1.8493 0.1411648
DAY:P1  6 861.13 143.521   6.5967 0.0003239 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  73.273     13.4837  5.4341 1.39e-05 ***
DAY1         -54.597     19.7355 -2.7664 0.0107321 *
DAY2         -34.786     20.2511 -1.7177 0.0987253 .
DAY3         -27.943     29.4284 -0.9495 0.3518193
DAY4         -24.123     21.3933 -1.1276 0.2706307
DAY5          4.626     30.6284  0.1510 0.8812016
DAY6          0.000         0.0000
DAY1:P1      -0.220         0.2915 -0.7562 0.4568599
DAY2:P1      -0.624         0.2978 -2.0940 0.0470031 *
DAY3:P1      -0.611         0.5049 -1.2102 0.2379998
DAY4:P1      -0.796         0.3193 -2.4914 0.0200350 *
DAY5:P1      -1.196         0.5049 -2.3683 0.0262648 *
DAY6:P1      -1.225         0.2652 -4.6199 0.0001092 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

`REG(Q1 ~ DAY + DAY:P1, p241, NOINT=TRUE) # Duput 7.10`

```

      Estimate Std. Error t value Pr(>|t|)
DAY1      18.675     14.4110  1.2959 0.2073286
DAY2      38.487     15.1094  2.5472 0.0176863 *
DAY3      45.330     26.1576  1.7329 0.0959384 .
DAY4      49.149     16.6092  2.9592 0.0068366 **
DAY5      77.899     27.5007  2.8326 0.0092034 **
DAY6      73.273     13.4837  5.4341 1.39e-05 ***
DAY1:P1   -0.220         0.2915 -0.7562 0.4568599

```

```

DAY2:P1    -0.624      0.2978 -2.0940 0.0470031 *
DAY3:P1    -0.611      0.5049 -1.2102 0.2379998
DAY4:P1    -0.796      0.3193 -2.4914 0.0200350 *
DAY5:P1    -1.196      0.5049 -2.3683 0.0262648 *
DAY6:P1    -1.225      0.2652 -4.6199 0.0001092 ***

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(41) MODEL

```
GLM(Q1 ~ P1 + DAY + P1:DAY, p241)
```

\$ANOVA

Response : Q1

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	1111.52	101.048	4.6445	0.0008119 ***
RESIDUALS	24	522.15	21.756		
CORRECTED TOTAL	35	1633.68			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P1	1	516.59	516.59	23.7444	5.739e-05 ***
DAY	5	430.54	86.11	3.9578	0.009275 **
P1:DAY	5	164.39	32.88	1.5112	0.223566

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P1	1	696.73	696.73	32.0243	7.925e-06 ***
DAY	5	430.54	86.11	3.9578	0.009275 **
P1:DAY	5	164.39	32.88	1.5112	0.223566

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P1	1	554.79	554.79	25.4999	3.665e-05 ***
DAY	5	201.17	40.23	1.8493	0.1412
P1:DAY	5	164.39	32.88	1.5112	0.2236

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
P1	-0.624	0.2978	-2.0940	0.0470031 *
DAY	-0.611	0.5049	-1.2102	0.2379998
P1:DAY	-0.796	0.3193	-2.4914	0.0200350 *
DAY	-1.196	0.5049	-2.3683	0.0262648 *
P1:DAY	-1.225	0.2652	-4.6199	0.0001092 ***

(Intercept)	73.273	13.4837	5.4341	1.39e-05	***
P1	-1.225	0.2652	-4.6199	0.0001092	***
DAY1	-54.597	19.7355	-2.7664	0.0107321	*
DAY2	-34.786	20.2511	-1.7177	0.0987253	.
DAY3	-27.943	29.4284	-0.9495	0.3518193	
DAY4	-24.123	21.3933	-1.1276	0.2706307	
DAY5	4.626	30.6284	0.1510	0.8812016	
DAY6	0.000	0.0000			
P1:DAY1	1.005	0.3941	2.5494	0.0175983	*
P1:DAY2	0.602	0.3988	1.5088	0.1444129	
P1:DAY3	0.614	0.5703	1.0768	0.2922646	
P1:DAY4	0.430	0.4151	1.0349	0.3110314	
P1:DAY5	0.029	0.5703	0.0515	0.9593643	
P1:DAY6	0.000	0.0000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(42) MODEL

GLM(Q1 ~ STORE + DAY + P1 + P2, p241)

\$ANOVA

Response : Q1

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	12	1225.37	102.114	5.7521	0.0001688 ***
RESIDUALS	23	408.31	17.753		
CORRECTED TOTAL	35	1633.68			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
STORE	5	313.42	62.68	3.5310	0.01629 *
DAY	5	250.40	50.08	2.8210	0.03957 *
P1	1	622.01	622.01	35.0377	4.924e-06 ***
P2	1	39.54	39.54	2.2274	0.14917

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
STORE	5	223.83	44.77	2.5217	0.058346 .
DAY	5	433.10	86.62	4.8793	0.003456 **
P1	1	538.17	538.17	30.3150	1.342e-05 ***
P2	1	39.54	39.54	2.2274	0.149171

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
STORE	5	223.83	44.77	2.5217	0.058346 .
DAY	5	433.10	86.62	4.8793	0.003456 **
P1	1	538.17	538.17	30.3150	1.342e-05 ***
P2	1	39.54	39.54	2.2274	0.149171

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	51.700	9.7910	5.2803	2.333e-05 ***
STORE1	-7.645	2.6919	-2.8401	0.009273 **
STORE2	-5.602	2.4642	-2.2735	0.032650 *
STORE3	-7.363	2.4642	-2.9880	0.006573 **
STORE4	-4.365	2.4875	-1.7547	0.092620 .
STORE5	-5.021	2.4361	-2.0609	0.050799 .
STORE6	0.000	0.0000		
DAY1	-5.830	2.5193	-2.3143	0.029934 *
DAY2	-4.900	2.4471	-2.0024	0.057172 .
DAY3	2.270	2.5403	0.8935	0.380834
DAY4	-2.652	2.4467	-1.0841	0.289545
DAY5	4.047	2.5566	1.5830	0.127078
DAY6	0.000	0.0000		
P1	-0.830	0.1508	-5.5059	1.342e-05 ***
P2	0.149	0.0997	1.4925	0.149171

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.6.5 p250

(43) MODEL

```
p250 = read.table("C:/G/Rt/SAS41m/p250.txt", header=TRUE)
p250 = af(p250, c("variety", "spacing", "plant"))
GLM(lint ~ bollwt + variety + spacing + variety:spacing + variety:spacing:plant,
     p250) # p252 Output 7.18, Parameter is different due to different order
```

\$ANOVA

Response : lint

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	31.160	3.8950	80.704	< 2.2e-16 ***
RESIDUALS	40	1.931	0.0483		
CORRECTED TOTAL	48	33.091			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bollwt	1	29.0693	29.0693	602.3107	< 2.2e-16 ***
variety	1	1.2635	1.2635	26.1802	8.158e-06 ***
spacing	1	0.4666	0.4666	9.6689	0.003447 **
variety:spacing	1	0.0933	0.0933	1.9325	0.172169
variety:spacing:plant	4	0.2673	0.0668	1.3847	0.256548

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bollwt	1	11.1186	11.1186	230.3745	< 2.2e-16 ***
variety	1	1.1973	1.1973	24.8084	1.259e-05 ***
spacing	1	0.4666	0.4666	9.6689	0.003447 **
variety:spacing	1	0.0933	0.0933	1.9325	0.172169
variety:spacing:plant	4	0.2673	0.0668	1.3847	0.256548

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bollwt	1	11.1186	11.1186	230.3745	< 2.2e-16 ***
variety	1	0.9424	0.9424	19.5269	7.379e-05 ***
spacing	1	0.3748	0.3748	7.7666	0.008101 **
variety:spacing	1	0.0479	0.0479	0.9915	0.325350
variety:spacing:plant	4	0.2673	0.0668	1.3847	0.256548

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.15083	0.163336	0.9234	0.361331
bollwt	0.30561	0.020135	15.1781	< 2.2e-16 ***
variety213	-0.42327	0.129645	-3.2649	0.002249 **
variety37	0.00000	0.000000		
spacing30	0.06160	0.128765	0.4784	0.634964
spacing40	0.00000	0.000000		
variety213:spacing30	-0.02364	0.198980	-0.1188	0.906004
variety213:spacing40	0.00000	0.000000		
variety37:spacing30	0.00000	0.000000		
variety37:spacing40	0.00000	0.000000		
variety213:spacing30:plant0	0.00000	0.000000		
variety213:spacing30:plant3	0.33372	0.160556	2.0785	0.044120 *
variety213:spacing30:plant5	0.00000	0.000000		
variety213:spacing40:plant0	-0.09849	0.111519	-0.8832	0.382418

```

variety213:spacing40:plant3 0.00000 0.000000
variety213:spacing40:plant5 0.00000 0.000000
variety37:spacing30:plant0 0.00000 0.000000
variety37:spacing30:plant3 0.08923 0.150334 0.5935 0.556164
variety37:spacing30:plant5 0.00000 0.000000
variety37:spacing40:plant0 0.00000 0.000000
variety37:spacing40:plant3 -0.02713 0.110857 -0.2447 0.807910
variety37:spacing40:plant5 0.00000 0.000000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.6.6 p254 Output 7.20

(44) MODEL

```
GLM(lint ~ bollwt + variety + spacing, p250)
```

\$ANOVA

Response : lint

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	30.799	10.2665	201.65	< 2.2e-16 ***
RESIDUALS	45	2.291	0.0509		
CORRECTED TOTAL	48	33.091			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bollwt	1	29.0693	29.0693	570.9531	< 2.2e-16 ***
variety	1	1.2635	1.2635	24.8172	9.777e-06 ***
spacing	1	0.4666	0.4666	9.1655	0.004072 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bollwt	1	11.5717	11.5717	227.2815	< 2.2e-16 ***
variety	1	1.1973	1.1973	23.5168	1.516e-05 ***
spacing	1	0.4666	0.4666	9.1655	0.004072 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bollwt	1	11.5717	11.5717	227.2815	< 2.2e-16 ***
variety	1	1.1973	1.1973	23.5168	1.516e-05 ***

```
spacing 1 0.4666 0.4666 9.1655 0.004072 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.13371	0.153949	0.8685	0.389718
bollwt	0.30144	0.019995	15.0759	< 2.2e-16 ***
variety213	-0.41066	0.084682	-4.8494	1.516e-05 ***
variety37	0.00000	0.000000		
spacing30	0.20521	0.067782	3.0275	0.004072 **
spacing40	0.00000	0.000000		

```
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

5.6.7 p256

(45) MODEL

```
p256 = read.table("C:/G/Rt/SAS41m/p256.txt", header=TRUE)
p256b = af(p256, c("bloc", "type", "logdose"))
GLM(y ~ bloc + type + logdose + type:logdose, p256b) # p258 Output 7.22
```

\$ANOVA

```
Response : y
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	816.50	102.063	6.0641	0.0014 **
RESIDUALS	15	252.46	16.831		
CORRECTED TOTAL	23	1068.96			

```
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bloc	3	538.79	179.597	10.6709	0.0005223 ***
type	1	12.04	12.042	0.7155	0.4109264
logdose	2	121.58	60.792	3.6120	0.0524231 .
type:logdose	2	144.08	72.042	4.2804	0.0338265 *

```
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bloc	3	538.79	179.597	10.6709	0.0005223 ***
type	1	12.04	12.042	0.7155	0.4109264
logdose	2	121.58	60.792	3.6120	0.0524231 .

```

type:logdose 2 144.08 72.042 4.2804 0.0338265 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

```

      Df Sum Sq Mean Sq F value    Pr(>F)
bloc    3  538.79  179.597  10.6709 0.0005223 ***
type    1   12.04   12.042   0.7155 0.4109264
logdose  2  121.58   60.792   3.6120 0.0524231 .
type:logdose 2 144.08  72.042   4.2804 0.0338265 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

      Estimate Std. Error t value Pr(>|t|)
(Intercept)    62.042     2.5123  24.6955 1.457e-13 ***
bloc1           7.667     2.3686   3.2368 0.005531 **
bloc2          -3.500     2.3686  -1.4777 0.160183
bloc3          -4.333     2.3686  -1.8295 0.087270 .
bloc4           0.000     0.0000   0.0000 1.000000
type1          -8.000     2.9009  -2.7578 0.014656 *
type2           0.000     0.0000   0.0000 1.000000
logdose0      -11.250     2.9009  -3.8781 0.001486 **
logdose1       -7.750     2.9009  -2.6716 0.017423 *
logdose2        0.000     0.0000   0.0000 1.000000
type1:logdose0  11.750     4.1025   2.8641 0.011824 *
type1:logdose1   8.000     4.1025   1.9500 0.070117 .
type1:logdose2   0.000     0.0000   0.0000 1.000000
type2:logdose0   0.000     0.0000   0.0000 1.000000
type2:logdose1   0.000     0.0000   0.0000 1.000000
type2:logdose2   0.000     0.0000   0.0000 1.000000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.6.8 p261 Output 7.27

(46) MODEL

```

p256 = af(p256, c("bloc", "type"))
p256$logd2 = (p256$logdose)^2
GLM(y ~ bloc + type + logdose + logd2 + type:logdose + type:logd2, p256)

```

\$ANOVA

```

Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL    8  816.50  102.063   6.0641 0.0014 **

```

RESIDUALS 15 252.46 16.831
 CORRECTED TOTAL 23 1068.96

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
bloc	3	538.79	179.597	10.6709	0.0005223	***
type	1	12.04	12.042	0.7155	0.4109264	
logdose	1	115.56	115.562	6.8662	0.0193005	*
logd2	1	6.02	6.021	0.3577	0.5586917	
type:logdose	1	138.06	138.062	8.2031	0.0118242	*
type:logd2	1	6.02	6.021	0.3577	0.5586917	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
bloc	3	538.79	179.597	10.6709	0.0005223	***
type	1	12.04	12.042	0.7155	0.4109264	
logdose	1	0.39	0.389	0.0231	0.8811262	
logd2	1	6.02	6.021	0.3577	0.5586917	
type:logdose	1	0.81	0.812	0.0483	0.8290541	
type:logd2	1	6.02	6.021	0.3577	0.5586917	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
bloc	3	538.79	179.597	10.6709	0.0005223	***
type	1	28.12	28.125	1.6711	0.2156736	
logdose	1	0.39	0.389	0.0231	0.8811262	
logd2	1	6.02	6.021	0.3577	0.5586917	
type:logdose	1	0.81	0.812	0.0483	0.8290541	
type:logd2	1	6.02	6.021	0.3577	0.5586917	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	50.792	2.5123	20.2175	2.697e-12	***
bloc1	7.667	2.3686	3.2368	0.005531	**
bloc2	-3.500	2.3686	-1.4777	0.160183	
bloc3	-4.333	2.3686	-1.8295	0.087270	.
bloc4	0.000	0.0000			
type1	3.750	2.9009	1.2927	0.215674	
type2	0.000	0.0000			
logdose	1.375	5.2297	0.2629	0.796188	

```

logd2          2.125      2.5123  0.8459  0.410926
type1:logdose -1.625      7.3959 -0.2197  0.829054
type2:logdose  0.000      0.0000
type1:logd2    -2.125      3.5529 -0.5981  0.558692
type2:logd2    0.000      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.6.9 p262 Output 7.28

(47) MODEL

```
GLM(y ~ bloc + type + type:logdose, p256b)
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	816.50	102.063	6.0641	0.0014 **
RESIDUALS	15	252.46	16.831		
CORRECTED TOTAL	23	1068.96			

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bloc	3	538.79	179.597	10.6709	0.0005223 ***
type	1	12.04	12.042	0.7155	0.4109264
type:logdose	4	265.67	66.417	3.9462	0.0220552 *

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bloc	3	538.79	179.597	10.6709	0.0005223 ***
type	1	12.04	12.042	0.7155	0.4109264
type:logdose	4	265.67	66.417	3.9462	0.0220552 *

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bloc	3	538.79	179.597	10.6709	0.0005223 ***
type	1	12.04	12.042	0.7155	0.4109264
type:logdose	4	265.67	66.417	3.9462	0.0220552 *

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)    62.042     2.5123  24.6955 1.457e-13 ***
bloc1           7.667     2.3686   3.2368 0.005531 **
bloc2          -3.500     2.3686  -1.4777 0.160183
bloc3          -4.333     2.3686  -1.8295 0.087270 .
bloc4           0.000     0.0000
type1          -8.000     2.9009  -2.7578 0.014656 *
type2           0.000     0.0000
type1:logdose0  0.500     2.9009   0.1724 0.865459
type1:logdose1  0.250     2.9009   0.0862 0.932463
type1:logdose2  0.000     0.0000
type2:logdose0 -11.250     2.9009  -3.8781 0.001486 **
type2:logdose1  -7.750     2.9009  -2.6716 0.017423 *
type2:logdose2  0.000     0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.7 Chapter 8

5.7.1 p269

(48) MODEL

```

p269 = read.csv("C:/G/Rt/SAS4lm/fev1uni.csv")
p269 = af(p269, c("drug", "hour", "patient"))
GLM(fev1 ~ drug + patient %in% drug + hour + drug:hour, p269) # p271 Output 8.3

```

```

$ANOVA
Response : fev1
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      92 296.65   3.2244  51.078 < 2.2e-16 ***
RESIDUALS  483  30.49   0.0631
CORRECTED TOTAL 575 327.14
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
drug      2  25.783  12.8913 204.212 < 2.2e-16 ***
drug:patient 69 247.412   3.5857  56.801 < 2.2e-16 ***
hour      7  17.170   2.4529  38.857 < 2.2e-16 ***
drug:hour  14   6.280   0.4486   7.106 1.923e-13 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
drug	2	25.783	12.8913	204.212	< 2.2e-16 ***
drug:patient	69	247.412	3.5857	56.801	< 2.2e-16 ***
hour	7	17.170	2.4529	38.857	< 2.2e-16 ***
drug:hour	14	6.280	0.4486	7.106	1.923e-13 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
drug	2	25.783	12.8913	204.212	< 2.2e-16 ***
drug:patient	69	247.412	3.5857	56.801	< 2.2e-16 ***
hour	7	17.170	2.4529	38.857	< 2.2e-16 ***
drug:hour	14	6.280	0.4486	7.106	1.923e-13 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.89349	0.10096	28.6606	< 2.2e-16 ***
druga	0.03458	0.14278	0.2422	0.8087105
drugc	0.63172	0.14278	4.4246	1.195e-05 ***
drugp	0.00000	0.00000		
druga:patient201	-0.76375	0.12562	-6.0796	2.449e-09 ***
druga:patient202	-0.02375	0.12562	-0.1891	0.8501297
druga:patient203	-0.90875	0.12562	-7.2338	1.855e-12 ***
druga:patient204	0.31875	0.12562	2.5373	0.0114843 *
druga:patient205	0.32125	0.12562	2.5572	0.0108561 *
druga:patient206	0.20875	0.12562	1.6617	0.0972242 .
druga:patient207	0.00875	0.12562	0.0697	0.9444998
druga:patient208	-0.25500	0.12562	-2.0298	0.0429198 *
druga:patient209	0.31125	0.12562	2.4776	0.0135676 *
druga:patient210	-0.47500	0.12562	-3.7811	0.0001757 ***
druga:patient211	0.34375	0.12562	2.7363	0.0064421 **
druga:patient212	-1.29750	0.12562	-10.3283	< 2.2e-16 ***
druga:patient214	0.04125	0.12562	0.3284	0.7427837
druga:patient215	0.41000	0.12562	3.2637	0.0011777 **
druga:patient216	0.47250	0.12562	3.7612	0.0001899 ***
druga:patient217	-1.71625	0.12562	-13.6617	< 2.2e-16 ***
druga:patient218	-0.35000	0.12562	-2.7861	0.0055451 **
druga:patient219	0.07000	0.12562	0.5572	0.5776402
druga:patient220	-0.43875	0.12562	-3.4925	0.0005224 ***
druga:patient221	0.63125	0.12562	5.0249	7.106e-07 ***
druga:patient222	-0.04375	0.12562	-0.3483	0.7277982
druga:patient223	0.98500	0.12562	7.8408	2.887e-14 ***
druga:patient224	0.83625	0.12562	6.6567	7.624e-11 ***

drugc:patient232	0.00000	0.00000			
drugc:patient201	-0.53000	0.12562	-4.2189	2.933e-05	***
drugc:patient202	-0.42250	0.12562	-3.3632	0.0008318	***
drugc:patient203	-1.53375	0.12562	-12.2089	< 2.2e-16	***
drugc:patient204	-0.21000	0.12562	-1.6716	0.0952434	.
drugc:patient205	0.32375	0.12562	2.5771	0.0102586	*
drugc:patient206	0.11750	0.12562	0.9353	0.3500901	
drugc:patient207	-1.72750	0.12562	-13.7512	< 2.2e-16	***
drugc:patient208	-0.43625	0.12562	-3.4726	0.0005617	***
drugc:patient209	-0.25500	0.12562	-2.0298	0.0429198	*
drugc:patient210	-1.08250	0.12562	-8.6169	< 2.2e-16	***
drugc:patient211	-0.74500	0.12562	-5.9303	5.765e-09	***
drugc:patient212	-1.72375	0.12562	-13.7214	< 2.2e-16	***
drugc:patient214	-0.68625	0.12562	-5.4627	7.522e-08	***
drugc:patient215	0.09875	0.12562	0.7861	0.4322131	
drugc:patient216	0.05375	0.12562	0.4279	0.6689439	
drugc:patient217	-1.91875	0.12562	-15.2736	< 2.2e-16	***
drugc:patient218	-0.78250	0.12562	-6.2288	1.023e-09	***
drugc:patient219	-0.84875	0.12562	-6.7562	4.087e-11	***
drugc:patient220	-1.01000	0.12562	-8.0398	7.105e-15	***
drugc:patient221	0.23250	0.12562	1.8507	0.0648170	.
drugc:patient222	-0.60625	0.12562	-4.8259	1.873e-06	***
drugc:patient223	0.96000	0.12562	7.6418	1.164e-13	***
drugc:patient224	0.22750	0.12562	1.8109	0.0707711	.
drugc:patient232	0.00000	0.00000			
drugp:patient201	-0.63250	0.12562	-5.0348	6.764e-07	***
drugp:patient202	-0.04500	0.12562	-0.3582	0.7203440	
drugp:patient203	-1.27250	0.12562	-10.1293	< 2.2e-16	***
drugp:patient204	0.34750	0.12562	2.7662	0.0058894	**
drugp:patient205	0.60625	0.12562	4.8259	1.873e-06	***
drugp:patient206	0.11500	0.12562	0.9154	0.3604275	
drugp:patient207	-0.55875	0.12562	-4.4478	1.078e-05	***
drugp:patient208	-0.57000	0.12562	-4.5373	7.199e-06	***
drugp:patient209	0.35000	0.12562	2.7861	0.0055451	**
drugp:patient210	-0.36875	0.12562	-2.9353	0.0034909	**
drugp:patient211	-0.26375	0.12562	-2.0995	0.0362913	*
drugp:patient212	-1.18000	0.12562	-9.3930	< 2.2e-16	***
drugp:patient214	-0.30625	0.12562	-2.4378	0.0151363	*
drugp:patient215	-0.06250	0.12562	-0.4975	0.6190549	
drugp:patient216	0.24000	0.12562	1.9104	0.0566680	.
drugp:patient217	-1.80375	0.12562	-14.3582	< 2.2e-16	***
drugp:patient218	-0.28750	0.12562	-2.2886	0.0225363	*
drugp:patient219	-0.14375	0.12562	-1.1443	0.2530759	
drugp:patient220	-0.21125	0.12562	-1.6816	0.0932951	.
drugp:patient221	0.78375	0.12562	6.2388	9.646e-10	***
drugp:patient222	-0.06500	0.12562	-0.5174	0.6051056	
drugp:patient223	0.38000	0.12562	3.0249	0.0026199	**
drugp:patient224	0.79500	0.12562	6.3283	5.662e-10	***

drugp:patient232	0.00000	0.00000			
hour1	0.09458	0.07253	1.3041	0.1928336	
hour2	0.16042	0.07253	2.2117	0.0274523	*
hour3	0.16583	0.07253	2.2864	0.0226619	*
hour4	0.13917	0.07253	1.9188	0.0556048	.
hour5	0.03625	0.07253	0.4998	0.6174473	
hour6	0.08333	0.07253	1.1490	0.2511439	
hour7	0.05250	0.07253	0.7238	0.4695140	
hour8	0.00000	0.00000			
druga:hour1	0.52083	0.10257	5.0777	5.464e-07	***
druga:hour2	0.37833	0.10257	3.6884	0.0002513	***
druga:hour3	0.16000	0.10257	1.5599	0.1194454	
druga:hour4	0.04917	0.10257	0.4793	0.6319171	
druga:hour5	0.15917	0.10257	1.5517	0.1213779	
druga:hour6	0.03792	0.10257	0.3697	0.7118002	
druga:hour7	-0.04208	0.10257	-0.4103	0.6817836	
druga:hour8	0.00000	0.00000			
drugc:hour1	0.58625	0.10257	5.7155	1.917e-08	***
drugc:hour2	0.45583	0.10257	4.4440	1.096e-05	***
drugc:hour3	0.40125	0.10257	3.9119	0.0001047	***
drugc:hour4	0.29417	0.10257	2.8679	0.0043130	**
drugc:hour5	0.20292	0.10257	1.9783	0.0484656	*
drugc:hour6	-0.00833	0.10257	-0.0812	0.9352821	
drugc:hour7	-0.08583	0.10257	-0.8368	0.4031156	
drugc:hour8	0.00000	0.00000			
drugp:hour1	0.00000	0.00000			
drugp:hour2	0.00000	0.00000			
drugp:hour3	0.00000	0.00000			
drugp:hour4	0.00000	0.00000			
drugp:hour5	0.00000	0.00000			
drugp:hour6	0.00000	0.00000			
drugp:hour7	0.00000	0.00000			
drugp:hour8	0.00000	0.00000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.8 Chapter 11

5.8.1 p390

(49) MODEL

```
p390 = read.table("C:/G/Rt/SAS41m/p390.txt", header=TRUE)
p390$ca = ifelse(p390$a == 0, -1, 1)
p390$cb = ifelse(p390$b == 0, -1, 1)
p390$cc = ifelse(p390$c == 0, -1, 1)
```

```
p390 = af(p390, c("rep", "blk", "a", "b", "c"))
GLM(y ~ rep/blk + ca*cb*cc, p390)
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	12	81.75	6.8125	33.601	6.618e-07 ***
RESIDUALS	11	2.23	0.2027		
CORRECTED TOTAL	23	83.98			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	2	0.051	0.025	0.1256	0.8832237
rep:blk	3	7.432	2.477	12.2194	0.0007966 ***
ca	1	21.075	21.075	103.9487	6.090e-07 ***
cb	1	0.005	0.005	0.0224	0.8837872
ca:cb	1	1.723	1.723	8.4969	0.0140640 *
cc	1	37.776	37.776	186.3209	3.063e-08 ***
ca:cc	1	2.318	2.318	11.4332	0.0061285 **
cb:cc	1	11.340	11.340	55.9328	1.232e-05 ***
ca:cb:cc	1	0.031	0.031	0.1511	0.7049490

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	2	0.051	0.025	0.1256	0.883224
rep:blk	3	1.668	0.556	2.7416	0.093789 .
ca	1	21.075	21.075	103.9487	6.090e-07 ***
cb	1	0.005	0.005	0.0224	0.883787
ca:cb	1	1.723	1.723	8.4969	0.014064 *
cc	1	37.776	37.776	186.3209	3.063e-08 ***
ca:cc	1	2.318	2.318	11.4332	0.006129 **
cb:cc	1	11.340	11.340	55.9328	1.232e-05 ***
ca:cb:cc	1	0.031	0.031	0.1511	0.704949

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	2	0.051	0.025	0.1256	0.883224
rep:blk	3	1.668	0.556	2.7416	0.093789 .
ca	1	21.075	21.075	103.9487	6.090e-07 ***
cb	1	0.005	0.005	0.0224	0.883787
ca:cb	1	1.723	1.723	8.4969	0.014064 *

```

cc          1 37.776  37.776 186.3209 3.063e-08 ***
ca:cc       1  2.318   2.318  11.4332 0.006129 **
cb:cc       1 11.340  11.340  55.9328 1.232e-05 ***
ca:cb:cc   1  0.031   0.031   0.1511 0.704949
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  2.01062    0.25171   7.9879 6.627e-06 ***
rep1          0.32813    0.35597   0.9218 0.376420
rep2        -0.11000    0.35597  -0.3090 0.763085
rep3          0.00000    0.00000
rep1:blk1     0.20000    0.38995   0.5129 0.618170
rep1:blk2     0.00000    0.00000
rep2:blk1     0.87375    0.38995   2.2407 0.046645 *
rep2:blk2     0.00000    0.00000
rep3:blk1     0.66875    0.38995   1.7150 0.114346
rep3:blk2     0.00000    0.00000
ca            0.93708    0.09191  10.1955 6.090e-07 ***
cb            0.01375    0.09191   0.1496 0.883787
ca:cb        -0.26792    0.09191  -2.9149 0.014064 *
cc           1.25458    0.09191  13.6499 3.063e-08 ***
ca:cc        0.38062    0.11257   3.3813 0.006129 **
cb:cc       -0.84188    0.11257  -7.4788 1.232e-05 ***
ca:cb:cc    -0.04375    0.11257  -0.3887 0.704949
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.8.2 p394

(50) MODEL

```

p394 = read.table("C:/G/Rt/SAS41m/p394.txt", header=TRUE)
p394 = af(p394, c("a", "b", "c", "d"))
GLM(y ~ ca*cb*cc*cd, p394)

```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      7 6.3559  0.90798
RESIDUALS  0 0.0000
CORRECTED TOTAL 7 6.3559

```

```

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)

```

ca	1	2.07061	2.07061
cb	1	0.59951	0.59951
ca:cb	1	0.00031	0.00031
cc	1	0.00551	0.00551
ca:cc	1	0.80011	0.80011
cb:cc	1	2.82031	2.82031
ca:cb:cc	1	0.05951	0.05951
cd	0		
ca:cd	0		
cb:cd	0		
ca:cb:cd	0		
cc:cd	0		
ca:cc:cd	0		
cb:cc:cd	0		
ca:cb:cc:cd	0		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
ca	0				
cb	0				
ca:cb	0				
cc	0				
ca:cc	0				
cb:cc	0				
ca:cb:cc	0				
cd	0				
ca:cd	0				
cb:cd	0				
ca:cb:cd	0				
cc:cd	0				
ca:cc:cd	0				
cb:cc:cd	0				
ca:cb:cc:cd	0				

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
ca	0				
cb	0				
ca:cb	0				
cc	0				
ca:cc	0				
cb:cc	0				
ca:cb:cc	0				
cd	0				
ca:cd	0				
cb:cd	0				
ca:cb:cd	0				

```

cc:cd      0
ca:cc:cd   0
cb:cc:cd   0
ca:cb:cc:cd 0

```

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.68875			
ca	0.50875			
cb	0.27375			
ca:cb	-0.00625			
cc	-0.02625			
ca:cc	-0.31625			
cb:cc	0.59375			
ca:cb:cc	-0.08625			
cd	0.00000			
ca:cd	0.00000			
cb:cd	0.00000			
ca:cb:cd	0.00000			
cc:cd	0.00000			
ca:cc:cd	0.00000			
cb:cc:cd	0.00000			
ca:cb:cc:cd	0.00000			

(51) MODEL

GLM(y ~ a*b*c*d, p394)

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	6.3559	0.90798		
RESIDUALS	0	0.0000			
CORRECTED TOTAL	7	6.3559			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	1	2.07061	2.07061		
b	1	0.59951	0.59951		
a:b	1	0.00031	0.00031		
c	1	0.00551	0.00551		
a:c	1	0.80011	0.80011		
b:c	1	2.82031	2.82031		
a:b:c	1	0.05951	0.05951		
d	0				
a:d	0				
b:d	0				

```

a:b:d    0
c:d      0
a:c:d    0
b:c:d    0
a:b:c:d  0

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	0				
b	0				
a:b	0				
c	0				
a:c	0				
b:c	0				
a:b:c	0				
d	0				
a:d	0				
b:d	0				
a:b:d	0				
c:d	0				
a:c:d	0				
b:c:d	0				
a:b:c:d	0				

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	0				
b	0				
a:b	0				
c	0				
a:c	0				
b:c	0				
a:b:c	0				
d	0				
a:d	0				
b:d	0				
a:b:d	0				
c:d	0				
a:c:d	0				
b:c:d	0				
a:b:c:d	0				

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	3.63			
a0	-0.20			
a1	0.00			

b0	-1.55
b1	0.00
a0:b0	-0.37
a0:b1	0.00
a1:b0	0.00
a1:b1	0.00
c0	-0.33
c1	0.00
a0:c0	-1.61
a0:c1	0.00
a1:c0	0.00
a1:c1	0.00
b0:c0	2.03
b0:c1	0.00
b1:c0	0.00
b1:c1	0.00
a0:b0:c0	0.69
a0:b0:c1	0.00
a0:b1:c0	0.00
a0:b1:c1	0.00
a1:b0:c0	0.00
a1:b0:c1	0.00
a1:b1:c0	0.00
a1:b1:c1	0.00
d0	0.00
d1	0.00
a0:d0	0.00
a0:d1	0.00
a1:d0	0.00
a1:d1	0.00
b0:d0	0.00
b0:d1	0.00
b1:d0	0.00
b1:d1	0.00
a0:b0:d0	0.00
a0:b0:d1	0.00
a0:b1:d0	0.00
a0:b1:d1	0.00
a1:b0:d0	0.00
a1:b0:d1	0.00
a1:b1:d0	0.00
a1:b1:d1	0.00
c0:d0	0.00
c0:d1	0.00
c1:d0	0.00
c1:d1	0.00
a0:c0:d0	0.00
a0:c0:d1	0.00

```

a0:c1:d0      0.00
a0:c1:d1      0.00
a1:c0:d0      0.00
a1:c0:d1      0.00
a1:c1:d0      0.00
a1:c1:d1      0.00
b0:c0:d0      0.00
b0:c0:d1      0.00
b0:c1:d0      0.00
b0:c1:d1      0.00
b1:c0:d0      0.00
b1:c0:d1      0.00
b1:c1:d0      0.00
b1:c1:d1      0.00
a0:b0:c0:d0   0.00
a0:b0:c0:d1   0.00
a0:b0:c1:d0   0.00
a0:b0:c1:d1   0.00
a0:b1:c0:d0   0.00
a0:b1:c0:d1   0.00
a0:b1:c1:d0   0.00
a0:b1:c1:d1   0.00
a1:b0:c0:d0   0.00
a1:b0:c0:d1   0.00
a1:b0:c1:d0   0.00
a1:b0:c1:d1   0.00
a1:b1:c0:d0   0.00
a1:b1:c0:d1   0.00
a1:b1:c1:d0   0.00
a1:b1:c1:d1   0.00

```

5.8.3 p399

(52) MODEL

```

p399 = read.table("C:/G/Rt/SAS4lm/p399.txt", header=TRUE)
p399 = af(p399, c("blk", "trt"))
GLM(y ~ trt + blk, p399)

```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	281.127	35.141	40.822	0.005606 **
RESIDUALS	3	2.583	0.861		
CORRECTED TOTAL	11	283.710			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
trt	3	102.26	34.086	39.596	0.006515 **
blk	5	178.87	35.774	41.558	0.005691 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
trt	3	59.018	19.673	22.853	0.014388 *
blk	5	178.871	35.774	41.558	0.005691 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
trt	3	59.017	19.672	22.853	0.014388 *
blk	5	178.871	35.774	41.558	0.005691 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	19.1375	1.03732	18.4489	0.0003475 ***
trt1	-6.8250	0.92781	-7.3560	0.0051925 **
trt2	-5.9750	0.92781	-6.4399	0.0075922 **
trt3	-2.7000	0.92781	-2.9101	0.0619928 .
trt4	0.0000	0.00000		
blk1	-10.7875	1.03732	-10.3994	0.0018975 **
blk2	-9.9375	1.03732	-9.5799	0.0024133 **
blk3	-5.9750	1.03732	-5.7600	0.0103986 *
blk4	-4.2000	1.03732	-4.0489	0.0271308 *
blk5	-2.1750	1.13633	-1.9141	0.1515206
blk6	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.8.4 p403

(53) MODEL

```
p403 = read.table("C:/G/Rt/SAS4lm/p403.txt", header=TRUE)
p403 = af(p403, c("PATIENT", "VISIT"))
GLM(HR ~ SEQUENCE + PATIENT %in% SEQUENCE + VISIT + DRUG + RESIDS + RESIDT, p403)
```

\$ANOVA

Response : HR

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
MODEL	29	6408.7	220.99	3.912	3.127e-05	***
RESIDUALS	42	2372.6	56.49			
CORRECTED TOTAL	71	8781.3				

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
SEQUENCE	5	508.9	101.79	1.8019	0.133346	
SEQUENCE:PATIENT	18	4692.3	260.69	4.6147	2.21e-05	***
VISIT	2	146.8	73.39	1.2991	0.283499	
DRUG	2	668.8	334.39	5.9194	0.005435	**
RESIDS	1	391.0	391.02	6.9219	0.011854	*
RESIDT	1	0.8	0.84	0.0149	0.903511	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
SEQUENCE	5	701.2	140.237	2.4825	0.04665	*
SEQUENCE:PATIENT	18	4692.3	260.685	4.6147	2.21e-05	***
VISIT	2	146.8	73.389	1.2991	0.28350	
DRUG	2	344.0	171.975	3.0443	0.05826	.
RESIDS	1	309.2	309.174	5.4731	0.02414	*
RESIDT	1	0.8	0.840	0.0149	0.90351	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
SEQUENCE	5	701.2	140.237	2.4825	0.04665	*
SEQUENCE:PATIENT	18	4692.3	260.685	4.6147	2.21e-05	***
VISIT	2	146.8	73.389	1.2991	0.28350	
DRUG	2	343.9	171.975	3.0443	0.05826	.
RESIDS	1	309.2	309.174	5.4731	0.02414	*
RESIDT	1	0.8	0.840	0.0149	0.90351	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	69.333	4.7287	14.6622	< 2.2e-16	***
SEQUENCEA	-4.458	6.2319	-0.7154	0.4783191	
SEQUENCEB	12.667	6.1368	2.0641	0.0452254	*
SEQUENCEC	4.854	6.2319	0.7789	0.4403943	

SEQUENCED	24.187	6.2319	3.8812	0.0003609	***
SEQUENCEE	12.875	6.2319	2.0660	0.0450354	*
SEQUENCEF	0.000	0.0000			
SEQUENCEA:PATIENT1	0.000	0.0000			
SEQUENCEA:PATIENT10	0.000	0.0000			
SEQUENCEA:PATIENT11	0.000	0.0000			
SEQUENCEA:PATIENT12	0.000	0.0000			
SEQUENCEA:PATIENT13	0.000	0.0000			
SEQUENCEA:PATIENT14	0.000	0.0000			
SEQUENCEA:PATIENT15	16.000	6.1368	2.6072	0.0125823	*
SEQUENCEA:PATIENT16	0.000	0.0000			
SEQUENCEA:PATIENT17	29.333	6.1368	4.7799	2.168e-05	***
SEQUENCEA:PATIENT18	0.000	0.0000			
SEQUENCEA:PATIENT19	0.000	0.0000			
SEQUENCEA:PATIENT2	0.000	0.0000			
SEQUENCEA:PATIENT20	0.000	0.0000			
SEQUENCEA:PATIENT21	0.000	0.0000			
SEQUENCEA:PATIENT22	0.000	0.0000			
SEQUENCEA:PATIENT23	0.000	0.0000			
SEQUENCEA:PATIENT24	0.000	0.0000			
SEQUENCEA:PATIENT3	0.000	0.0000			
SEQUENCEA:PATIENT4	0.000	0.0000			
SEQUENCEA:PATIENT5	0.000	0.0000			
SEQUENCEA:PATIENT6	0.000	0.0000			
SEQUENCEA:PATIENT7	25.333	6.1368	4.1281	0.0001697	***
SEQUENCEA:PATIENT8	0.000	0.0000			
SEQUENCEA:PATIENT9	0.000	0.0000			
SEQUENCEB:PATIENT1	10.667	6.1368	1.7382	0.0895112	.
SEQUENCEB:PATIENT10	0.000	0.0000			
SEQUENCEB:PATIENT11	0.000	0.0000			
SEQUENCEB:PATIENT12	0.000	0.0000			
SEQUENCEB:PATIENT13	0.000	0.0000			
SEQUENCEB:PATIENT14	0.000	0.0000			
SEQUENCEB:PATIENT15	0.000	0.0000			
SEQUENCEB:PATIENT16	0.000	0.0000			
SEQUENCEB:PATIENT17	0.000	0.0000			
SEQUENCEB:PATIENT18	0.000	0.0000			
SEQUENCEB:PATIENT19	0.000	0.0000			
SEQUENCEB:PATIENT2	0.000	0.0000			
SEQUENCEB:PATIENT20	-13.333	6.1368	-2.1727	0.0354954	*
SEQUENCEB:PATIENT21	0.000	0.0000			
SEQUENCEB:PATIENT22	0.000	0.0000			
SEQUENCEB:PATIENT23	0.000	0.0000			
SEQUENCEB:PATIENT24	0.000	0.0000			
SEQUENCEB:PATIENT3	4.000	6.1368	0.6518	0.5180764	
SEQUENCEB:PATIENT4	0.000	0.0000			
SEQUENCEB:PATIENT5	0.000	0.0000			
SEQUENCEB:PATIENT6	0.000	0.0000			

SEQUENCEB:PATIENT7	0.000	0.0000		
SEQUENCEB:PATIENT8	0.000	0.0000		
SEQUENCEB:PATIENT9	0.000	0.0000		
SEQUENCEC:PATIENT1	0.000	0.0000		
SEQUENCEC:PATIENT10	2.667	6.1368	0.4345	0.6661219
SEQUENCEC:PATIENT11	0.000	0.0000		
SEQUENCEC:PATIENT12	0.000	0.0000		
SEQUENCEC:PATIENT13	0.000	0.0000		
SEQUENCEC:PATIENT14	0.000	0.0000		
SEQUENCEC:PATIENT15	0.000	0.0000		
SEQUENCEC:PATIENT16	0.000	0.0000		
SEQUENCEC:PATIENT17	0.000	0.0000		
SEQUENCEC:PATIENT18	0.000	0.0000		
SEQUENCEC:PATIENT19	0.000	0.0000		
SEQUENCEC:PATIENT2	0.000	0.0000		
SEQUENCEC:PATIENT20	0.000	0.0000		
SEQUENCEC:PATIENT21	22.667	6.1368	3.6936	0.0006327 ***
SEQUENCEC:PATIENT22	13.333	6.1368	2.1727	0.0354954 *
SEQUENCEC:PATIENT23	0.000	0.0000		
SEQUENCEC:PATIENT24	0.000	0.0000		
SEQUENCEC:PATIENT3	0.000	0.0000		
SEQUENCEC:PATIENT4	0.000	0.0000		
SEQUENCEC:PATIENT5	0.000	0.0000		
SEQUENCEC:PATIENT6	0.000	0.0000		
SEQUENCEC:PATIENT7	0.000	0.0000		
SEQUENCEC:PATIENT8	0.000	0.0000		
SEQUENCEC:PATIENT9	0.000	0.0000		
SEQUENCED:PATIENT1	0.000	0.0000		
SEQUENCED:PATIENT10	0.000	0.0000		
SEQUENCED:PATIENT11	0.000	0.0000		
SEQUENCED:PATIENT12	0.000	0.0000		
SEQUENCED:PATIENT13	-6.667	6.1368	-1.0863	0.2835215
SEQUENCED:PATIENT14	0.000	0.0000		
SEQUENCED:PATIENT15	0.000	0.0000		
SEQUENCED:PATIENT16	0.000	0.0000		
SEQUENCED:PATIENT17	0.000	0.0000		
SEQUENCED:PATIENT18	0.000	0.0000		
SEQUENCED:PATIENT19	0.000	0.0000		
SEQUENCED:PATIENT2	0.000	0.0000		
SEQUENCED:PATIENT20	0.000	0.0000		
SEQUENCED:PATIENT21	0.000	0.0000		
SEQUENCED:PATIENT22	0.000	0.0000		
SEQUENCED:PATIENT23	0.000	0.0000		
SEQUENCED:PATIENT24	-7.333	6.1368	-1.1950	0.2387989
SEQUENCED:PATIENT3	0.000	0.0000		
SEQUENCED:PATIENT4	-1.333	6.1368	-0.2173	0.8290506
SEQUENCED:PATIENT5	0.000	0.0000		
SEQUENCED:PATIENT6	0.000	0.0000		

SEQUENCED:PATIENT7	0.000	0.0000		
SEQUENCED:PATIENT8	0.000	0.0000		
SEQUENCED:PATIENT9	0.000	0.0000		
SEQUENCEE:PATIENT1	0.000	0.0000		
SEQUENCEE:PATIENT10	0.000	0.0000		
SEQUENCEE:PATIENT11	0.000	0.0000		
SEQUENCEE:PATIENT12	12.000	6.1368	1.9554	0.0572081 .
SEQUENCEE:PATIENT13	0.000	0.0000		
SEQUENCEE:PATIENT14	0.000	0.0000		
SEQUENCEE:PATIENT15	0.000	0.0000		
SEQUENCEE:PATIENT16	13.333	6.1368	2.1727	0.0354954 *
SEQUENCEE:PATIENT17	0.000	0.0000		
SEQUENCEE:PATIENT18	0.000	0.0000		
SEQUENCEE:PATIENT19	-0.667	6.1368	-0.1086	0.9140096
SEQUENCEE:PATIENT2	0.000	0.0000		
SEQUENCEE:PATIENT20	0.000	0.0000		
SEQUENCEE:PATIENT21	0.000	0.0000		
SEQUENCEE:PATIENT22	0.000	0.0000		
SEQUENCEE:PATIENT23	0.000	0.0000		
SEQUENCEE:PATIENT24	0.000	0.0000		
SEQUENCEE:PATIENT3	0.000	0.0000		
SEQUENCEE:PATIENT4	0.000	0.0000		
SEQUENCEE:PATIENT5	0.000	0.0000		
SEQUENCEE:PATIENT6	0.000	0.0000		
SEQUENCEE:PATIENT7	0.000	0.0000		
SEQUENCEE:PATIENT8	0.000	0.0000		
SEQUENCEE:PATIENT9	0.000	0.0000		
SEQUENCEF:PATIENT1	0.000	0.0000		
SEQUENCEF:PATIENT10	0.000	0.0000		
SEQUENCEF:PATIENT11	10.667	6.1368	1.7382	0.0895112 .
SEQUENCEF:PATIENT12	0.000	0.0000		
SEQUENCEF:PATIENT13	0.000	0.0000		
SEQUENCEF:PATIENT14	16.667	6.1368	2.7159	0.0095552 **
SEQUENCEF:PATIENT15	0.000	0.0000		
SEQUENCEF:PATIENT16	0.000	0.0000		
SEQUENCEF:PATIENT17	0.000	0.0000		
SEQUENCEF:PATIENT18	18.667	6.1368	3.0418	0.0040426 **
SEQUENCEF:PATIENT19	0.000	0.0000		
SEQUENCEF:PATIENT2	0.000	0.0000		
SEQUENCEF:PATIENT20	0.000	0.0000		
SEQUENCEF:PATIENT21	0.000	0.0000		
SEQUENCEF:PATIENT22	0.000	0.0000		
SEQUENCEF:PATIENT23	0.000	0.0000		
SEQUENCEF:PATIENT24	0.000	0.0000		
SEQUENCEF:PATIENT3	0.000	0.0000		
SEQUENCEF:PATIENT4	0.000	0.0000		
SEQUENCEF:PATIENT5	0.000	0.0000		
SEQUENCEF:PATIENT6	0.000	0.0000		

```

SEQUENCEF:PATIENT7      0.000      0.0000
SEQUENCEF:PATIENT8      0.000      0.0000
SEQUENCEF:PATIENT9      0.000      0.0000
VISIT2                   -2.583      2.1697  -1.1907  0.2404762
VISIT3                    0.750      2.1697   0.3457  0.7313138
VISIT4                    0.000      0.0000
DRUGplacebo              -5.938      2.4258  -2.4477  0.0186398 *
DRUGstandard             -3.625      2.4258  -1.4944  0.1425553
DRUGtest                  0.000      0.0000
RESIDS                   -4.396      1.8790  -2.3395  0.0241414 *
RESIDT                    0.229      1.8790   0.1220  0.9035106
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(54) MODEL

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(HR ~ SEQUENCE + PATIENT %in% SEQUENCE + VISIT + DRUG + RESIDS + RESIDT,
         p403), type=3, singular.ok=TRUE) # NOT OK

```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

Response: HR

	Sum Sq	Df	F values	Pr(>F)
SEQUENCE	0.0	0		
VISIT	146.8	2	1.2991	0.28350
DRUG	344.0	2	3.0443	0.05826 .
RESIDS	309.2	1	5.4731	0.02414 *
RESIDT	0.8	1	0.0149	0.90351
SEQUENCE:PATIENT	4692.3	18	4.6147	2.21e-05 ***
Residuals	2372.6	42		

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

5.8.5 p409 11.5

(55) MODEL

```

p409 = read.table("C:/G/Rt/SAS41m/p409.txt", header=TRUE)
GLM(TS ~ SOURCE*AMT, p409) # p410 Output 11.21

```

\$ANOVA

Response : TS

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	5	258.727	51.745	263.71	1.785e-09 ***
RESIDUALS	9	1.766	0.196		
CORRECTED TOTAL	14	260.493			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
SOURCE	2	98.001	49.001	249.720	1.306e-08 ***
AMT	1	138.245	138.245	704.534	7.392e-10 ***
SOURCE:AMT	2	22.481	11.240	57.284	7.595e-06 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
SOURCE	2	98.001	49.001	249.720	1.306e-08 ***
AMT	1	138.245	138.245	704.534	7.392e-10 ***
SOURCE:AMT	2	22.481	11.240	57.284	7.595e-06 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
SOURCE	2	0.070	0.035	0.179	0.839
AMT	1	138.245	138.245	704.534	7.392e-10 ***
SOURCE:AMT	2	22.481	11.240	57.284	7.595e-06 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	9.49	0.46459	20.4266	7.537e-09 ***
SOURCEA	0.33	0.65703	0.5023	0.6275
SOURCEB	-0.02	0.65703	-0.0304	0.9764
SOURCEC	0.00	0.00000		
AMT	3.35	0.14008	23.9150	1.867e-09 ***
SOURCEA:AMT	-1.61	0.19810	-8.1271	1.951e-05 ***
SOURCEB:AMT	-2.00	0.19810	-10.0958	3.305e-06 ***
SOURCEC:AMT	0.00	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.8.6 p412

(56) MODEL

```
p412 = read.table("C:/G/Rt/SAS41m/p412.txt", header=TRUE)
GLM(ts ~ source:amt, p412) # p413 Output 11.24
```

\$ANOVA

Response : ts

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	393.01	131.002	903.34	< 2.2e-16 ***
RESIDUALS	16	2.32	0.145		
CORRECTED TOTAL	19	395.33			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
source:amt	3	393.01	131	903.34	< 2.2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
source:amt	3	393.01	131	903.34	< 2.2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
source:amt	3	393.01	131	903.34	< 2.2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	9.8824	0.136994	72.137	< 2.2e-16 ***
sourceA:amt	1.7230	0.063503	27.133	8.438e-15 ***
sourceB:amt	1.2375	0.063503	19.488	1.427e-12 ***
sourceC:amt	3.2430	0.063503	51.068	< 2.2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.8.7 p414

(57) MODEL

```
p414 = read.table("C:/G/Rt/SAS41m/p414.txt", header=TRUE)
p414 = af(p414, c("lackofit"))
GLM(loglivcu ~ level + lackofit, p414) # p415 Output 11.26
```

\$ANOVA

Response : loglivcu

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	5.2310	1.74365	155.47	5.018e-14 ***
RESIDUALS	20	0.2243	0.01122		
CORRECTED TOTAL	23	5.4553			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
level	1	4.9859	4.9859	444.555	3.997e-15 ***
lackofit	2	0.2450	0.1225	10.924	0.0006216 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
level	0				
lackofit	2	0.24504	0.12252	10.924	0.0006216 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
level	0				
lackofit	2	0.24504	0.12252	10.924	0.0006216 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1.41347	0.155886	9.0674	1.598e-08 ***
level	0.00210	0.000408	5.1443	4.937e-05 ***
lackofit0	-0.19544	0.161770	-1.2081	0.241091
lackofit150	-0.34501	0.105903	-3.2578	0.003939 **
lackofit300	0.00000	0.000000		
lackofit450	0.00000	0.000000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.8.8 p417

(58) MODEL

```
p417 = read.table("C:/G/Rt/SAS41m/p417.txt", header=TRUE)
p417 = af(p417, c("TRT", "POT", "PLANT"))
GLM(Y ~ TRT + POT %in% TRT, p417) # p418 Output 11.28
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	267.226	38.175	12.433	7.522e-05 ***
RESIDUALS	13	39.917	3.071		
CORRECTED TOTAL	20	307.143			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
TRT	2	236.921	118.460	38.580	3.412e-06 ***
TRT:POT	5	30.306	6.061	1.974	0.1499

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
TRT	2	236.921	118.460	38.580	3.412e-06 ***
TRT:POT	5	30.306	6.061	1.974	0.1499

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
TRT	2	200.111	100.055	32.586	8.626e-06 ***
TRT:POT	5	30.306	6.061	1.974	0.1499

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	12.0000	0.78365	15.3130	1.070e-09 ***
TRT1	0.0000	1.91954	0.0000	1.00000
TRT2	8.2500	1.17547	7.0185	9.087e-06 ***
TRT3	0.0000	0.00000		
TRT1:POT1	2.6667	2.02337	1.3179	0.21028
TRT1:POT2	6.0000	2.14611	2.7958	0.01515 *
TRT1:POT3	0.0000	0.00000		

```

TRT2:POT1      0.2500    1.51753  0.1647   0.87168
TRT2:POT2      0.0000    0.00000
TRT2:POT3      0.0000    0.00000
TRT3:POT1      1.0000    1.27969  0.7814   0.44854
TRT3:POT2     -1.0000    1.91954 -0.5210   0.61115
TRT3:POT3      0.0000    0.00000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ TRT + POT %in% TRT, p417), type=3, singular.ok=TRUE) # NOT OK

```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Y

	Sum Sq	Df	F values	Pr(>F)
TRT	22.310	1	7.266	0.01835 *
TRT:POT	30.306	5	1.974	0.14991
Residuals	39.917	13		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.8.9 p431

(59) MODEL

```

p431 = read.table("C:/G/Rt/SAS41m/p431.txt", header=TRUE)
p431 = af(p431, c("line", "sire", "agedam", "steerno"))
GLM(avdlygn ~ line + line:sire + agedam + line:agedam + age + intlwt, p431)

```

\$ANOVA

Response : avdlygn

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	16	2.5275	0.157966	3.1437	0.001091 **
RESIDUALS	48	2.4119	0.050248		
CORRECTED TOTAL	64	4.9394			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
line	2	0.38009	0.190046	3.7821	0.02983 *

```

line:sire      6 0.92634 0.154391  3.0726 0.01260 *
agedam        2 0.11894 0.059471  1.1835 0.31497
line:agedam   4 0.64889 0.162222  3.2284 0.02000 *
age           1 0.18349 0.183487  3.6516 0.06200 .
intlwt       1 0.26970 0.269704  5.3674 0.02483 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

```

      Df  Sum Sq Mean Sq F value    Pr(>F)
line      2 0.05526  0.02763   0.5498 0.580636
line:sire  6 0.97389  0.16231   3.2303 0.009543 **
agedam    2 0.33106  0.16553   3.2943 0.045640 *
line:agedam 4 0.45343  0.11336   2.2560 0.076821 .
age       1 0.38128  0.38128   7.5878 0.008277 **
intlwt    1 0.26970  0.26970   5.3674 0.024830 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

```

      Df  Sum Sq Mean Sq F value    Pr(>F)
line      2 0.13620  0.06810   1.3553 0.267560
line:sire  6 0.97389  0.16231   3.2303 0.009543 **
agedam    2 0.13011  0.06505   1.2946 0.283392
line:agedam 4 0.45343  0.11336   2.2560 0.076821 .
age       1 0.38128  0.38128   7.5878 0.008277 **
intlwt    1 0.26970  0.26970   5.3674 0.024830 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

      Estimate Std. Error t value    Pr(>|t|)
(Intercept)  2.99627     0.51285   5.8423 4.361e-07 ***
line1         0.07182     0.14551   0.4936 0.623826
line2        0.25247     0.13717   1.8406 0.071867 .
line3         0.00000     0.00000   0.0000 1.000000
line1:sire1   0.08573     0.13028   0.6580 0.513652
line1:sire2  -0.12171     0.13622  -0.8934 0.376079
line1:sire3   0.00000     0.00000   0.0000 1.000000
line1:sire4   0.00000     0.00000   0.0000 1.000000
line1:sire5   0.00000     0.00000   0.0000 1.000000
line1:sire6   0.00000     0.00000   0.0000 1.000000
line1:sire7   0.00000     0.00000   0.0000 1.000000
line1:sire8   0.00000     0.00000   0.0000 1.000000
line1:sire9   0.00000     0.00000   0.0000 1.000000
line2:sire1   0.00000     0.00000   0.0000 1.000000
line2:sire2   0.00000     0.00000   0.0000 1.000000
line2:sire3   0.00000     0.00000   0.0000 1.000000

```

```

line2:sire4  -0.24460    0.12669  -1.9307   0.059443 .
line2:sire5   0.00000    0.00000
line2:sire6   0.00000    0.00000
line2:sire7   0.00000    0.00000
line2:sire8   0.00000    0.00000
line2:sire9   0.00000    0.00000
line3:sire1   0.00000    0.00000
line3:sire2   0.00000    0.00000
line3:sire3   0.00000    0.00000
line3:sire4   0.00000    0.00000
line3:sire5   0.00000    0.00000
line3:sire6   0.10540    0.12909   0.8165   0.418267
line3:sire7  -0.01952    0.12038  -0.1622   0.871856
line3:sire8  -0.33024    0.12567  -2.6278   0.011504 *
line3:sire9   0.00000    0.00000
agedam3       0.37039    0.11456   3.2332   0.002216 **
agedam4       0.27546    0.10378   2.6544   0.010746 *
agedam5       0.00000    0.00000
line1:agedam3 -0.44894    0.19581  -2.2927   0.026291 *
line1:agedam4 -0.28283    0.16085  -1.7584   0.085062 .
line1:agedam5  0.00000    0.00000
line2:agedam3 -0.26078    0.19529  -1.3354   0.188050
line2:agedam4 -0.35026    0.17439  -2.0085   0.050232 .
line2:agedam5  0.00000    0.00000
line3:agedam3  0.00000    0.00000
line3:agedam4  0.00000    0.00000
line3:agedam5  0.00000    0.00000
age           -0.00853    0.00310  -2.7546   0.008277 **
intlwt        0.00203    0.00087   2.3168   0.024830 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
# p433 Output 11.40
```

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(avdlygn ~ line + line:sire + agedam + line:agedam + age + intlwt, p431),
      type=3, singular.ok=TRUE) # NOT OK for line

```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

```

Response: avdlygn
      Sum Sq Df F values    Pr(>F)
line      0.00000  0

```

```

agedam      0.13011  2   1.2946 0.283392
age         0.38128  1   7.5878 0.008277 **
intlwt     0.26970  1   5.3674 0.024830 *
line:sire   0.97389  6   3.2303 0.009543 **
line:agedam 0.45343  4   2.2560 0.076821 .
Residuals  2.41192 48
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(60) MODEL

```
GLM(avdlygn ~ sire + agedam, p431) # # p434 Output 11.41
```

```

$ANOVA
Response : avdlygn
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL      10 1.4254 0.142538  2.1904 0.03237 *
RESIDUALS  54 3.5140 0.065074
CORRECTED TOTAL 64 4.9394
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
          Df Sum Sq Mean Sq F value Pr(>F)
sire      8 1.30644 0.163305  2.5095 0.02138 *
agedam    2 0.11894 0.059471  0.9139 0.40707
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
          Df Sum Sq Mean Sq F value Pr(>F)
sire      8 1.33017 0.166271  2.5551 0.01937 *
agedam    2 0.11894 0.059471  0.9139 0.40707
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
          Df Sum Sq Mean Sq F value Pr(>F)
sire      8 1.33017 0.166271  2.5551 0.01937 *
agedam    2 0.11894 0.059471  0.9139 0.40707
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
          Estimate Std. Error t value Pr(>|t|)
(Intercept) 2.46347   0.096216 25.6036 < 2e-16 ***
sire1       -0.00739   0.128186 -0.0576 0.95427

```

sire2	-0.21429	0.128606	-1.6662	0.10146
sire3	-0.02260	0.146050	-0.1548	0.87759
sire4	-0.02364	0.128186	-0.1844	0.85440
sire5	0.12311	0.132193	0.9313	0.35585
sire6	-0.05290	0.138320	-0.3824	0.70364
sire7	-0.14760	0.129061	-1.1436	0.25782
sire8	-0.40781	0.135054	-3.0196	0.00386 **
sire9	0.00000	0.000000		
agedam3	0.11738	0.089117	1.3172	0.19334
agedam4	0.04830	0.077154	0.6260	0.53395
agedam5	0.00000	0.000000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

5.8.10 p437 ABSORB option in SAS

(61) MODEL

```
GLM(avdlygn ~ line + sire + agedam + line:agedam + age + intlwt, p431)
```

\$ANOVA

Response : avdlygn

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	16	2.5275	0.157966	3.1437	0.001091 **
RESIDUALS	48	2.4119	0.050248		
CORRECTED TOTAL	64	4.9394			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
line	2	0.38009	0.190046	3.7821	0.02983 *
sire	6	0.92634	0.154391	3.0726	0.01260 *
agedam	2	0.11894	0.059471	1.1835	0.31497
line:agedam	4	0.64889	0.162222	3.2284	0.02000 *
age	1	0.18349	0.183487	3.6516	0.06200 .
intlwt	1	0.26970	0.269704	5.3674	0.02483 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
line	0				
sire	6	0.97389	0.16231	3.2303	0.009543 **
agedam	2	0.33106	0.16553	3.2943	0.045640 *
line:agedam	4	0.45343	0.11336	2.2560	0.076821 .

```

age          1 0.38128 0.38128  7.5878 0.008277 **
intlwt      1 0.26970 0.26970  5.3674 0.024830 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

CAUTION: Singularity Exists !

```

          Df  Sum Sq Mean Sq F value    Pr(>F)
line          0
sire         6 0.97389 0.16231  3.2303 0.009543 **
agedam      2 0.13011 0.06505  1.2946 0.283392
line:agedam  4 0.45343 0.11336  2.2560 0.076821 .
age         1 0.38128 0.38128  7.5878 0.008277 **
intlwt      1 0.26970 0.26970  5.3674 0.024830 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

          Estimate Std. Error t value    Pr(>|t|)
(Intercept)  2.99627    0.51285  5.8423 4.361e-07 ***
line1         0.07182    0.14551  0.4936 0.623826
line2         0.25247    0.13717  1.8406 0.071867 .
line3         0.00000    0.00000
sire1         0.08573    0.13028  0.6580 0.513652
sire2        -0.12171    0.13622 -0.8934 0.376079
sire3         0.00000    0.00000
sire4        -0.24460    0.12669 -1.9307 0.059443 .
sire5         0.00000    0.00000
sire6         0.10540    0.12909  0.8165 0.418267
sire7        -0.01952    0.12038 -0.1622 0.871856
sire8        -0.33024    0.12567 -2.6278 0.011504 *
sire9         0.00000    0.00000
agedam3       0.37039    0.11456  3.2332 0.002216 **
agedam4       0.27546    0.10378  2.6544 0.010746 *
agedam5       0.00000    0.00000
line1:agedam3 -0.44894    0.19581 -2.2927 0.026291 *
line1:agedam4 -0.28283    0.16085 -1.7584 0.085062 .
line1:agedam5  0.00000    0.00000
line2:agedam3 -0.26078    0.19529 -1.3354 0.188050
line2:agedam4 -0.35026    0.17439 -2.0085 0.050232 .
line2:agedam5  0.00000    0.00000
line3:agedam3  0.00000    0.00000
line3:agedam4  0.00000    0.00000
line3:agedam5  0.00000    0.00000
age          -0.00853    0.00310 -2.7546 0.008277 **
intlwt       0.00203    0.00087  2.3168 0.024830 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

p437 Output 11.43

6 Sahai - Unbalanced

Reference

- Sahai H, Ojeda MM. Analysis of Variance for Random Models Volume 2 Unbalanced Data. 2005.

6.1 Table 11.2

(62) MODEL

```
T11.2 = read.table("C:/G/Rt/ANOVA/T11.2.txt")
colnames(T11.2) = c("Group", "Y")
T11.2 = af(T11.2, "Group")
GLM(Y ~ Group, T11.2) # p115
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	80.401	20.1003	5.9884	0.0004103 ***
RESIDUALS	59	198.036	3.3565		
CORRECTED TOTAL	63	278.438			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Group	4	80.401	20.1	5.9884	0.0004103 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Group	4	80.401	20.1	5.9884	0.0004103 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Group	4	80.401	20.1	5.9884	0.0004103 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	66.133	0.47304	139.8040	< 2.2e-16 ***
Group1	-2.952	0.72726	-4.0584	0.0001473 ***

```

Group2      -2.508    0.80208   -3.1273  0.0027390 **
Group3      -1.967    0.88498   -2.2223  0.0301120 *
Group4      -2.592    0.60301   -4.2979  6.547e-05 ***
Group5       0.000    0.00000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

6.2 Table 12.6

(63) MODEL

```

T12.6 = read.table("C:/G/Rt/ANOVA/T12.6.txt")
colnames(T12.6) = c("Location", "Family", "Y")
T12.6 = af(T12.6, c("Location", "Family"))
GLM(Y ~ Location + Family, T12.6) # p184

```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	1.6144	0.230636	8.9562	7.223e-07 ***
RESIDUALS	45	1.1588	0.025752		
CORRECTED TOTAL	52	2.7733			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Location	3	0.74036	0.24679	9.5833	5.219e-05 ***
Family	4	0.87410	0.21852	8.4859	3.436e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Location	3	0.83765	0.27921	10.8426	1.753e-05 ***
Family	4	0.87410	0.21852	8.4859	3.436e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Location	3	0.83765	0.27921	10.8426	1.753e-05 ***
Family	4	0.87410	0.21852	8.4859	3.436e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  0.42999   0.079313  5.4214 2.236e-06 ***
Location1    0.27409   0.066143  4.1438 0.0001487 ***
Location2    0.07118   0.065245  1.0910 0.2810986
Location3   -0.06869   0.061950 -1.1088 0.2734048
Location4    0.00000   0.000000
Family1      0.18733   0.077778  2.4085 0.0201753 *
Family2     -0.02753   0.079595 -0.3458 0.7310768
Family3      0.31264   0.079951  3.9103 0.0003080 ***
Family4      0.14331   0.093203  1.5376 0.1311397
Family5      0.00000   0.000000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

6.3 Table 13.6

(64) MODEL

```

T13.6 = read.table("C:/G/Rt/ANOVA/T13.6.txt")
colnames(T13.6) = c("Site", "Worker", "Y")
T13.6 = af(T13.6, c("Site", "Worker"))
GLM(Y ~ Site + Worker + Site:Worker, T13.6)

```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL    11 2643.11  240.283  60.323 < 2.2e-16 ***
RESIDUALS  35  139.42   3.983
CORRECTED TOTAL 46 2782.52
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
Site    2 1281.55  640.77 160.866 < 2.2e-16 ***
Worker  3  399.27  133.09  33.412 2.234e-10 ***
Site:Worker 6  962.29  160.38  40.264 2.720e-14 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
Site    2 1322.24  661.12 165.973 < 2.2e-16 ***
Worker  3  399.27  133.09  33.412 2.234e-10 ***
Site:Worker 6  962.29  160.38  40.264 2.720e-14 ***

```

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Site	2	804.83	402.42	101.026	2.887e-15 ***
Worker	3	430.88	143.63	36.058	8.310e-11 ***
Site:Worker	6	962.29	160.38	40.264	2.720e-14 ***

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	78.560	0.89256	88.0168	< 2.2e-16 ***
Site1	6.340	1.26227	5.0227	1.498e-05 ***
Site2	2.460	1.26227	1.9489	0.059362 .
Site3	0.000	0.00000		
Worker1	3.640	1.45754	2.4974	0.017365 *
Worker2	3.840	1.26227	3.0421	0.004433 **
Worker3	15.565	1.33883	11.6258	1.430e-13 ***
Worker4	0.000	0.00000		
Site1:Worker1	-5.940	2.62762	-2.2606	0.030108 *
Site1:Worker2	9.720	1.78511	5.4450	4.165e-06 ***
Site1:Worker3	-9.690	1.89340	-5.1178	1.124e-05 ***
Site1:Worker4	0.000	0.00000		
Site2:Worker1	-11.960	2.62762	-4.5517	6.165e-05 ***
Site2:Worker2	-12.960	1.84005	-7.0433	3.360e-08 ***
Site2:Worker3	-16.365	1.84005	-8.8938	1.660e-10 ***
Site2:Worker4	0.000	0.00000		
Site3:Worker1	0.000	0.00000		
Site3:Worker2	0.000	0.00000		
Site3:Worker3	0.000	0.00000		
Site3:Worker4	0.000	0.00000		

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

6.4 Table 14.2

(65) MODEL

```
T14.2 = read.csv("C:/G/Rt/ANOVA/T14.2.csv")
T14.2 = T14.2[!is.na(T14.2$Y),]
T14.2 = af(T14.2, c("Day", "Machine", "Operator"))
GLM(Y ~ Day + Machine + Operator, T14.2)
```

```
$ANOVA
```

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	6345.4	906.48	8.1297	5.931e-08 ***
RESIDUALS	110	12265.3	111.50		
CORRECTED TOTAL	117	18610.6			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Day	2	3737.8	1868.90	16.7611	4.426e-07 ***
Machine	2	2440.7	1220.33	10.9445	4.625e-05 ***
Operator	3	166.9	55.63	0.4989	0.6838

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Day	2	3795.1	1897.56	17.0181	3.636e-07 ***
Machine	2	2464.8	1232.39	11.0526	4.227e-05 ***
Operator	3	166.9	55.63	0.4989	0.6838

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Day	2	3795.1	1897.56	17.0181	3.636e-07 ***
Machine	2	2464.8	1232.39	11.0526	4.227e-05 ***
Operator	3	166.9	55.63	0.4989	0.6838

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	194.520	2.8292	68.7541	< 2.2e-16 ***
Day1	-1.395	2.5210	-0.5535	0.5811
Day2	-12.591	2.4293	-5.1831	9.994e-07 ***
Day3	0.000	0.0000		
Machine1	10.446	2.4410	4.2795	4.015e-05 ***
Machine2	1.301	2.3888	0.5447	0.5871
Machine3	0.000	0.0000		
Operator1	-3.048	2.8546	-1.0677	0.2880
Operator2	-0.076	2.6570	-0.0287	0.9771
Operator3	-0.275	2.7474	-0.0999	0.9206
Operator4	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

6.5 Table 15.3

(66) MODEL

```
T15.3 = read.table("C:/G/Rt/ANOVA/T15.3.txt")
colnames(T15.3) = c("Dam", "Sire", "pH")
T15.3 = af(T15.3, c("Dam", "Sire"))
GLM(pH ~ Dam/Sire, T15.3) # p301
```

\$ANOVA

Response : pH

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	36	0.25804	0.0071678	2.8977	7.2e-06 ***
RESIDUALS	123	0.30425	0.0024736		
CORRECTED TOTAL	159	0.56229			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Dam	14	0.178017	0.0127155	5.1405	1.563e-07 ***
Dam:Sire	22	0.080024	0.0036374	1.4705	0.09662 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Dam	14	0.178017	0.0127155	5.1405	1.563e-07 ***
Dam:Sire	22	0.080024	0.0036374	1.4705	0.09662 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Dam	14	0.179405	0.0128146	5.1805	1.347e-07 ***
Dam:Sire	22	0.080024	0.0036374	1.4705	0.09662 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	7.4125	0.024868	298.0778	< 2.2e-16 ***
Dam1	0.0450	0.035168	1.2796	0.2031065
Dam10	0.0350	0.035168	0.9952	0.3215844
Dam11	0.0755	0.033363	2.2630	0.0253922 *
Dam12	0.0025	0.035168	0.0711	0.9434440
Dam13	0.0400	0.035168	1.1374	0.2575856

Dam14	0.0555	0.033363	1.6635	0.0987592	.
Dam15	0.0895	0.033363	2.6826	0.0083104	**
Dam2	0.0225	0.035168	0.6398	0.5235039	
Dam3	0.0295	0.033363	0.8842	0.3783132	
Dam4	-0.0275	0.035168	-0.7820	0.4357428	
Dam5	0.1408	0.037986	3.7075	0.0003152	***
Dam6	0.0475	0.033363	1.4237	0.1570616	
Dam7	0.0315	0.033363	0.9441	0.3469459	
Dam8	0.0455	0.033363	1.3638	0.1751317	
Dam9	0.0000	0.000000			
Dam1:Sire1	0.0475	0.035168	1.3507	0.1792866	
Dam1:Sire2	0.0000	0.000000			
Dam1:Sire3	0.0000	0.000000			
Dam10:Sire1	-0.0695	0.033363	-2.0831	0.0393121	*
Dam10:Sire2	0.0000	0.000000			
Dam10:Sire3	0.0000	0.000000			
Dam11:Sire1	0.0460	0.031455	1.4624	0.1461852	
Dam11:Sire2	0.0000	0.000000			
Dam11:Sire3	0.0000	0.000000			
Dam12:Sire1	0.0470	0.033363	1.4087	0.1614391	
Dam12:Sire2	0.0000	0.000000			
Dam12:Sire3	0.0000	0.000000			
Dam13:Sire1	-0.0645	0.033363	-1.9333	0.0555032	.
Dam13:Sire2	-0.0358	0.037986	-0.9433	0.3473613	
Dam13:Sire3	0.0000	0.000000			
Dam14:Sire1	0.0245	0.033363	0.7343	0.4641417	
Dam14:Sire2	-0.0180	0.033363	-0.5395	0.5905089	
Dam14:Sire3	0.0000	0.000000			
Dam15:Sire1	-0.0500	0.031455	-1.5896	0.1145028	
Dam15:Sire2	-0.0580	0.031455	-1.8439	0.0676071	.
Dam15:Sire3	0.0000	0.000000			
Dam2:Sire1	-0.0010	0.033363	-0.0300	0.9761373	
Dam2:Sire2	0.0000	0.000000			
Dam2:Sire3	0.0000	0.000000			
Dam3:Sire1	-0.0045	0.033363	-0.1349	0.8929288	
Dam3:Sire2	-0.0320	0.033363	-0.9591	0.3393736	
Dam3:Sire3	0.0000	0.000000			
Dam4:Sire1	0.0550	0.037986	1.4479	0.1501886	
Dam4:Sire2	0.0000	0.000000			
Dam4:Sire3	0.0000	0.000000			
Dam5:Sire1	-0.0593	0.036322	-1.6336	0.1049091	
Dam5:Sire2	-0.0608	0.037986	-1.6015	0.1118387	
Dam5:Sire3	0.0000	0.000000			
Dam6:Sire1	-0.0450	0.033363	-1.3488	0.1798857	
Dam6:Sire2	0.0075	0.033363	0.2248	0.8225105	
Dam6:Sire3	0.0000	0.000000			
Dam7:Sire1	-0.0290	0.033363	-0.8692	0.3864232	
Dam7:Sire2	-0.0340	0.031455	-1.0809	0.2818582	

```

Dam7:Sire3    0.0000    0.000000
Dam8:Sire1    0.0520    0.036322    1.4317 0.1547783
Dam8:Sire2    0.0000    0.000000
Dam8:Sire3    0.0000    0.000000
Dam9:Sire1   -0.0225    0.035168   -0.6398 0.5235039
Dam9:Sire2    0.0000    0.000000
Dam9:Sire3    0.0000    0.000000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(pH ~ Dam/Sire, T15.3), type=3, singular.ok=TRUE) # NOT OK

```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

```

Response: pH
      Sum Sq Df F values    Pr(>F)
Dam      0.081011    6    5.4584 4.898e-05 ***
Dam:Sire 0.080024   22    1.4705  0.09662 .
Residuals 0.304253 123

```

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

6.6 Table 16.3

(67) MODEL

```

T16.3 = read.csv("C:/G/Rt/ANOVA/T16.3.csv")
colnames(T16.3) = c("Plot", "Sample", "Subsample", "Residue")
T16.3 = af(T16.3, c("Plot", "Sample", "Subsample"))
GLM(Residue ~ Plot/Sample/Subsample, T16.3) # p344

```

```

$ANOVA
Response : Residue
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      54 3.1897 0.059069  5.8842 1.476e-05 ***
RESIDUALS   22 0.2208 0.010039
CORRECTED TOTAL 76 3.4106

```

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Plot	10	1.84041	0.184041	18.3332	1.929e-08	***
Plot:Sample	22	0.99175	0.045079	4.4906	0.0004209	***
Plot:Sample:Subsample	22	0.35757	0.016253	1.6191	0.1330632	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Plot	10	1.84041	0.184041	18.3332	1.929e-08	***
Plot:Sample	22	0.99175	0.045079	4.4906	0.0004209	***
Plot:Sample:Subsample	22	0.35757	0.016253	1.6191	0.1330632	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Plot	10	1.78686	0.178686	17.7998	2.547e-08	***
Plot:Sample	22	0.99175	0.045079	4.4906	0.0004209	***
Plot:Sample:Subsample	22	0.35757	0.016253	1.6191	0.1330632	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.920	0.10019	9.1823	5.568e-09	***
Plot1	-0.400	0.14169	-2.8230	0.0099043	**
Plot10	-0.400	0.14169	-2.8230	0.0099043	**
Plot11	-0.530	0.14169	-3.7404	0.0011335	**
Plot2	0.160	0.14169	1.1292	0.2709797	
Plot3	-0.630	0.14169	-4.4462	0.0002029	***
Plot4	-0.820	0.14169	-5.7871	8.025e-06	***
Plot5	0.000	0.14169	0.0000	1.0000000	
Plot6	-0.510	0.14169	-3.5993	0.0015942	**
Plot7	-0.480	0.14169	-3.3876	0.0026487	**
Plot8	-0.560	0.14169	-3.9522	0.0006777	***
Plot9	0.000	0.00000			
Plot1:Sample1	-0.060	0.12271	-0.4890	0.6297131	
Plot1:Sample2	0.020	0.14169	0.1411	0.8890368	
Plot1:Sample3	0.000	0.00000			
Plot10:Sample1	-0.020	0.12271	-0.1630	0.8720183	
Plot10:Sample2	0.000	0.14169	0.0000	1.0000000	
Plot10:Sample3	0.000	0.00000			
Plot11:Sample1	0.000	0.12271	0.0000	1.0000000	
Plot11:Sample2	0.110	0.14169	0.7763	0.4458271	
Plot11:Sample3	0.000	0.00000			
Plot2:Sample1	-0.595	0.12271	-4.8488	7.603e-05	***
Plot2:Sample2	-0.650	0.14169	-4.5873	0.0001437	***

Plot2:Sample3	0.000	0.00000			
Plot3:Sample1	0.095	0.12271	0.7742	0.4470663	
Plot3:Sample2	0.090	0.14169	0.6352	0.5318688	
Plot3:Sample3	0.000	0.00000			
Plot4:Sample1	0.200	0.12271	1.6298	0.1173694	
Plot4:Sample2	0.150	0.14169	1.0586	0.3012597	
Plot4:Sample3	0.000	0.00000			
Plot5:Sample1	-0.365	0.12271	-2.9745	0.0069960	**
Plot5:Sample2	-0.080	0.14169	-0.5646	0.5780606	
Plot5:Sample3	0.000	0.00000			
Plot6:Sample1	0.065	0.12271	0.5297	0.6016249	
Plot6:Sample2	-0.150	0.14169	-1.0586	0.3012597	
Plot6:Sample3	0.000	0.00000			
Plot7:Sample1	0.115	0.12271	0.9372	0.3588500	
Plot7:Sample2	0.060	0.14169	0.4234	0.6760804	
Plot7:Sample3	0.000	0.00000			
Plot8:Sample1	0.305	0.12271	2.4855	0.0210209	*
Plot8:Sample2	0.180	0.14169	1.2703	0.2172344	
Plot8:Sample3	0.000	0.00000			
Plot9:Sample1	-0.355	0.12271	-2.8930	0.0084403	**
Plot9:Sample2	-0.210	0.14169	-1.4821	0.1525064	
Plot9:Sample3	0.000	0.00000			
Plot1:Sample1:Subsample1	0.015	0.10019	0.1497	0.8823566	
Plot1:Sample1:Subsample2	0.000	0.00000			
Plot1:Sample2:Subsample1	-0.280	0.14169	-1.9761	0.0608176	.
Plot1:Sample2:Subsample2	0.000	0.00000			
Plot1:Sample3:Subsample1	0.000	0.00000			
Plot1:Sample3:Subsample2	0.000	0.00000			
Plot10:Sample1:Subsample1	0.050	0.10019	0.4990	0.6227069	
Plot10:Sample1:Subsample2	0.000	0.00000			
Plot10:Sample2:Subsample1	-0.060	0.14169	-0.4234	0.6760804	
Plot10:Sample2:Subsample2	0.000	0.00000			
Plot10:Sample3:Subsample1	0.000	0.00000			
Plot10:Sample3:Subsample2	0.000	0.00000			
Plot11:Sample1:Subsample1	-0.090	0.10019	-0.8983	0.3787697	
Plot11:Sample1:Subsample2	0.000	0.00000			
Plot11:Sample2:Subsample1	0.030	0.14169	0.2117	0.8342720	
Plot11:Sample2:Subsample2	0.000	0.00000			
Plot11:Sample3:Subsample1	0.000	0.00000			
Plot11:Sample3:Subsample2	0.000	0.00000			
Plot2:Sample1:Subsample1	0.060	0.10019	0.5988	0.5553935	
Plot2:Sample1:Subsample2	0.000	0.00000			
Plot2:Sample2:Subsample1	-0.390	0.14169	-2.7524	0.0116232	*
Plot2:Sample2:Subsample2	0.000	0.00000			
Plot2:Sample3:Subsample1	0.000	0.00000			
Plot2:Sample3:Subsample2	0.000	0.00000			
Plot3:Sample1:Subsample1	-0.085	0.10019	-0.8484	0.4053723	
Plot3:Sample1:Subsample2	0.000	0.00000			

Plot3:Sample2:Subsample1	-0.130	0.14169	-0.9175	0.3688465	
Plot3:Sample2:Subsample2	0.000	0.00000			
Plot3:Sample3:Subsample1	0.000	0.00000			
Plot3:Sample3:Subsample2	0.000	0.00000			
Plot4:Sample1:Subsample1	-0.090	0.10019	-0.8983	0.3787697	
Plot4:Sample1:Subsample2	0.000	0.00000			
Plot4:Sample2:Subsample1	-0.120	0.14169	-0.8469	0.4061732	
Plot4:Sample2:Subsample2	0.000	0.00000			
Plot4:Sample3:Subsample1	0.000	0.00000			
Plot4:Sample3:Subsample2	0.000	0.00000			
Plot5:Sample1:Subsample1	0.300	0.10019	2.9942	0.0066835	**
Plot5:Sample1:Subsample2	0.000	0.00000			
Plot5:Sample2:Subsample1	0.110	0.14169	0.7763	0.4458271	
Plot5:Sample2:Subsample2	0.000	0.00000			
Plot5:Sample3:Subsample1	0.000	0.00000			
Plot5:Sample3:Subsample2	0.000	0.00000			
Plot6:Sample1:Subsample1	0.115	0.10019	1.1478	0.2633860	
Plot6:Sample1:Subsample2	0.000	0.00000			
Plot6:Sample2:Subsample1	0.070	0.14169	0.4940	0.6261876	
Plot6:Sample2:Subsample2	0.000	0.00000			
Plot6:Sample3:Subsample1	0.000	0.00000			
Plot6:Sample3:Subsample2	0.000	0.00000			
Plot7:Sample1:Subsample1	0.110	0.10019	1.0979	0.2841276	
Plot7:Sample1:Subsample2	0.000	0.00000			
Plot7:Sample2:Subsample1	-0.060	0.14169	-0.4234	0.6760804	
Plot7:Sample2:Subsample2	0.000	0.00000			
Plot7:Sample3:Subsample1	0.000	0.00000			
Plot7:Sample3:Subsample2	0.000	0.00000			
Plot8:Sample1:Subsample1	0.240	0.10019	2.3954	0.0255487	*
Plot8:Sample1:Subsample2	0.000	0.00000			
Plot8:Sample2:Subsample1	0.100	0.14169	0.7057	0.4877535	
Plot8:Sample2:Subsample2	0.000	0.00000			
Plot8:Sample3:Subsample1	0.000	0.00000			
Plot8:Sample3:Subsample2	0.000	0.00000			
Plot9:Sample1:Subsample1	0.020	0.10019	0.1996	0.8436154	
Plot9:Sample1:Subsample2	0.000	0.00000			
Plot9:Sample2:Subsample1	-0.110	0.14169	-0.7763	0.4458271	
Plot9:Sample2:Subsample2	0.000	0.00000			
Plot9:Sample3:Subsample1	0.000	0.00000			
Plot9:Sample3:Subsample2	0.000	0.00000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(Residue ~ Plot/Sample/Subsample, T16.3), type=3, singular.ok=TRUE)
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Residue

	Sum Sq	Df	F values	Pr(>F)
Plot	0.00000	0		
Plot:Sample	0.36613	11	3.3156	0.00805 **
Plot:Sample:Subsample	0.35758	22	1.6191	0.13306
Residuals	0.22085	22		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

NOT OK

7 Federer - Variations

Reference

- Federer WT, King F. Variations on Split Plot and Split Block Experiment Designs. John Wiley & Sons Inc. 2007.

7.1 Example 1.1

(68) MODEL

```
ex1.1 = read.table("C:/G/Rt/Split/Ex1.1-spex1.txt", header=TRUE)
ex1.1 = af(ex1.1, c("R", "A", "B"))
GLM(Y ~ R + A + R:A + B + A:B, ex1.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	27	4905.7	181.694	10.75	1.994e-10 ***
RESIDUALS	36	608.5	16.902		
CORRECTED TOTAL	63	5514.2			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	223.8	74.60	4.4138	0.00963 **
A	3	194.6	64.85	3.8370	0.01756 *
R:A	9	158.2	17.58	1.0402	0.42842
B	3	4107.4	1369.13	81.0030	4.441e-16 ***
A:B	9	221.7	24.64	1.4577	0.20117

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	223.8	74.60	4.4138	0.00963 **
A	3	194.6	64.85	3.8370	0.01756 *
R:A	9	158.2	17.58	1.0402	0.42842
B	3	4107.4	1369.13	81.0030	4.441e-16 ***
A:B	9	221.7	24.64	1.4577	0.20117

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

R    3  223.8   74.60  4.4138   0.00963 **
A    3  194.6   64.85  3.8370   0.01756 *
R:A  9  158.2   17.58  1.0402   0.42842
B    3 4107.4 1369.13 81.0030 4.441e-16 ***
A:B  9  221.7   24.64  1.4577   0.20117

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	66.700	2.7193	24.5282	< 2.2e-16	***
R1	6.750	2.9071	2.3219	0.026009	*
R2	10.025	2.9071	3.4485	0.001453	**
R3	5.825	2.9071	2.0037	0.052669	.
R4	0.000	0.0000			
A1	6.856	3.8457	1.7828	0.083048	.
A2	-4.212	3.8457	-1.0954	0.280625	
A3	2.231	3.8457	0.5802	0.565398	
A4	0.000	0.0000			
R1:A1	-4.050	4.1112	-0.9851	0.331146	
R1:A2	-3.375	4.1112	-0.8209	0.417093	
R1:A3	-3.800	4.1112	-0.9243	0.361485	
R1:A4	0.000	0.0000			
R2:A1	-11.325	4.1112	-2.7547	0.009156	**
R2:A2	-5.150	4.1112	-1.2527	0.218403	
R2:A3	-6.475	4.1112	-1.5750	0.124015	
R2:A4	0.000	0.0000			
R3:A1	-7.550	4.1112	-1.8364	0.074562	.
R3:A2	-5.625	4.1112	-1.3682	0.179727	
R3:A3	-6.650	4.1112	-1.6175	0.114496	
R3:A4	0.000	0.0000			
R4:A1	0.000	0.0000			
R4:A2	0.000	0.0000			
R4:A3	0.000	0.0000			
R4:A4	0.000	0.0000			
B1	-1.800	2.9071	-0.6192	0.539698	
B2	-17.100	2.9071	-5.8822	9.985e-07	***
B3	-1.000	2.9071	-0.3440	0.732856	
B4	0.000	0.0000			
A1:B1	3.700	4.1112	0.9000	0.374115	
A1:B2	-4.275	4.1112	-1.0398	0.305350	
A1:B3	-0.250	4.1112	-0.0608	0.951848	
A1:B4	0.000	0.0000			
A2:B1	9.500	4.1112	2.3107	0.026687	*
A2:B2	3.850	4.1112	0.9365	0.355276	
A2:B3	4.400	4.1112	1.0702	0.291635	
A2:B4	0.000	0.0000			
A3:B1	-1.225	4.1112	-0.2980	0.767443	

A3:B2	-2.800	4.1112	-0.6811	0.500190
A3:B3	1.900	4.1112	0.4621	0.646755
A3:B4	0.000	0.0000		
A4:B1	0.000	0.0000		
A4:B2	0.000	0.0000		
A4:B3	0.000	0.0000		
A4:B4	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.2 Example 1.2

(69) MODEL

```
ex1.2 = read.table("C:/G/Rt/Split/Ex1.2-spex2.txt", header=TRUE)
ex1.2 = af(ex1.2, c("R", "A", "B"))
GLM(Y ~ R + A + R:A + B + A:B, ex1.2)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	47	35573	756.88	31.243	< 2.2e-16 ***
RESIDUALS	48	1163	24.23		
CORRECTED TOTAL	95	36736			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	38.6	19.3	0.7963	0.4568480
A	7	763.2	109.0	4.5003	0.0006418 ***
R:A	14	1377.2	98.4	4.0608	0.0001343 ***
B	3	30774.3	10258.1	423.4386	< 2.2e-16 ***
A:B	21	2620.1	124.8	5.1502	1.327e-06 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	38.6	19.3	0.7963	0.4568480
A	7	763.2	109.0	4.5003	0.0006418 ***
R:A	14	1377.2	98.4	4.0608	0.0001343 ***
B	3	30774.3	10258.1	423.4386	< 2.2e-16 ***
A:B	21	2620.1	124.8	5.1502	1.327e-06 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	38.6	19.3	0.7963	0.4568480
A	7	763.2	109.0	4.5003	0.0006418 ***
R:A	14	1377.2	98.4	4.0608	0.0001343 ***
B	3	30774.3	10258.1	423.4386	< 2.2e-16 ***
A:B	21	2620.1	124.8	5.1502	1.327e-06 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	16.000	3.4804	4.5972	3.130e-05 ***
R1	-6.250	3.4804	-1.7958	0.0788230 .
R2	-5.750	3.4804	-1.6521	0.1050354
R3	0.000	0.0000		
A0	-7.083	4.9220	-1.4391	0.1566037
A1	-4.000	4.9220	-0.8127	0.4204117
A2	-4.500	4.9220	-0.9143	0.3651450
A3	-6.333	4.9220	-1.2868	0.2043526
A4	-3.500	4.9220	-0.7111	0.4804644
A5	-1.667	4.9220	-0.3386	0.7363740
A6	-6.250	4.9220	-1.2698	0.2102707
A7	0.000	0.0000		
R1:A0	5.250	4.9220	1.0666	0.2914665
R1:A1	15.000	4.9220	3.0476	0.0037444 **
R1:A2	-0.500	4.9220	-0.1016	0.9195088
R1:A3	7.250	4.9220	1.4730	0.1472813
R1:A4	5.000	4.9220	1.0159	0.3147916
R1:A5	8.000	4.9220	1.6254	0.1106329
R1:A6	10.500	4.9220	2.1333	0.0380399 *
R1:A7	0.000	0.0000		
R2:A0	5.000	4.9220	1.0159	0.3147916
R2:A1	-5.000	4.9220	-1.0159	0.3147916
R2:A2	12.000	4.9220	2.4381	0.0185190 *
R2:A3	4.750	4.9220	0.9651	0.3393506
R2:A4	4.500	4.9220	0.9143	0.3651450
R2:A5	12.000	4.9220	2.4381	0.0185190 *
R2:A6	2.250	4.9220	0.4571	0.6496363
R2:A7	0.000	0.0000		
R3:A0	0.000	0.0000		
R3:A1	0.000	0.0000		
R3:A2	0.000	0.0000		
R3:A3	0.000	0.0000		
R3:A4	0.000	0.0000		
R3:A5	0.000	0.0000		
R3:A6	0.000	0.0000		

R3:A7	0.000	0.0000				
B0	36.000	4.0188	8.9580	8.177e-12	***	
B1	7.667	4.0188	1.9077	0.0624200	.	
B2	19.333	4.0188	4.8108	1.531e-05	***	
B3	0.000	0.0000				
A0:B0	22.000	5.6834	3.8709	0.0003271	***	
A0:B1	-4.333	5.6834	-0.7625	0.4495188		
A0:B2	-15.333	5.6834	-2.6979	0.0096001	**	
A0:B3	0.000	0.0000				
A1:B0	16.000	5.6834	2.8152	0.0070497	**	
A1:B1	-0.667	5.6834	-0.1173	0.9071111		
A1:B2	-16.333	5.6834	-2.8739	0.0060246	**	
A1:B3	0.000	0.0000				
A2:B0	17.667	5.6834	3.1085	0.0031582	**	
A2:B1	-6.333	5.6834	-1.1144	0.2706743		
A2:B2	-4.333	5.6834	-0.7625	0.4495188		
A2:B3	0.000	0.0000				
A3:B0	4.667	5.6834	0.8211	0.4156454		
A3:B1	-7.333	5.6834	-1.2903	0.2031245		
A3:B2	-15.000	5.6834	-2.6393	0.0111717	*	
A3:B3	0.000	0.0000				
A4:B0	1.667	5.6834	0.2933	0.7705935		
A4:B1	-3.000	5.6834	-0.5279	0.6000325		
A4:B2	-20.667	5.6834	-3.6363	0.0006736	***	
A4:B3	0.000	0.0000				
A5:B0	5.000	5.6834	0.8798	0.3833746		
A5:B1	-16.667	5.6834	-2.9325	0.0051395	**	
A5:B2	-6.667	5.6834	-1.1730	0.2465806		
A5:B3	0.000	0.0000				
A6:B0	0.333	5.6834	0.0587	0.9534740		
A6:B1	-3.000	5.6834	-0.5279	0.6000325		
A6:B2	-7.333	5.6834	-1.2903	0.2031245		
A6:B3	0.000	0.0000				
A7:B0	0.000	0.0000				
A7:B1	0.000	0.0000				
A7:B2	0.000	0.0000				
A7:B3	0.000	0.0000				

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.3 Example 2.1

(70) MODEL

```
ex2.1 = read.table("C:/G/Rt/Split/sbex.txt", header=TRUE)
colnames(ex2.1) = c("Y", "R", "A", "B")
```

```
ex2.1 = af(ex2.1, c("R", "A", "B"))
GLM(Y ~ R + A + R:A + B + R:B + A:B, ex2.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	41	274.750	6.7012	5.1475	0.0002305 ***
RESIDUALS	18	23.433	1.3019		
CORRECTED TOTAL	59	298.183			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	1	2.817	2.8167	2.1636	0.1585807
A	9	77.683	8.6315	6.6302	0.0003456 ***
R:A	9	81.017	9.0019	6.9147	0.0002658 ***
B	2	35.433	17.7167	13.6088	0.0002510 ***
R:B	2	16.233	8.1167	6.2347	0.0087635 **
A:B	18	61.567	3.4204	2.6273	0.0236253 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	1	2.817	2.8167	2.1636	0.1585807
A	9	77.683	8.6315	6.6302	0.0003456 ***
R:A	9	81.017	9.0019	6.9147	0.0002658 ***
B	2	35.433	17.7167	13.6088	0.0002510 ***
R:B	2	16.233	8.1167	6.2347	0.0087635 **
A:B	18	61.567	3.4204	2.6273	0.0236253 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	1	2.817	2.8167	2.1636	0.1585807
A	9	77.683	8.6315	6.6302	0.0003456 ***
R:A	9	81.017	9.0019	6.9147	0.0002658 ***
B	2	35.433	17.7167	13.6088	0.0002510 ***
R:B	2	16.233	8.1167	6.2347	0.0087635 **
A:B	18	61.567	3.4204	2.6273	0.0236253 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
--	----------	------------	---------	----------

(Intercept)	46.583	0.95462	48.7979	< 2.2e-16	***
R1	0.833	1.02053	0.8166	0.424850	
R2	0.000	0.00000			
A0	-3.833	1.31750	-2.9096	0.009350	**
A1	2.667	1.31750	2.0240	0.058068	.
A2	1.000	1.31750	0.7590	0.457669	
A3	-2.167	1.31750	-1.6445	0.117418	
A4	1.000	1.31750	0.7590	0.457669	
A5	-1.333	1.31750	-1.0120	0.324940	
A6	1.500	1.31750	1.1385	0.269830	
A7	4.500	1.31750	3.4156	0.003083	**
A8	-0.167	1.31750	-0.1265	0.900737	
A9	0.000	0.00000			
R1:A0	1.667	1.31750	1.2650	0.221996	
R1:A1	-3.333	1.31750	-2.5300	0.020955	*
R1:A2	-4.000	1.31750	-3.0361	0.007105	**
R1:A3	0.333	1.31750	0.2530	0.803131	
R1:A4	0.000	1.31750	0.0000	1.000000	
R1:A5	2.667	1.31750	2.0240	0.058068	.
R1:A6	-4.000	1.31750	-3.0361	0.007105	**
R1:A7	-3.000	1.31750	-2.2770	0.035225	*
R1:A8	-2.667	1.31750	-2.0240	0.058068	.
R1:A9	0.000	0.00000			
R2:A0	0.000	0.00000			
R2:A1	0.000	0.00000			
R2:A2	0.000	0.00000			
R2:A3	0.000	0.00000			
R2:A4	0.000	0.00000			
R2:A5	0.000	0.00000			
R2:A6	0.000	0.00000			
R2:A7	0.000	0.00000			
R2:A8	0.000	0.00000			
R2:A9	0.000	0.00000			
B1	-3.150	1.19668	-2.6323	0.016910	*
B2	-0.600	1.19668	-0.5014	0.622175	
B3	0.000	0.00000			
R1:B1	2.300	0.72162	3.1873	0.005103	**
R1:B2	0.200	0.72162	0.2772	0.784821	
R1:B3	0.000	0.00000			
R2:B1	0.000	0.00000			
R2:B2	0.000	0.00000			
R2:B3	0.000	0.00000			
A0:B1	3.000	1.61360	1.8592	0.079426	.
A0:B2	0.500	1.61360	0.3099	0.760221	
A0:B3	0.000	0.00000			
A1:B1	-3.000	1.61360	-1.8592	0.079426	.
A1:B2	-4.000	1.61360	-2.4789	0.023305	*
A1:B3	0.000	0.00000			

```

A2:B1      2.500    1.61360  1.5493  0.138705
A2:B2     -2.500    1.61360 -1.5493  0.138705
A2:B3      0.000    0.00000
A3:B1      2.000    1.61360  1.2395  0.231091
A3:B2     -0.500    1.61360 -0.3099  0.760221
A3:B3      0.000    0.00000
A4:B1     -2.000    1.61360 -1.2395  0.231091
A4:B2     -1.000    1.61360 -0.6197  0.543200
A4:B3      0.000    0.00000
A5:B1      1.000    1.61360  0.6197  0.543200
A5:B2      0.000    1.61360  0.0000  1.000000
A5:B3      0.000    0.00000
A6:B1     -1.000    1.61360 -0.6197  0.543200
A6:B2     -0.500    1.61360 -0.3099  0.760221
A6:B3      0.000    0.00000
A7:B1     -0.500    1.61360 -0.3099  0.760221
A7:B2     -2.000    1.61360 -1.2395  0.231091
A7:B3      0.000    0.00000
A8:B1      2.500    1.61360  1.5493  0.138705
A8:B2     -2.000    1.61360 -1.2395  0.231091
A8:B3      0.000    0.00000
A9:B1      0.000    0.00000
A9:B2      0.000    0.00000
A9:B3      0.000    0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

7.4 Example 2.2

(71) MODEL

```

ex2.2 = read.table("C:/G/Rt/Split/sbex2_2.txt", header=TRUE)
ex2.2 = af(ex2.2, c("Row", "Column", "R", "S"))
GLM(Y ~ Column + R + R:Column + S + S:Column + R:S, ex2.2)

```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	51	10328	202.51	0.8112	0.7688
RESIDUALS	48	11982	249.63		
CORRECTED TOTAL	99	22310			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Column	4	1318.6	329.66	1.3206	0.2758
R	4	1159.8	289.94	1.1615	0.3396

Column:R	16	2808.6	175.54	0.7032	0.7766
S	3	351.9	117.29	0.4699	0.7047
Column:S	12	3863.3	321.94	1.2897	0.2555
R:S	12	826.0	68.83	0.2757	0.9906

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Column	4	1318.6	329.66	1.3206	0.2758
R	4	1159.8	289.94	1.1615	0.3396
Column:R	16	2808.6	175.54	0.7032	0.7766
S	3	351.9	117.29	0.4699	0.7047
Column:S	12	3863.3	321.94	1.2897	0.2555
R:S	12	826.0	68.83	0.2757	0.9906

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Column	4	1318.6	329.66	1.3206	0.2758
R	4	1159.8	289.94	1.1615	0.3396
Column:R	16	2808.6	175.54	0.7032	0.7766
S	3	351.9	117.29	0.4699	0.7047
Column:S	12	3863.3	321.94	1.2897	0.2555
R:S	12	826.0	68.83	0.2757	0.9906

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1000.52	11.393	87.8167	< 2e-16 ***
Column1	12.04	14.132	0.8522	0.39836
Column2	10.64	14.132	0.7529	0.45520
Column3	0.98	14.132	0.0696	0.94478
Column4	-12.93	14.132	-0.9149	0.36480
Column5	0.00	0.000		
R1	-13.81	14.132	-0.9774	0.33325
R2	-10.85	14.132	-0.7678	0.44636
R3	-2.17	14.132	-0.1533	0.87880
R4	-3.63	14.132	-0.2571	0.79819
R5	0.00	0.000		
Column1:R1	16.78	15.800	1.0619	0.29360
Column1:R2	5.34	15.800	0.3383	0.73661
Column1:R3	-9.13	15.800	-0.5775	0.56627
Column1:R4	-6.31	15.800	-0.3994	0.69139
Column1:R5	0.00	0.000		
Column2:R1	16.71	15.800	1.0578	0.29545
Column2:R2	-1.64	15.800	-0.1036	0.91789
Column2:R3	7.40	15.800	0.4687	0.64142
Column2:R4	11.71	15.800	0.7413	0.46212
Column2:R5	0.00	0.000		
Column3:R1	12.12	15.800	0.7671	0.44678
Column3:R2	0.27	15.800	0.0169	0.98656

Column3:R3	-14.04	15.800	-0.8885	0.37872
Column3:R4	9.01	15.800	0.5703	0.57116
Column3:R5	0.00	0.000		
Column4:R1	1.31	15.800	0.0832	0.93402
Column4:R2	-3.85	15.800	-0.2438	0.80840
Column4:R3	0.84	15.800	0.0532	0.95782
Column4:R4	9.65	15.800	0.6111	0.54402
Column4:R5	0.00	0.000		
Column5:R1	0.00	0.000		
Column5:R2	0.00	0.000		
Column5:R3	0.00	0.000		
Column5:R4	0.00	0.000		
Column5:R5	0.00	0.000		
S1	3.74	13.406	0.2789	0.78154
S2	12.15	13.406	0.9066	0.36916
S3	2.83	13.406	0.2110	0.83380
S4	0.00	0.000		
Column1:S1	-15.16	14.132	-1.0730	0.28861
Column1:S2	-31.48	14.132	-2.2278	0.03062 *
Column1:S3	1.26	14.132	0.0889	0.92955
Column1:S4	0.00	0.000		
Column2:S1	-22.54	14.132	-1.5947	0.11734
Column2:S2	-31.01	14.132	-2.1946	0.03306 *
Column2:S3	-3.56	14.132	-0.2518	0.80229
Column2:S4	0.00	0.000		
Column3:S1	-1.71	14.132	-0.1207	0.90442
Column3:S2	-14.46	14.132	-1.0229	0.31146
Column3:S3	19.65	14.132	1.3902	0.17088
Column3:S4	0.00	0.000		
Column4:S1	5.39	14.132	0.3816	0.70448
Column4:S2	-3.36	14.132	-0.2376	0.81319
Column4:S3	17.58	14.132	1.2443	0.21943
Column4:S4	0.00	0.000		
Column5:S1	0.00	0.000		
Column5:S2	0.00	0.000		
Column5:S3	0.00	0.000		
Column5:S4	0.00	0.000		
R1:S1	3.84	14.132	0.2714	0.78721
R1:S2	-1.62	14.132	-0.1148	0.90910
R1:S3	-11.37	14.132	-0.8047	0.42495
R1:S4	0.00	0.000		
R2:S1	12.02	14.132	0.8507	0.39915
R2:S2	10.32	14.132	0.7300	0.46894
R2:S3	-6.46	14.132	-0.4568	0.64984
R2:S4	0.00	0.000		
R3:S1	9.62	14.132	0.6810	0.49913
R3:S2	2.19	14.132	0.1551	0.87738
R3:S3	-8.14	14.132	-0.5760	0.56730

R3:S4	0.00	0.000		
R4:S1	4.15	14.132	0.2939	0.77006
R4:S2	3.09	14.132	0.2189	0.82762
R4:S3	-6.44	14.132	-0.4560	0.65045
R4:S4	0.00	0.000		
R5:S1	0.00	0.000		
R5:S2	0.00	0.000		
R5:S3	0.00	0.000		
R5:S4	0.00	0.000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(72) MODEL

```
GLM(Y ~ Row + R + Row:R + S + Column:S + R:S + Column:R:S, ex2.2)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	99	22310	225.36		
RESIDUALS	0	0			
CORRECTED TOTAL	99	22310			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	4	147.4	36.86		
R	4	1159.8	289.94		
Row:R	16	3979.8	248.74		
S	3	351.9	117.29		
S:Column	12	3863.3	321.94		
R:S	12	826.0	68.83		
R:S:Column	48	11982.3	249.63		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	0				
R	4	1159.8	289.94		
Row:R	0				
S	3	351.9	117.29		
S:Column	12	3863.3	321.94		
R:S	12	826.0	68.83		
R:S:Column	48	11982.3	249.63		

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	0				

R	4	1159.8	289.94
Row:R	0		
S	3	351.9	117.29
S:Column	12	3863.3	321.94
R:S	12	826.0	68.83
R:S:Column	48	11982.3	249.63

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1001.61			
Row1	-5.98			
Row2	16.88			
Row3	19.34			
Row4	-24.93			
Row5	0.00			
R1	9.12			
R2	-18.93			
R3	-2.75			
R4	3.02			
R5	0.00			
Row1:R1	3.72			
Row1:R2	14.16			
Row1:R3	-24.63			
Row1:R4	3.52			
Row1:R5	0.00			
Row2:R1	-61.81			
Row2:R2	12.43			
Row2:R3	-0.94			
Row2:R4	-20.79			
Row2:R5	0.00			
Row3:R1	-56.60			
Row3:R2	-12.11			
Row3:R3	-30.06			
Row3:R4	-4.44			
Row3:R5	0.00			
Row4:R1	46.95			
Row4:R2	26.04			
Row4:R3	43.63			
Row4:R4	12.51			
Row4:R5	0.00			
Row5:R1	0.00			
Row5:R2	0.00			
Row5:R3	0.00			
Row5:R4	0.00			
Row5:R5	0.00			
S1	24.26			
S2	21.85			
S3	-7.81			

S4	0.00
S1:Column1	-47.84
S1:Column2	-58.48
S1:Column3	-40.38
S1:Column4	10.08
S1:Column5	0.00
S2:Column1	-40.43
S2:Column2	-13.68
S2:Column3	-58.94
S2:Column4	-15.74
S2:Column5	0.00
S3:Column1	-0.39
S3:Column2	33.69
S3:Column3	5.46
S3:Column4	49.36
S3:Column5	0.00
S4:Column1	0.00
S4:Column2	0.00
S4:Column3	0.00
S4:Column4	0.00
S4:Column5	0.00
R1:S1	-12.01
R1:S2	17.28
R1:S3	18.96
R1:S4	0.00
R2:S1	-39.64
R2:S2	-21.90
R2:S3	-31.42
R2:S4	0.00
R3:S1	-10.98
R3:S2	-21.39
R3:S3	14.46
R3:S4	0.00
R4:S1	-10.34
R4:S2	-8.49
R4:S3	18.78
R4:S4	0.00
R5:S1	0.00
R5:S2	0.00
R5:S3	0.00
R5:S4	0.00
R1:S1:Column1	54.97
R1:S1:Column2	5.27
R1:S1:Column3	10.94
R1:S1:Column4	8.05
R1:S1:Column5	0.00
R1:S2:Column1	-24.43
R1:S2:Column2	-78.73

R1:S2:Column3	15.88
R1:S2:Column4	-7.23
R1:S2:Column5	0.00
R1:S3:Column1	-11.99
R1:S3:Column2	-72.89
R1:S3:Column3	-26.10
R1:S3:Column4	-40.68
R1:S3:Column5	0.00
R1:S4:Column1	0.00
R1:S4:Column2	0.00
R1:S4:Column3	0.00
R1:S4:Column4	0.00
R1:S4:Column5	0.00
R2:S1:Column1	86.83
R2:S1:Column2	87.33
R2:S1:Column3	76.49
R2:S1:Column4	7.66
R2:S1:Column5	0.00
R2:S2:Column1	67.97
R2:S2:Column2	0.73
R2:S2:Column3	71.73
R2:S2:Column4	20.65
R2:S2:Column5	0.00
R2:S3:Column1	46.34
R2:S3:Column2	13.83
R2:S3:Column3	66.93
R2:S3:Column4	-2.28
R2:S3:Column5	0.00
R2:S4:Column1	0.00
R2:S4:Column2	0.00
R2:S4:Column3	0.00
R2:S4:Column4	0.00
R2:S4:Column5	0.00
R3:S1:Column1	7.17
R3:S1:Column2	52.01
R3:S1:Column3	51.42
R3:S1:Column4	-7.58
R3:S1:Column5	0.00
R3:S2:Column1	-5.38
R3:S2:Column2	12.88
R3:S2:Column3	83.94
R3:S2:Column4	26.47
R3:S2:Column5	0.00
R3:S3:Column1	-21.65
R3:S3:Column2	-75.11
R3:S3:Column3	32.21
R3:S3:Column4	-48.45
R3:S3:Column5	0.00

R3:S4:Column1	0.00
R3:S4:Column2	0.00
R3:S4:Column3	0.00
R3:S4:Column4	0.00
R3:S4:Column5	0.00
R4:S1:Column1	14.41
R4:S1:Column2	35.11
R4:S1:Column3	54.52
R4:S1:Column4	-31.57
R4:S1:Column5	0.00
R4:S2:Column1	6.58
R4:S2:Column2	-21.55
R4:S2:Column3	50.87
R4:S2:Column4	22.02
R4:S2:Column5	0.00
R4:S3:Column1	-4.47
R4:S3:Column2	-52.07
R4:S3:Column3	-2.11
R4:S3:Column4	-67.47
R4:S3:Column5	0.00
R4:S4:Column1	0.00
R4:S4:Column2	0.00
R4:S4:Column3	0.00
R4:S4:Column4	0.00
R4:S4:Column5	0.00
R5:S1:Column1	0.00
R5:S1:Column2	0.00
R5:S1:Column3	0.00
R5:S1:Column4	0.00
R5:S1:Column5	0.00
R5:S2:Column1	0.00
R5:S2:Column2	0.00
R5:S2:Column3	0.00
R5:S2:Column4	0.00
R5:S2:Column5	0.00
R5:S3:Column1	0.00
R5:S3:Column2	0.00
R5:S3:Column3	0.00
R5:S3:Column4	0.00
R5:S3:Column5	0.00
R5:S4:Column1	0.00
R5:S4:Column2	0.00
R5:S4:Column3	0.00
R5:S4:Column4	0.00
R5:S4:Column5	0.00

(73) MODEL

```
GLM(Y ~ Row + R + S + R:S + Row:R + Column:S + Column:R:S, ex2.2)
```

```
$ANOVA
```

```
Response : Y
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	99	22310	225.36		
RESIDUALS	0	0			
CORRECTED TOTAL	99	22310			

```
$`Type I`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	4	147.4	36.86		
R	4	1159.8	289.94		
S	3	351.9	117.29		
R:S	12	826.0	68.83		
Row:R	16	3979.8	248.74		
S:Column	12	3863.3	321.94		
R:S:Column	48	11982.3	249.63		

```
$`Type II`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	0				
R	4	1159.8	289.94		
S	3	351.9	117.29		
R:S	12	826.0	68.83		
Row:R	0				
S:Column	12	3863.3	321.94		
R:S:Column	48	11982.3	249.63		

```
$`Type III`
```

```
CAUTION: Singularity Exists !
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	0				
R	4	1159.8	289.94		
S	3	351.9	117.29		
R:S	12	826.0	68.83		
Row:R	0				
S:Column	12	3863.3	321.94		
R:S:Column	48	11982.3	249.63		

```
$Parameter
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1001.61			
Row1	-5.98			
Row2	16.88			
Row3	19.34			
Row4	-24.93			

Row5	0.00
R1	9.12
R2	-18.93
R3	-2.75
R4	3.02
R5	0.00
S1	24.26
S2	21.85
S3	-7.81
S4	0.00
R1:S1	-12.01
R1:S2	17.28
R1:S3	18.96
R1:S4	0.00
R2:S1	-39.64
R2:S2	-21.90
R2:S3	-31.42
R2:S4	0.00
R3:S1	-10.98
R3:S2	-21.39
R3:S3	14.46
R3:S4	0.00
R4:S1	-10.34
R4:S2	-8.49
R4:S3	18.78
R4:S4	0.00
R5:S1	0.00
R5:S2	0.00
R5:S3	0.00
R5:S4	0.00
Row1:R1	3.72
Row1:R2	14.16
Row1:R3	-24.63
Row1:R4	3.52
Row1:R5	0.00
Row2:R1	-61.81
Row2:R2	12.43
Row2:R3	-0.94
Row2:R4	-20.79
Row2:R5	0.00
Row3:R1	-56.60
Row3:R2	-12.11
Row3:R3	-30.06
Row3:R4	-4.44
Row3:R5	0.00
Row4:R1	46.95
Row4:R2	26.04
Row4:R3	43.63

Row4:R4	12.51
Row4:R5	0.00
Row5:R1	0.00
Row5:R2	0.00
Row5:R3	0.00
Row5:R4	0.00
Row5:R5	0.00
S1:Column1	-47.84
S1:Column2	-58.48
S1:Column3	-40.38
S1:Column4	10.08
S1:Column5	0.00
S2:Column1	-40.43
S2:Column2	-13.68
S2:Column3	-58.94
S2:Column4	-15.74
S2:Column5	0.00
S3:Column1	-0.39
S3:Column2	33.69
S3:Column3	5.46
S3:Column4	49.36
S3:Column5	0.00
S4:Column1	0.00
S4:Column2	0.00
S4:Column3	0.00
S4:Column4	0.00
S4:Column5	0.00
R1:S1:Column1	54.97
R1:S1:Column2	5.27
R1:S1:Column3	10.94
R1:S1:Column4	8.05
R1:S1:Column5	0.00
R1:S2:Column1	-24.43
R1:S2:Column2	-78.73
R1:S2:Column3	15.88
R1:S2:Column4	-7.23
R1:S2:Column5	0.00
R1:S3:Column1	-11.99
R1:S3:Column2	-72.89
R1:S3:Column3	-26.10
R1:S3:Column4	-40.68
R1:S3:Column5	0.00
R1:S4:Column1	0.00
R1:S4:Column2	0.00
R1:S4:Column3	0.00
R1:S4:Column4	0.00
R1:S4:Column5	0.00
R2:S1:Column1	86.83

R2:S1:Column2	87.33
R2:S1:Column3	76.49
R2:S1:Column4	7.66
R2:S1:Column5	0.00
R2:S2:Column1	67.97
R2:S2:Column2	0.73
R2:S2:Column3	71.73
R2:S2:Column4	20.65
R2:S2:Column5	0.00
R2:S3:Column1	46.34
R2:S3:Column2	13.83
R2:S3:Column3	66.93
R2:S3:Column4	-2.28
R2:S3:Column5	0.00
R2:S4:Column1	0.00
R2:S4:Column2	0.00
R2:S4:Column3	0.00
R2:S4:Column4	0.00
R2:S4:Column5	0.00
R3:S1:Column1	7.17
R3:S1:Column2	52.01
R3:S1:Column3	51.42
R3:S1:Column4	-7.58
R3:S1:Column5	0.00
R3:S2:Column1	-5.38
R3:S2:Column2	12.88
R3:S2:Column3	83.94
R3:S2:Column4	26.47
R3:S2:Column5	0.00
R3:S3:Column1	-21.65
R3:S3:Column2	-75.11
R3:S3:Column3	32.21
R3:S3:Column4	-48.45
R3:S3:Column5	0.00
R3:S4:Column1	0.00
R3:S4:Column2	0.00
R3:S4:Column3	0.00
R3:S4:Column4	0.00
R3:S4:Column5	0.00
R4:S1:Column1	14.41
R4:S1:Column2	35.11
R4:S1:Column3	54.52
R4:S1:Column4	-31.57
R4:S1:Column5	0.00
R4:S2:Column1	6.58
R4:S2:Column2	-21.55
R4:S2:Column3	50.87
R4:S2:Column4	22.02

```

R4:S2:Column5      0.00
R4:S3:Column1     -4.47
R4:S3:Column2    -52.07
R4:S3:Column3     -2.11
R4:S3:Column4    -67.47
R4:S3:Column5      0.00
R4:S4:Column1      0.00
R4:S4:Column2      0.00
R4:S4:Column3      0.00
R4:S4:Column4      0.00
R4:S4:Column5      0.00
R5:S1:Column1      0.00
R5:S1:Column2      0.00
R5:S1:Column3      0.00
R5:S1:Column4      0.00
R5:S1:Column5      0.00
R5:S2:Column1      0.00
R5:S2:Column2      0.00
R5:S2:Column3      0.00
R5:S2:Column4      0.00
R5:S2:Column5      0.00
R5:S3:Column1      0.00
R5:S3:Column2      0.00
R5:S3:Column3      0.00
R5:S3:Column4      0.00
R5:S3:Column5      0.00
R5:S4:Column1      0.00
R5:S4:Column2      0.00
R5:S4:Column3      0.00
R5:S4:Column4      0.00
R5:S4:Column5      0.00

```

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ Row + R + S + R:S + Row:R + Column:S + Column:R:S, ex2.2), type=3,
      singular.ok=TRUE) # NOT WORKING

```

7.5 Example 3.1

(74) MODEL

```

ex3.1 = read.table("C:/G/Rt/Split/spedsite.txt", header=TRUE)
ex3.1 = af(ex3.1, c("Site", "A", "B", "C", "Block"))
GLM(Yield ~ Site + Site:Block + A + B + A:B + A:Site + B:Site + A:B:Site +
      A:B:Site:Block + C + A:C + B:C + A:B:C + C:Site + A:C:Site + B:C:Site +
      A:B:C:Site, ex3.1)

```

\$ANOVA

Response : Yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	239	2724374186	11399055	23.682	< 2.2e-16 ***
RESIDUALS	240	115521933	481341		
CORRECTED TOTAL	479	2839896119			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Site	3	621230991	207076997	430.2082	< 2e-16 ***
Site:Block	8	1305369943	163171243	338.9928	< 2e-16 ***
A	1	1333205	1333205	2.7698	0.09737 .
B	4	47928577	11982144	24.8932	< 2e-16 ***
A:B	4	14849	3712	0.0077	0.99988
Site:A	3	33010	11003	0.0229	0.99531
Site:B	12	37932	3161	0.0066	1.00000
Site:A:B	12	11494	958	0.0020	1.00000
Site:Block:A:B	72	8239680	114440	0.2378	1.00000
C	3	739890389	246630130	512.3809	< 2e-16 ***
A:C	3	3233	1078	0.0022	0.99985
B:C	12	34961	2913	0.0061	1.00000
A:B:C	12	11077	923	0.0019	1.00000
Site:C	9	25983	2887	0.0060	1.00000
Site:A:C	9	22227	2470	0.0051	1.00000
Site:B:C	36	88610	2461	0.0051	1.00000
Site:A:B:C	36	98025	2723	0.0057	1.00000

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Site	3	621230991	207076997	430.2082	< 2e-16 ***
Site:Block	8	1305369943	163171243	338.9928	< 2e-16 ***
A	1	1333205	1333205	2.7698	0.09737 .
B	4	47928577	11982144	24.8932	< 2e-16 ***
A:B	4	14849	3712	0.0077	0.99988
Site:A	3	33010	11003	0.0229	0.99531
Site:B	12	37932	3161	0.0066	1.00000
Site:A:B	12	11494	958	0.0020	1.00000
Site:Block:A:B	72	8239680	114440	0.2378	1.00000
C	3	739890389	246630130	512.3809	< 2e-16 ***
A:C	3	3233	1078	0.0022	0.99985
B:C	12	34961	2913	0.0061	1.00000
A:B:C	12	11077	923	0.0019	1.00000
Site:C	9	25983	2887	0.0060	1.00000
Site:A:C	9	22227	2470	0.0051	1.00000

```

Site:B:C      36      88610      2461    0.0051 1.00000
Site:A:B:C    36      98025      2723    0.0057 1.00000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Site	3	621230991	207076997	430.2082	< 2e-16 ***
Site:Block	8	1305369943	163171243	338.9928	< 2e-16 ***
A	1	1333205	1333205	2.7698	0.09737 .
B	4	47928577	11982144	24.8932	< 2e-16 ***
A:B	4	14849	3712	0.0077	0.99988
Site:A	3	33010	11003	0.0229	0.99531
Site:B	12	37932	3161	0.0066	1.00000
Site:A:B	12	11494	958	0.0020	1.00000
Site:Block:A:B	72	8239680	114440	0.2378	1.00000
C	3	739890389	246630130	512.3809	< 2e-16 ***
A:C	3	3233	1078	0.0022	0.99985
B:C	12	34961	2913	0.0061	1.00000
A:B:C	12	11077	923	0.0019	1.00000
Site:C	9	25983	2887	0.0060	1.00000
Site:A:C	9	22227	2470	0.0051	1.00000
Site:B:C	36	88610	2461	0.0051	1.00000
Site:A:B:C	36	98025	2723	0.0057	1.00000

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	6915.2	490.58	14.0958	< 2.2e-16 ***
Site1	-54.7	693.79	-0.0788	0.9372617
Site2	2003.4	693.79	2.8877	0.0042356 **
Site3	2418.5	693.79	3.4859	0.0005830 ***
Site4	0.0	0.00		
Site1:BlockR1	4457.0	490.58	9.0851	< 2.2e-16 ***
Site1:BlockR2	2855.5	490.58	5.8206	1.868e-08 ***
Site1:BlockR3	0.0	0.00		
Site2:BlockR1	4495.5	490.58	9.1636	< 2.2e-16 ***
Site2:BlockR2	2894.7	490.58	5.9006	1.226e-08 ***
Site2:BlockR3	0.0	0.00		
Site3:BlockR1	4527.2	490.58	9.2283	< 2.2e-16 ***
Site3:BlockR2	2863.7	490.58	5.8375	1.710e-08 ***
Site3:BlockR3	0.0	0.00		
Site4:BlockR1	4467.3	490.58	9.1060	< 2.2e-16 ***
Site4:BlockR2	2810.3	490.58	5.7284	3.022e-08 ***
Site4:BlockR3	0.0	0.00		
AA1	-91.2	693.79	-0.1315	0.8954707
AA2	0.0	0.00		

BB1	-442.7	693.79	-0.6380	0.5240537
BB2	-366.4	693.79	-0.5281	0.5978905
BB3	-224.9	693.79	-0.3242	0.7460791
BB4	-200.5	693.79	-0.2890	0.7728360
BB5	0.0	0.00		
AA1:BB1	56.4	981.16	0.0575	0.9541950
AA1:BB2	76.1	981.16	0.0775	0.9382554
AA1:BB3	-3.7	981.16	-0.0037	0.9970214
AA1:BB4	141.0	981.16	0.1437	0.8858525
AA1:BB5	0.0	0.00		
AA2:BB1	0.0	0.00		
AA2:BB2	0.0	0.00		
AA2:BB3	0.0	0.00		
AA2:BB4	0.0	0.00		
AA2:BB5	0.0	0.00		
Site1:AA1	70.5	981.16	0.0719	0.9427784
Site1:AA2	0.0	0.00		
Site2:AA1	-7.3	981.16	-0.0074	0.9941105
Site2:AA2	0.0	0.00		
Site3:AA1	64.6	981.16	0.0658	0.9475734
Site3:AA2	0.0	0.00		
Site4:AA1	0.0	0.00		
Site4:AA2	0.0	0.00		
Site1:BB1	99.7	981.16	0.1016	0.9191748
Site1:BB2	69.5	981.16	0.0708	0.9435887
Site1:BB3	127.2	981.16	0.1297	0.8969180
Site1:BB4	155.4	981.16	0.1584	0.8742746
Site1:BB5	0.0	0.00		
Site2:BB1	21.7	981.16	0.0222	0.9823327
Site2:BB2	4.6	981.16	0.0047	0.9962767
Site2:BB3	-3.7	981.16	-0.0037	0.9970214
Site2:BB4	66.5	981.16	0.0678	0.9460199
Site2:BB5	0.0	0.00		
Site3:BB1	55.6	981.16	0.0567	0.9548708
Site3:BB2	74.7	981.16	0.0762	0.9393354
Site3:BB3	53.5	981.16	0.0545	0.9565606
Site3:BB4	160.8	981.16	0.1639	0.8699313
Site3:BB5	0.0	0.00		
Site4:BB1	0.0	0.00		
Site4:BB2	0.0	0.00		
Site4:BB3	0.0	0.00		
Site4:BB4	0.0	0.00		
Site4:BB5	0.0	0.00		
Site1:AA1:BB1	-38.2	1387.58	-0.0276	0.9780312
Site1:AA1:BB2	-103.7	1387.58	-0.0747	0.9405072
Site1:AA1:BB3	-46.3	1387.58	-0.0334	0.9733901
Site1:AA1:BB4	-172.2	1387.58	-0.1241	0.9013579
Site1:AA1:BB5	0.0	0.00		

Site1:AA2:BB1	0.0	0.00		
Site1:AA2:BB2	0.0	0.00		
Site1:AA2:BB3	0.0	0.00		
Site1:AA2:BB4	0.0	0.00		
Site1:AA2:BB5	0.0	0.00		
Site2:AA1:BB1	-47.2	1387.58	-0.0340	0.9729117
Site2:AA1:BB2	-26.1	1387.58	-0.0188	0.9850180
Site2:AA1:BB3	25.0	1387.58	0.0180	0.9856402
Site2:AA1:BB4	-109.2	1387.58	-0.0787	0.9373572
Site2:AA1:BB5	0.0	0.00		
Site2:AA2:BB1	0.0	0.00		
Site2:AA2:BB2	0.0	0.00		
Site2:AA2:BB3	0.0	0.00		
Site2:AA2:BB4	0.0	0.00		
Site2:AA2:BB5	0.0	0.00		
Site3:AA1:BB1	-48.0	1387.58	-0.0346	0.9724333
Site3:AA1:BB2	-87.7	1387.58	-0.0632	0.9496282
Site3:AA1:BB3	1.3	1387.58	0.0010	0.9992341
Site3:AA1:BB4	-86.4	1387.58	-0.0623	0.9503926
Site3:AA1:BB5	0.0	0.00		
Site3:AA2:BB1	0.0	0.00		
Site3:AA2:BB2	0.0	0.00		
Site3:AA2:BB3	0.0	0.00		
Site3:AA2:BB4	0.0	0.00		
Site3:AA2:BB5	0.0	0.00		
Site4:AA1:BB1	0.0	0.00		
Site4:AA1:BB2	0.0	0.00		
Site4:AA1:BB3	0.0	0.00		
Site4:AA1:BB4	0.0	0.00		
Site4:AA1:BB5	0.0	0.00		
Site4:AA2:BB1	0.0	0.00		
Site4:AA2:BB2	0.0	0.00		
Site4:AA2:BB3	0.0	0.00		
Site4:AA2:BB4	0.0	0.00		
Site4:AA2:BB5	0.0	0.00		
Site1:BlockR1:AA1:BB1	-928.2	693.79	-1.3379	0.1821806
Site1:BlockR1:AA1:BB2	-733.2	693.79	-1.0569	0.2916292
Site1:BlockR1:AA1:BB3	-514.0	693.79	-0.7409	0.4595022
Site1:BlockR1:AA1:BB4	-350.2	693.79	-0.5048	0.6141363
Site1:BlockR1:AA1:BB5	-106.7	693.79	-0.1539	0.8778451
Site1:BlockR1:AA2:BB1	-900.7	693.79	-1.2983	0.1954278
Site1:BlockR1:AA2:BB2	-683.7	693.79	-0.9855	0.3253553
Site1:BlockR1:AA2:BB3	-415.7	693.79	-0.5992	0.5495736
Site1:BlockR1:AA2:BB4	-216.5	693.79	-0.3121	0.7552696
Site1:BlockR1:AA2:BB5	0.0	0.00		
Site1:BlockR2:AA1:BB1	-744.0	693.79	-1.0724	0.2846291
Site1:BlockR2:AA1:BB2	-533.0	693.79	-0.7682	0.4430960
Site1:BlockR2:AA1:BB3	-417.7	693.79	-0.6021	0.5476564

Site1:BlockR2:AA1:BB4	-277.7	693.79	-0.4003	0.6892633
Site1:BlockR2:AA1:BB5	-80.0	693.79	-0.1153	0.9082966
Site1:BlockR2:AA2:BB1	-713.2	693.79	-1.0281	0.3049602
Site1:BlockR2:AA2:BB2	-488.5	693.79	-0.7041	0.4820495
Site1:BlockR2:AA2:BB3	-373.2	693.79	-0.5380	0.5910833
Site1:BlockR2:AA2:BB4	-231.2	693.79	-0.3333	0.7391874
Site1:BlockR2:AA2:BB5	0.0	0.00		
Site1:BlockR3:AA1:BB1	0.0	0.00		
Site1:BlockR3:AA1:BB2	0.0	0.00		
Site1:BlockR3:AA1:BB3	0.0	0.00		
Site1:BlockR3:AA1:BB4	0.0	0.00		
Site1:BlockR3:AA1:BB5	0.0	0.00		
Site1:BlockR3:AA2:BB1	0.0	0.00		
Site1:BlockR3:AA2:BB2	0.0	0.00		
Site1:BlockR3:AA2:BB3	0.0	0.00		
Site1:BlockR3:AA2:BB4	0.0	0.00		
Site1:BlockR3:AA2:BB5	0.0	0.00		
Site2:BlockR1:AA1:BB1	-974.5	693.79	-1.4046	0.1614307
Site2:BlockR1:AA1:BB2	-779.5	693.79	-1.1235	0.2623297
Site2:BlockR1:AA1:BB3	-559.5	693.79	-0.8064	0.4207860
Site2:BlockR1:AA1:BB4	-301.0	693.79	-0.4339	0.6647869
Site2:BlockR1:AA1:BB5	-172.0	693.79	-0.2479	0.8044126
Site2:BlockR1:AA2:BB1	-878.8	693.79	-1.2666	0.2065270
Site2:BlockR1:AA2:BB2	-603.5	693.79	-0.8699	0.3852446
Site2:BlockR1:AA2:BB3	-392.3	693.79	-0.5654	0.5723471
Site2:BlockR1:AA2:BB4	-212.5	693.79	-0.3063	0.7596497
Site2:BlockR1:AA2:BB5	0.0	0.00		
Site2:BlockR2:AA1:BB1	-725.0	693.79	-1.0450	0.2970798
Site2:BlockR2:AA1:BB2	-572.5	693.79	-0.8252	0.4100886
Site2:BlockR2:AA1:BB3	-427.2	693.79	-0.6158	0.5385953
Site2:BlockR2:AA1:BB4	-278.0	693.79	-0.4007	0.6889983
Site2:BlockR2:AA1:BB5	-144.5	693.79	-0.2083	0.8351894
Site2:BlockR2:AA2:BB1	-629.5	693.79	-0.9073	0.3651382
Site2:BlockR2:AA2:BB2	-530.0	693.79	-0.7639	0.4456638
Site2:BlockR2:AA2:BB3	-304.0	693.79	-0.4382	0.6616540
Site2:BlockR2:AA2:BB4	-204.5	693.79	-0.2948	0.7684330
Site2:BlockR2:AA2:BB5	0.0	0.00		
Site2:BlockR3:AA1:BB1	0.0	0.00		
Site2:BlockR3:AA1:BB2	0.0	0.00		
Site2:BlockR3:AA1:BB3	0.0	0.00		
Site2:BlockR3:AA1:BB4	0.0	0.00		
Site2:BlockR3:AA1:BB5	0.0	0.00		
Site2:BlockR3:AA2:BB1	0.0	0.00		
Site2:BlockR3:AA2:BB2	0.0	0.00		
Site2:BlockR3:AA2:BB3	0.0	0.00		
Site2:BlockR3:AA2:BB4	0.0	0.00		
Site2:BlockR3:AA2:BB5	0.0	0.00		
Site3:BlockR1:AA1:BB1	-1029.0	693.79	-1.4832	0.1393432

Site3:BlockR1:AA1:BB2	-781.0	693.79	-1.1257	0.2614150
Site3:BlockR1:AA1:BB3	-555.2	693.79	-0.8003	0.4243187
Site3:BlockR1:AA1:BB4	-442.5	693.79	-0.6378	0.5242099
Site3:BlockR1:AA1:BB5	-152.7	693.79	-0.2202	0.8259273
Site3:BlockR1:AA2:BB1	-858.5	693.79	-1.2374	0.2171441
Site3:BlockR1:AA2:BB2	-683.7	693.79	-0.9855	0.3253553
Site3:BlockR1:AA2:BB3	-453.7	693.79	-0.6540	0.5137261
Site3:BlockR1:AA2:BB4	-213.2	693.79	-0.3074	0.7588278
Site3:BlockR1:AA2:BB5	0.0	0.00		
Site3:BlockR2:AA1:BB1	-756.0	693.79	-1.0897	0.2769512
Site3:BlockR2:AA1:BB2	-566.0	693.79	-0.8158	0.4154169
Site3:BlockR2:AA1:BB3	-354.5	693.79	-0.5110	0.6098465
Site3:BlockR2:AA1:BB4	-266.2	693.79	-0.3838	0.7014939
Site3:BlockR2:AA1:BB5	-87.2	693.79	-0.1258	0.9000280
Site3:BlockR2:AA2:BB1	-619.2	693.79	-0.8926	0.3729847
Site3:BlockR2:AA2:BB2	-448.2	693.79	-0.6461	0.5188377
Site3:BlockR2:AA2:BB3	-261.0	693.79	-0.3762	0.7071037
Site3:BlockR2:AA2:BB4	-175.7	693.79	-0.2533	0.8002381
Site3:BlockR2:AA2:BB5	0.0	0.00		
Site3:BlockR3:AA1:BB1	0.0	0.00		
Site3:BlockR3:AA1:BB2	0.0	0.00		
Site3:BlockR3:AA1:BB3	0.0	0.00		
Site3:BlockR3:AA1:BB4	0.0	0.00		
Site3:BlockR3:AA1:BB5	0.0	0.00		
Site3:BlockR3:AA2:BB1	0.0	0.00		
Site3:BlockR3:AA2:BB2	0.0	0.00		
Site3:BlockR3:AA2:BB3	0.0	0.00		
Site3:BlockR3:AA2:BB4	0.0	0.00		
Site3:BlockR3:AA2:BB5	0.0	0.00		
Site4:BlockR1:AA1:BB1	-920.0	693.79	-1.3261	0.1860824
Site4:BlockR1:AA1:BB2	-756.0	693.79	-1.0897	0.2769512
Site4:BlockR1:AA1:BB3	-550.5	693.79	-0.7935	0.4282876
Site4:BlockR1:AA1:BB4	-312.5	693.79	-0.4504	0.6528099
Site4:BlockR1:AA1:BB5	-94.0	693.79	-0.1355	0.8923395
Site4:BlockR1:AA2:BB1	-825.8	693.79	-1.1902	0.2351416
Site4:BlockR1:AA2:BB2	-603.3	693.79	-0.8695	0.3854412
Site4:BlockR1:AA2:BB3	-425.0	693.79	-0.6126	0.5407345
Site4:BlockR1:AA2:BB4	-154.8	693.79	-0.2231	0.8236856
Site4:BlockR1:AA2:BB5	0.0	0.00		
Site4:BlockR2:AA1:BB1	-664.5	693.79	-0.9578	0.3391346
Site4:BlockR2:AA1:BB2	-552.3	693.79	-0.7960	0.4268228
Site4:BlockR2:AA1:BB3	-366.0	693.79	-0.5275	0.5983068
Site4:BlockR2:AA1:BB4	-213.3	693.79	-0.3074	0.7588278
Site4:BlockR2:AA1:BB5	-1.3	693.79	-0.0018	0.9985639
Site4:BlockR2:AA2:BB1	-547.3	693.79	-0.7888	0.4310156
Site4:BlockR2:AA2:BB2	-434.5	693.79	-0.6263	0.5317316
Site4:BlockR2:AA2:BB3	-320.3	693.79	-0.4616	0.6447888
Site4:BlockR2:AA2:BB4	-79.8	693.79	-0.1149	0.9085819

Site4:BlockR2:AA2:BB5	0.0	0.00			
Site4:BlockR3:AA1:BB1	0.0	0.00			
Site4:BlockR3:AA1:BB2	0.0	0.00			
Site4:BlockR3:AA1:BB3	0.0	0.00			
Site4:BlockR3:AA1:BB4	0.0	0.00			
Site4:BlockR3:AA1:BB5	0.0	0.00			
Site4:BlockR3:AA2:BB1	0.0	0.00			
Site4:BlockR3:AA2:BB2	0.0	0.00			
Site4:BlockR3:AA2:BB3	0.0	0.00			
Site4:BlockR3:AA2:BB4	0.0	0.00			
Site4:BlockR3:AA2:BB5	0.0	0.00			
CC1	-3320.7	566.48	-5.8620	1.503e-08	***
CC2	-2205.0	566.48	-3.8925	0.0001286	***
CC3	-1108.0	566.48	-1.9560	0.0516306	.
CC4	0.0	0.00			
AA1:CC1	-1.7	801.12	-0.0021	0.9983418	
AA1:CC2	-17.0	801.12	-0.0212	0.9830875	
AA1:CC3	21.7	801.12	0.0270	0.9784459	
AA1:CC4	0.0	0.00			
AA2:CC1	0.0	0.00			
AA2:CC2	0.0	0.00			
AA2:CC3	0.0	0.00			
AA2:CC4	0.0	0.00			
BB1:CC1	-36.7	801.12	-0.0458	0.9635321	
BB1:CC2	-13.0	801.12	-0.0162	0.9870665	
BB1:CC3	13.3	801.12	0.0166	0.9867349	
BB1:CC4	0.0	0.00			
BB2:CC1	-28.0	801.12	-0.0350	0.9721477	
BB2:CC2	27.7	801.12	0.0345	0.9724791	
BB2:CC3	62.0	801.12	0.0774	0.9383762	
BB2:CC4	0.0	0.00			
BB3:CC1	-21.0	801.12	-0.0262	0.9791089	
BB3:CC2	20.3	801.12	0.0254	0.9797720	
BB3:CC3	36.3	801.12	0.0454	0.9638634	
BB3:CC4	0.0	0.00			
BB4:CC1	18.7	801.12	0.0233	0.9814297	
BB4:CC2	28.0	801.12	0.0350	0.9721477	
BB4:CC3	84.3	801.12	0.1053	0.9162497	
BB4:CC4	0.0	0.00			
BB5:CC1	0.0	0.00			
BB5:CC2	0.0	0.00			
BB5:CC3	0.0	0.00			
BB5:CC4	0.0	0.00			
AA1:BB1:CC1	51.7	1132.95	0.0456	0.9636641	
AA1:BB1:CC2	7.7	1132.95	0.0068	0.9946064	
AA1:BB1:CC3	-16.0	1132.95	-0.0141	0.9887440	
AA1:BB1:CC4	0.0	0.00			
AA1:BB2:CC1	51.3	1132.95	0.0453	0.9638984	

AA1:BB2:CC2	-52.3	1132.95	-0.0462	0.9631956
AA1:BB2:CC3	-88.3	1132.95	-0.0780	0.9379189
AA1:BB2:CC4	0.0	0.00		
AA1:BB3:CC1	97.3	1132.95	0.0859	0.9316085
AA1:BB3:CC2	74.0	1132.95	0.0653	0.9479766
AA1:BB3:CC3	-26.7	1132.95	-0.0235	0.9812412
AA1:BB3:CC4	0.0	0.00		
AA1:BB4:CC1	-78.0	1132.95	-0.0688	0.9451689
AA1:BB4:CC2	-27.7	1132.95	-0.0244	0.9805379
AA1:BB4:CC3	-67.3	1132.95	-0.0594	0.9526576
AA1:BB4:CC4	0.0	0.00		
AA1:BB5:CC1	0.0	0.00		
AA1:BB5:CC2	0.0	0.00		
AA1:BB5:CC3	0.0	0.00		
AA1:BB5:CC4	0.0	0.00		
AA2:BB1:CC1	0.0	0.00		
AA2:BB1:CC2	0.0	0.00		
AA2:BB1:CC3	0.0	0.00		
AA2:BB1:CC4	0.0	0.00		
AA2:BB2:CC1	0.0	0.00		
AA2:BB2:CC2	0.0	0.00		
AA2:BB2:CC3	0.0	0.00		
AA2:BB2:CC4	0.0	0.00		
AA2:BB3:CC1	0.0	0.00		
AA2:BB3:CC2	0.0	0.00		
AA2:BB3:CC3	0.0	0.00		
AA2:BB3:CC4	0.0	0.00		
AA2:BB4:CC1	0.0	0.00		
AA2:BB4:CC2	0.0	0.00		
AA2:BB4:CC3	0.0	0.00		
AA2:BB4:CC4	0.0	0.00		
AA2:BB5:CC1	0.0	0.00		
AA2:BB5:CC2	0.0	0.00		
AA2:BB5:CC3	0.0	0.00		
AA2:BB5:CC4	0.0	0.00		
Site1:CC1	31.3	801.12	0.0391	0.9688336
Site1:CC2	26.7	801.12	0.0333	0.9734735
Site1:CC3	26.7	801.12	0.0333	0.9734735
Site1:CC4	0.0	0.00		
Site2:CC1	-29.0	801.12	-0.0362	0.9711534
Site2:CC2	-72.3	801.12	-0.0903	0.9281316
Site2:CC3	-10.3	801.12	-0.0129	0.9897194
Site2:CC4	0.0	0.00		
Site3:CC1	1.7	801.12	0.0021	0.9983418
Site3:CC2	-7.0	801.12	-0.0087	0.9930356
Site3:CC3	-15.7	801.12	-0.0196	0.9844138
Site3:CC4	0.0	0.00		
Site4:CC1	0.0	0.00		

Site4:CC2	0.0	0.00		
Site4:CC3	0.0	0.00		
Site4:CC4	0.0	0.00		
Site1:AA1:CC1	-10.0	1132.95	-0.0088	0.9929649
Site1:AA1:CC2	-15.0	1132.95	-0.0132	0.9894475
Site1:AA1:CC3	-29.0	1132.95	-0.0256	0.9796001
Site1:AA1:CC4	0.0	0.00		
Site1:AA2:CC1	0.0	0.00		
Site1:AA2:CC2	0.0	0.00		
Site1:AA2:CC3	0.0	0.00		
Site1:AA2:CC4	0.0	0.00		
Site2:AA1:CC1	62.0	1132.95	0.0547	0.9564036
Site2:AA1:CC2	156.7	1132.95	0.1383	0.8901335
Site2:AA1:CC3	-20.7	1132.95	-0.0182	0.9854614
Site2:AA1:CC4	0.0	0.00		
Site2:AA2:CC1	0.0	0.00		
Site2:AA2:CC2	0.0	0.00		
Site2:AA2:CC3	0.0	0.00		
Site2:AA2:CC4	0.0	0.00		
Site3:AA1:CC1	-48.0	1132.95	-0.0424	0.9662412
Site3:AA1:CC2	9.0	1132.95	0.0079	0.9936684
Site3:AA1:CC3	48.7	1132.95	0.0430	0.9657726
Site3:AA1:CC4	0.0	0.00		
Site3:AA2:CC1	0.0	0.00		
Site3:AA2:CC2	0.0	0.00		
Site3:AA2:CC3	0.0	0.00		
Site3:AA2:CC4	0.0	0.00		
Site4:AA1:CC1	0.0	0.00		
Site4:AA1:CC2	0.0	0.00		
Site4:AA1:CC3	0.0	0.00		
Site4:AA1:CC4	0.0	0.00		
Site4:AA2:CC1	0.0	0.00		
Site4:AA2:CC2	0.0	0.00		
Site4:AA2:CC3	0.0	0.00		
Site4:AA2:CC4	0.0	0.00		
Site1:BB1:CC1	-6.0	1132.95	-0.0053	0.9957789
Site1:BB1:CC2	-62.0	1132.95	-0.0547	0.9564036
Site1:BB1:CC3	6.3	1132.95	0.0056	0.9955444
Site1:BB1:CC4	0.0	0.00		
Site1:BB2:CC1	61.0	1132.95	0.0538	0.9571061
Site1:BB2:CC2	-57.0	1132.95	-0.0503	0.9599163
Site1:BB2:CC3	-38.0	1132.95	-0.0335	0.9732713
Site1:BB2:CC4	0.0	0.00		
Site1:BB3:CC1	-85.7	1132.95	-0.0756	0.9397894
Site1:BB3:CC2	-116.0	1132.95	-0.1024	0.9185346
Site1:BB3:CC3	-108.3	1132.95	-0.0956	0.9239018
Site1:BB3:CC4	0.0	0.00		
Site1:BB4:CC1	-74.7	1132.95	-0.0659	0.9475086

Site1:BB4:CC2	-36.7	1132.95	-0.0324	0.9742088
Site1:BB4:CC3	-138.3	1132.95	-0.1221	0.9029220
Site1:BB4:CC4	0.0	0.00		
Site1:BB5:CC1	0.0	0.00		
Site1:BB5:CC2	0.0	0.00		
Site1:BB5:CC3	0.0	0.00		
Site1:BB5:CC4	0.0	0.00		
Site2:BB1:CC1	59.3	1132.95	0.0524	0.9582769
Site2:BB1:CC2	43.0	1132.95	0.0380	0.9697559
Site2:BB1:CC3	18.7	1132.95	0.0165	0.9868682
Site2:BB1:CC4	0.0	0.00		
Site2:BB2:CC1	54.3	1132.95	0.0480	0.9617901
Site2:BB2:CC2	95.3	1132.95	0.0841	0.9330104
Site2:BB2:CC3	-54.0	1132.95	-0.0477	0.9620243
Site2:BB2:CC4	0.0	0.00		
Site2:BB3:CC1	-55.3	1132.95	-0.0488	0.9610874
Site2:BB3:CC2	81.3	1132.95	0.0718	0.9428297
Site2:BB3:CC3	-2.3	1132.95	-0.0021	0.9983585
Site2:BB3:CC4	0.0	0.00		
Site2:BB4:CC1	-32.0	1132.95	-0.0282	0.9774904
Site2:BB4:CC2	13.0	1132.95	0.0115	0.9908544
Site2:BB4:CC3	-63.0	1132.95	-0.0556	0.9557011
Site2:BB4:CC4	0.0	0.00		
Site2:BB5:CC1	0.0	0.00		
Site2:BB5:CC2	0.0	0.00		
Site2:BB5:CC3	0.0	0.00		
Site2:BB5:CC4	0.0	0.00		
Site3:BB1:CC1	39.3	1132.95	0.0347	0.9723338
Site3:BB1:CC2	19.0	1132.95	0.0168	0.9866337
Site3:BB1:CC3	19.3	1132.95	0.0171	0.9863993
Site3:BB1:CC4	0.0	0.00		
Site3:BB2:CC1	73.3	1132.95	0.0647	0.9484447
Site3:BB2:CC2	-66.0	1132.95	-0.0583	0.9535940
Site3:BB2:CC3	-28.3	1132.95	-0.0250	0.9800690
Site3:BB2:CC4	0.0	0.00		
Site3:BB3:CC1	1.3	1132.95	0.0012	0.9990620
Site3:BB3:CC2	-49.0	1132.95	-0.0432	0.9655383
Site3:BB3:CC3	26.7	1132.95	0.0235	0.9812412
Site3:BB3:CC4	0.0	0.00		
Site3:BB4:CC1	-61.0	1132.95	-0.0538	0.9571061
Site3:BB4:CC2	-65.7	1132.95	-0.0580	0.9538281
Site3:BB4:CC3	-103.7	1132.95	-0.0915	0.9271704
Site3:BB4:CC4	0.0	0.00		
Site3:BB5:CC1	0.0	0.00		
Site3:BB5:CC2	0.0	0.00		
Site3:BB5:CC3	0.0	0.00		
Site3:BB5:CC4	0.0	0.00		
Site4:BB1:CC1	0.0	0.00		

Site4:BB1:CC2	0.0	0.00		
Site4:BB1:CC3	0.0	0.00		
Site4:BB1:CC4	0.0	0.00		
Site4:BB2:CC1	0.0	0.00		
Site4:BB2:CC2	0.0	0.00		
Site4:BB2:CC3	0.0	0.00		
Site4:BB2:CC4	0.0	0.00		
Site4:BB3:CC1	0.0	0.00		
Site4:BB3:CC2	0.0	0.00		
Site4:BB3:CC3	0.0	0.00		
Site4:BB3:CC4	0.0	0.00		
Site4:BB4:CC1	0.0	0.00		
Site4:BB4:CC2	0.0	0.00		
Site4:BB4:CC3	0.0	0.00		
Site4:BB4:CC4	0.0	0.00		
Site4:BB5:CC1	0.0	0.00		
Site4:BB5:CC2	0.0	0.00		
Site4:BB5:CC3	0.0	0.00		
Site4:BB5:CC4	0.0	0.00		
Site1:AA1:BB1:CC1	-66.7	1602.23	-0.0416	0.9668453
Site1:AA1:BB1:CC2	-16.3	1602.23	-0.0102	0.9918749
Site1:AA1:BB1:CC3	-86.0	1602.23	-0.0537	0.9572387
Site1:AA1:BB1:CC4	0.0	0.00		
Site1:AA1:BB2:CC1	-31.0	1602.23	-0.0193	0.9845796
Site1:AA1:BB2:CC2	81.3	1602.23	0.0508	0.9595570
Site1:AA1:BB2:CC3	58.3	1602.23	0.0364	0.9709877
Site1:AA1:BB2:CC4	0.0	0.00		
Site1:AA1:BB3:CC1	-103.3	1602.23	-0.0645	0.9486311
Site1:AA1:BB3:CC2	-3.7	1602.23	-0.0023	0.9981760
Site1:AA1:BB3:CC3	45.3	1602.23	0.0283	0.9774513
Site1:AA1:BB3:CC4	0.0	0.00		
Site1:AA1:BB4:CC1	137.3	1602.23	0.0857	0.9317655
Site1:AA1:BB4:CC2	69.3	1602.23	0.0433	0.9655200
Site1:AA1:BB4:CC3	137.0	1602.23	0.0855	0.9319307
Site1:AA1:BB4:CC4	0.0	0.00		
Site1:AA1:BB5:CC1	0.0	0.00		
Site1:AA1:BB5:CC2	0.0	0.00		
Site1:AA1:BB5:CC3	0.0	0.00		
Site1:AA1:BB5:CC4	0.0	0.00		
Site1:AA2:BB1:CC1	0.0	0.00		
Site1:AA2:BB1:CC2	0.0	0.00		
Site1:AA2:BB1:CC3	0.0	0.00		
Site1:AA2:BB1:CC4	0.0	0.00		
Site1:AA2:BB2:CC1	0.0	0.00		
Site1:AA2:BB2:CC2	0.0	0.00		
Site1:AA2:BB2:CC3	0.0	0.00		
Site1:AA2:BB2:CC4	0.0	0.00		
Site1:AA2:BB3:CC1	0.0	0.00		

Site1:AA2:BB3:CC2	0.0	0.00		
Site1:AA2:BB3:CC3	0.0	0.00		
Site1:AA2:BB3:CC4	0.0	0.00		
Site1:AA2:BB4:CC1	0.0	0.00		
Site1:AA2:BB4:CC2	0.0	0.00		
Site1:AA2:BB4:CC3	0.0	0.00		
Site1:AA2:BB4:CC4	0.0	0.00		
Site1:AA2:BB5:CC1	0.0	0.00		
Site1:AA2:BB5:CC2	0.0	0.00		
Site1:AA2:BB5:CC3	0.0	0.00		
Site1:AA2:BB5:CC4	0.0	0.00		
Site2:AA1:BB1:CC1	-130.0	1602.23	-0.0811	0.9354009
Site2:AA1:BB1:CC2	-79.0	1602.23	-0.0493	0.9607163
Site2:AA1:BB1:CC3	17.7	1602.23	0.0110	0.9912116
Site2:AA1:BB1:CC4	0.0	0.00		
Site2:AA1:BB2:CC1	-128.0	1602.23	-0.0799	0.9363925
Site2:AA1:BB2:CC2	-92.0	1602.23	-0.0574	0.9542585
Site2:AA1:BB2:CC3	160.3	1602.23	0.1001	0.9203734
Site2:AA1:BB2:CC4	0.0	0.00		
Site2:AA1:BB3:CC1	-49.0	1602.23	-0.0306	0.9756281
Site2:AA1:BB3:CC2	-220.3	1602.23	-0.1375	0.8907380
Site2:AA1:BB3:CC3	51.3	1602.23	0.0320	0.9744679
Site2:AA1:BB3:CC4	0.0	0.00		
Site2:AA1:BB4:CC1	60.7	1602.23	0.0379	0.9698278
Site2:AA1:BB4:CC2	-81.7	1602.23	-0.0510	0.9593914
Site2:AA1:BB4:CC3	37.7	1602.23	0.0235	0.9812639
Site2:AA1:BB4:CC4	0.0	0.00		
Site2:AA1:BB5:CC1	0.0	0.00		
Site2:AA1:BB5:CC2	0.0	0.00		
Site2:AA1:BB5:CC3	0.0	0.00		
Site2:AA1:BB5:CC4	0.0	0.00		
Site2:AA2:BB1:CC1	0.0	0.00		
Site2:AA2:BB1:CC2	0.0	0.00		
Site2:AA2:BB1:CC3	0.0	0.00		
Site2:AA2:BB1:CC4	0.0	0.00		
Site2:AA2:BB2:CC1	0.0	0.00		
Site2:AA2:BB2:CC2	0.0	0.00		
Site2:AA2:BB2:CC3	0.0	0.00		
Site2:AA2:BB2:CC4	0.0	0.00		
Site2:AA2:BB3:CC1	0.0	0.00		
Site2:AA2:BB3:CC2	0.0	0.00		
Site2:AA2:BB3:CC3	0.0	0.00		
Site2:AA2:BB3:CC4	0.0	0.00		
Site2:AA2:BB4:CC1	0.0	0.00		
Site2:AA2:BB4:CC2	0.0	0.00		
Site2:AA2:BB4:CC3	0.0	0.00		
Site2:AA2:BB4:CC4	0.0	0.00		
Site2:AA2:BB5:CC1	0.0	0.00		

Site2:AA2:BB5:CC2	0.0	0.00		
Site2:AA2:BB5:CC3	0.0	0.00		
Site2:AA2:BB5:CC4	0.0	0.00		
Site3:AA1:BB1:CC1	60.7	1602.23	0.0379	0.9698278
Site3:AA1:BB1:CC2	-3.3	1602.23	-0.0021	0.9983418
Site3:AA1:BB1:CC3	-8.3	1602.23	-0.0052	0.9958545
Site3:AA1:BB1:CC4	0.0	0.00		
Site3:AA1:BB2:CC1	-47.3	1602.23	-0.0295	0.9764568
Site3:AA1:BB2:CC2	138.0	1602.23	0.0861	0.9314351
Site3:AA1:BB2:CC3	44.3	1602.23	0.0277	0.9779486
Site3:AA1:BB2:CC4	0.0	0.00		
Site3:AA1:BB3:CC1	-51.7	1602.23	-0.0322	0.9743022
Site3:AA1:BB3:CC2	-49.0	1602.23	-0.0306	0.9756281
Site3:AA1:BB3:CC3	-70.7	1602.23	-0.0441	0.9648573
Site3:AA1:BB3:CC4	0.0	0.00		
Site3:AA1:BB4:CC1	114.0	1602.23	0.0712	0.9433371
Site3:AA1:BB4:CC2	45.0	1602.23	0.0281	0.9776171
Site3:AA1:BB4:CC3	19.7	1602.23	0.0123	0.9902168
Site3:AA1:BB4:CC4	0.0	0.00		
Site3:AA1:BB5:CC1	0.0	0.00		
Site3:AA1:BB5:CC2	0.0	0.00		
Site3:AA1:BB5:CC3	0.0	0.00		
Site3:AA1:BB5:CC4	0.0	0.00		
Site3:AA2:BB1:CC1	0.0	0.00		
Site3:AA2:BB1:CC2	0.0	0.00		
Site3:AA2:BB1:CC3	0.0	0.00		
Site3:AA2:BB1:CC4	0.0	0.00		
Site3:AA2:BB2:CC1	0.0	0.00		
Site3:AA2:BB2:CC2	0.0	0.00		
Site3:AA2:BB2:CC3	0.0	0.00		
Site3:AA2:BB2:CC4	0.0	0.00		
Site3:AA2:BB3:CC1	0.0	0.00		
Site3:AA2:BB3:CC2	0.0	0.00		
Site3:AA2:BB3:CC3	0.0	0.00		
Site3:AA2:BB3:CC4	0.0	0.00		
Site3:AA2:BB4:CC1	0.0	0.00		
Site3:AA2:BB4:CC2	0.0	0.00		
Site3:AA2:BB4:CC3	0.0	0.00		
Site3:AA2:BB4:CC4	0.0	0.00		
Site3:AA2:BB5:CC1	0.0	0.00		
Site3:AA2:BB5:CC2	0.0	0.00		
Site3:AA2:BB5:CC3	0.0	0.00		
Site3:AA2:BB5:CC4	0.0	0.00		
Site4:AA1:BB1:CC1	0.0	0.00		
Site4:AA1:BB1:CC2	0.0	0.00		
Site4:AA1:BB1:CC3	0.0	0.00		
Site4:AA1:BB1:CC4	0.0	0.00		
Site4:AA1:BB2:CC1	0.0	0.00		

Site4:AA1:BB2:CC2	0.0	0.00
Site4:AA1:BB2:CC3	0.0	0.00
Site4:AA1:BB2:CC4	0.0	0.00
Site4:AA1:BB3:CC1	0.0	0.00
Site4:AA1:BB3:CC2	0.0	0.00
Site4:AA1:BB3:CC3	0.0	0.00
Site4:AA1:BB3:CC4	0.0	0.00
Site4:AA1:BB4:CC1	0.0	0.00
Site4:AA1:BB4:CC2	0.0	0.00
Site4:AA1:BB4:CC3	0.0	0.00
Site4:AA1:BB4:CC4	0.0	0.00
Site4:AA1:BB5:CC1	0.0	0.00
Site4:AA1:BB5:CC2	0.0	0.00
Site4:AA1:BB5:CC3	0.0	0.00
Site4:AA1:BB5:CC4	0.0	0.00
Site4:AA2:BB1:CC1	0.0	0.00
Site4:AA2:BB1:CC2	0.0	0.00
Site4:AA2:BB1:CC3	0.0	0.00
Site4:AA2:BB1:CC4	0.0	0.00
Site4:AA2:BB2:CC1	0.0	0.00
Site4:AA2:BB2:CC2	0.0	0.00
Site4:AA2:BB2:CC3	0.0	0.00
Site4:AA2:BB2:CC4	0.0	0.00
Site4:AA2:BB3:CC1	0.0	0.00
Site4:AA2:BB3:CC2	0.0	0.00
Site4:AA2:BB3:CC3	0.0	0.00
Site4:AA2:BB3:CC4	0.0	0.00
Site4:AA2:BB4:CC1	0.0	0.00
Site4:AA2:BB4:CC2	0.0	0.00
Site4:AA2:BB4:CC3	0.0	0.00
Site4:AA2:BB4:CC4	0.0	0.00
Site4:AA2:BB5:CC1	0.0	0.00
Site4:AA2:BB5:CC2	0.0	0.00
Site4:AA2:BB5:CC3	0.0	0.00
Site4:AA2:BB5:CC4	0.0	0.00

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(75) MODEL

```
ex3.1a = read.table("C:/G/Rt/Split/Ex3.1-example.txt", header=TRUE)
ex3.1a = af(ex3.1a, c("row", "P", "column", "R", "S"))
GLM(height ~ P + column + column:P + R + P:R + column:R + column:R:P + S +
      P:S + column:S + column:S:P + R:S + R:S:column + R:S:P + R:S:P:column, ex3.1a)
```

\$ANOVA

Response : height

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	199	7534.8	37.863		
RESIDUALS	0	0.0			
CORRECTED TOTAL	199	7534.8			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	253.1	253.125		
column	4	109.4	27.357		
P:column	4	207.9	51.987		
R	4	90.6	22.657		
P:R	4	505.0	126.238		
column:R	16	3357.8	209.864		
P:column:R	16	1442.6	90.163		
S	3	16.4	5.458		
P:S	3	14.3	4.765		
column:S	12	265.4	22.121		
P:column:S	12	96.5	8.044		
R:S	12	195.1	16.254		
column:R:S	48	365.5	7.615		
P:R:S	12	100.3	8.361		
P:column:R:S	48	514.7	10.723		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	253.1	253.125		
column	4	109.4	27.358		
P:column	4	208.0	51.988		
R	4	90.6	22.657		
P:R	4	504.9	126.237		
column:R	16	3357.8	209.864		
P:column:R	16	1442.6	90.162		
S	3	16.4	5.458		
P:S	3	14.3	4.765		
column:S	12	265.5	22.121		
P:column:S	12	96.5	8.044		
R:S	12	195.0	16.254		
column:R:S	48	365.5	7.615		
P:R:S	12	100.3	8.361		
P:column:R:S	48	514.7	10.723		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	253.1	253.125		
column	4	109.4	27.358		
P:column	4	208.0	51.988		
R	4	90.6	22.657		
P:R	4	505.0	126.238		

column:R	16	3357.8	209.864
P:column:R	16	1442.6	90.163
S	3	16.4	5.458
P:S	3	14.3	4.765
column:S	12	265.4	22.121
P:column:S	12	96.5	8.044
R:S	12	195.0	16.254
column:R:S	48	365.5	7.615
P:R:S	12	100.3	8.361
P:column:R:S	48	514.7	10.723

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	98			
P1	-2			
P2	0			
column1	-10			
column2	-20			
column3	0			
column4	-13			
column5	0			
P1:column1	12			
P1:column2	12			
P1:column3	1			
P1:column4	13			
P1:column5	0			
P2:column1	0			
P2:column2	0			
P2:column3	0			
P2:column4	0			
P2:column5	0			
R1	-9			
R2	1			
R3	-15			
R4	-1			
R5	0			
P1:R1	12			
P1:R2	2			
P1:R3	-3			
P1:R4	3			
P1:R5	0			
P2:R1	0			
P2:R2	0			
P2:R3	0			
P2:R4	0			
P2:R5	0			
column1:R1	19			
column1:R2	10			

column1:R3	28
column1:R4	1
column1:R5	0
column2:R1	21
column2:R2	7
column2:R3	33
column2:R4	20
column2:R5	0
column3:R1	7
column3:R2	-6
column3:R3	12
column3:R4	-5
column3:R5	0
column4:R1	23
column4:R2	1
column4:R3	13
column4:R4	14
column4:R5	0
column5:R1	0
column5:R2	0
column5:R3	0
column5:R4	0
column5:R5	0
P1:column1:R1	-40
P1:column1:R2	-12
P1:column1:R3	-5
P1:column1:R4	-2
P1:column1:R5	0
P1:column2:R1	-23
P1:column2:R2	-8
P1:column2:R3	-10
P1:column2:R4	-11
P1:column2:R5	0
P1:column3:R1	-9
P1:column3:R2	1
P1:column3:R3	8
P1:column3:R4	-6
P1:column3:R5	0
P1:column4:R1	-34
P1:column4:R2	0
P1:column4:R3	8
P1:column4:R4	-18
P1:column4:R5	0
P1:column5:R1	0
P1:column5:R2	0
P1:column5:R3	0
P1:column5:R4	0
P1:column5:R5	0

P2:column1:R1	0
P2:column1:R2	0
P2:column1:R3	0
P2:column1:R4	0
P2:column1:R5	0
P2:column2:R1	0
P2:column2:R2	0
P2:column2:R3	0
P2:column2:R4	0
P2:column2:R5	0
P2:column3:R1	0
P2:column3:R2	0
P2:column3:R3	0
P2:column3:R4	0
P2:column3:R5	0
P2:column4:R1	0
P2:column4:R2	0
P2:column4:R3	0
P2:column4:R4	0
P2:column4:R5	0
P2:column5:R1	0
P2:column5:R2	0
P2:column5:R3	0
P2:column5:R4	0
P2:column5:R5	0
S1	1
S2	-2
S3	-5
S4	0
P1:S1	1
P1:S2	-1
P1:S3	7
P1:S4	0
P2:S1	0
P2:S2	0
P2:S3	0
P2:S4	0
column1:S1	9
column1:S2	1
column1:S3	16
column1:S4	0
column2:S1	-2
column2:S2	4
column2:S3	6
column2:S4	0
column3:S1	-3
column3:S2	-8
column3:S3	5

column3:S4	0
column4:S1	2
column4:S2	6
column4:S3	7
column4:S4	0
column5:S1	0
column5:S2	0
column5:S3	0
column5:S4	0
P1:column1:S1	-12
P1:column1:S2	2
P1:column1:S3	-17
P1:column1:S4	0
P1:column2:S1	4
P1:column2:S2	9
P1:column2:S3	3
P1:column2:S4	0
P1:column3:S1	3
P1:column3:S2	14
P1:column3:S3	-5
P1:column3:S4	0
P1:column4:S1	-5
P1:column4:S2	-4
P1:column4:S3	-10
P1:column4:S4	0
P1:column5:S1	0
P1:column5:S2	0
P1:column5:S3	0
P1:column5:S4	0
P2:column1:S1	0
P2:column1:S2	0
P2:column1:S3	0
P2:column1:S4	0
P2:column2:S1	0
P2:column2:S2	0
P2:column2:S3	0
P2:column2:S4	0
P2:column3:S1	0
P2:column3:S2	0
P2:column3:S3	0
P2:column3:S4	0
P2:column4:S1	0
P2:column4:S2	0
P2:column4:S3	0
P2:column4:S4	0
P2:column5:S1	0
P2:column5:S2	0
P2:column5:S3	0

P2:column5:S4	0
R1:S1	8
R1:S2	11
R1:S3	15
R1:S4	0
R2:S1	-1
R2:S2	-1
R2:S3	4
R2:S4	0
R3:S1	-4
R3:S2	0
R3:S3	4
R3:S4	0
R4:S1	-8
R4:S2	-5
R4:S3	-2
R4:S4	0
R5:S1	0
R5:S2	0
R5:S3	0
R5:S4	0
column1:R1:S1	-17
column1:R1:S2	-9
column1:R1:S3	-27
column1:R1:S4	0
column1:R2:S1	-14
column1:R2:S2	-8
column1:R2:S3	-16
column1:R2:S4	0
column1:R3:S1	-7
column1:R3:S2	1
column1:R3:S3	-17
column1:R3:S4	0
column1:R4:S1	-10
column1:R4:S2	3
column1:R4:S3	-19
column1:R4:S4	0
column1:R5:S1	0
column1:R5:S2	0
column1:R5:S3	0
column1:R5:S4	0
column2:R1:S1	2
column2:R1:S2	-4
column2:R1:S3	-11
column2:R1:S4	0
column2:R2:S1	4
column2:R2:S2	1
column2:R2:S3	-4

column2:R2:S4	0
column2:R3:S1	6
column2:R3:S2	0
column2:R3:S3	-10
column2:R3:S4	0
column2:R4:S1	11
column2:R4:S2	3
column2:R4:S3	-11
column2:R4:S4	0
column2:R5:S1	0
column2:R5:S2	0
column2:R5:S3	0
column2:R5:S4	0
column3:R1:S1	-5
column3:R1:S2	1
column3:R1:S3	-17
column3:R1:S4	0
column3:R2:S1	1
column3:R2:S2	10
column3:R2:S3	-7
column3:R2:S4	0
column3:R3:S1	8
column3:R3:S2	11
column3:R3:S3	0
column3:R3:S4	0
column3:R4:S1	17
column3:R4:S2	22
column3:R4:S3	8
column3:R4:S4	0
column3:R5:S1	0
column3:R5:S2	0
column3:R5:S3	0
column3:R5:S4	0
column4:R1:S1	-13
column4:R1:S2	-15
column4:R1:S3	-18
column4:R1:S4	0
column4:R2:S1	1
column4:R2:S2	5
column4:R2:S3	6
column4:R2:S4	0
column4:R3:S1	4
column4:R3:S2	1
column4:R3:S3	-2
column4:R3:S4	0
column4:R4:S1	-4
column4:R4:S2	2
column4:R4:S3	-1

column4:R4:S4	0
column4:R5:S1	0
column4:R5:S2	0
column4:R5:S3	0
column4:R5:S4	0
column5:R1:S1	0
column5:R1:S2	0
column5:R1:S3	0
column5:R1:S4	0
column5:R2:S1	0
column5:R2:S2	0
column5:R2:S3	0
column5:R2:S4	0
column5:R3:S1	0
column5:R3:S2	0
column5:R3:S3	0
column5:R3:S4	0
column5:R4:S1	0
column5:R4:S2	0
column5:R4:S3	0
column5:R4:S4	0
column5:R5:S1	0
column5:R5:S2	0
column5:R5:S3	0
column5:R5:S4	0
P1:R1:S1	-7
P1:R1:S2	0
P1:R1:S3	-18
P1:R1:S4	0
P1:R2:S1	-2
P1:R2:S2	3
P1:R2:S3	-10
P1:R2:S4	0
P1:R3:S1	12
P1:R3:S2	10
P1:R3:S3	-6
P1:R3:S4	0
P1:R4:S1	7
P1:R4:S2	5
P1:R4:S3	0
P1:R4:S4	0
P1:R5:S1	0
P1:R5:S2	0
P1:R5:S3	0
P1:R5:S4	0
P2:R1:S1	0
P2:R1:S2	0
P2:R1:S3	0

P2:R1:S4	0
P2:R2:S1	0
P2:R2:S2	0
P2:R2:S3	0
P2:R2:S4	0
P2:R3:S1	0
P2:R3:S2	0
P2:R3:S3	0
P2:R3:S4	0
P2:R4:S1	0
P2:R4:S2	0
P2:R4:S3	0
P2:R4:S4	0
P2:R5:S1	0
P2:R5:S2	0
P2:R5:S3	0
P2:R5:S4	0
P1:column1:R1:S1	17
P1:column1:R1:S2	-1
P1:column1:R1:S3	33
P1:column1:R1:S4	0
P1:column1:R2:S1	14
P1:column1:R2:S2	4
P1:column1:R2:S3	20
P1:column1:R2:S4	0
P1:column1:R3:S1	-2
P1:column1:R3:S2	-16
P1:column1:R3:S3	16
P1:column1:R3:S4	0
P1:column1:R4:S1	9
P1:column1:R4:S2	-14
P1:column1:R4:S3	19
P1:column1:R4:S4	0
P1:column1:R5:S1	0
P1:column1:R5:S2	0
P1:column1:R5:S3	0
P1:column1:R5:S4	0
P1:column2:R1:S1	2
P1:column2:R1:S2	-8
P1:column2:R1:S3	11
P1:column2:R1:S4	0
P1:column2:R2:S1	-5
P1:column2:R2:S2	-13
P1:column2:R2:S3	-1
P1:column2:R2:S4	0
P1:column2:R3:S1	-15
P1:column2:R3:S2	-14
P1:column2:R3:S3	6

P1:column2:R3:S4	0
P1:column2:R4:S1	-13
P1:column2:R4:S2	-12
P1:column2:R4:S3	1
P1:column2:R4:S4	0
P1:column2:R5:S1	0
P1:column2:R5:S2	0
P1:column2:R5:S3	0
P1:column2:R5:S4	0
P1:column3:R1:S1	3
P1:column3:R1:S2	-18
P1:column3:R1:S3	17
P1:column3:R1:S4	0
P1:column3:R2:S1	-10
P1:column3:R2:S2	-22
P1:column3:R2:S3	14
P1:column3:R2:S4	0
P1:column3:R3:S1	-19
P1:column3:R3:S2	-26
P1:column3:R3:S3	0
P1:column3:R3:S4	0
P1:column3:R4:S1	-19
P1:column3:R4:S2	-25
P1:column3:R4:S3	-8
P1:column3:R4:S4	0
P1:column3:R5:S1	0
P1:column3:R5:S2	0
P1:column3:R5:S3	0
P1:column3:R5:S4	0
P1:column4:R1:S1	12
P1:column4:R1:S2	14
P1:column4:R1:S3	30
P1:column4:R1:S4	0
P1:column4:R2:S1	5
P1:column4:R2:S2	-7
P1:column4:R2:S3	0
P1:column4:R2:S4	0
P1:column4:R3:S1	-15
P1:column4:R3:S2	-11
P1:column4:R3:S3	3
P1:column4:R3:S4	0
P1:column4:R4:S1	7
P1:column4:R4:S2	2
P1:column4:R4:S3	9
P1:column4:R4:S4	0
P1:column4:R5:S1	0
P1:column4:R5:S2	0
P1:column4:R5:S3	0

P1:column4:R5:S4	0
P1:column5:R1:S1	0
P1:column5:R1:S2	0
P1:column5:R1:S3	0
P1:column5:R1:S4	0
P1:column5:R2:S1	0
P1:column5:R2:S2	0
P1:column5:R2:S3	0
P1:column5:R2:S4	0
P1:column5:R3:S1	0
P1:column5:R3:S2	0
P1:column5:R3:S3	0
P1:column5:R3:S4	0
P1:column5:R4:S1	0
P1:column5:R4:S2	0
P1:column5:R4:S3	0
P1:column5:R4:S4	0
P1:column5:R5:S1	0
P1:column5:R5:S2	0
P1:column5:R5:S3	0
P1:column5:R5:S4	0
P2:column1:R1:S1	0
P2:column1:R1:S2	0
P2:column1:R1:S3	0
P2:column1:R1:S4	0
P2:column1:R2:S1	0
P2:column1:R2:S2	0
P2:column1:R2:S3	0
P2:column1:R2:S4	0
P2:column1:R3:S1	0
P2:column1:R3:S2	0
P2:column1:R3:S3	0
P2:column1:R3:S4	0
P2:column1:R4:S1	0
P2:column1:R4:S2	0
P2:column1:R4:S3	0
P2:column1:R4:S4	0
P2:column1:R5:S1	0
P2:column1:R5:S2	0
P2:column1:R5:S3	0
P2:column1:R5:S4	0
P2:column2:R1:S1	0
P2:column2:R1:S2	0
P2:column2:R1:S3	0
P2:column2:R1:S4	0
P2:column2:R2:S1	0
P2:column2:R2:S2	0
P2:column2:R2:S3	0

P2:column2:R2:S4	0
P2:column2:R3:S1	0
P2:column2:R3:S2	0
P2:column2:R3:S3	0
P2:column2:R3:S4	0
P2:column2:R4:S1	0
P2:column2:R4:S2	0
P2:column2:R4:S3	0
P2:column2:R4:S4	0
P2:column2:R5:S1	0
P2:column2:R5:S2	0
P2:column2:R5:S3	0
P2:column2:R5:S4	0
P2:column3:R1:S1	0
P2:column3:R1:S2	0
P2:column3:R1:S3	0
P2:column3:R1:S4	0
P2:column3:R2:S1	0
P2:column3:R2:S2	0
P2:column3:R2:S3	0
P2:column3:R2:S4	0
P2:column3:R3:S1	0
P2:column3:R3:S2	0
P2:column3:R3:S3	0
P2:column3:R3:S4	0
P2:column3:R4:S1	0
P2:column3:R4:S2	0
P2:column3:R4:S3	0
P2:column3:R4:S4	0
P2:column3:R5:S1	0
P2:column3:R5:S2	0
P2:column3:R5:S3	0
P2:column3:R5:S4	0
P2:column4:R1:S1	0
P2:column4:R1:S2	0
P2:column4:R1:S3	0
P2:column4:R1:S4	0
P2:column4:R2:S1	0
P2:column4:R2:S2	0
P2:column4:R2:S3	0
P2:column4:R2:S4	0
P2:column4:R3:S1	0
P2:column4:R3:S2	0
P2:column4:R3:S3	0
P2:column4:R3:S4	0
P2:column4:R4:S1	0
P2:column4:R4:S2	0
P2:column4:R4:S3	0

```

P2:column4:R4:S4      0
P2:column4:R5:S1      0
P2:column4:R5:S2      0
P2:column4:R5:S3      0
P2:column4:R5:S4      0
P2:column5:R1:S1      0
P2:column5:R1:S2      0
P2:column5:R1:S3      0
P2:column5:R1:S4      0
P2:column5:R2:S1      0
P2:column5:R2:S2      0
P2:column5:R2:S3      0
P2:column5:R2:S4      0
P2:column5:R3:S1      0
P2:column5:R3:S2      0
P2:column5:R3:S3      0
P2:column5:R3:S4      0
P2:column5:R4:S1      0
P2:column5:R4:S2      0
P2:column5:R4:S3      0
P2:column5:R4:S4      0
P2:column5:R5:S1      0
P2:column5:R5:S2      0
P2:column5:R5:S3      0
P2:column5:R5:S4      0

```

(76) MODEL

```

GLM(height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P + S:P:row +
      S:R:P + R:S:P:row, ex3.1a)

```

\$ANOVA

Response : height

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	199	7534.8	37.863		
RESIDUALS	0	0.0			
CORRECTED TOTAL	199	7534.8			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	2017.03	504.26		
R	4	90.63	22.66		
P	1	253.12	253.12		
S	3	16.38	5.46		
R:S	12	195.05	16.25		
row:P	4	167.25	41.81		
R:P	4	504.95	126.24		

row:R:P	32	2933.52	91.67
P:S	3	14.29	4.76
row:P:S	24	234.68	9.78
R:P:S	12	100.33	8.36
row:R:P:S	96	1007.52	10.49

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	2017.03	504.26		
R	4	90.63	22.66		
P	1	253.12	253.12		
S	3	16.38	5.46		
R:S	12	195.05	16.25		
row:P	4	167.25	41.81		
R:P	4	504.95	126.24		
row:R:P	32	2933.52	91.67		
P:S	3	14.29	4.76		
row:P:S	24	234.68	9.78		
R:P:S	12	100.33	8.36		
row:R:P:S	96	1007.52	10.49		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	2017.03	504.26		
R	4	90.63	22.66		
P	1	253.12	253.12		
S	3	16.38	5.46		
R:S	12	195.05	16.25		
row:P	4	167.25	41.81		
R:P	4	504.95	126.24		
row:R:P	32	2933.52	91.67		
P:S	3	14.30	4.77		
row:P:S	24	234.68	9.78		
R:P:S	12	100.33	8.36		
row:R:P:S	96	1007.52	10.50		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	88			
row1	10			
row2	10			
row3	-10			
row4	-3			
row5	0			
R1	2			
R2	11			
R3	-5			
R4	4			

R5	0
P1	10
P2	0
S1	10
S2	-1
S3	11
S4	0
R1:S1	-1
R1:S2	10
R1:S3	-6
R1:S4	0
R2:S1	-10
R2:S2	-2
R2:S3	-12
R2:S4	0
R3:S1	-7
R3:S2	6
R3:S3	-7
R3:S4	0
R4:S1	-3
R4:S2	8
R4:S3	-5
R4:S4	0
R5:S1	0
R5:S2	0
R5:S3	0
R5:S4	0
row1:P1	-11
row1:P2	0
row2:P1	-12
row2:P2	0
row3:P1	0
row3:P2	0
row4:P1	1
row4:P2	0
row5:P1	0
row5:P2	0
R1:P1	-11
R1:P2	0
R2:P1	-10
R2:P2	0
R3:P1	6
R3:P2	0
R4:P1	-14
R4:P2	0
R5:P1	0
R5:P2	0
row1:R1:P1	11

row1:R1:P2	-11
row1:R2:P1	2
row1:R2:P2	-22
row1:R3:P1	5
row1:R3:P2	8
row1:R4:P1	12
row1:R4:P2	-5
row1:R5:P1	0
row1:R5:P2	0
row2:R1:P1	11
row2:R1:P2	-4
row2:R2:P1	2
row2:R2:P2	-10
row2:R3:P1	-4
row2:R3:P2	3
row2:R4:P1	8
row2:R4:P2	-4
row2:R5:P1	0
row2:R5:P2	0
row3:R1:P1	9
row3:R1:P2	19
row3:R2:P1	6
row3:R2:P2	4
row3:R3:P1	-11
row3:R3:P2	10
row3:R4:P1	21
row3:R4:P2	6
row3:R5:P1	0
row3:R5:P2	0
row4:R1:P1	-7
row4:R1:P2	11
row4:R2:P1	-7
row4:R2:P2	-10
row4:R3:P1	2
row4:R3:P2	15
row4:R4:P1	12
row4:R4:P2	8
row4:R5:P1	0
row4:R5:P2	0
row5:R1:P1	0
row5:R1:P2	0
row5:R2:P1	0
row5:R2:P2	0
row5:R3:P1	0
row5:R3:P2	0
row5:R4:P1	0
row5:R4:P2	0
row5:R5:P1	0

row5:R5:P2	0
P1:S1	-11
P1:S2	1
P1:S3	-10
P1:S4	0
P2:S1	0
P2:S2	0
P2:S3	0
P2:S4	0
row1:P1:S1	3
row1:P1:S2	3
row1:P1:S3	1
row1:P1:S4	0
row1:P2:S1	-12
row1:P2:S2	-9
row1:P2:S3	-11
row1:P2:S4	0
row2:P1:S1	3
row2:P1:S2	-3
row2:P1:S3	1
row2:P1:S4	0
row2:P2:S1	-9
row2:P2:S2	-1
row2:P2:S3	-16
row2:P2:S4	0
row3:P1:S1	5
row3:P1:S2	10
row3:P1:S3	10
row3:P1:S4	0
row3:P2:S1	-11
row3:P2:S2	3
row3:P2:S3	-10
row3:P2:S4	0
row4:P1:S1	0
row4:P1:S2	-1
row4:P1:S3	-2
row4:P1:S4	0
row4:P2:S1	-7
row4:P2:S2	5
row4:P2:S3	-9
row4:P2:S4	0
row5:P1:S1	0
row5:P1:S2	0
row5:P1:S3	0
row5:P1:S4	0
row5:P2:S1	0
row5:P2:S2	0
row5:P2:S3	0

row5:P2:S4	0
R1:P1:S1	11
R1:P1:S2	-1
R1:P1:S3	13
R1:P1:S4	0
R1:P2:S1	0
R1:P2:S2	0
R1:P2:S3	0
R1:P2:S4	0
R2:P1:S1	10
R2:P1:S2	1
R2:P1:S3	7
R2:P1:S4	0
R2:P2:S1	0
R2:P2:S2	0
R2:P2:S3	0
R2:P2:S4	0
R3:P1:S1	4
R3:P1:S2	-7
R3:P1:S3	4
R3:P1:S4	0
R3:P2:S1	0
R3:P2:S2	0
R3:P2:S3	0
R3:P2:S4	0
R4:P1:S1	3
R4:P1:S2	-8
R4:P1:S3	4
R4:P1:S4	0
R4:P2:S1	0
R4:P2:S2	0
R4:P2:S3	0
R4:P2:S4	0
R5:P1:S1	0
R5:P1:S2	0
R5:P1:S3	0
R5:P1:S4	0
R5:P2:S1	0
R5:P2:S2	0
R5:P2:S3	0
R5:P2:S4	0
row1:R1:P1:S1	-9
row1:R1:P1:S2	-4
row1:R1:P1:S3	-10
row1:R1:P1:S4	0
row1:R1:P2:S1	12
row1:R1:P2:S2	9
row1:R1:P2:S3	16

row1:R1:P2:S4	0
row1:R2:P1:S1	0
row1:R2:P1:S2	-3
row1:R2:P1:S3	2
row1:R2:P1:S4	0
row1:R2:P2:S1	15
row1:R2:P2:S2	20
row1:R2:P2:S3	24
row1:R2:P2:S4	0
row1:R3:P1:S1	-1
row1:R3:P1:S2	-7
row1:R3:P1:S3	-1
row1:R3:P1:S4	0
row1:R3:P2:S1	8
row1:R3:P2:S2	4
row1:R3:P2:S3	5
row1:R3:P2:S4	0
row1:R4:P1:S1	-1
row1:R4:P1:S2	-2
row1:R4:P1:S3	-2
row1:R4:P1:S4	0
row1:R4:P2:S1	7
row1:R4:P2:S2	2
row1:R4:P2:S3	-7
row1:R4:P2:S4	0
row1:R5:P1:S1	0
row1:R5:P1:S2	0
row1:R5:P1:S3	0
row1:R5:P1:S4	0
row1:R5:P2:S1	0
row1:R5:P2:S2	0
row1:R5:P2:S3	0
row1:R5:P2:S4	0
row2:R1:P1:S1	-11
row2:R1:P1:S2	-9
row2:R1:P1:S3	-10
row2:R1:P1:S4	0
row2:R1:P2:S1	1
row2:R1:P2:S2	-6
row2:R1:P2:S3	9
row2:R1:P2:S4	0
row2:R2:P1:S1	-6
row2:R2:P1:S2	2
row2:R2:P1:S3	2
row2:R2:P1:S4	0
row2:R2:P2:S1	4
row2:R2:P2:S2	-6
row2:R2:P2:S3	16

row2:R2:P2:S4	0
row2:R3:P1:S1	4
row2:R3:P1:S2	10
row2:R3:P1:S3	6
row2:R3:P1:S4	0
row2:R3:P2:S1	7
row2:R3:P2:S2	-2
row2:R3:P2:S3	7
row2:R3:P2:S4	0
row2:R4:P1:S1	-1
row2:R4:P1:S2	6
row2:R4:P1:S3	4
row2:R4:P1:S4	0
row2:R4:P2:S1	-7
row2:R4:P2:S2	-5
row2:R4:P2:S3	9
row2:R4:P2:S4	0
row2:R5:P1:S1	0
row2:R5:P1:S2	0
row2:R5:P1:S3	0
row2:R5:P1:S4	0
row2:R5:P2:S1	0
row2:R5:P2:S2	0
row2:R5:P2:S3	0
row2:R5:P2:S4	0
row3:R1:P1:S1	-15
row3:R1:P1:S2	-10
row3:R1:P1:S3	-10
row3:R1:P1:S4	0
row3:R1:P2:S1	0
row3:R1:P2:S2	-12
row3:R1:P2:S3	4
row3:R1:P2:S4	0
row3:R2:P1:S1	-14
row3:R2:P1:S2	-16
row3:R2:P1:S3	-3
row3:R2:P1:S4	0
row3:R2:P2:S1	9
row3:R2:P2:S2	-1
row3:R2:P2:S3	8
row3:R2:P2:S4	0
row3:R3:P1:S1	9
row3:R3:P1:S2	-2
row3:R3:P1:S3	-8
row3:R3:P1:S4	0
row3:R3:P2:S1	5
row3:R3:P2:S2	-10
row3:R3:P2:S3	5

row3:R3:P2:S4	0
row3:R4:P1:S1	-7
row3:R4:P1:S2	-21
row3:R4:P1:S3	-11
row3:R4:P1:S4	0
row3:R4:P2:S1	-4
row3:R4:P2:S2	-13
row3:R4:P2:S3	-6
row3:R4:P2:S4	0
row3:R5:P1:S1	0
row3:R5:P1:S2	0
row3:R5:P1:S3	0
row3:R5:P1:S4	0
row3:R5:P2:S1	0
row3:R5:P2:S2	0
row3:R5:P2:S3	0
row3:R5:P2:S4	0
row4:R1:P1:S1	-9
row4:R1:P1:S2	-7
row4:R1:P1:S3	-2
row4:R1:P1:S4	0
row4:R1:P2:S1	-1
row4:R1:P2:S2	-13
row4:R1:P2:S3	3
row4:R1:P2:S4	0
row4:R2:P1:S1	1
row4:R2:P1:S2	2
row4:R2:P1:S3	6
row4:R2:P1:S4	0
row4:R2:P2:S1	9
row4:R2:P2:S2	0
row4:R2:P2:S3	11
row4:R2:P2:S4	0
row4:R3:P1:S1	3
row4:R3:P1:S2	0
row4:R3:P1:S3	4
row4:R3:P1:S4	0
row4:R3:P2:S1	6
row4:R3:P2:S2	-9
row4:R3:P2:S3	9
row4:R3:P2:S4	0
row4:R4:P1:S1	2
row4:R4:P1:S2	-2
row4:R4:P1:S3	2
row4:R4:P1:S4	0
row4:R4:P2:S1	-7
row4:R4:P2:S2	-19
row4:R4:P2:S3	-4

row4:R4:P2:S4	0
row4:R5:P1:S1	0
row4:R5:P1:S2	0
row4:R5:P1:S3	0
row4:R5:P1:S4	0
row4:R5:P2:S1	0
row4:R5:P2:S2	0
row4:R5:P2:S3	0
row4:R5:P2:S4	0
row5:R1:P1:S1	0
row5:R1:P1:S2	0
row5:R1:P1:S3	0
row5:R1:P1:S4	0
row5:R1:P2:S1	0
row5:R1:P2:S2	0
row5:R1:P2:S3	0
row5:R1:P2:S4	0
row5:R2:P1:S1	0
row5:R2:P1:S2	0
row5:R2:P1:S3	0
row5:R2:P1:S4	0
row5:R2:P2:S1	0
row5:R2:P2:S2	0
row5:R2:P2:S3	0
row5:R2:P2:S4	0
row5:R3:P1:S1	0
row5:R3:P1:S2	0
row5:R3:P1:S3	0
row5:R3:P1:S4	0
row5:R3:P2:S1	0
row5:R3:P2:S2	0
row5:R3:P2:S3	0
row5:R3:P2:S4	0
row5:R4:P1:S1	0
row5:R4:P1:S2	0
row5:R4:P1:S3	0
row5:R4:P1:S4	0
row5:R4:P2:S1	0
row5:R4:P2:S2	0
row5:R4:P2:S3	0
row5:R4:P2:S4	0
row5:R5:P1:S1	0
row5:R5:P1:S2	0
row5:R5:P1:S3	0
row5:R5:P1:S4	0
row5:R5:P2:S1	0
row5:R5:P2:S2	0
row5:R5:P2:S3	0

row5:R5:P2:S4 0

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P +
          S:P:row + S:R:P + R:S:P:row, ex3.1a), type=3, singular.ok=TRUE)
# NOT WORKING
```

```
alias(height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P + S:P:row +
        S:R:P + R:S:P:row, ex3.1a) # NO ALIAS
```

Model :

```
height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P +
          S:P:row + S:R:P + R:S:P:row
```

(77) MODEL

- p94 Appendix 3.1

```
ex3.1b = read.table("C:/G/Rt/Split/spexvar3.txt", header=TRUE)
ex3.1b = af(ex3.1b, c("rep", "var", "nit", "row", "col"))
GLM(yield ~ rep + var + rep:var + nit + var:nit, ex3.1b)
```

\$ANOVA

Response : yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	26	44017	1692.97	9.5603	4.779e-11 ***
RESIDUALS	45	7969	177.08		
CORRECTED TOTAL	71	51986			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	5	15875.3	3175.1	17.9297	9.525e-10 ***
var	2	1786.4	893.2	5.0438	0.010557 *
rep:var	10	6013.3	601.3	3.3957	0.002251 **
nit	3	20020.5	6673.5	37.6856	2.458e-12 ***
var:nit	6	321.7	53.6	0.3028	0.932199

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	5	15875.3	3175.1	17.9297	9.525e-10 ***
var	2	1786.4	893.2	5.0438	0.010557 *

```

rep:var 10 6013.3 601.3 3.3957 0.002251 **
nit      3 20020.5 6673.5 37.6856 2.458e-12 ***
var:nit  6  321.7   53.6  0.3028  0.932199

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

```

      Df Sum Sq Mean Sq F value    Pr(>F)
rep     5 15875.3  3175.1 17.9297 9.525e-10 ***
var     2  1786.4   893.2  5.0438 0.010557 *
rep:var 10 6013.3   601.3  3.3957 0.002251 **
nit     3 20020.5 6673.5 37.6856 2.458e-12 ***
var:nit  6  321.7   53.6  0.3028  0.932199

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

```

      Estimate Std. Error t value Pr(>|t|)
(Intercept)  85.875      8.1490 10.5381 9.814e-14 ***
rep1          20.750      9.4097  2.2052 0.0325933 *
rep2         -14.000      9.4097 -1.4878 0.1437694
rep3          12.250      9.4097  1.3019 0.1995913
rep4         -23.750      9.4097 -2.5240 0.0152008 *
rep5           9.500      9.4097  1.0096 0.3180846
rep6           0.000      0.0000
var1         -22.500     11.5244 -1.9524 0.0571318 .
var2         -20.125     11.5244 -1.7463 0.0875843 .
var3           0.000      0.0000
rep1:var1     32.750     13.3073  2.4611 0.0177533 *
rep1:var2     22.250     13.3073  1.6720 0.1014609
rep1:var3      0.000      0.0000
rep2:var1     16.000     13.3073  1.2024 0.2355164
rep2:var2     31.750     13.3073  2.3859 0.0213053 *
rep2:var3      0.000      0.0000
rep3:var1    -14.500     13.3073 -1.0896 0.2816769
rep3:var2     10.750     13.3073  0.8078 0.4234387
rep3:var3      0.000      0.0000
rep4:var1     26.250     13.3073  1.9726 0.0547034 .
rep4:var2     29.000     13.3073  2.1793 0.0345870 *
rep4:var3      0.000      0.0000
rep5:var1    -16.500     13.3073 -1.2399 0.2214304
rep5:var2    -13.000     13.3073 -0.9769 0.3338365
rep5:var3      0.000      0.0000
rep6:var1      0.000      0.0000
rep6:var2      0.000      0.0000
rep6:var3      0.000      0.0000
nit1          21.833      7.6830  2.8418 0.0067187 **
nit2          30.500      7.6830  3.9698 0.0002562 ***

```

```

nit3      40.167      7.6830  5.2280 4.290e-06 ***
nit4       0.000      0.0000
var1:nit1 -3.667     10.8653 -0.3375 0.7373358
var1:nit2  8.833     10.8653  0.8130 0.4205085
var1:nit3  6.833     10.8653  0.6289 0.5325868
var1:nit4  0.000      0.0000
var2:nit1 -3.333     10.8653 -0.3068 0.7604214
var2:nit2  4.167     10.8653  0.3835 0.7031679
var2:nit3  4.667     10.8653  0.4295 0.6696087
var2:nit4  0.000      0.0000
var3:nit1  0.000      0.0000
var3:nit2  0.000      0.0000
var3:nit3  0.000      0.0000
var3:nit4  0.000      0.0000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(78) MODEL

```
GLM(yield ~ rep + var + rep:var + nit + var:nit + row + col, ex3.1b)
```

\$ANOVA

Response : yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	37	48090	1299.7	11.341	6.734e-11 ***
RESIDUALS	34	3896	114.6		
CORRECTED TOTAL	71	51986			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	5	15875.3	3175.1	27.7056	4.391e-11 ***
var	2	1786.4	893.2	7.7939	0.0016359 **
rep:var	10	6013.3	601.3	5.2472	0.0001207 ***
nit	3	20020.5	6673.5	58.2331	1.754e-13 ***
var:nit	6	321.7	53.6	0.4679	0.8271333
row	9	900.9	100.1	0.8734	0.5575581
col	2	3171.5	1585.7	13.8373	4.012e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	2	5942.5	2971.3	25.9273	1.449e-07 ***
var	2	2799.8	1399.9	12.2155	0.0001005 ***
rep:var	4	997.8	249.4	2.1767	0.0926008 .

```

nit      3 12559.3  4186.4 36.5308 9.683e-11 ***
var:nit  6   477.8   79.6  0.6949 0.6553307
row      9   945.0  105.0  0.9162 0.5230151
col      2  3171.5 1585.7 13.8373 4.012e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

CAUTION: Singularity Exists !

```

          Df Sum Sq Mean Sq F value    Pr(>F)
rep       2  5942.5  2971.3 25.9273 1.449e-07 ***
var       2  2799.8  1399.9 12.2155 0.0001005 ***
rep:var   4   997.8   249.4  2.1767 0.0926008 .
nit       3 11977.9  3992.6 34.8397 1.775e-10 ***
var:nit   6   477.8   79.6  0.6949 0.6553307
row       9   945.0  105.0  0.9162 0.5230151
col       2  3171.5 1585.7 13.8373 4.012e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

          Estimate Std. Error t value Pr(>|t|)
(Intercept)  78.195     9.4953  8.2351 1.311e-09 ***
rep1          22.320    11.2116  1.9908 0.0545890 .
rep2          -9.827     9.9492 -0.9877 0.3302882
rep3          16.942    10.2780  1.6484 0.1084805
rep4         -24.656    10.6082 -2.3242 0.0262249 *
rep5          16.807    10.1264  1.6597 0.1061670
rep6           0.000     0.0000
var1         -23.629    12.0789 -1.9562 0.0586954 .
var2         -16.007    11.9933 -1.3346 0.1908629
var3           0.000     0.0000
rep1:var1     39.666    14.2816  2.7775 0.0088510 **
rep1:var2     24.703    14.1608  1.7445 0.0901108 .
rep1:var3      0.000     0.0000
rep2:var1     22.158    13.3805  1.6560 0.1069231
rep2:var2     35.142    13.4753  2.6079 0.0134358 *
rep2:var3      0.000     0.0000
rep3:var1    -15.615    15.0163 -1.0399 0.3057408
rep3:var2      5.214    14.8157  0.3519 0.7270537
rep3:var3      0.000     0.0000
rep4:var1     32.022    14.0835  2.2737 0.0294152 *
rep4:var2     32.597    14.2110  2.2938 0.0281056 *
rep4:var3      0.000     0.0000
rep5:var1    -15.951    13.7718 -1.1582 0.2548377
rep5:var2    -20.826    14.0023 -1.4873 0.1461435
rep5:var3      0.000     0.0000
rep6:var1      0.000     0.0000

```

```

rep6:var2      0.000      0.0000
rep6:var3      0.000      0.0000
nit1           20.904      6.8122   3.0686  0.0042045 **
nit2           25.790      7.9006   3.2643  0.0025052 **
nit3           43.888      8.4402   5.1999  9.452e-06 ***
nit4           0.000      0.0000
var1:nit1      1.136      9.7632   0.1164  0.9080219
var1:nit2     14.232     10.2550   1.3878  0.1742328
var1:nit3     -3.260     11.0914  -0.2939  0.7705879
var1:nit4      0.000      0.0000
var2:nit1     -1.428      9.1191  -0.1566  0.8764628
var2:nit2      5.784     11.0936   0.5214  0.6054692
var2:nit3     -6.461     11.3313  -0.5702  0.5722670
var2:nit4      0.000      0.0000
var3:nit1      0.000      0.0000
var3:nit2      0.000      0.0000
var3:nit3      0.000      0.0000
var3:nit4      0.000      0.0000
row1           1.613      9.9332   0.1624  0.8719639
row10         -13.706     8.4538  -1.6213  0.1141882
row11         -14.812     8.7800  -1.6870  0.1007506
row12          0.000      0.0000
row13          2.006      8.3976   0.2389  0.8126419
row14          0.000      0.0000
row15         -4.632      8.4677  -0.5470  0.5879538
row16          0.000      0.0000
row17         -0.198      8.7515  -0.0226  0.9820790
row18          0.000      0.0000
row2           0.000      0.0000
row3          -10.016     8.3602  -1.1980  0.2391928
row4           0.000      0.0000
row5          -7.727      8.5301  -0.9059  0.3713775
row6           0.000      0.0000
row7          -3.594      8.6347  -0.4162  0.6798797
row8           0.000      0.0000
row9           0.000      0.0000
col1           11.566     3.9157   2.9538  0.0056610 **
col2           0.000      0.0000
col3           16.517     4.1675   3.9633  0.0003597 ***
col4           0.000      0.0000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(yield ~ rep + var + rep:var + nit + var:nit + row + col, ex3.1b),
      type=3, singular.ok=TRUE) # NOT OK for var

```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: yield

	Sum Sq	Df	F values	Pr(>F)	
rep	5942.5	2	25.9273	1.449e-07	***
var	0.0	0			
nit	11977.9	3	34.8397	1.775e-10	***
row	945.0	9	0.9162	0.5230	
col	3171.5	2	13.8373	4.012e-05	***
rep:var	997.8	4	2.1767	0.0926	.
var:nit	477.8	6	0.6949	0.6553	
Residuals	3896.4	34			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.6 Example 4.1

(79) MODEL

```
ex4.1 = read.table("C:/G/Rt/Split/Ex4.1-example.txt", header=TRUE)
ex4.1 = af(ex4.1, c("row", "P", "column", "R", "S"))
GLM(height ~ P + column + column:P + R + P:R + column:R + column:R:P + S +
      P:S + column:S + column:S:P + R:S + R:S:column + R:S:P + R:S:P:column, ex4.1)
```

\$ANOVA

Response : height

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	199	1710.2	8.5937		
RESIDUALS	0	0.0			
CORRECTED TOTAL	199	1710.2			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	28.12	28.1250		
column	4	34.33	8.5825		
P:column	4	91.45	22.8625		
R	4	31.03	7.7575		
P:R	4	48.95	12.2375		
column:R	16	467.92	29.2450		
P:column:R	16	350.10	21.8813		
S	3	3.77	1.2583		
P:S	3	3.29	1.0983		
column:S	12	74.55	6.2125		
P:column:S	12	47.03	3.9192		

R:S	12	36.65	3.0542
column:R:S	48	197.40	4.1125
P:R:S	12	26.33	2.1942
P:column:R:S	48	269.22	5.6087

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	28.13	28.1250		
column	4	34.33	8.5825		
P:column	4	91.45	22.8625		
R	4	31.03	7.7575		
P:R	4	48.95	12.2375		
column:R	16	467.92	29.2450		
P:column:R	16	350.10	21.8812		
S	3	3.77	1.2583		
P:S	3	3.30	1.0983		
column:S	12	74.55	6.2125		
P:column:S	12	47.03	3.9192		
R:S	12	36.65	3.0542		
column:R:S	48	197.40	4.1125		
P:R:S	12	26.33	2.1942		
P:column:R:S	48	269.22	5.6087		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	28.12	28.1250		
column	4	34.33	8.5825		
P:column	4	91.45	22.8625		
R	4	31.03	7.7575		
P:R	4	48.95	12.2375		
column:R	16	467.92	29.2450		
P:column:R	16	350.10	21.8813		
S	3	3.77	1.2583		
P:S	3	3.29	1.0983		
column:S	12	74.55	6.2125		
P:column:S	12	47.03	3.9192		
R:S	12	36.65	3.0542		
column:R:S	48	197.40	4.1125		
P:R:S	12	26.33	2.1942		
P:column:R:S	48	269.22	5.6088		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	8			
P1	-2			
P2	0			
column1	0			
column2	0			

column3	0
column4	-3
column5	0
P1:column1	2
P1:column2	2
P1:column3	1
P1:column4	3
P1:column5	0
P2:column1	0
P2:column2	0
P2:column3	0
P2:column4	0
P2:column5	0
R1	1
R2	1
R3	-5
R4	-1
R5	0
P1:R1	2
P1:R2	2
P1:R3	7
P1:R4	3
P1:R5	0
P2:R1	0
P2:R2	0
P2:R3	0
P2:R4	0
P2:R5	0
column1:R1	-1
column1:R2	0
column1:R3	8
column1:R4	1
column1:R5	0
column2:R1	-9
column2:R2	-3
column2:R3	3
column2:R4	0
column2:R5	0
column3:R1	-3
column3:R2	-6
column3:R3	2
column3:R4	-5
column3:R5	0
column4:R1	3
column4:R2	1
column4:R3	3
column4:R4	4
column4:R5	0

column5:R1	0
column5:R2	0
column5:R3	0
column5:R4	0
column5:R5	0
P1:column1:R1	-10
P1:column1:R2	-2
P1:column1:R3	-5
P1:column1:R4	-2
P1:column1:R5	0
P1:column2:R1	7
P1:column2:R2	-8
P1:column2:R3	-10
P1:column2:R4	-1
P1:column2:R5	0
P1:column3:R1	1
P1:column3:R2	1
P1:column3:R3	-2
P1:column3:R4	4
P1:column3:R5	0
P1:column4:R1	-4
P1:column4:R2	0
P1:column4:R3	-2
P1:column4:R4	-8
P1:column4:R5	0
P1:column5:R1	0
P1:column5:R2	0
P1:column5:R3	0
P1:column5:R4	0
P1:column5:R5	0
P2:column1:R1	0
P2:column1:R2	0
P2:column1:R3	0
P2:column1:R4	0
P2:column1:R5	0
P2:column2:R1	0
P2:column2:R2	0
P2:column2:R3	0
P2:column2:R4	0
P2:column2:R5	0
P2:column3:R1	0
P2:column3:R2	0
P2:column3:R3	0
P2:column3:R4	0
P2:column3:R5	0
P2:column4:R1	0
P2:column4:R2	0
P2:column4:R3	0

P2:column4:R4	0
P2:column4:R5	0
P2:column5:R1	0
P2:column5:R2	0
P2:column5:R3	0
P2:column5:R4	0
P2:column5:R5	0
S1	1
S2	-2
S3	-5
S4	0
P1:S1	1
P1:S2	-1
P1:S3	7
P1:S4	0
P2:S1	0
P2:S2	0
P2:S3	0
P2:S4	0
column1:S1	-1
column1:S2	1
column1:S3	6
column1:S4	0
column2:S1	-2
column2:S2	-6
column2:S3	6
column2:S4	0
column3:S1	-3
column3:S2	2
column3:S3	5
column3:S4	0
column4:S1	2
column4:S2	6
column4:S3	7
column4:S4	0
column5:S1	0
column5:S2	0
column5:S3	0
column5:S4	0
P1:column1:S1	-2
P1:column1:S2	2
P1:column1:S3	-7
P1:column1:S4	0
P1:column2:S1	-6
P1:column2:S2	9
P1:column2:S3	-7
P1:column2:S4	0
P1:column3:S1	3

P1:column3:S2	4
P1:column3:S3	-5
P1:column3:S4	0
P1:column4:S1	-5
P1:column4:S2	-4
P1:column4:S3	-10
P1:column4:S4	0
P1:column5:S1	0
P1:column5:S2	0
P1:column5:S3	0
P1:column5:S4	0
P2:column1:S1	0
P2:column1:S2	0
P2:column1:S3	0
P2:column1:S4	0
P2:column2:S1	0
P2:column2:S2	0
P2:column2:S3	0
P2:column2:S4	0
P2:column3:S1	0
P2:column3:S2	0
P2:column3:S3	0
P2:column3:S4	0
P2:column4:S1	0
P2:column4:S2	0
P2:column4:S3	0
P2:column4:S4	0
P2:column5:S1	0
P2:column5:S2	0
P2:column5:S3	0
P2:column5:S4	0
R1:S1	-2
R1:S2	1
R1:S3	5
R1:S4	0
R2:S1	-1
R2:S2	-1
R2:S3	4
R2:S4	0
R3:S1	-4
R3:S2	0
R3:S3	4
R3:S4	0
R4:S1	-8
R4:S2	-5
R4:S3	-2
R4:S4	0
R5:S1	0

R5:S2	0
R5:S3	0
R5:S4	0
column1:R1:S1	3
column1:R1:S2	1
column1:R1:S3	-7
column1:R1:S4	0
column1:R2:S1	-4
column1:R2:S2	2
column1:R2:S3	-6
column1:R2:S4	0
column1:R3:S1	3
column1:R3:S2	1
column1:R3:S3	-7
column1:R3:S4	0
column1:R4:S1	0
column1:R4:S2	3
column1:R4:S3	1
column1:R4:S4	0
column1:R5:S1	0
column1:R5:S2	0
column1:R5:S3	0
column1:R5:S4	0
column2:R1:S1	12
column2:R1:S2	16
column2:R1:S3	-1
column2:R1:S4	0
column2:R2:S1	4
column2:R2:S2	11
column2:R2:S3	-4
column2:R2:S4	0
column2:R3:S1	6
column2:R3:S2	10
column2:R3:S3	-10
column2:R3:S4	0
column2:R4:S1	11
column2:R4:S2	13
column2:R4:S3	-1
column2:R4:S4	0
column2:R5:S1	0
column2:R5:S2	0
column2:R5:S3	0
column2:R5:S4	0
column3:R1:S1	5
column3:R1:S2	1
column3:R1:S3	-7
column3:R1:S4	0
column3:R2:S1	1

column3:R2:S2	0
column3:R2:S3	-7
column3:R2:S4	0
column3:R3:S1	8
column3:R3:S2	1
column3:R3:S3	0
column3:R3:S4	0
column3:R4:S1	17
column3:R4:S2	12
column3:R4:S3	8
column3:R4:S4	0
column3:R5:S1	0
column3:R5:S2	0
column3:R5:S3	0
column3:R5:S4	0
column4:R1:S1	-3
column4:R1:S2	-5
column4:R1:S3	-8
column4:R1:S4	0
column4:R2:S1	-9
column4:R2:S2	-5
column4:R2:S3	-4
column4:R2:S4	0
column4:R3:S1	4
column4:R3:S2	1
column4:R3:S3	-2
column4:R3:S4	0
column4:R4:S1	6
column4:R4:S2	2
column4:R4:S3	-1
column4:R4:S4	0
column4:R5:S1	0
column4:R5:S2	0
column4:R5:S3	0
column4:R5:S4	0
column5:R1:S1	0
column5:R1:S2	0
column5:R1:S3	0
column5:R1:S4	0
column5:R2:S1	0
column5:R2:S2	0
column5:R2:S3	0
column5:R2:S4	0
column5:R3:S1	0
column5:R3:S2	0
column5:R3:S3	0
column5:R3:S4	0
column5:R4:S1	0

column5:R4:S2	0
column5:R4:S3	0
column5:R4:S4	0
column5:R5:S1	0
column5:R5:S2	0
column5:R5:S3	0
column5:R5:S4	0
P1:R1:S1	3
P1:R1:S2	10
P1:R1:S3	-8
P1:R1:S4	0
P1:R2:S1	-2
P1:R2:S2	3
P1:R2:S3	-10
P1:R2:S4	0
P1:R3:S1	2
P1:R3:S2	0
P1:R3:S3	-6
P1:R3:S4	0
P1:R4:S1	7
P1:R4:S2	5
P1:R4:S3	0
P1:R4:S4	0
P1:R5:S1	0
P1:R5:S2	0
P1:R5:S3	0
P1:R5:S4	0
P2:R1:S1	0
P2:R1:S2	0
P2:R1:S3	0
P2:R1:S4	0
P2:R2:S1	0
P2:R2:S2	0
P2:R2:S3	0
P2:R2:S4	0
P2:R3:S1	0
P2:R3:S2	0
P2:R3:S3	0
P2:R3:S4	0
P2:R4:S1	0
P2:R4:S2	0
P2:R4:S3	0
P2:R4:S4	0
P2:R5:S1	0
P2:R5:S2	0
P2:R5:S3	0
P2:R5:S4	0
P1:column1:R1:S1	-3

P1:column1:R1:S2	-11
P1:column1:R1:S3	13
P1:column1:R1:S4	0
P1:column1:R2:S1	4
P1:column1:R2:S2	-6
P1:column1:R2:S3	10
P1:column1:R2:S4	0
P1:column1:R3:S1	-2
P1:column1:R3:S2	-6
P1:column1:R3:S3	6
P1:column1:R3:S4	0
P1:column1:R4:S1	-1
P1:column1:R4:S2	-4
P1:column1:R4:S3	-1
P1:column1:R4:S4	0
P1:column1:R5:S1	0
P1:column1:R5:S2	0
P1:column1:R5:S3	0
P1:column1:R5:S4	0
P1:column2:R1:S1	-8
P1:column2:R1:S2	-28
P1:column2:R1:S3	1
P1:column2:R1:S4	0
P1:column2:R2:S1	5
P1:column2:R2:S2	-13
P1:column2:R2:S3	9
P1:column2:R2:S4	0
P1:column2:R3:S1	5
P1:column2:R3:S2	-4
P1:column2:R3:S3	16
P1:column2:R3:S4	0
P1:column2:R4:S1	-3
P1:column2:R4:S2	-12
P1:column2:R4:S3	1
P1:column2:R4:S4	0
P1:column2:R5:S1	0
P1:column2:R5:S2	0
P1:column2:R5:S3	0
P1:column2:R5:S4	0
P1:column3:R1:S1	-7
P1:column3:R1:S2	-18
P1:column3:R1:S3	7
P1:column3:R1:S4	0
P1:column3:R2:S1	0
P1:column3:R2:S2	-2
P1:column3:R2:S3	14
P1:column3:R2:S4	0
P1:column3:R3:S1	-9

P1:column3:R3:S2	-6
P1:column3:R3:S3	0
P1:column3:R3:S4	0
P1:column3:R4:S1	-19
P1:column3:R4:S2	-15
P1:column3:R4:S3	-8
P1:column3:R4:S4	0
P1:column3:R5:S1	0
P1:column3:R5:S2	0
P1:column3:R5:S3	0
P1:column3:R5:S4	0
P1:column4:R1:S1	2
P1:column4:R1:S2	-6
P1:column4:R1:S3	10
P1:column4:R1:S4	0
P1:column4:R2:S1	15
P1:column4:R2:S2	3
P1:column4:R2:S3	10
P1:column4:R2:S4	0
P1:column4:R3:S1	-5
P1:column4:R3:S2	-1
P1:column4:R3:S3	3
P1:column4:R3:S4	0
P1:column4:R4:S1	-3
P1:column4:R4:S2	2
P1:column4:R4:S3	9
P1:column4:R4:S4	0
P1:column4:R5:S1	0
P1:column4:R5:S2	0
P1:column4:R5:S3	0
P1:column4:R5:S4	0
P1:column5:R1:S1	0
P1:column5:R1:S2	0
P1:column5:R1:S3	0
P1:column5:R1:S4	0
P1:column5:R2:S1	0
P1:column5:R2:S2	0
P1:column5:R2:S3	0
P1:column5:R2:S4	0
P1:column5:R3:S1	0
P1:column5:R3:S2	0
P1:column5:R3:S3	0
P1:column5:R3:S4	0
P1:column5:R4:S1	0
P1:column5:R4:S2	0
P1:column5:R4:S3	0
P1:column5:R4:S4	0
P1:column5:R5:S1	0

P1:column5:R5:S2	0
P1:column5:R5:S3	0
P1:column5:R5:S4	0
P2:column1:R1:S1	0
P2:column1:R1:S2	0
P2:column1:R1:S3	0
P2:column1:R1:S4	0
P2:column1:R2:S1	0
P2:column1:R2:S2	0
P2:column1:R2:S3	0
P2:column1:R2:S4	0
P2:column1:R3:S1	0
P2:column1:R3:S2	0
P2:column1:R3:S3	0
P2:column1:R3:S4	0
P2:column1:R4:S1	0
P2:column1:R4:S2	0
P2:column1:R4:S3	0
P2:column1:R4:S4	0
P2:column1:R5:S1	0
P2:column1:R5:S2	0
P2:column1:R5:S3	0
P2:column1:R5:S4	0
P2:column2:R1:S1	0
P2:column2:R1:S2	0
P2:column2:R1:S3	0
P2:column2:R1:S4	0
P2:column2:R2:S1	0
P2:column2:R2:S2	0
P2:column2:R2:S3	0
P2:column2:R2:S4	0
P2:column2:R3:S1	0
P2:column2:R3:S2	0
P2:column2:R3:S3	0
P2:column2:R3:S4	0
P2:column2:R4:S1	0
P2:column2:R4:S2	0
P2:column2:R4:S3	0
P2:column2:R4:S4	0
P2:column2:R5:S1	0
P2:column2:R5:S2	0
P2:column2:R5:S3	0
P2:column2:R5:S4	0
P2:column3:R1:S1	0
P2:column3:R1:S2	0
P2:column3:R1:S3	0
P2:column3:R1:S4	0
P2:column3:R2:S1	0

P2:column3:R2:S2	0
P2:column3:R2:S3	0
P2:column3:R2:S4	0
P2:column3:R3:S1	0
P2:column3:R3:S2	0
P2:column3:R3:S3	0
P2:column3:R3:S4	0
P2:column3:R4:S1	0
P2:column3:R4:S2	0
P2:column3:R4:S3	0
P2:column3:R4:S4	0
P2:column3:R5:S1	0
P2:column3:R5:S2	0
P2:column3:R5:S3	0
P2:column3:R5:S4	0
P2:column4:R1:S1	0
P2:column4:R1:S2	0
P2:column4:R1:S3	0
P2:column4:R1:S4	0
P2:column4:R2:S1	0
P2:column4:R2:S2	0
P2:column4:R2:S3	0
P2:column4:R2:S4	0
P2:column4:R3:S1	0
P2:column4:R3:S2	0
P2:column4:R3:S3	0
P2:column4:R3:S4	0
P2:column4:R4:S1	0
P2:column4:R4:S2	0
P2:column4:R4:S3	0
P2:column4:R4:S4	0
P2:column4:R5:S1	0
P2:column4:R5:S2	0
P2:column4:R5:S3	0
P2:column4:R5:S4	0
P2:column5:R1:S1	0
P2:column5:R1:S2	0
P2:column5:R1:S3	0
P2:column5:R1:S4	0
P2:column5:R2:S1	0
P2:column5:R2:S2	0
P2:column5:R2:S3	0
P2:column5:R2:S4	0
P2:column5:R3:S1	0
P2:column5:R3:S2	0
P2:column5:R3:S3	0
P2:column5:R3:S4	0
P2:column5:R4:S1	0

```

P2:column5:R4:S2      0
P2:column5:R4:S3      0
P2:column5:R4:S4      0
P2:column5:R5:S1      0
P2:column5:R5:S2      0
P2:column5:R5:S3      0
P2:column5:R5:S4      0

```

(80) MODEL

```

GLM(height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P + S:P:row +
  S:R:P + R:S:P:row, ex4.1)

```

\$ANOVA

Response : height

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	199	1710.2	8.5937		
RESIDUALS	0	0.0			
CORRECTED TOTAL	199	1710.2			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	309.43	77.357		
R	4	31.03	7.758		
P	1	28.12	28.125		
S	3	3.77	1.258		
R:S	12	36.65	3.054		
row:P	4	130.25	32.563		
R:P	4	48.95	12.237		
row:R:P	32	504.12	15.754		
P:S	3	3.29	1.098		
row:P:S	24	171.28	7.137		
R:P:S	12	26.33	2.194		
row:R:P:S	96	416.92	4.343		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	309.43	77.357		
R	4	31.03	7.757		
P	1	28.12	28.125		
S	3	3.78	1.258		
R:S	12	36.65	3.054		
row:P	4	130.25	32.563		
R:P	4	48.95	12.238		
row:R:P	32	504.12	15.754		
P:S	3	3.30	1.098		
row:P:S	24	171.28	7.137		

```
R:P:S      12  26.33  2.194
row:R:P:S  96 416.92  4.343
```

```
$`Type III`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	309.43	77.358		
R	4	31.03	7.757		
P	1	28.13	28.125		
S	3	3.78	1.258		
R:S	12	36.65	3.054		
row:P	4	130.25	32.563		
R:P	4	48.95	12.237		
row:R:P	32	504.12	15.754		
P:S	3	3.30	1.098		
row:P:S	24	171.28	7.137		
R:P:S	12	26.33	2.194		
row:R:P:S	96	416.92	4.343		

```
$Parameter
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	8			
row1	0			
row2	0			
row3	0			
row4	-3			
row5	0			
R1	-8			
R2	1			
R3	-5			
R4	-6			
R5	0			
P1	0			
P2	0			
S1	0			
S2	-1			
S3	1			
S4	0			
R1:S1	9			
R1:S2	10			
R1:S3	4			
R1:S4	0			
R2:S1	0			
R2:S2	-2			
R2:S3	-2			
R2:S4	0			
R3:S1	3			
R3:S2	6			
R3:S3	3			

R3:S4	0
R4:S1	7
R4:S2	8
R4:S3	5
R4:S4	0
R5:S1	0
R5:S2	0
R5:S3	0
R5:S4	0
row1:P1	-1
row1:P2	0
row2:P1	-2
row2:P2	0
row3:P1	0
row3:P2	0
row4:P1	1
row4:P2	0
row5:P1	0
row5:P2	0
R1:P1	9
R1:P2	0
R2:P1	0
R2:P2	0
R3:P1	6
R3:P2	0
R4:P1	6
R4:P2	0
R5:P1	0
R5:P2	0
row1:R1:P1	1
row1:R1:P2	9
row1:R2:P1	2
row1:R2:P2	-2
row1:R3:P1	5
row1:R3:P2	8
row1:R4:P1	2
row1:R4:P2	5
row1:R5:P1	0
row1:R5:P2	0
row2:R1:P1	1
row2:R1:P2	6
row2:R2:P1	2
row2:R2:P2	0
row2:R3:P1	-4
row2:R3:P2	3
row2:R4:P1	-2
row2:R4:P2	6
row2:R5:P1	0

row2:R5:P2	0
row3:R1:P1	-1
row3:R1:P2	9
row3:R2:P1	-4
row3:R2:P2	-6
row3:R3:P1	-1
row3:R3:P2	0
row3:R4:P1	1
row3:R4:P2	6
row3:R5:P1	0
row3:R5:P2	0
row4:R1:P1	-7
row4:R1:P2	11
row4:R2:P1	-7
row4:R2:P2	0
row4:R3:P1	2
row4:R3:P2	5
row4:R4:P1	2
row4:R4:P2	8
row4:R5:P1	0
row4:R5:P2	0
row5:R1:P1	0
row5:R1:P2	0
row5:R2:P1	0
row5:R2:P2	0
row5:R3:P1	0
row5:R3:P2	0
row5:R4:P1	0
row5:R4:P2	0
row5:R5:P1	0
row5:R5:P2	0
P1:S1	-1
P1:S2	1
P1:S3	0
P1:S4	0
P2:S1	0
P2:S2	0
P2:S3	0
P2:S4	0
row1:P1:S1	3
row1:P1:S2	3
row1:P1:S3	1
row1:P1:S4	0
row1:P2:S1	-2
row1:P2:S2	1
row1:P2:S3	-1
row1:P2:S4	0
row2:P1:S1	3

row2:P1:S2	-3
row2:P1:S3	1
row2:P1:S4	0
row2:P2:S1	1
row2:P2:S2	-1
row2:P2:S3	-6
row2:P2:S4	0
row3:P1:S1	-5
row3:P1:S2	0
row3:P1:S3	0
row3:P1:S4	0
row3:P2:S1	-1
row3:P2:S2	-7
row3:P2:S3	0
row3:P2:S4	0
row4:P1:S1	0
row4:P1:S2	-1
row4:P1:S3	-2
row4:P1:S4	0
row4:P2:S1	3
row4:P2:S2	5
row4:P2:S3	1
row4:P2:S4	0
row5:P1:S1	0
row5:P1:S2	0
row5:P1:S3	0
row5:P1:S4	0
row5:P2:S1	0
row5:P2:S2	0
row5:P2:S3	0
row5:P2:S4	0
R1:P1:S1	-9
R1:P1:S2	-11
R1:P1:S3	-7
R1:P1:S4	0
R1:P2:S1	0
R1:P2:S2	0
R1:P2:S3	0
R1:P2:S4	0
R2:P1:S1	0
R2:P1:S2	1
R2:P1:S3	-3
R2:P1:S4	0
R2:P2:S1	0
R2:P2:S2	0
R2:P2:S3	0
R2:P2:S4	0
R3:P1:S1	-6

R3:P1:S2	-7
R3:P1:S3	-6
R3:P1:S4	0
R3:P2:S1	0
R3:P2:S2	0
R3:P2:S3	0
R3:P2:S4	0
R4:P1:S1	-7
R4:P1:S2	-8
R4:P1:S3	-6
R4:P1:S4	0
R4:P2:S1	0
R4:P2:S2	0
R4:P2:S3	0
R4:P2:S4	0
R5:P1:S1	0
R5:P1:S2	0
R5:P1:S3	0
R5:P1:S4	0
R5:P2:S1	0
R5:P2:S2	0
R5:P2:S3	0
R5:P2:S4	0
row1:R1:P1:S1	1
row1:R1:P1:S2	6
row1:R1:P1:S3	0
row1:R1:P1:S4	0
row1:R1:P2:S1	-8
row1:R1:P2:S2	-11
row1:R1:P2:S3	-4
row1:R1:P2:S4	0
row1:R2:P1:S1	0
row1:R2:P1:S2	-3
row1:R2:P1:S3	2
row1:R2:P1:S4	0
row1:R2:P2:S1	-5
row1:R2:P2:S2	0
row1:R2:P2:S3	4
row1:R2:P2:S4	0
row1:R3:P1:S1	-1
row1:R3:P1:S2	-7
row1:R3:P1:S3	-1
row1:R3:P1:S4	0
row1:R3:P2:S1	-2
row1:R3:P2:S2	-6
row1:R3:P2:S3	-5
row1:R3:P2:S4	0
row1:R4:P1:S1	-1

row1:R4:P1:S2	-2
row1:R4:P1:S3	-2
row1:R4:P1:S4	0
row1:R4:P2:S1	-3
row1:R4:P2:S2	-8
row1:R4:P2:S3	-7
row1:R4:P2:S4	0
row1:R5:P1:S1	0
row1:R5:P1:S2	0
row1:R5:P1:S3	0
row1:R5:P1:S4	0
row1:R5:P2:S1	0
row1:R5:P2:S2	0
row1:R5:P2:S3	0
row1:R5:P2:S4	0
row2:R1:P1:S1	-1
row2:R1:P1:S2	1
row2:R1:P1:S3	0
row2:R1:P1:S4	0
row2:R1:P2:S1	-9
row2:R1:P2:S2	-6
row2:R1:P2:S3	-1
row2:R1:P2:S4	0
row2:R2:P1:S1	-6
row2:R2:P1:S2	2
row2:R2:P1:S3	2
row2:R2:P1:S4	0
row2:R2:P2:S1	-6
row2:R2:P2:S2	4
row2:R2:P2:S3	6
row2:R2:P2:S4	0
row2:R3:P1:S1	4
row2:R3:P1:S2	10
row2:R3:P1:S3	6
row2:R3:P1:S4	0
row2:R3:P2:S1	-3
row2:R3:P2:S2	-2
row2:R3:P2:S3	-3
row2:R3:P2:S4	0
row2:R4:P1:S1	-1
row2:R4:P1:S2	6
row2:R4:P1:S3	4
row2:R4:P1:S4	0
row2:R4:P2:S1	-7
row2:R4:P2:S2	-5
row2:R4:P2:S3	-1
row2:R4:P2:S4	0
row2:R5:P1:S1	0

row2:R5:P1:S2	0
row2:R5:P1:S3	0
row2:R5:P1:S4	0
row2:R5:P2:S1	0
row2:R5:P2:S2	0
row2:R5:P2:S3	0
row2:R5:P2:S4	0
row3:R1:P1:S1	5
row3:R1:P1:S2	0
row3:R1:P1:S3	0
row3:R1:P1:S4	0
row3:R1:P2:S1	-10
row3:R1:P2:S2	-2
row3:R1:P2:S3	-6
row3:R1:P2:S4	0
row3:R2:P1:S1	6
row3:R2:P1:S2	4
row3:R2:P1:S3	7
row3:R2:P1:S4	0
row3:R2:P2:S1	-1
row3:R2:P2:S2	9
row3:R2:P2:S3	-2
row3:R2:P2:S4	0
row3:R3:P1:S1	9
row3:R3:P1:S2	-2
row3:R3:P1:S3	2
row3:R3:P1:S4	0
row3:R3:P2:S1	-5
row3:R3:P2:S2	0
row3:R3:P2:S3	-5
row3:R3:P2:S4	0
row3:R4:P1:S1	3
row3:R4:P1:S2	-1
row3:R4:P1:S3	-1
row3:R4:P1:S4	0
row3:R4:P2:S1	-14
row3:R4:P2:S2	-3
row3:R4:P2:S3	-6
row3:R4:P2:S4	0
row3:R5:P1:S1	0
row3:R5:P1:S2	0
row3:R5:P1:S3	0
row3:R5:P1:S4	0
row3:R5:P2:S1	0
row3:R5:P2:S2	0
row3:R5:P2:S3	0
row3:R5:P2:S4	0
row4:R1:P1:S1	1

row4:R1:P1:S2	3
row4:R1:P1:S3	8
row4:R1:P1:S4	0
row4:R1:P2:S1	-11
row4:R1:P2:S2	-13
row4:R1:P2:S3	-7
row4:R1:P2:S4	0
row4:R2:P1:S1	1
row4:R2:P1:S2	2
row4:R2:P1:S3	6
row4:R2:P1:S4	0
row4:R2:P2:S1	-1
row4:R2:P2:S2	0
row4:R2:P2:S3	1
row4:R2:P2:S4	0
row4:R3:P1:S1	3
row4:R3:P1:S2	0
row4:R3:P1:S3	4
row4:R3:P1:S4	0
row4:R3:P2:S1	-4
row4:R3:P2:S2	-9
row4:R3:P2:S3	-1
row4:R3:P2:S4	0
row4:R4:P1:S1	2
row4:R4:P1:S2	-2
row4:R4:P1:S3	2
row4:R4:P1:S4	0
row4:R4:P2:S1	-17
row4:R4:P2:S2	-19
row4:R4:P2:S3	-14
row4:R4:P2:S4	0
row4:R5:P1:S1	0
row4:R5:P1:S2	0
row4:R5:P1:S3	0
row4:R5:P1:S4	0
row4:R5:P2:S1	0
row4:R5:P2:S2	0
row4:R5:P2:S3	0
row4:R5:P2:S4	0
row5:R1:P1:S1	0
row5:R1:P1:S2	0
row5:R1:P1:S3	0
row5:R1:P1:S4	0
row5:R1:P2:S1	0
row5:R1:P2:S2	0
row5:R1:P2:S3	0
row5:R1:P2:S4	0
row5:R2:P1:S1	0

```

row5:R2:P1:S2      0
row5:R2:P1:S3      0
row5:R2:P1:S4      0
row5:R2:P2:S1      0
row5:R2:P2:S2      0
row5:R2:P2:S3      0
row5:R2:P2:S4      0
row5:R3:P1:S1      0
row5:R3:P1:S2      0
row5:R3:P1:S3      0
row5:R3:P1:S4      0
row5:R3:P2:S1      0
row5:R3:P2:S2      0
row5:R3:P2:S3      0
row5:R3:P2:S4      0
row5:R4:P1:S1      0
row5:R4:P1:S2      0
row5:R4:P1:S3      0
row5:R4:P1:S4      0
row5:R4:P2:S1      0
row5:R4:P2:S2      0
row5:R4:P2:S3      0
row5:R4:P2:S4      0
row5:R5:P1:S1      0
row5:R5:P1:S2      0
row5:R5:P1:S3      0
row5:R5:P1:S4      0
row5:R5:P2:S1      0
row5:R5:P2:S2      0
row5:R5:P2:S3      0
row5:R5:P2:S4      0

```

7.7 Example 5.1

(81) MODEL

```

ex5.1 = read.table("C:/G/Rt/Split/sbsp.txt", header=TRUE)
ex5.1 = af(ex5.1, c("R", "A", "C", "B", "Tx"))
GLM(Y ~ R + A + R:A + C + B + C:B + Tx + B:Tx, ex5.1)

```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	20	193.583	9.6792	9.4176	2.969e-05 ***
RESIDUALS	15	15.417	1.0278		
CORRECTED TOTAL	35	209.000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
R	2	33.500	16.7500	16.2973	0.0001734	***
A	1	16.000	16.0000	15.5676	0.0012951	**
R:A	2	32.167	16.0833	15.6486	0.0002133	***
C	2	0.500	0.2500	0.2432	0.7871141	
B	1	1.778	1.7778	1.7297	0.2081966	
C:B	2	0.389	0.1944	0.1892	0.8295745	
Tx	5	103.333	20.6667	20.1081	3.63e-06	***
B:Tx	5	5.917	1.1833	1.1514	0.3770453	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
R	2	23.047	11.5236	11.2122	0.0010520	**
A	1	12.375	12.3751	12.0406	0.0034285	**
R:A	2	27.164	13.5819	13.2148	0.0004907	***
C	2	0.500	0.2500	0.2432	0.7871141	
B	1	1.778	1.7778	1.7297	0.2081966	
C:B	2	0.389	0.1944	0.1892	0.8295745	
Tx	5	103.333	20.6667	20.1081	3.63e-06	***
B:Tx	5	5.917	1.1833	1.1514	0.3770453	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
R	2	22.451	11.2254	10.9220	0.0011828	**
A	1	15.001	15.0013	14.5958	0.0016719	**
R:A	2	27.164	13.5819	13.2148	0.0004907	***
C	2	0.500	0.2500	0.2432	0.7871141	
B	1	1.778	1.7778	1.7297	0.2081966	
C:B	2	0.389	0.1944	0.1892	0.8295745	
Tx	5	103.333	20.6667	20.1081	3.63e-06	***
B:Tx	5	5.917	1.1833	1.1514	0.3770453	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	8.0833	0.86156	9.3822	1.149e-07	***
R1	-0.5417	0.67056	-0.8078	0.4318411	
R2	-0.1250	0.62082	-0.2013	0.8431323	
R3	0.0000	0.00000			

A1	-0.4167	0.67056	-0.6214	0.5436847
A2	0.0000	0.00000		
R1:A1	0.4375	0.98160	0.4457	0.6621795
R1:A2	0.0000	0.00000		
R2:A1	-3.7292	0.91382	-4.0808	0.0009837 ***
R2:A2	0.0000	0.00000		
R3:A1	0.0000	0.00000		
R3:A2	0.0000	0.00000		
C1	0.5000	0.58531	0.8542	0.4064073
C2	0.3333	0.58531	0.5695	0.5774500
C3	0.0000	0.00000		
B1	0.1250	1.03470	0.1208	0.9054464
B2	0.0000	0.00000		
C1:B1	-0.5000	0.82776	-0.6040	0.5548431
C1:B2	0.0000	0.00000		
C2:B1	-0.1667	0.82776	-0.2013	0.8431323
C2:B2	0.0000	0.00000		
C3:B1	0.0000	0.00000		
C3:B2	0.0000	0.00000		
Tx1	-5.4792	0.89008	-6.1558	1.839e-05 ***
Tx2	-2.7083	0.85323	-3.1742	0.0062873 **
Tx3	-1.2292	0.89008	-1.3810	0.1875206
Tx4	-0.9167	0.89008	-1.0299	0.3193930
Tx5	-2.2917	0.89008	-2.5747	0.0211374 *
Tx6	0.0000	0.00000		
B1:Tx1	1.6250	1.34112	1.2117	0.2443809
B1:Tx2	-0.2500	1.24164	-0.2013	0.8431323
B1:Tx3	1.1250	1.34112	0.8388	0.4147227
B1:Tx4	1.5000	1.34112	1.1185	0.2809609
B1:Tx5	-0.7500	1.34112	-0.5592	0.5842567
B1:Tx6	0.0000	0.00000		
B2:Tx1	0.0000	0.00000		
B2:Tx2	0.0000	0.00000		
B2:Tx3	0.0000	0.00000		
B2:Tx4	0.0000	0.00000		
B2:Tx5	0.0000	0.00000		
B2:Tx6	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(82) MODEL

```
GLM(Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx, ex5.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

MODEL          20 194.188  9.7094  9.8323 2.254e-05 ***
RESIDUALS      15  14.813  0.9875
CORRECTED TOTAL 35 209.000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
R	2	33.500	16.7500	16.9620	0.0001410	***
A	1	16.000	16.0000	16.2025	0.0011013	**
R:A	2	32.167	16.0833	16.2869	0.0001739	***
C	2	0.500	0.2500	0.2532	0.7795913	
B	1	1.778	1.7778	1.8003	0.1996385	
C:B	2	0.389	0.1944	0.1969	0.8233570	
Tx	5	103.333	20.6667	20.9283	2.813e-06	***
A:Tx	5	6.521	1.3042	1.3207	0.3078554	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
R	2	33.500	16.7500	16.9620	0.0001410	***
A	1	16.000	16.0000	16.2025	0.0011013	**
R:A	2	32.167	16.0833	16.2869	0.0001739	***
C	2	0.807	0.4037	0.4088	0.6716130	
B	1	1.757	1.7574	1.7797	0.2020905	
C:B	2	0.030	0.0150	0.0152	0.9849064	
Tx	5	103.333	20.6667	20.9283	2.813e-06	***
A:Tx	5	6.521	1.3042	1.3207	0.3078554	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
R	2	33.500	16.7500	16.9620	0.0001410	***
A	1	16.000	16.0000	16.2025	0.0011013	**
R:A	2	32.167	16.0833	16.2869	0.0001739	***
C	2	0.780	0.3902	0.3952	0.6803789	
B	1	1.776	1.7756	1.7980	0.1999029	
C:B	2	0.030	0.0150	0.0152	0.9849064	
Tx	5	103.333	20.6667	20.9283	2.813e-06	***
A:Tx	5	6.521	1.3042	1.3207	0.3078554	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	7.7083	0.84451	9.1276	1.638e-07 ***

R1	-0.3333	0.57373	-0.5810	0.569873	
R2	-0.1667	0.57373	-0.2905	0.775414	
R3	0.0000	0.00000			
A1	0.2292	1.01422	0.2260	0.824288	
A2	0.0000	0.00000			
R1:A1	-0.3333	0.81138	-0.4108	0.687010	
R1:A2	0.0000	0.00000			
R2:A1	-4.1667	0.81138	-5.1353	0.000122	***
R2:A2	0.0000	0.00000			
R3:A1	0.0000	0.00000			
R3:A2	0.0000	0.00000			
C1	0.0625	0.65729	0.0951	0.925504	
C2	0.4375	0.60853	0.7189	0.483227	
C3	0.0000	0.00000			
B1	0.5938	0.65729	0.9033	0.380630	
B2	0.0000	0.00000			
C1:B1	-0.0625	0.89574	-0.0698	0.945294	
C1:B2	0.0000	0.00000			
C2:B1	-0.1563	0.89574	-0.1744	0.863854	
C2:B2	0.0000	0.00000			
C3:B1	0.0000	0.00000			
C3:B2	0.0000	0.00000			
Tx1	-4.8854	0.87247	-5.5995	5.070e-05	***
Tx2	-2.5208	0.83635	-3.0141	0.008719	**
Tx3	-0.8854	0.87247	-1.0148	0.326271	
Tx4	0.7083	0.87247	0.8119	0.429560	
Tx5	-3.2292	0.87247	-3.7012	0.002134	**
Tx6	0.0000	0.00000			
A1:Tx1	0.4375	1.31458	0.3328	0.743887	
A1:Tx2	-0.6250	1.21707	-0.5135	0.615061	
A1:Tx3	0.4375	1.31458	0.3328	0.743887	
A1:Tx4	-1.7500	1.31458	-1.3312	0.202996	
A1:Tx5	1.1250	1.31458	0.8558	0.405580	
A1:Tx6	0.0000	0.00000			
A2:Tx1	0.0000	0.00000			
A2:Tx2	0.0000	0.00000			
A2:Tx3	0.0000	0.00000			
A2:Tx4	0.0000	0.00000			
A2:Tx5	0.0000	0.00000			
A2:Tx6	0.0000	0.00000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(83) MODEL

GLM(Y ~ R + A + A:R + C + B + B:C + Tx + A:Tx + B:Tx, ex5.1)

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	24	196.238	8.1766	7.0476	0.0008758 ***
RESIDUALS	11	12.762	1.1602		
CORRECTED TOTAL	35	209.000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	33.500	16.7500	14.4373	0.0008391 ***
A	1	16.000	16.0000	13.7908	0.0034197 **
R:A	2	32.167	16.0833	13.8626	0.0009856 ***
C	2	0.500	0.2500	0.2155	0.8094766
B	1	1.778	1.7778	1.5323	0.2415358
C:B	2	0.389	0.1944	0.1676	0.8478141
Tx	5	103.333	20.6667	17.8131	6.055e-05 ***
A:Tx	5	6.521	1.3042	1.1241	0.4027183
B:Tx	4	2.050	0.5126	0.4418	0.7761730

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	23.116	11.5581	9.9622	0.003396 **
A	1	12.375	12.3751	10.6664	0.007519 **
R:A	2	27.426	13.7132	11.8197	0.001820 **
C	2	0.970	0.4850	0.4180	0.668392
B	1	1.757	1.7574	1.5148	0.244080
C:B	2	0.085	0.0424	0.0366	0.964202
Tx	5	103.333	20.6667	17.8131	6.055e-05 ***
A:Tx	4	2.655	0.6636	0.5720	0.688652
B:Tx	4	2.050	0.5126	0.4418	0.776173

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	22.186	11.0928	9.5611	0.003924 **
A	1	15.185	15.1853	13.0886	0.004042 **
R:A	2	27.426	13.7132	11.8197	0.001820 **
C	2	1.010	0.5049	0.4352	0.657839
B	1	1.792	1.7922	1.5448	0.239751
C:B	2	0.085	0.0424	0.0366	0.964202
Tx	5	103.333	20.6667	17.8131	6.055e-05 ***
A:Tx	4	2.655	0.6636	0.5720	0.688652
B:Tx	4	2.050	0.5126	0.4418	0.776173

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	7.9545	0.98427	8.0817	5.93e-06	***
R1	-0.6318	0.73222	-0.8629	0.4066247	
R2	-0.1636	0.66557	-0.2459	0.8103184	
R3	0.0000	0.00000			
A1	0.2273	1.10928	0.2049	0.8414057	
A2	0.0000	0.00000			
R1:A1	0.4636	1.09010	0.4253	0.6788082	
R1:A2	0.0000	0.00000			
R2:A1	-3.7682	0.98951	-3.8081	0.0029022	**
R2:A2	0.0000	0.00000			
R3:A1	0.0000	0.00000			
R3:A2	0.0000	0.00000			
C1	0.2682	0.73222	0.3663	0.7211200	
C2	0.4364	0.66557	0.6556	0.5255407	
C3	0.0000	0.00000			
B1	-0.2409	1.17470	-0.2051	0.8412545	
B2	0.0000	0.00000			
C1:B1	-0.2318	0.98951	-0.2343	0.8190745	
C1:B2	0.0000	0.00000			
C2:B1	0.0318	0.98951	0.0322	0.9749241	
C2:B2	0.0000	0.00000			
C3:B1	0.0000	0.00000			
C3:B2	0.0000	0.00000			
Tx1	-5.3485	1.04397	-5.1232	0.0003318	***
Tx2	-2.5152	1.00973	-2.4909	0.0299872	*
Tx3	-1.1667	1.04397	-1.1175	0.2875828	
Tx4	0.2424	1.22954	0.1972	0.8472929	
Tx5	-2.6167	1.17171	-2.2332	0.0472599	*
Tx6	0.0000	0.00000			
A1:Tx1	-0.4182	1.59983	-0.2614	0.7986202	
A1:Tx2	-0.6182	1.42305	-0.4344	0.6723913	
A1:Tx3	-0.2000	1.59983	-0.1250	0.9027684	
A1:Tx4	-2.0091	1.51170	-1.3290	0.2107461	
A1:Tx5	-0.1000	1.98612	-0.0503	0.9607465	
A1:Tx6	0.0000	0.00000			
A2:Tx1	0.0000	0.00000			
A2:Tx2	0.0000	0.00000			
A2:Tx3	0.0000	0.00000			
A2:Tx4	0.0000	0.00000			
A2:Tx5	0.0000	0.00000			
A2:Tx6	0.0000	0.00000			
B1:Tx1	1.7818	1.59983	1.1138	0.2891291	
B1:Tx2	-0.0182	1.42305	-0.0128	0.9900347	

```

B1:Tx3      1.2000      1.59983  0.7501 0.4689466
B1:Tx4      1.1909      1.51170  0.7878 0.4474596
B1:Tx5      0.0000      0.00000
B1:Tx6      0.0000      0.00000
B2:Tx1      0.0000      0.00000
B2:Tx2      0.0000      0.00000
B2:Tx3      0.0000      0.00000
B2:Tx4      0.0000      0.00000
B2:Tx5      0.0000      0.00000
B2:Tx6      0.0000      0.00000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
alias(Y ~ R + A + A:R + C + B + B:C + Tx + A:Tx + B:Tx, ex5.1)
```

Model :

Y ~ R + A + A:R + C + B + B:C + Tx + A:Tx + B:Tx

Complete :

```

      (Intercept) R1    R2    A1    C1    C2    B1    Tx1    Tx2    Tx3    Tx4    Tx5    R1:A1
B1:Tx5      0          0    0 -1/5     0    0 -1/5     0    0    0    0    0
      R2:A1 C1:B1 C2:B1 A1:Tx1 A1:Tx2 A1:Tx3 A1:Tx4 A1:Tx5 B1:Tx1 B1:Tx2 B1:Tx3
B1:Tx5      0    0    0  1/5    1/5    1/5    1/5    -1    1/5    1/5    1/5
      B1:Tx4
B1:Tx5  1/5

```

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + A + A:R + C + B + B:C + Tx + A:Tx + B:Tx, ex5.1),
      type=3, singular.ok=TRUE) # NOT OK

```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Y

	Sum Sq	Df	F values	Pr(>F)	
R	22.186	2	9.5611	0.003924	**
A	0.000	0			
C	1.010	2	0.4352	0.657839	
B	0.000	0			
Tx	103.333	5	17.8131	6.055e-05	***
R:A	27.426	2	11.8197	0.001820	**
C:B	0.085	2	0.0366	0.964202	
A:Tx	2.655	4	0.5720	0.688652	
B:Tx	2.050	4	0.4418	0.776173	

Residuals 12.762 11

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(84) MODEL

```
GLM(Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx + B:Tx + A:B:Tx, ex5.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	28	204.2	7.2929	10.635	0.001719 **
RESIDUALS	7	4.8	0.6857		
CORRECTED TOTAL	35	209.0			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	33.500	16.7500	24.4271	0.0006969 ***
A	1	16.000	16.0000	23.3333	0.0018985 **
R:A	2	32.167	16.0833	23.4549	0.0007889 ***
C	2	0.500	0.2500	0.3646	0.7069339
B	1	1.778	1.7778	2.5926	0.1513998
C:B	2	0.389	0.1944	0.2836	0.7613494
Tx	5	103.333	20.6667	30.1389	0.0001357 ***
A:Tx	5	6.521	1.3042	1.9019	0.2123307
B:Tx	4	2.050	0.5126	0.7475	0.5896365
A:B:Tx	4	7.962	1.9905	2.9029	0.1038803

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	31.838	15.9191	23.2153	0.0008139 ***
A	1	12.375	12.3751	18.0470	0.0038017 **
R:A	1	2.017	2.0174	2.9420	0.1300172
C	2	0.500	0.2500	0.3645	0.7069558
B	1	1.757	1.7574	2.5629	0.1534298
C:B	1	0.644	0.6445	0.9399	0.3646045
Tx	5	103.333	20.6667	30.1389	0.0001357 ***
A:Tx	4	2.655	0.6636	0.9678	0.4812226
B:Tx	4	2.050	0.5126	0.7475	0.5896365
A:B:Tx	4	7.962	1.9905	2.9029	0.1038803

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	28.112	14.0562	20.4986	0.0011846 **
A	1	14.655	14.6551	21.3720	0.0024176 **
R:A	1	2.017	2.0174	2.9420	0.1300172
C	2	0.471	0.2356	0.3436	0.7205632
B	1	1.769	1.7694	2.5804	0.1522328
C:B	1	0.644	0.6445	0.9399	0.3646045
Tx	5	103.815	20.7630	30.2793	0.0001336 ***
A:Tx	4	2.951	0.7378	1.0760	0.4358837
B:Tx	4	3.553	0.8882	1.2954	0.3579988
A:B:Tx	4	7.962	1.9905	2.9029	0.1038803

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	8.5833	0.86189	9.9587	2.199e-05 ***
R1	-1.2833	0.79282	-1.6187	0.1495477
R2	-0.0500	0.55549	-0.0900	0.9308004
R3	0.0000	0.00000		
A1	-0.5833	0.98561	-0.5918	0.5725621
A2	0.0000	0.00000		
R1:A1	1.7250	1.00570	1.7152	0.1300172
R1:A2	0.0000	0.00000		
R2:A1	-3.4083	1.01136	-3.3700	0.0119197 *
R2:A2	0.0000	0.00000		
R3:A1	0.0000	0.00000		
R3:A2	0.0000	0.00000		
C1	-0.3833	0.79282	-0.4835	0.6434958
C2	0.5500	0.55549	0.9901	0.3551012
C3	0.0000	0.00000		
B1	-0.4417	0.94112	-0.4693	0.6531236
B2	0.0000	0.00000		
C1:B1	0.2833	0.96806	0.2927	0.7782513
C1:B2	0.0000	0.00000		
C2:B1	-0.6917	0.82462	-0.8388	0.4293080
C2:B2	0.0000	0.00000		
C3:B1	0.0000	0.00000		
C3:B2	0.0000	0.00000		
Tx1	-5.8333	0.95618	-6.1006	0.0004908 ***
Tx2	-2.2500	0.92582	-2.4303	0.0454020 *
Tx3	-1.8333	0.95618	-1.9173	0.0967067 .
Tx4	2.0833	1.37321	1.5171	0.1730222
Tx5	-2.6167	0.90079	-2.9048	0.0228276 *
Tx6	0.0000	0.00000		
A1:Tx1	-0.2250	1.75173	-0.1284	0.9014099

A1:Tx2	-1.3000	1.69706	-0.7660	0.4686960
A1:Tx3	0.6750	1.75173	0.3853	0.7114327
A1:Tx4	-4.8500	1.70713	-2.8410	0.0250077 *
A1:Tx5	-0.1000	1.52690	-0.0655	0.9496134
A1:Tx6	0.0000	0.00000		
A2:Tx1	0.0000	0.00000		
A2:Tx2	0.0000	0.00000		
A2:Tx3	0.0000	0.00000		
A2:Tx4	0.0000	0.00000		
A2:Tx5	0.0000	0.00000		
A2:Tx6	0.0000	0.00000		
B1:Tx1	1.9750	1.75173	1.1275	0.2967084
B1:Tx2	-0.7000	1.69706	-0.4125	0.6923283
B1:Tx3	2.0750	1.75173	1.1845	0.2748540
B1:Tx4	-1.6500	1.70713	-0.9665	0.3659742
B1:Tx5	0.0000	0.00000		
B1:Tx6	0.0000	0.00000		
B2:Tx1	0.0000	0.00000		
B2:Tx2	0.0000	0.00000		
B2:Tx3	0.0000	0.00000		
B2:Tx4	0.0000	0.00000		
B2:Tx5	0.0000	0.00000		
B2:Tx6	0.0000	0.00000		
A1:B1:Tx1	0.8750	2.32379	0.3765	0.7176693
A1:B1:Tx2	1.2500	2.37847	0.5255	0.6154343
A1:B1:Tx3	-0.6250	2.32379	-0.2690	0.7957174
A1:B1:Tx4	6.0000	2.02837	2.9580	0.0211639 *
A1:B1:Tx5	0.0000	0.00000		
A1:B1:Tx6	0.0000	0.00000		
A1:B2:Tx1	0.0000	0.00000		
A1:B2:Tx2	0.0000	0.00000		
A1:B2:Tx3	0.0000	0.00000		
A1:B2:Tx4	0.0000	0.00000		
A1:B2:Tx5	0.0000	0.00000		
A1:B2:Tx6	0.0000	0.00000		
A2:B1:Tx1	0.0000	0.00000		
A2:B1:Tx2	0.0000	0.00000		
A2:B1:Tx3	0.0000	0.00000		
A2:B1:Tx4	0.0000	0.00000		
A2:B1:Tx5	0.0000	0.00000		
A2:B1:Tx6	0.0000	0.00000		
A2:B2:Tx1	0.0000	0.00000		
A2:B2:Tx2	0.0000	0.00000		
A2:B2:Tx3	0.0000	0.00000		
A2:B2:Tx4	0.0000	0.00000		
A2:B2:Tx5	0.0000	0.00000		
A2:B2:Tx6	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
alias(Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx + B:Tx + A:B:Tx, ex5.1)
```

Model :

```
Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx + B:Tx + A:B:Tx
```

Complete :

	(Intercept)	R1	R2	A1	C1	C2	B1	Tx1	Tx2	Tx3	Tx4	Tx5
B1:Tx5	0		0	-1/5	0	0	-1/5	0	0	0	0	0
A1:B1:Tx5	-1/6		0	0	0	0	0	1/6	1/6	1/6	1/6	-5/6
A1:B1:Tx6	0		2/3	0	4/45	2/3	-2/3	4/45	-1/3	1/3	-1/3	0
	R1:A1	R2:A1	C1:B1	C2:B1	A1:Tx1	A1:Tx2	A1:Tx3	A1:Tx4	A1:Tx5	B1:Tx1		
B1:Tx5	0	0	0	0	1/5	1/5	1/5	1/5	-1	1/5		
A1:B1:Tx5	0	0	0	0	0	0	0	0	0	0		
A1:B1:Tx6	-2/9	4/9	-2/9	-2/9	-1/5	-1/5	-1/5	4/5	0	-1/5		
	B1:Tx2	B1:Tx3	B1:Tx4	A1:B1:Tx1	A1:B1:Tx2	A1:B1:Tx3	A1:B1:Tx4					
B1:Tx5	1/5	1/5	1/5	0	0	0	0					
A1:B1:Tx5	0	0	0	0	0	0	0					
A1:B1:Tx6	-1/5	-1/5	4/5	1	-1	1	0					

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx + B:Tx + A:B:Tx, ex5.1),
      type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

```
Response: Y
      Sum Sq Df F values Pr(>F)
R      11.643  1  16.9793 0.004456 **
A         0.000  0
C         0.002  1   0.0025 0.961483
B         0.000  0
Tx     89.178  3  43.3503 6.87e-05 ***
R:A       2.017  1   2.9420 0.130017
C:B       0.644  1   0.9399 0.364604
A:Tx     0.543  3   0.2640 0.849381
B:Tx     3.384  3   1.6451 0.264128
A:B:Tx    7.962  4   2.9029 0.103880
Residuals 4.800  7
```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.8 Example 7.1

(85) MODEL

```
ex7.1 = read.table("C:/G/Rt/Split/asped.txt", header=TRUE)
ex7.1 = af(ex7.1, c("R", "G", "F"))
GLM(Y ~ R + G + R:G + F + F:G, ex7.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	95	577.83	6.0824	5.3082	1.068e-05 ***
RESIDUALS	24	27.50	1.1458		
CORRECTED TOTAL	119	605.33			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	84.76	28.2528	24.6570	1.655e-07 ***
G	27	343.48	12.7216	11.1025	4.286e-08 ***
R:G	9	11.75	1.3056	1.1394	0.3749
F	2	59.85	29.9250	26.1164	9.481e-07 ***
G:F	54	77.98	1.4441	1.2603	0.2718

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	5.75	1.9167	1.6727	0.1994
G	27	343.48	12.7216	11.1025	4.286e-08 ***
R:G	9	11.75	1.3056	1.1394	0.3749
F	2	59.85	29.9250	26.1164	9.481e-07 ***
G:F	54	77.98	1.4441	1.2603	0.2718

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	5.75	1.9167	1.6727	0.1994
G	27	343.48	12.7216	11.1025	4.286e-08 ***
R:G	9	11.75	1.3056	1.1394	0.3749
F	2	50.51	25.2525	22.0385	3.686e-06 ***
G:F	54	77.98	1.4441	1.2603	0.2718

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	4.0000	1.38193	2.8945	0.007962	**
R1	0.3333	0.87401	0.3814	0.706273	
R2	0.0000	0.87401	0.0000	1.000000	
R3	-0.3333	0.87401	-0.3814	0.706273	
R4	0.0000	0.00000			
G1	2.6667	1.74801	1.5255	0.140196	
G10	1.0000	1.51383	0.6606	0.515174	
G11	4.0000	1.51383	2.6423	0.014268	*
G12	3.0000	1.51383	1.9817	0.059074	.
G13	5.3333	1.74801	3.0511	0.005495	**
G14	4.3333	1.74801	2.4790	0.020593	*
G15	2.3333	1.74801	1.3348	0.194452	
G16	5.3333	1.74801	3.0511	0.005495	**
G17	4.3333	1.74801	2.4790	0.020593	*
G18	4.3333	1.74801	2.4790	0.020593	*
G19	5.0000	1.74801	2.8604	0.008625	**
G2	0.6667	1.74801	0.3814	0.706273	
G20	4.0000	1.74801	2.2883	0.031224	*
G21	4.0000	1.74801	2.2883	0.031224	*
G22	5.0000	1.74801	2.8604	0.008625	**
G23	5.0000	1.74801	2.8604	0.008625	**
G24	5.0000	1.74801	2.8604	0.008625	**
G25	2.9167	1.57564	1.8511	0.076500	.
G26	1.6667	1.57564	1.0578	0.300691	
G27	5.0833	1.57564	3.2262	0.003604	**
G28	4.0000	1.31101	3.0511	0.005495	**
G3	1.6667	1.74801	0.9535	0.349861	
G4	-0.3333	1.74801	-0.1907	0.850370	
G5	3.6667	1.74801	2.0976	0.046650	*
G6	2.6667	1.74801	1.5255	0.140196	
G7	-1.0000	1.51383	-0.6606	0.515174	
G8	1.0000	1.51383	0.6606	0.515174	
G9	0.0000	0.00000			
R1:G1	0.0000	0.00000			
R1:G10	0.0000	0.00000			
R1:G11	0.0000	0.00000			
R1:G12	0.0000	0.00000			
R1:G13	0.0000	0.00000			
R1:G14	0.0000	0.00000			
R1:G15	0.0000	0.00000			
R1:G16	0.0000	0.00000			
R1:G17	0.0000	0.00000			
R1:G18	0.0000	0.00000			
R1:G19	0.0000	0.00000			
R1:G2	0.0000	0.00000			
R1:G20	0.0000	0.00000			

R1:G21	0.0000	0.00000		
R1:G22	0.0000	0.00000		
R1:G23	0.0000	0.00000		
R1:G24	0.0000	0.00000		
R1:G25	-1.3333	1.23603	-1.0787	0.291435
R1:G26	-1.3333	1.23603	-1.0787	0.291435
R1:G27	-0.6667	1.23603	-0.5394	0.594608
R1:G28	0.0000	0.00000		
R1:G3	0.0000	0.00000		
R1:G4	0.0000	0.00000		
R1:G5	0.0000	0.00000		
R1:G6	0.0000	0.00000		
R1:G7	0.0000	0.00000		
R1:G8	0.0000	0.00000		
R1:G9	0.0000	0.00000		
R2:G1	0.0000	0.00000		
R2:G10	0.0000	0.00000		
R2:G11	0.0000	0.00000		
R2:G12	0.0000	0.00000		
R2:G13	0.0000	0.00000		
R2:G14	0.0000	0.00000		
R2:G15	0.0000	0.00000		
R2:G16	0.0000	0.00000		
R2:G17	0.0000	0.00000		
R2:G18	0.0000	0.00000		
R2:G19	0.0000	0.00000		
R2:G2	0.0000	0.00000		
R2:G20	0.0000	0.00000		
R2:G21	0.0000	0.00000		
R2:G22	0.0000	0.00000		
R2:G23	0.0000	0.00000		
R2:G24	0.0000	0.00000		
R2:G25	-0.6667	1.23603	-0.5394	0.594608
R2:G26	-1.3333	1.23603	-1.0787	0.291435
R2:G27	-1.0000	1.23603	-0.8090	0.426440
R2:G28	0.0000	0.00000		
R2:G3	0.0000	0.00000		
R2:G4	0.0000	0.00000		
R2:G5	0.0000	0.00000		
R2:G6	0.0000	0.00000		
R2:G7	0.0000	0.00000		
R2:G8	0.0000	0.00000		
R2:G9	0.0000	0.00000		
R3:G1	0.0000	0.00000		
R3:G10	0.0000	0.00000		
R3:G11	0.0000	0.00000		
R3:G12	0.0000	0.00000		
R3:G13	0.0000	0.00000		

R3:G14	0.0000	0.00000		
R3:G15	0.0000	0.00000		
R3:G16	0.0000	0.00000		
R3:G17	0.0000	0.00000		
R3:G18	0.0000	0.00000		
R3:G19	0.0000	0.00000		
R3:G2	0.0000	0.00000		
R3:G20	0.0000	0.00000		
R3:G21	0.0000	0.00000		
R3:G22	0.0000	0.00000		
R3:G23	0.0000	0.00000		
R3:G24	0.0000	0.00000		
R3:G25	1.3333	1.23603	1.0787	0.291435
R3:G26	1.0000	1.23603	0.8090	0.426440
R3:G27	-0.6667	1.23603	-0.5394	0.594608
R3:G28	0.0000	0.00000		
R3:G3	0.0000	0.00000		
R3:G4	0.0000	0.00000		
R3:G5	0.0000	0.00000		
R3:G6	0.0000	0.00000		
R3:G7	0.0000	0.00000		
R3:G8	0.0000	0.00000		
R3:G9	0.0000	0.00000		
R4:G1	0.0000	0.00000		
R4:G10	0.0000	0.00000		
R4:G11	0.0000	0.00000		
R4:G12	0.0000	0.00000		
R4:G13	0.0000	0.00000		
R4:G14	0.0000	0.00000		
R4:G15	0.0000	0.00000		
R4:G16	0.0000	0.00000		
R4:G17	0.0000	0.00000		
R4:G18	0.0000	0.00000		
R4:G19	0.0000	0.00000		
R4:G2	0.0000	0.00000		
R4:G20	0.0000	0.00000		
R4:G21	0.0000	0.00000		
R4:G22	0.0000	0.00000		
R4:G23	0.0000	0.00000		
R4:G24	0.0000	0.00000		
R4:G25	0.0000	0.00000		
R4:G26	0.0000	0.00000		
R4:G27	0.0000	0.00000		
R4:G28	0.0000	0.00000		
R4:G3	0.0000	0.00000		
R4:G4	0.0000	0.00000		
R4:G5	0.0000	0.00000		
R4:G6	0.0000	0.00000		

R4:G7	0.0000	0.00000		
R4:G8	0.0000	0.00000		
R4:G9	0.0000	0.00000		
F1	-1.0000	1.51383	-0.6606	0.515174
F2	0.0000	1.51383	0.0000	1.000000
F3	0.0000	0.00000		
G1:F1	-4.0000	2.14087	-1.8684	0.073962
G1:F2	-2.0000	2.14087	-0.9342	0.359506
G1:F3	0.0000	0.00000		
G10:F1	0.0000	2.14087	0.0000	1.000000
G10:F2	-1.0000	2.14087	-0.4671	0.644642
G10:F3	0.0000	0.00000		
G11:F1	1.0000	2.14087	0.4671	0.644642
G11:F2	0.0000	2.14087	0.0000	1.000000
G11:F3	0.0000	0.00000		
G12:F1	-3.0000	2.14087	-1.4013	0.173924
G12:F2	-2.0000	2.14087	-0.9342	0.359506
G12:F3	0.0000	0.00000		
G13:F1	-1.0000	2.14087	-0.4671	0.644642
G13:F2	-2.0000	2.14087	-0.9342	0.359506
G13:F3	0.0000	0.00000		
G14:F1	-2.0000	2.14087	-0.9342	0.359506
G14:F2	-2.0000	2.14087	-0.9342	0.359506
G14:F3	0.0000	0.00000		
G15:F1	-2.0000	2.14087	-0.9342	0.359506
G15:F2	-1.0000	2.14087	-0.4671	0.644642
G15:F3	0.0000	0.00000		
G16:F1	-1.0000	2.14087	-0.4671	0.644642
G16:F2	-2.0000	2.14087	-0.9342	0.359506
G16:F3	0.0000	0.00000		
G17:F1	-1.0000	2.14087	-0.4671	0.644642
G17:F2	0.0000	2.14087	0.0000	1.000000
G17:F3	0.0000	0.00000		
G18:F1	-2.0000	2.14087	-0.9342	0.359506
G18:F2	-1.0000	2.14087	-0.4671	0.644642
G18:F3	0.0000	0.00000		
G19:F1	-3.0000	2.14087	-1.4013	0.173924
G19:F2	-1.0000	2.14087	-0.4671	0.644642
G19:F3	0.0000	0.00000		
G2:F1	-1.0000	2.14087	-0.4671	0.644642
G2:F2	1.0000	2.14087	0.4671	0.644642
G2:F3	0.0000	0.00000		
G20:F1	-1.0000	2.14087	-0.4671	0.644642
G20:F2	-2.0000	2.14087	-0.9342	0.359506
G20:F3	0.0000	0.00000		
G21:F1	0.0000	2.14087	0.0000	1.000000
G21:F2	-4.0000	2.14087	-1.8684	0.073962
G21:F3	0.0000	0.00000		

G22:F1	0.0000	2.14087	0.0000	1.000000
G22:F2	-2.0000	2.14087	-0.9342	0.359506
G22:F3	0.0000	0.00000		
G23:F1	1.0000	2.14087	0.4671	0.644642
G23:F2	-1.0000	2.14087	-0.4671	0.644642
G23:F3	0.0000	0.00000		
G24:F1	1.0000	2.14087	0.4671	0.644642
G24:F2	-1.0000	2.14087	-0.4671	0.644642
G24:F3	0.0000	0.00000		
G25:F1	-2.5000	1.69251	-1.4771	0.152652
G25:F2	-2.2500	1.69251	-1.3294	0.196219
G25:F3	0.0000	0.00000		
G26:F1	-1.7500	1.69251	-1.0340	0.311458
G26:F2	-2.2500	1.69251	-1.3294	0.196219
G26:F3	0.0000	0.00000		
G27:F1	1.0000	1.69251	0.5908	0.560152
G27:F2	-0.2500	1.69251	-0.1477	0.883806
G27:F3	0.0000	0.00000		
G28:F1	1.0000	1.69251	0.5908	0.560152
G28:F2	0.0000	1.69251	0.0000	1.000000
G28:F3	0.0000	0.00000		
G3:F1	-1.0000	2.14087	-0.4671	0.644642
G3:F2	1.0000	2.14087	0.4671	0.644642
G3:F3	0.0000	0.00000		
G4:F1	2.0000	2.14087	0.9342	0.359506
G4:F2	4.0000	2.14087	1.8684	0.073962
G4:F3	0.0000	0.00000		
G5:F1	-1.0000	2.14087	-0.4671	0.644642
G5:F2	0.0000	2.14087	0.0000	1.000000
G5:F3	0.0000	0.00000		
G6:F1	1.0000	2.14087	0.4671	0.644642
G6:F2	1.0000	2.14087	0.4671	0.644642
G6:F3	0.0000	0.00000		
G7:F1	-1.0000	2.14087	-0.4671	0.644642
G7:F2	-1.0000	2.14087	-0.4671	0.644642
G7:F3	0.0000	0.00000		
G8:F1	-2.0000	2.14087	-0.9342	0.359506
G8:F2	-2.0000	2.14087	-0.9342	0.359506
G8:F3	0.0000	0.00000		
G9:F1	0.0000	0.00000		
G9:F2	0.0000	0.00000		
G9:F3	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + G + R:G + F + F:G, ex7.1), type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Y

	Sum Sq	Df	F values	Pr(>F)
R	0.000	0		
G	202.417	3	58.8848	3.258e-11 ***
F	50.505	2	22.0385	3.686e-06 ***
R:G	11.750	9	1.1394	0.3749
G:F	77.983	54	1.2603	0.2718
Residuals	27.500	24		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.9 Example 7.2

(86) MODEL

```
ex7.2 = read.table("C:/G/Rt/Split/aspect.txt", header=TRUE)
ex7.2 = af(ex7.2, c("R", "T", "G"))
GLM(Y ~ R + T + R:T + G + G:T, ex7.2)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	99	538.70	5.4415	5.1892	1.286e-05 ***
RESIDUALS	24	25.17	1.0486		
CORRECTED TOTAL	123	563.87			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	73.255	24.4183	23.2863	2.752e-07 ***
T	3	32.000	10.6667	10.1722	0.0001645 ***
R:T	9	28.402	3.1558	3.0095	0.0149568 *
G	21	309.908	14.7575	14.0734	7.158e-09 ***
T:G	63	95.140	1.5102	1.4401	0.1617931

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	4.229	1.4097	1.3444	0.2834998

```

T    3  32.000 10.6667 10.1722 0.0001645 ***
R:T  9  10.854  1.2060  1.1501 0.3684706
G   21 309.908 14.7575 14.0734 7.158e-09 ***
T:G 63  95.140  1.5102  1.4401 0.1617931

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	4.229	1.4097	1.3444	0.283500
T	3	22.668	7.5559	7.2056	0.001299 **
R:T	9	10.854	1.2060	1.1501	0.368471
G	21	309.908	14.7575	14.0734	7.158e-09 ***
T:G	63	95.140	1.5102	1.4401	0.161793

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	7.3333	1.32200	5.5471	1.048e-05 ***
R1	-0.6667	0.83611	-0.7973	0.4330680
R2	-0.3333	0.83611	-0.3987	0.6936589
R3	-1.3333	0.83611	-1.5947	0.1238666
R4	0.0000	0.00000		
T1	-3.3333	1.86959	-1.7829	0.0872539 .
T2	-2.0000	1.86959	-1.0698	0.2953720
T3	-0.3333	1.86959	-0.1783	0.8599900
T4	0.0000	0.00000		
R1:T1	-0.6667	1.18243	-0.5638	0.5781149
R1:T2	0.3333	1.18243	0.2819	0.7804333
R1:T3	1.6667	1.18243	1.4095	0.1715077
R1:T4	0.0000	0.00000		
R2:T1	0.3333	1.18243	0.2819	0.7804333
R2:T2	0.0000	1.18243	0.0000	1.0000000
R2:T3	-0.6667	1.18243	-0.5638	0.5781149
R2:T4	0.0000	0.00000		
R3:T1	1.0000	1.18243	0.8457	0.4060656
R3:T2	0.3333	1.18243	0.2819	0.7804333
R3:T3	0.6667	1.18243	0.5638	0.5781149
R3:T4	0.0000	0.00000		
R4:T1	0.0000	0.00000		
R4:T2	0.0000	0.00000		
R4:T3	0.0000	0.00000		
R4:T4	0.0000	0.00000		
G1	-3.6667	1.67221	-2.1927	0.0382606 *
G10	0.0000	1.44818	0.0000	1.0000000
G11	0.0000	1.67221	0.0000	1.0000000
G12	0.0000	1.67221	0.0000	1.0000000

G13	-2.0000	1.67221	-1.1960	0.2433719	
G14	-4.0000	1.67221	-2.3920	0.0249405	*
G15	1.0000	1.67221	0.5980	0.5554350	
G16	-1.3333	1.67221	-0.7973	0.4330680	
G17	-1.3333	1.67221	-0.7973	0.4330680	
G18	-0.3333	1.67221	-0.1993	0.8436786	
G19	0.6667	1.67221	0.3987	0.6936589	
G2	-2.6667	1.67221	-1.5947	0.1238666	
G20	-1.2500	1.25416	-0.9967	0.3288617	
G21	-2.5000	1.25416	-1.9934	0.0577070	.
G22	-0.2500	1.25416	-0.1993	0.8436786	
G3	-1.6667	1.67221	-0.9967	0.3288617	
G4	-4.6667	1.67221	-2.7907	0.0101456	*
G5	-2.6667	1.67221	-1.5947	0.1238666	
G6	-2.0000	1.44818	-1.3810	0.1799904	
G7	-3.0000	1.44818	-2.0716	0.0492199	*
G8	-2.0000	1.44818	-1.3810	0.1799904	
G9	0.0000	0.00000			
T1:G1	9.0000	2.36487	3.8057	0.0008596	***
T1:G10	5.0000	2.04803	2.4414	0.0223806	*
T1:G11	5.3333	2.36487	2.2552	0.0335125	*
T1:G12	5.3333	2.36487	2.2552	0.0335125	*
T1:G13	-0.6667	2.36487	-0.2819	0.7804333	
T1:G14	2.3333	2.36487	0.9867	0.3336497	
T1:G15	4.3333	2.36487	1.8324	0.0793324	.
T1:G16	6.3333	2.36487	2.6781	0.0131499	*
T1:G17	6.3333	2.36487	2.6781	0.0131499	*
T1:G18	5.3333	2.36487	2.2552	0.0335125	*
T1:G19	4.3333	2.36487	1.8324	0.0793324	.
T1:G2	7.0000	2.36487	2.9600	0.0068231	**
T1:G20	4.6667	1.77365	2.6311	0.0146356	*
T1:G21	4.6667	1.77365	2.6311	0.0146356	*
T1:G22	3.6667	1.77365	2.0673	0.0496526	*
T1:G3	5.0000	2.36487	2.1143	0.0450700	*
T1:G4	7.0000	2.36487	2.9600	0.0068231	**
T1:G5	9.0000	2.36487	3.8057	0.0008596	***
T1:G6	1.0000	2.04803	0.4883	0.6297879	
T1:G7	2.0000	2.04803	0.9765	0.3385352	
T1:G8	2.0000	2.04803	0.9765	0.3385352	
T1:G9	0.0000	0.00000			
T2:G1	7.6667	2.36487	3.2419	0.0034696	**
T2:G10	2.0000	2.04803	0.9765	0.3385352	
T2:G11	4.6667	2.36487	1.9733	0.0600798	.
T2:G12	2.6667	2.36487	1.1276	0.2706286	
T2:G13	-0.3333	2.36487	-0.1410	0.8890840	
T2:G14	0.6667	2.36487	0.2819	0.7804333	
T2:G15	3.6667	2.36487	1.5505	0.1341152	
T2:G16	4.0000	2.36487	1.6914	0.1037018	

T2:G17	5.0000	2.36487	2.1143	0.0450700	*
T2:G18	2.0000	2.36487	0.8457	0.4060656	
T2:G19	0.0000	2.36487	0.0000	1.0000000	
T2:G2	5.6667	2.36487	2.3962	0.0247152	*
T2:G20	4.8333	1.77365	2.7251	0.0118067	*
T2:G21	2.5833	1.77365	1.4565	0.1582118	
T2:G22	3.5833	1.77365	2.0203	0.0546461	.
T2:G3	1.6667	2.36487	0.7048	0.4877422	
T2:G4	4.6667	2.36487	1.9733	0.0600798	.
T2:G5	5.6667	2.36487	2.3962	0.0247152	*
T2:G6	0.0000	2.04803	0.0000	1.0000000	
T2:G7	0.0000	2.04803	0.0000	1.0000000	
T2:G8	-1.0000	2.04803	-0.4883	0.6297879	
T2:G9	0.0000	0.00000			
T3:G1	0.6667	2.36487	0.2819	0.7804333	
T3:G10	1.0000	2.04803	0.4883	0.6297879	
T3:G11	0.6667	2.36487	0.2819	0.7804333	
T3:G12	0.6667	2.36487	0.2819	0.7804333	
T3:G13	-1.3333	2.36487	-0.5638	0.5781149	
T3:G14	-0.3333	2.36487	-0.1410	0.8890840	
T3:G15	0.6667	2.36487	0.2819	0.7804333	
T3:G16	1.3333	2.36487	0.5638	0.5781149	
T3:G17	1.3333	2.36487	0.5638	0.5781149	
T3:G18	2.3333	2.36487	0.9867	0.3336497	
T3:G19	1.3333	2.36487	0.5638	0.5781149	
T3:G2	0.6667	2.36487	0.2819	0.7804333	
T3:G20	0.9167	1.77365	0.5168	0.6100085	
T3:G21	0.6667	1.77365	0.3759	0.7103135	
T3:G22	0.4167	1.77365	0.2349	0.8162632	
T3:G3	0.6667	2.36487	0.2819	0.7804333	
T3:G4	0.6667	2.36487	0.2819	0.7804333	
T3:G5	0.6667	2.36487	0.2819	0.7804333	
T3:G6	-1.0000	2.04803	-0.4883	0.6297879	
T3:G7	0.0000	2.04803	0.0000	1.0000000	
T3:G8	-1.0000	2.04803	-0.4883	0.6297879	
T3:G9	0.0000	0.00000			
T4:G1	0.0000	0.00000			
T4:G10	0.0000	0.00000			
T4:G11	0.0000	0.00000			
T4:G12	0.0000	0.00000			
T4:G13	0.0000	0.00000			
T4:G14	0.0000	0.00000			
T4:G15	0.0000	0.00000			
T4:G16	0.0000	0.00000			
T4:G17	0.0000	0.00000			
T4:G18	0.0000	0.00000			
T4:G19	0.0000	0.00000			
T4:G2	0.0000	0.00000			

```

T4:G20      0.0000    0.00000
T4:G21      0.0000    0.00000
T4:G22      0.0000    0.00000
T4:G3       0.0000    0.00000
T4:G4       0.0000    0.00000
T4:G5       0.0000    0.00000
T4:G6       0.0000    0.00000
T4:G7       0.0000    0.00000
T4:G8       0.0000    0.00000
T4:G9       0.0000    0.00000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.10 Example 7.3

(87) MODEL

```

ex7.3 = read.table("C:/G/Rt/Split/assped.txt", header=TRUE)
ex7.3 = af(ex7.3, c("R", "T", "G", "F"))
GLM(Y ~ R + T + R:T + G + G:T + R:T:G + F + F:T + F:G + F:G:T, ex7.3)

```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	155	656.12	4.2330	13.446	3.997e-14 ***
RESIDUALS	36	11.33	0.3148		
CORRECTED TOTAL	191	667.45			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	27.06	9.019	28.6489	1.203e-09 ***
T	1	10.55	10.547	33.5018	1.334e-06 ***
R:T	3	2.97	0.991	3.1489	0.036705 *
G	22	389.01	17.682	56.1668	< 2.2e-16 ***
T:G	22	18.42	0.837	2.6601	0.004445 **
R:T:G	12	8.78	0.731	2.3235	0.025315 *
F	2	164.28	82.141	260.9173	< 2.2e-16 ***
T:F	2	0.84	0.422	1.3401	0.274574
G:F	44	23.47	0.533	1.6943	0.053191 .
T:G:F	44	10.74	0.244	0.7753	0.790640

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	12.49	4.162	13.2206	5.655e-06 ***
T	1	10.55	10.547	33.5018	1.334e-06 ***
R:T	3	1.15	0.384	1.2206	0.316281
G	22	389.01	17.682	56.1668	< 2.2e-16 ***
T:G	22	18.42	0.837	2.6601	0.004445 **
R:T:G	12	8.78	0.731	2.3235	0.025315 *
F	2	164.28	82.141	260.9173	< 2.2e-16 ***
T:F	2	0.84	0.422	1.3401	0.274574
G:F	44	23.47	0.533	1.6943	0.053191 .
T:G:F	44	10.74	0.244	0.7753	0.790640

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	12.49	4.162	13.2206	5.655e-06 ***
T	1	11.16	11.158	35.4430	8.021e-07 ***
R:T	3	1.15	0.384	1.2206	0.316281
G	22	389.01	17.682	56.1668	< 2.2e-16 ***
T:G	22	18.42	0.837	2.6601	0.004445 **
R:T:G	12	8.78	0.731	2.3235	0.025315 *
F	2	120.56	60.282	191.4828	< 2.2e-16 ***
T:F	2	0.82	0.411	1.3060	0.283432
G:F	44	23.47	0.533	1.6943	0.053191 .
T:G:F	44	10.74	0.244	0.7753	0.790640

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	10.0000	0.72436	13.8054	4.441e-16 ***
R1	-1.0000	0.45812	-2.1828	0.0356525 *
R2	-1.0000	0.45812	-2.1828	0.0356525 *
R3	0.0000	0.45812	0.0000	1.0000000
R4	0.0000	0.00000		
T1	-0.6667	1.02439	-0.6508	0.5193136
T2	0.0000	0.00000		
R1:T1	0.3333	0.64788	0.5145	0.6100498
R1:T2	0.0000	0.00000		
R2:T1	0.6667	0.64788	1.0290	0.3103479
R2:T2	0.0000	0.00000		
R3:T1	0.0000	0.64788	0.0000	1.0000000
R3:T2	0.0000	0.00000		
R4:T1	0.0000	0.00000		
R4:T2	0.0000	0.00000		
G1	-4.0000	0.91625	-4.3656	0.0001024 ***
G10	-2.0000	0.79349	-2.5205	0.0162919 *

G11	-4.0000	0.91625	-4.3656	0.0001024	***
G12	-1.0000	0.91625	-1.0914	0.2823433	
G13	-1.0000	0.91625	-1.0914	0.2823433	
G14	-2.0000	0.91625	-2.1828	0.0356525	*
G15	-3.0000	0.91625	-3.2742	0.0023455	**
G16	-6.0000	0.91625	-6.5485	1.294e-07	***
G17	-4.0000	0.91625	-4.3656	0.0001024	***
G18	-3.0000	0.91625	-3.2742	0.0023455	**
G19	-3.0000	0.91625	-3.2742	0.0023455	**
G2	-1.0000	0.91625	-1.0914	0.2823433	
G20	-2.0000	0.91625	-2.1828	0.0356525	*
G21	-3.0000	0.82589	-3.6324	0.0008677	***
G22	-1.3333	0.82589	-1.6144	0.1151698	
G23	-1.0000	0.68718	-1.4552	0.1542753	
G3	0.0000	0.91625	0.0000	1.0000000	
G4	0.0000	0.91625	0.0000	1.0000000	
G5	0.0000	0.91625	0.0000	1.0000000	
G6	-2.0000	0.79349	-2.5205	0.0162919	*
G7	-2.0000	0.79349	-2.5205	0.0162919	*
G8	-1.0000	0.79349	-1.2603	0.2156865	
G9	0.0000	0.00000			
T1:G1	1.3333	1.29577	1.0290	0.3103479	
T1:G10	-1.0000	1.12217	-0.8911	0.3787754	
T1:G11	0.6667	1.29577	0.5145	0.6100498	
T1:G12	-0.3333	1.29577	-0.2572	0.7984521	
T1:G13	-1.3333	1.29577	-1.0290	0.3103479	
T1:G14	1.6667	1.29577	1.2862	0.2065706	
T1:G15	-2.3333	1.29577	-1.8007	0.0801274	.
T1:G16	1.6667	1.29577	1.2862	0.2065706	
T1:G17	-0.3333	1.29577	-0.2572	0.7984521	
T1:G18	-0.3333	1.29577	-0.2572	0.7984521	
T1:G19	0.6667	1.29577	0.5145	0.6100498	
T1:G2	-0.6667	1.29577	-0.5145	0.6100498	
T1:G20	-0.3333	1.29577	-0.2572	0.7984521	
T1:G21	1.5833	1.16799	1.3556	0.1836683	
T1:G22	-0.5833	1.16799	-0.4994	0.6205124	
T1:G23	0.4167	0.97183	0.4287	0.6706625	
T1:G3	0.3333	1.29577	0.2572	0.7984521	
T1:G4	0.3333	1.29577	0.2572	0.7984521	
T1:G5	0.3333	1.29577	0.2572	0.7984521	
T1:G6	-1.0000	1.12217	-0.8911	0.3787754	
T1:G7	1.0000	1.12217	0.8911	0.3787754	
T1:G8	1.0000	1.12217	0.8911	0.3787754	
T1:G9	0.0000	0.00000			
T2:G1	0.0000	0.00000			
T2:G10	0.0000	0.00000			
T2:G11	0.0000	0.00000			
T2:G12	0.0000	0.00000			

T2:G13	0.0000	0.00000		
T2:G14	0.0000	0.00000		
T2:G15	0.0000	0.00000		
T2:G16	0.0000	0.00000		
T2:G17	0.0000	0.00000		
T2:G18	0.0000	0.00000		
T2:G19	0.0000	0.00000		
T2:G2	0.0000	0.00000		
T2:G20	0.0000	0.00000		
T2:G21	0.0000	0.00000		
T2:G22	0.0000	0.00000		
T2:G23	0.0000	0.00000		
T2:G3	0.0000	0.00000		
T2:G4	0.0000	0.00000		
T2:G5	0.0000	0.00000		
T2:G6	0.0000	0.00000		
T2:G7	0.0000	0.00000		
T2:G8	0.0000	0.00000		
T2:G9	0.0000	0.00000		
R1:T1:G1	0.0000	0.00000		
R1:T1:G10	0.0000	0.00000		
R1:T1:G11	0.0000	0.00000		
R1:T1:G12	0.0000	0.00000		
R1:T1:G13	0.0000	0.00000		
R1:T1:G14	0.0000	0.00000		
R1:T1:G15	0.0000	0.00000		
R1:T1:G16	0.0000	0.00000		
R1:T1:G17	0.0000	0.00000		
R1:T1:G18	0.0000	0.00000		
R1:T1:G19	0.0000	0.00000		
R1:T1:G2	0.0000	0.00000		
R1:T1:G20	0.0000	0.00000		
R1:T1:G21	-1.0000	0.64788	-1.5435	0.1314585
R1:T1:G22	0.0000	0.64788	0.0000	1.0000000
R1:T1:G23	0.0000	0.00000		
R1:T1:G3	0.0000	0.00000		
R1:T1:G4	0.0000	0.00000		
R1:T1:G5	0.0000	0.00000		
R1:T1:G6	0.0000	0.00000		
R1:T1:G7	0.0000	0.00000		
R1:T1:G8	0.0000	0.00000		
R1:T1:G9	0.0000	0.00000		
R1:T2:G1	0.0000	0.00000		
R1:T2:G10	0.0000	0.00000		
R1:T2:G11	0.0000	0.00000		
R1:T2:G12	0.0000	0.00000		
R1:T2:G13	0.0000	0.00000		
R1:T2:G14	0.0000	0.00000		

R1:T2:G15	0.0000	0.00000		
R1:T2:G16	0.0000	0.00000		
R1:T2:G17	0.0000	0.00000		
R1:T2:G18	0.0000	0.00000		
R1:T2:G19	0.0000	0.00000		
R1:T2:G2	0.0000	0.00000		
R1:T2:G20	0.0000	0.00000		
R1:T2:G21	0.6667	0.64788	1.0290	0.3103479
R1:T2:G22	0.0000	0.64788	0.0000	1.0000000
R1:T2:G23	0.0000	0.00000		
R1:T2:G3	0.0000	0.00000		
R1:T2:G4	0.0000	0.00000		
R1:T2:G5	0.0000	0.00000		
R1:T2:G6	0.0000	0.00000		
R1:T2:G7	0.0000	0.00000		
R1:T2:G8	0.0000	0.00000		
R1:T2:G9	0.0000	0.00000		
R2:T1:G1	0.0000	0.00000		
R2:T1:G10	0.0000	0.00000		
R2:T1:G11	0.0000	0.00000		
R2:T1:G12	0.0000	0.00000		
R2:T1:G13	0.0000	0.00000		
R2:T1:G14	0.0000	0.00000		
R2:T1:G15	0.0000	0.00000		
R2:T1:G16	0.0000	0.00000		
R2:T1:G17	0.0000	0.00000		
R2:T1:G18	0.0000	0.00000		
R2:T1:G19	0.0000	0.00000		
R2:T1:G2	0.0000	0.00000		
R2:T1:G20	0.0000	0.00000		
R2:T1:G21	-1.0000	0.64788	-1.5435	0.1314585
R2:T1:G22	-0.3333	0.64788	-0.5145	0.6100498
R2:T1:G23	0.0000	0.00000		
R2:T1:G3	0.0000	0.00000		
R2:T1:G4	0.0000	0.00000		
R2:T1:G5	0.0000	0.00000		
R2:T1:G6	0.0000	0.00000		
R2:T1:G7	0.0000	0.00000		
R2:T1:G8	0.0000	0.00000		
R2:T1:G9	0.0000	0.00000		
R2:T2:G1	0.0000	0.00000		
R2:T2:G10	0.0000	0.00000		
R2:T2:G11	0.0000	0.00000		
R2:T2:G12	0.0000	0.00000		
R2:T2:G13	0.0000	0.00000		
R2:T2:G14	0.0000	0.00000		
R2:T2:G15	0.0000	0.00000		
R2:T2:G16	0.0000	0.00000		

R2:T2:G17	0.0000	0.00000		
R2:T2:G18	0.0000	0.00000		
R2:T2:G19	0.0000	0.00000		
R2:T2:G2	0.0000	0.00000		
R2:T2:G20	0.0000	0.00000		
R2:T2:G21	-1.0000	0.64788	-1.5435	0.1314585
R2:T2:G22	0.3333	0.64788	0.5145	0.6100498
R2:T2:G23	0.0000	0.00000		
R2:T2:G3	0.0000	0.00000		
R2:T2:G4	0.0000	0.00000		
R2:T2:G5	0.0000	0.00000		
R2:T2:G6	0.0000	0.00000		
R2:T2:G7	0.0000	0.00000		
R2:T2:G8	0.0000	0.00000		
R2:T2:G9	0.0000	0.00000		
R3:T1:G1	0.0000	0.00000		
R3:T1:G10	0.0000	0.00000		
R3:T1:G11	0.0000	0.00000		
R3:T1:G12	0.0000	0.00000		
R3:T1:G13	0.0000	0.00000		
R3:T1:G14	0.0000	0.00000		
R3:T1:G15	0.0000	0.00000		
R3:T1:G16	0.0000	0.00000		
R3:T1:G17	0.0000	0.00000		
R3:T1:G18	0.0000	0.00000		
R3:T1:G19	0.0000	0.00000		
R3:T1:G2	0.0000	0.00000		
R3:T1:G20	0.0000	0.00000		
R3:T1:G21	-1.6667	0.64788	-2.5725	0.0143678 *
R3:T1:G22	0.6667	0.64788	1.0290	0.3103479
R3:T1:G23	0.0000	0.00000		
R3:T1:G3	0.0000	0.00000		
R3:T1:G4	0.0000	0.00000		
R3:T1:G5	0.0000	0.00000		
R3:T1:G6	0.0000	0.00000		
R3:T1:G7	0.0000	0.00000		
R3:T1:G8	0.0000	0.00000		
R3:T1:G9	0.0000	0.00000		
R3:T2:G1	0.0000	0.00000		
R3:T2:G10	0.0000	0.00000		
R3:T2:G11	0.0000	0.00000		
R3:T2:G12	0.0000	0.00000		
R3:T2:G13	0.0000	0.00000		
R3:T2:G14	0.0000	0.00000		
R3:T2:G15	0.0000	0.00000		
R3:T2:G16	0.0000	0.00000		
R3:T2:G17	0.0000	0.00000		
R3:T2:G18	0.0000	0.00000		

R3:T2:G19	0.0000	0.00000		
R3:T2:G2	0.0000	0.00000		
R3:T2:G20	0.0000	0.00000		
R3:T2:G21	-0.6667	0.64788	-1.0290	0.3103479
R3:T2:G22	0.0000	0.64788	0.0000	1.0000000
R3:T2:G23	0.0000	0.00000		
R3:T2:G3	0.0000	0.00000		
R3:T2:G4	0.0000	0.00000		
R3:T2:G5	0.0000	0.00000		
R3:T2:G6	0.0000	0.00000		
R3:T2:G7	0.0000	0.00000		
R3:T2:G8	0.0000	0.00000		
R3:T2:G9	0.0000	0.00000		
R4:T1:G1	0.0000	0.00000		
R4:T1:G10	0.0000	0.00000		
R4:T1:G11	0.0000	0.00000		
R4:T1:G12	0.0000	0.00000		
R4:T1:G13	0.0000	0.00000		
R4:T1:G14	0.0000	0.00000		
R4:T1:G15	0.0000	0.00000		
R4:T1:G16	0.0000	0.00000		
R4:T1:G17	0.0000	0.00000		
R4:T1:G18	0.0000	0.00000		
R4:T1:G19	0.0000	0.00000		
R4:T1:G2	0.0000	0.00000		
R4:T1:G20	0.0000	0.00000		
R4:T1:G21	0.0000	0.00000		
R4:T1:G22	0.0000	0.00000		
R4:T1:G23	0.0000	0.00000		
R4:T1:G3	0.0000	0.00000		
R4:T1:G4	0.0000	0.00000		
R4:T1:G5	0.0000	0.00000		
R4:T1:G6	0.0000	0.00000		
R4:T1:G7	0.0000	0.00000		
R4:T1:G8	0.0000	0.00000		
R4:T1:G9	0.0000	0.00000		
R4:T2:G1	0.0000	0.00000		
R4:T2:G10	0.0000	0.00000		
R4:T2:G11	0.0000	0.00000		
R4:T2:G12	0.0000	0.00000		
R4:T2:G13	0.0000	0.00000		
R4:T2:G14	0.0000	0.00000		
R4:T2:G15	0.0000	0.00000		
R4:T2:G16	0.0000	0.00000		
R4:T2:G17	0.0000	0.00000		
R4:T2:G18	0.0000	0.00000		
R4:T2:G19	0.0000	0.00000		
R4:T2:G2	0.0000	0.00000		

R4:T2:G20	0.0000	0.00000		
R4:T2:G21	0.0000	0.00000		
R4:T2:G22	0.0000	0.00000		
R4:T2:G23	0.0000	0.00000		
R4:T2:G3	0.0000	0.00000		
R4:T2:G4	0.0000	0.00000		
R4:T2:G5	0.0000	0.00000		
R4:T2:G6	0.0000	0.00000		
R4:T2:G7	0.0000	0.00000		
R4:T2:G8	0.0000	0.00000		
R4:T2:G9	0.0000	0.00000		
F1	-2.0000	0.79349	-2.5205	0.0162919 *
F2	-2.0000	0.79349	-2.5205	0.0162919 *
F3	0.0000	0.00000		
T1:F1	0.0000	1.12217	0.0000	1.0000000
T1:F2	1.0000	1.12217	0.8911	0.3787754
T1:F3	0.0000	0.00000		
T2:F1	0.0000	0.00000		
T2:F2	0.0000	0.00000		
T2:F3	0.0000	0.00000		
G1:F1	0.0000	1.12217	0.0000	1.0000000
G1:F2	1.0000	1.12217	0.8911	0.3787754
G1:F3	0.0000	0.00000		
G10:F1	-1.0000	1.12217	-0.8911	0.3787754
G10:F2	0.0000	1.12217	0.0000	1.0000000
G10:F3	0.0000	0.00000		
G11:F1	1.0000	1.12217	0.8911	0.3787754
G11:F2	1.0000	1.12217	0.8911	0.3787754
G11:F3	0.0000	0.00000		
G12:F1	1.0000	1.12217	0.8911	0.3787754
G12:F2	1.0000	1.12217	0.8911	0.3787754
G12:F3	0.0000	0.00000		
G13:F1	0.0000	1.12217	0.0000	1.0000000
G13:F2	0.0000	1.12217	0.0000	1.0000000
G13:F3	0.0000	0.00000		
G14:F1	1.0000	1.12217	0.8911	0.3787754
G14:F2	2.0000	1.12217	1.7823	0.0831422 .
G14:F3	0.0000	0.00000		
G15:F1	-1.0000	1.12217	-0.8911	0.3787754
G15:F2	0.0000	1.12217	0.0000	1.0000000
G15:F3	0.0000	0.00000		
G16:F1	0.0000	1.12217	0.0000	1.0000000
G16:F2	0.0000	1.12217	0.0000	1.0000000
G16:F3	0.0000	0.00000		
G17:F1	-1.0000	1.12217	-0.8911	0.3787754
G17:F2	1.0000	1.12217	0.8911	0.3787754
G17:F3	0.0000	0.00000		
G18:F1	-1.0000	1.12217	-0.8911	0.3787754

G18:F2	1.0000	1.12217	0.8911	0.3787754
G18:F3	0.0000	0.00000		
G19:F1	0.0000	1.12217	0.0000	1.0000000
G19:F2	2.0000	1.12217	1.7823	0.0831422 .
G19:F3	0.0000	0.00000		
G2:F1	-2.0000	1.12217	-1.7823	0.0831422 .
G2:F2	0.0000	1.12217	0.0000	1.0000000
G2:F3	0.0000	0.00000		
G20:F1	0.0000	1.12217	0.0000	1.0000000
G20:F2	1.0000	1.12217	0.8911	0.3787754
G20:F3	0.0000	0.00000		
G21:F1	-1.2500	0.88715	-1.4090	0.1674134
G21:F2	1.2500	0.88715	1.4090	0.1674134
G21:F3	0.0000	0.00000		
G22:F1	0.0000	0.88715	0.0000	1.0000000
G22:F2	1.0000	0.88715	1.1272	0.2671137
G22:F3	0.0000	0.00000		
G23:F1	0.0000	0.88715	0.0000	1.0000000
G23:F2	1.0000	0.88715	1.1272	0.2671137
G23:F3	0.0000	0.00000		
G3:F1	0.0000	1.12217	0.0000	1.0000000
G3:F2	1.0000	1.12217	0.8911	0.3787754
G3:F3	0.0000	0.00000		
G4:F1	2.0000	1.12217	1.7823	0.0831422 .
G4:F2	1.0000	1.12217	0.8911	0.3787754
G4:F3	0.0000	0.00000		
G5:F1	0.0000	1.12217	0.0000	1.0000000
G5:F2	2.0000	1.12217	1.7823	0.0831422 .
G5:F3	0.0000	0.00000		
G6:F1	0.0000	1.12217	0.0000	1.0000000
G6:F2	1.0000	1.12217	0.8911	0.3787754
G6:F3	0.0000	0.00000		
G7:F1	1.0000	1.12217	0.8911	0.3787754
G7:F2	2.0000	1.12217	1.7823	0.0831422 .
G7:F3	0.0000	0.00000		
G8:F1	1.0000	1.12217	0.8911	0.3787754
G8:F2	3.0000	1.12217	2.6734	0.0112153 *
G8:F3	0.0000	0.00000		
G9:F1	0.0000	0.00000		
G9:F2	0.0000	0.00000		
G9:F3	0.0000	0.00000		
T1:G1:F1	-2.0000	1.58698	-1.2603	0.2156865
T1:G1:F2	-2.0000	1.58698	-1.2603	0.2156865
T1:G1:F3	0.0000	0.00000		
T1:G10:F1	0.0000	1.58698	0.0000	1.0000000
T1:G10:F2	0.0000	1.58698	0.0000	1.0000000
T1:G10:F3	0.0000	0.00000		
T1:G11:F1	-1.0000	1.58698	-0.6301	0.5325917

T1:G11:F2	-1.0000	1.58698	-0.6301	0.5325917
T1:G11:F3	0.0000	0.00000		
T1:G12:F1	0.0000	1.58698	0.0000	1.0000000
T1:G12:F2	0.0000	1.58698	0.0000	1.0000000
T1:G12:F3	0.0000	0.00000		
T1:G13:F1	1.0000	1.58698	0.6301	0.5325917
T1:G13:F2	1.0000	1.58698	0.6301	0.5325917
T1:G13:F3	0.0000	0.00000		
T1:G14:F1	-1.0000	1.58698	-0.6301	0.5325917
T1:G14:F2	-3.0000	1.58698	-1.8904	0.0667786 .
T1:G14:F3	0.0000	0.00000		
T1:G15:F1	1.0000	1.58698	0.6301	0.5325917
T1:G15:F2	0.0000	1.58698	0.0000	1.0000000
T1:G15:F3	0.0000	0.00000		
T1:G16:F1	-2.0000	1.58698	-1.2603	0.2156865
T1:G16:F2	-1.0000	1.58698	-0.6301	0.5325917
T1:G16:F3	0.0000	0.00000		
T1:G17:F1	0.0000	1.58698	0.0000	1.0000000
T1:G17:F2	-1.0000	1.58698	-0.6301	0.5325917
T1:G17:F3	0.0000	0.00000		
T1:G18:F1	0.0000	1.58698	0.0000	1.0000000
T1:G18:F2	-2.0000	1.58698	-1.2603	0.2156865
T1:G18:F3	0.0000	0.00000		
T1:G19:F1	-1.0000	1.58698	-0.6301	0.5325917
T1:G19:F2	-3.0000	1.58698	-1.8904	0.0667786 .
T1:G19:F3	0.0000	0.00000		
T1:G2:F1	0.0000	1.58698	0.0000	1.0000000
T1:G2:F2	-1.0000	1.58698	-0.6301	0.5325917
T1:G2:F3	0.0000	0.00000		
T1:G20:F1	0.0000	1.58698	0.0000	1.0000000
T1:G20:F2	-2.0000	1.58698	-1.2603	0.2156865
T1:G20:F3	0.0000	0.00000		
T1:G21:F1	0.0000	1.25462	0.0000	1.0000000
T1:G21:F2	-1.7500	1.25462	-1.3948	0.1716105
T1:G21:F3	0.0000	0.00000		
T1:G22:F1	-0.2500	1.25462	-0.1993	0.8431780
T1:G22:F2	-1.0000	1.25462	-0.7971	0.4306457
T1:G22:F3	0.0000	0.00000		
T1:G23:F1	-0.2500	1.25462	-0.1993	0.8431780
T1:G23:F2	-1.0000	1.25462	-0.7971	0.4306457
T1:G23:F3	0.0000	0.00000		
T1:G3:F1	0.0000	1.58698	0.0000	1.0000000
T1:G3:F2	-2.0000	1.58698	-1.2603	0.2156865
T1:G3:F3	0.0000	0.00000		
T1:G4:F1	-1.0000	1.58698	-0.6301	0.5325917
T1:G4:F2	-1.0000	1.58698	-0.6301	0.5325917
T1:G4:F3	0.0000	0.00000		
T1:G5:F1	1.0000	1.58698	0.6301	0.5325917

T1:G5:F2	-2.0000	1.58698	-1.2603	0.2156865
T1:G5:F3	0.0000	0.00000		
T1:G6:F1	0.0000	1.58698	0.0000	1.0000000
T1:G6:F2	-1.0000	1.58698	-0.6301	0.5325917
T1:G6:F3	0.0000	0.00000		
T1:G7:F1	-1.0000	1.58698	-0.6301	0.5325917
T1:G7:F2	-2.0000	1.58698	-1.2603	0.2156865
T1:G7:F3	0.0000	0.00000		
T1:G8:F1	-1.0000	1.58698	-0.6301	0.5325917
T1:G8:F2	-3.0000	1.58698	-1.8904	0.0667786 .
T1:G8:F3	0.0000	0.00000		
T1:G9:F1	0.0000	0.00000		
T1:G9:F2	0.0000	0.00000		
T1:G9:F3	0.0000	0.00000		
T2:G1:F1	0.0000	0.00000		
T2:G1:F2	0.0000	0.00000		
T2:G1:F3	0.0000	0.00000		
T2:G10:F1	0.0000	0.00000		
T2:G10:F2	0.0000	0.00000		
T2:G10:F3	0.0000	0.00000		
T2:G11:F1	0.0000	0.00000		
T2:G11:F2	0.0000	0.00000		
T2:G11:F3	0.0000	0.00000		
T2:G12:F1	0.0000	0.00000		
T2:G12:F2	0.0000	0.00000		
T2:G12:F3	0.0000	0.00000		
T2:G13:F1	0.0000	0.00000		
T2:G13:F2	0.0000	0.00000		
T2:G13:F3	0.0000	0.00000		
T2:G14:F1	0.0000	0.00000		
T2:G14:F2	0.0000	0.00000		
T2:G14:F3	0.0000	0.00000		
T2:G15:F1	0.0000	0.00000		
T2:G15:F2	0.0000	0.00000		
T2:G15:F3	0.0000	0.00000		
T2:G16:F1	0.0000	0.00000		
T2:G16:F2	0.0000	0.00000		
T2:G16:F3	0.0000	0.00000		
T2:G17:F1	0.0000	0.00000		
T2:G17:F2	0.0000	0.00000		
T2:G17:F3	0.0000	0.00000		
T2:G18:F1	0.0000	0.00000		
T2:G18:F2	0.0000	0.00000		
T2:G18:F3	0.0000	0.00000		
T2:G19:F1	0.0000	0.00000		
T2:G19:F2	0.0000	0.00000		
T2:G19:F3	0.0000	0.00000		
T2:G2:F1	0.0000	0.00000		

T2:G2:F2	0.0000	0.00000
T2:G2:F3	0.0000	0.00000
T2:G20:F1	0.0000	0.00000
T2:G20:F2	0.0000	0.00000
T2:G20:F3	0.0000	0.00000
T2:G21:F1	0.0000	0.00000
T2:G21:F2	0.0000	0.00000
T2:G21:F3	0.0000	0.00000
T2:G22:F1	0.0000	0.00000
T2:G22:F2	0.0000	0.00000
T2:G22:F3	0.0000	0.00000
T2:G23:F1	0.0000	0.00000
T2:G23:F2	0.0000	0.00000
T2:G23:F3	0.0000	0.00000
T2:G3:F1	0.0000	0.00000
T2:G3:F2	0.0000	0.00000
T2:G3:F3	0.0000	0.00000
T2:G4:F1	0.0000	0.00000
T2:G4:F2	0.0000	0.00000
T2:G4:F3	0.0000	0.00000
T2:G5:F1	0.0000	0.00000
T2:G5:F2	0.0000	0.00000
T2:G5:F3	0.0000	0.00000
T2:G6:F1	0.0000	0.00000
T2:G6:F2	0.0000	0.00000
T2:G6:F3	0.0000	0.00000
T2:G7:F1	0.0000	0.00000
T2:G7:F2	0.0000	0.00000
T2:G7:F3	0.0000	0.00000
T2:G8:F1	0.0000	0.00000
T2:G8:F2	0.0000	0.00000
T2:G8:F3	0.0000	0.00000
T2:G9:F1	0.0000	0.00000
T2:G9:F2	0.0000	0.00000
T2:G9:F3	0.0000	0.00000

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + T + R:T + G + G:T + R:T:G + F + F:T + F:G + F:G:T, ex7.3),
      type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Y

	Sum Sq	Df	F values	Pr(>F)
R	0.000	0		
T	0.000	0		
G	73.444	2	116.6471	< 2.2e-16 ***
F	120.563	2	191.4828	< 2.2e-16 ***
R:T	0.000	0		
T:G	5.778	2	9.1765	0.0006018 ***
T:F	0.822	2	1.3060	0.2834316
G:F	23.469	44	1.6943	0.0531910 .
R:T:G	8.778	12	2.3235	0.0253153 *
T:G:F	10.740	44	0.7753	0.7906401
Residuals	11.333	36		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.11 Example 8.1

(88) MODEL

```
ex8.1 = read.table("C:/G/Rt/Split/asbed.txt", header=TRUE)
ex8.1 = af(ex8.1, c("R", "A", "B"))
GLM(Y ~ R + A + R:A + B + B:R + A:B + A:B:R, ex8.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	104	3951.8	37.999		
RESIDUALS	0	0.0			
CORRECTED TOTAL	104	3951.8			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	1787.68	893.84		
A	12	601.24	50.10		
R:A	6	24.93	4.16		
B	8	156.87	19.61		
R:B	4	319.87	79.97		
A:B	60	1012.26	16.87		
R:A:B	12	49.00	4.08		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	372.22	186.111		
A	12	601.24	50.103		
R:A	6	50.00	8.333		

B	8	156.87	19.609
R:B	4	87.44	21.861
A:B	60	1012.26	16.871
R:A:B	12	49.00	4.083

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	372.22	186.111		
A	12	572.31	47.692		
R:A	6	50.00	8.333		
B	8	185.85	23.231		
R:B	4	87.44	21.861		
A:B	60	1012.26	16.871		
R:A:B	12	49.00	4.083		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	34			
R1	-10			
R2	-10			
R3	0			
A1	-19			
A10	-24			
A11	-20			
A12	-19			
A13	-20			
A2	-20			
A3	-19			
A4	-16			
A5	-16			
A6	-12			
A7	-20			
A8	11			
A9	0			
R1:A1	0			
R1:A10	5			
R1:A11	0			
R1:A12	0			
R1:A13	0			
R1:A2	0			
R1:A3	0			
R1:A4	0			
R1:A5	0			
R1:A6	0			
R1:A7	0			
R1:A8	0			
R1:A9	0			
R2:A1	0			

R2:A10	5
R2:A11	0
R2:A12	0
R2:A13	0
R2:A2	0
R2:A3	0
R2:A4	0
R2:A5	0
R2:A6	0
R2:A7	0
R2:A8	0
R2:A9	0
R3:A1	0
R3:A10	0
R3:A11	0
R3:A12	0
R3:A13	0
R3:A2	0
R3:A3	0
R3:A4	0
R3:A5	0
R3:A6	0
R3:A7	0
R3:A8	0
R3:A9	0
B1	4
B2	-3
B3	-3
B4	-5
B5	-15
B6	-17
B7	-21
B8	-9
B9	0
R1:B1	0
R1:B2	0
R1:B3	0
R1:B4	0
R1:B5	0
R1:B6	0
R1:B7	0
R1:B8	0
R1:B9	0
R2:B1	0
R2:B2	0
R2:B3	0
R2:B4	0
R2:B5	0

R2:B6	0
R2:B7	10
R2:B8	0
R2:B9	0
R3:B1	0
R3:B2	0
R3:B3	0
R3:B4	0
R3:B5	0
R3:B6	0
R3:B7	0
R3:B8	0
R3:B9	0
A1:B1	0
A1:B2	0
A1:B3	0
A1:B4	0
A1:B5	0
A1:B6	0
A1:B7	24
A1:B8	11
A1:B9	0
A10:B1	0
A10:B2	-1
A10:B3	7
A10:B4	11
A10:B5	20
A10:B6	16
A10:B7	22
A10:B8	9
A10:B9	0
A11:B1	1
A11:B2	6
A11:B3	8
A11:B4	8
A11:B5	10
A11:B6	20
A11:B7	20
A11:B8	10
A11:B9	0
A12:B1	0
A12:B2	0
A12:B3	7
A12:B4	12
A12:B5	9
A12:B6	14
A12:B7	14
A12:B8	11

A12:B9	0
A13:B1	1
A13:B2	6
A13:B3	8
A13:B4	8
A13:B5	10
A13:B6	20
A13:B7	20
A13:B8	10
A13:B9	0
A2:B1	1
A2:B2	6
A2:B3	0
A2:B4	0
A2:B5	0
A2:B6	0
A2:B7	20
A2:B8	10
A2:B9	0
A3:B1	0
A3:B2	0
A3:B3	0
A3:B4	0
A3:B5	0
A3:B6	0
A3:B7	24
A3:B8	11
A3:B9	0
A4:B1	0
A4:B2	0
A4:B3	4
A4:B4	4
A4:B5	0
A4:B6	0
A4:B7	16
A4:B8	9
A4:B9	0
A5:B1	0
A5:B2	0
A5:B3	4
A5:B4	9
A5:B5	0
A5:B6	0
A5:B7	11
A5:B8	8
A5:B9	0
A6:B1	0
A6:B2	0

A6:B3	0
A6:B4	0
A6:B5	0
A6:B6	0
A6:B7	12
A6:B8	6
A6:B9	0
A7:B1	0
A7:B2	0
A7:B3	0
A7:B4	0
A7:B5	20
A7:B6	20
A7:B7	20
A7:B8	10
A7:B9	0
A8:B1	0
A8:B2	0
A8:B3	0
A8:B4	0
A8:B5	-11
A8:B6	-16
A8:B7	-6
A8:B8	-19
A8:B9	0
A9:B1	0
A9:B2	0
A9:B3	0
A9:B4	0
A9:B5	0
A9:B6	0
A9:B7	0
A9:B8	0
A9:B9	0
R1:A1:B1	0
R1:A1:B2	0
R1:A1:B3	0
R1:A1:B4	0
R1:A1:B5	0
R1:A1:B6	0
R1:A1:B7	0
R1:A1:B8	0
R1:A1:B9	0
R1:A10:B1	0
R1:A10:B2	0
R1:A10:B3	0
R1:A10:B4	0
R1:A10:B5	0

R1:A10:B6	0
R1:A10:B7	3
R1:A10:B8	2
R1:A10:B9	0
R1:A11:B1	0
R1:A11:B2	0
R1:A11:B3	0
R1:A11:B4	0
R1:A11:B5	0
R1:A11:B6	0
R1:A11:B7	0
R1:A11:B8	0
R1:A11:B9	0
R1:A12:B1	0
R1:A12:B2	0
R1:A12:B3	0
R1:A12:B4	0
R1:A12:B5	0
R1:A12:B6	0
R1:A12:B7	10
R1:A12:B8	0
R1:A12:B9	0
R1:A13:B1	0
R1:A13:B2	0
R1:A13:B3	0
R1:A13:B4	0
R1:A13:B5	0
R1:A13:B6	0
R1:A13:B7	0
R1:A13:B8	0
R1:A13:B9	0
R1:A2:B1	0
R1:A2:B2	0
R1:A2:B3	0
R1:A2:B4	0
R1:A2:B5	0
R1:A2:B6	0
R1:A2:B7	0
R1:A2:B8	0
R1:A2:B9	0
R1:A3:B1	0
R1:A3:B2	0
R1:A3:B3	0
R1:A3:B4	0
R1:A3:B5	0
R1:A3:B6	0
R1:A3:B7	0
R1:A3:B8	0

R1:A3:B9	0
R1:A4:B1	0
R1:A4:B2	0
R1:A4:B3	0
R1:A4:B4	0
R1:A4:B5	0
R1:A4:B6	0
R1:A4:B7	0
R1:A4:B8	0
R1:A4:B9	0
R1:A5:B1	0
R1:A5:B2	0
R1:A5:B3	0
R1:A5:B4	0
R1:A5:B5	0
R1:A5:B6	0
R1:A5:B7	0
R1:A5:B8	0
R1:A5:B9	0
R1:A6:B1	0
R1:A6:B2	0
R1:A6:B3	0
R1:A6:B4	0
R1:A6:B5	0
R1:A6:B6	0
R1:A6:B7	0
R1:A6:B8	0
R1:A6:B9	0
R1:A7:B1	0
R1:A7:B2	0
R1:A7:B3	0
R1:A7:B4	0
R1:A7:B5	0
R1:A7:B6	0
R1:A7:B7	0
R1:A7:B8	0
R1:A7:B9	0
R1:A8:B1	0
R1:A8:B2	0
R1:A8:B3	0
R1:A8:B4	0
R1:A8:B5	0
R1:A8:B6	0
R1:A8:B7	0
R1:A8:B8	0
R1:A8:B9	0
R1:A9:B1	0
R1:A9:B2	0

R1:A9:B3	0
R1:A9:B4	0
R1:A9:B5	0
R1:A9:B6	0
R1:A9:B7	0
R1:A9:B8	0
R1:A9:B9	0
R2:A1:B1	0
R2:A1:B2	0
R2:A1:B3	0
R2:A1:B4	0
R2:A1:B5	0
R2:A1:B6	0
R2:A1:B7	0
R2:A1:B8	0
R2:A1:B9	0
R2:A10:B1	0
R2:A10:B2	0
R2:A10:B3	0
R2:A10:B4	0
R2:A10:B5	0
R2:A10:B6	0
R2:A10:B7	-7
R2:A10:B8	2
R2:A10:B9	0
R2:A11:B1	0
R2:A11:B2	0
R2:A11:B3	0
R2:A11:B4	0
R2:A11:B5	0
R2:A11:B6	0
R2:A11:B7	0
R2:A11:B8	0
R2:A11:B9	0
R2:A12:B1	0
R2:A12:B2	0
R2:A12:B3	0
R2:A12:B4	0
R2:A12:B5	0
R2:A12:B6	0
R2:A12:B7	0
R2:A12:B8	0
R2:A12:B9	0
R2:A13:B1	0
R2:A13:B2	0
R2:A13:B3	0
R2:A13:B4	0
R2:A13:B5	0

R2:A13:B6	0
R2:A13:B7	0
R2:A13:B8	0
R2:A13:B9	0
R2:A2:B1	0
R2:A2:B2	0
R2:A2:B3	0
R2:A2:B4	0
R2:A2:B5	0
R2:A2:B6	0
R2:A2:B7	0
R2:A2:B8	0
R2:A2:B9	0
R2:A3:B1	0
R2:A3:B2	0
R2:A3:B3	0
R2:A3:B4	0
R2:A3:B5	0
R2:A3:B6	0
R2:A3:B7	0
R2:A3:B8	0
R2:A3:B9	0
R2:A4:B1	0
R2:A4:B2	0
R2:A4:B3	0
R2:A4:B4	0
R2:A4:B5	0
R2:A4:B6	0
R2:A4:B7	0
R2:A4:B8	0
R2:A4:B9	0
R2:A5:B1	0
R2:A5:B2	0
R2:A5:B3	0
R2:A5:B4	0
R2:A5:B5	0
R2:A5:B6	0
R2:A5:B7	0
R2:A5:B8	0
R2:A5:B9	0
R2:A6:B1	0
R2:A6:B2	0
R2:A6:B3	0
R2:A6:B4	0
R2:A6:B5	0
R2:A6:B6	0
R2:A6:B7	0
R2:A6:B8	0

R2:A6:B9	0
R2:A7:B1	0
R2:A7:B2	0
R2:A7:B3	0
R2:A7:B4	0
R2:A7:B5	0
R2:A7:B6	0
R2:A7:B7	0
R2:A7:B8	0
R2:A7:B9	0
R2:A8:B1	0
R2:A8:B2	0
R2:A8:B3	0
R2:A8:B4	0
R2:A8:B5	0
R2:A8:B6	0
R2:A8:B7	0
R2:A8:B8	0
R2:A8:B9	0
R2:A9:B1	0
R2:A9:B2	0
R2:A9:B3	0
R2:A9:B4	0
R2:A9:B5	0
R2:A9:B6	0
R2:A9:B7	0
R2:A9:B8	0
R2:A9:B9	0
R3:A1:B1	0
R3:A1:B2	0
R3:A1:B3	0
R3:A1:B4	0
R3:A1:B5	0
R3:A1:B6	0
R3:A1:B7	0
R3:A1:B8	0
R3:A1:B9	0
R3:A10:B1	0
R3:A10:B2	0
R3:A10:B3	0
R3:A10:B4	0
R3:A10:B5	0
R3:A10:B6	0
R3:A10:B7	0
R3:A10:B8	0
R3:A10:B9	0
R3:A11:B1	0
R3:A11:B2	0

R3:A11:B3	0
R3:A11:B4	0
R3:A11:B5	0
R3:A11:B6	0
R3:A11:B7	0
R3:A11:B8	0
R3:A11:B9	0
R3:A12:B1	0
R3:A12:B2	0
R3:A12:B3	0
R3:A12:B4	0
R3:A12:B5	0
R3:A12:B6	0
R3:A12:B7	0
R3:A12:B8	0
R3:A12:B9	0
R3:A13:B1	0
R3:A13:B2	0
R3:A13:B3	0
R3:A13:B4	0
R3:A13:B5	0
R3:A13:B6	0
R3:A13:B7	0
R3:A13:B8	0
R3:A13:B9	0
R3:A2:B1	0
R3:A2:B2	0
R3:A2:B3	0
R3:A2:B4	0
R3:A2:B5	0
R3:A2:B6	0
R3:A2:B7	0
R3:A2:B8	0
R3:A2:B9	0
R3:A3:B1	0
R3:A3:B2	0
R3:A3:B3	0
R3:A3:B4	0
R3:A3:B5	0
R3:A3:B6	0
R3:A3:B7	0
R3:A3:B8	0
R3:A3:B9	0
R3:A4:B1	0
R3:A4:B2	0
R3:A4:B3	0
R3:A4:B4	0
R3:A4:B5	0

R3:A4:B6	0
R3:A4:B7	0
R3:A4:B8	0
R3:A4:B9	0
R3:A5:B1	0
R3:A5:B2	0
R3:A5:B3	0
R3:A5:B4	0
R3:A5:B5	0
R3:A5:B6	0
R3:A5:B7	0
R3:A5:B8	0
R3:A5:B9	0
R3:A6:B1	0
R3:A6:B2	0
R3:A6:B3	0
R3:A6:B4	0
R3:A6:B5	0
R3:A6:B6	0
R3:A6:B7	0
R3:A6:B8	0
R3:A6:B9	0
R3:A7:B1	0
R3:A7:B2	0
R3:A7:B3	0
R3:A7:B4	0
R3:A7:B5	0
R3:A7:B6	0
R3:A7:B7	0
R3:A7:B8	0
R3:A7:B9	0
R3:A8:B1	0
R3:A8:B2	0
R3:A8:B3	0
R3:A8:B4	0
R3:A8:B5	0
R3:A8:B6	0
R3:A8:B7	0
R3:A8:B8	0
R3:A8:B9	0
R3:A9:B1	0
R3:A9:B2	0
R3:A9:B3	0
R3:A9:B4	0
R3:A9:B5	0
R3:A9:B6	0
R3:A9:B7	0
R3:A9:B8	0

R3:A9:B9

0

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + A + R:A + B + B:R + A:B + A:B:R, ex8.1), type="III",
      singular.ok=TRUE) # NOT WORKING
```

7.12 Example 9.1

(89) MODEL

```
ex9.1 = read.table("C:/G/Rt/Split/Ex9.1-spex1.txt", header=TRUE)
ex9.1 = af(ex9.1, c("R", "A", "B"))
GLM(Y ~ R + A + R:A + B + A:B, ex9.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	27	4920.8	182.251	10.594	5.927e-10 ***
RESIDUALS	34	584.9	17.203		
CORRECTED TOTAL	61	5505.6			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	218.7	72.89	4.2369	0.01199 *
A	3	194.9	64.96	3.7760	0.01930 *
R:A	9	186.9	20.76	1.2070	0.32287
B	3	4087.4	1362.47	79.2018	1.998e-15 ***
A:B	9	233.0	25.88	1.5047	0.18602

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	157.8	52.61	3.0583	0.04134 *
A	3	227.2	75.73	4.4020	0.01014 *
R:A	9	94.5	10.50	0.6106	0.77932
B	3	4087.4	1362.47	79.2018	1.998e-15 ***
A:B	9	233.0	25.88	1.5047	0.18602

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	171.0	57.01	3.3138	0.03143 *

```

A    3  209.7   69.92  4.0643   0.01431  *
R:A  9   94.5   10.50  0.6106   0.77932
B    3 4089.9 1363.29 79.2493 1.998e-15 ***
A:B  9  233.0   25.88  1.5047   0.18602

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	70.167	4.1476	16.9175	< 2.2e-16 ***
R1	4.417	3.7862	1.1665	0.25152
R2	7.692	3.7862	2.0315	0.05008 .
R3	3.492	3.7862	0.9222	0.36292
R4	0.000	0.0000		
A1	3.390	4.9728	0.6816	0.50009
A2	-7.679	4.9728	-1.5442	0.13179
A3	-1.235	4.9728	-0.2484	0.80529
A4	0.000	0.0000		
R1:A1	-1.717	4.7892	-0.3584	0.72223
R1:A2	-1.042	4.7892	-0.2175	0.82912
R1:A3	-1.467	4.7892	-0.3062	0.76129
R1:A4	0.000	0.0000		
R2:A1	-8.992	4.7892	-1.8775	0.06905 .
R2:A2	-2.817	4.7892	-0.5881	0.56033
R2:A3	-4.142	4.7892	-0.8648	0.39322
R2:A4	0.000	0.0000		
R3:A1	-5.217	4.7892	-1.0893	0.28370
R3:A2	-3.292	4.7892	-0.6873	0.49655
R3:A3	-4.317	4.7892	-0.9013	0.37375
R3:A4	0.000	0.0000		
R4:A1	0.000	0.0000		
R4:A2	0.000	0.0000		
R4:A3	0.000	0.0000		
R4:A4	0.000	0.0000		
B1	-3.517	3.2790	-1.0725	0.29105
B2	-18.817	3.2790	-5.7386	1.882e-06 ***
B3	-2.100	3.3865	-0.6201	0.53932
B4	0.000	0.0000		
A1:B1	5.417	4.3992	1.2313	0.22666
A1:B2	-2.558	4.3992	-0.5815	0.56471
A1:B3	0.850	4.4799	0.1897	0.85064
A1:B4	0.000	0.0000		
A2:B1	11.217	4.3992	2.5497	0.01546 *
A2:B2	5.567	4.3992	1.2654	0.21434
A2:B3	5.500	4.4799	1.2277	0.22799
A2:B4	0.000	0.0000		
A3:B1	0.492	4.3992	0.1118	0.91167
A3:B2	-1.083	4.3992	-0.2463	0.80696

```

A3:B3      3.000      4.4799  0.6697  0.50760
A3:B4      0.000      0.0000
A4:B1      0.000      0.0000
A4:B2      0.000      0.0000
A4:B3      0.000      0.0000
A4:B4      0.000      0.0000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.13 Example 9.2

(90) MODEL

```

ex9.2 = read.table("C:/G/Rt/Split/Ex9.2-sbex.txt", header=TRUE)
ex9.2 = af(ex9.2, c("rep", "hyb", "gen"))
GLM(yield ~ rep + hyb + rep:hyb + gen + gen:rep + gen:hyb, ex9.2)

```

\$ANOVA

Response : yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	40	247.813	6.1953	4.4606	0.001119 **
RESIDUALS	16	22.222	1.3889		
CORRECTED TOTAL	56	270.035			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	0.239	0.2388	0.1719	0.6839085
hyb	9	66.796	7.4218	5.3437	0.0018370 **
rep:hyb	8	67.000	8.3750	6.0300	0.0011569 **
gen	2	36.351	18.1754	13.0863	0.0004293 ***
rep:gen	2	16.923	8.4616	6.0924	0.0107858 *
hyb:gen	18	60.504	3.3613	2.4201	0.0408545 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	0.167	0.1667	0.1200	0.7335481
hyb	9	66.796	7.4218	5.3437	0.0018370 **
rep:hyb	8	67.000	8.3750	6.0300	0.0011569 **
gen	2	36.351	18.1754	13.0863	0.0004293 ***
rep:gen	2	12.111	6.0556	4.3600	0.0308015 *
hyb:gen	18	60.504	3.3613	2.4201	0.0408545 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	0.167	0.1667	0.1200	0.7335481
hyb	9	66.796	7.4218	5.3437	0.0018370 **
rep:hyb	8	67.000	8.3750	6.0300	0.0011569 **
gen	2	30.671	15.3356	11.0416	0.0009707 ***
rep:gen	2	12.111	6.0556	4.3600	0.0308015 *
hyb:gen	18	60.504	3.3613	2.4201	0.0408545 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	46.556	0.98862	47.0915	< 2.2e-16 ***
rep1	0.889	1.06381	0.8356	0.415699
rep2	0.000	0.00000		
hyb0	-2.444	1.53826	-1.5891	0.131602
hyb1	2.667	1.36083	1.9596	0.067702 .
hyb2	1.000	1.36083	0.7348	0.473067
hyb3	-2.167	1.36083	-1.5922	0.130908
hyb4	1.000	1.36083	0.7348	0.473067
hyb5	-1.333	1.36083	-0.9798	0.341771
hyb6	1.500	1.36083	1.1023	0.286649
hyb7	4.500	1.36083	3.3068	0.004455 **
hyb8	-0.167	1.36083	-0.1225	0.904048
hyb9	0.000	0.00000		
rep1:hyb0	0.000	0.00000		
rep1:hyb1	-3.333	1.36083	-2.4495	0.026199 *
rep1:hyb2	-4.000	1.36083	-2.9394	0.009621 **
rep1:hyb3	0.333	1.36083	0.2449	0.809610
rep1:hyb4	0.000	1.36083	0.0000	1.000000
rep1:hyb5	2.667	1.36083	1.9596	0.067702 .
rep1:hyb6	-4.000	1.36083	-2.9394	0.009621 **
rep1:hyb7	-3.000	1.36083	-2.2045	0.042471 *
rep1:hyb8	-2.667	1.36083	-1.9596	0.067702 .
rep1:hyb9	0.000	0.00000		
rep2:hyb0	0.000	0.00000		
rep2:hyb1	0.000	0.00000		
rep2:hyb2	0.000	0.00000		
rep2:hyb3	0.000	0.00000		
rep2:hyb4	0.000	0.00000		
rep2:hyb5	0.000	0.00000		
rep2:hyb6	0.000	0.00000		
rep2:hyb7	0.000	0.00000		
rep2:hyb8	0.000	0.00000		
rep2:hyb9	0.000	0.00000		

gen1	-3.056	1.24226	-2.4597	0.025671	*
gen2	-0.611	1.24226	-0.4919	0.629446	
gen3	0.000	0.00000			
rep1:gen1	2.111	0.78567	2.6870	0.016197	*
rep1:gen2	0.222	0.78567	0.2828	0.780924	
rep1:gen3	0.000	0.00000			
rep2:gen1	0.000	0.00000			
rep2:gen2	0.000	0.00000			
rep2:gen3	0.000	0.00000			
hyb0:gen1	3.944	2.07870	1.8976	0.075951	.
hyb0:gen2	0.389	2.07870	0.1871	0.853947	
hyb0:gen3	0.000	0.00000			
hyb1:gen1	-3.000	1.66667	-1.8000	0.090743	.
hyb1:gen2	-4.000	1.66667	-2.4000	0.028919	*
hyb1:gen3	0.000	0.00000			
hyb2:gen1	2.500	1.66667	1.5000	0.153088	
hyb2:gen2	-2.500	1.66667	-1.5000	0.153088	
hyb2:gen3	0.000	0.00000			
hyb3:gen1	2.000	1.66667	1.2000	0.247607	
hyb3:gen2	-0.500	1.66667	-0.3000	0.768040	
hyb3:gen3	0.000	0.00000			
hyb4:gen1	-2.000	1.66667	-1.2000	0.247607	
hyb4:gen2	-1.000	1.66667	-0.6000	0.556909	
hyb4:gen3	0.000	0.00000			
hyb5:gen1	1.000	1.66667	0.6000	0.556909	
hyb5:gen2	0.000	1.66667	0.0000	1.000000	
hyb5:gen3	0.000	0.00000			
hyb6:gen1	-1.000	1.66667	-0.6000	0.556909	
hyb6:gen2	-0.500	1.66667	-0.3000	0.768040	
hyb6:gen3	0.000	0.00000			
hyb7:gen1	-0.500	1.66667	-0.3000	0.768040	
hyb7:gen2	-2.000	1.66667	-1.2000	0.247607	
hyb7:gen3	0.000	0.00000			
hyb8:gen1	2.500	1.66667	1.5000	0.153088	
hyb8:gen2	-2.000	1.66667	-1.2000	0.247607	
hyb8:gen3	0.000	0.00000			
hyb9:gen1	0.000	0.00000			
hyb9:gen2	0.000	0.00000			
hyb9:gen3	0.000	0.00000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(yield ~ rep + hyb + rep:hyb + gen + gen:rep + gen:hyb, ex9.2), type=3,
       singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: yield

	Sum Sq	Df	F values	Pr(>F)
rep	0.000	0		
hyb	66.704	8	6.0033	0.0011847 **
gen	30.671	2	11.0416	0.0009707 ***
rep:hyb	67.000	8	6.0300	0.0011569 **
rep:gen	12.111	2	4.3600	0.0308015 *
hyb:gen	60.504	18	2.4201	0.0408545 *
Residuals	22.222	16		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.14 Example 10.1

(91) MODEL

```
ex10.1 = read.table("C:/G/Rt/Split/Ex10.1-new.txt", header=TRUE)
ex10.1 = af(ex10.1, c("Site", "Block", "A", "B", "C"))
f10.1 = Yield ~ Site/Block + A/Site + B/Site + A:B + A:B:Site + A:B:Site:Block +
      C + A:C + B:C + A:B:C + C:Site + A:C:Site + B:C:Site + A:B:C:Site
GLM(f10.1, ex10.1)
```

\$ANOVA

Response : Yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	239	1639561484	6860090	2162	< 2.2e-16 ***
RESIDUALS	240	761522	3173		
CORRECTED TOTAL	479	1640323006			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Site	3	552717	184239	5.8064e+01	< 2e-16 ***
Site:Block	8	7062320	882790	2.7822e+02	< 2e-16 ***
A	4	1387680917	346920229	1.0933e+05	< 2e-16 ***
Site:A	12	34068	2839	8.9470e-01	0.55301
B	1	100939695	100939695	3.1812e+04	< 2e-16 ***
Site:B	3	1618	539	1.6990e-01	0.91662
A:B	4	31444008	7861002	2.4775e+03	< 2e-16 ***
Site:A:B	12	33737	2811	8.8600e-01	0.56185
Site:Block:A:B	72	186911	2596	8.1810e-01	0.84155

C	3	19356264	6452088	2.0334e+03	< 2e-16	***
A:C	12	26075792	2172983	6.8483e+02	< 2e-16	***
B:C	3	23901388	7967129	2.5109e+03	< 2e-16	***
A:B:C	12	41996729	3499727	1.1030e+03	< 2e-16	***
Site:C	9	47625	5292	1.6677e+00	0.09747	.
Site:A:C	36	104110	2892	9.1140e-01	0.61768	
Site:B:C	9	61111	6790	2.1400e+00	0.02701	*
Site:A:B:C	36	82475	2291	7.2200e-01	0.87941	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Site	3	552717	184239	5.8064e+01	< 2e-16	***
Site:Block	8	7062320	882790	2.7822e+02	< 2e-16	***
A	4	1387680917	346920229	1.0933e+05	< 2e-16	***
Site:A	12	34068	2839	8.9470e-01	0.55301	
B	1	100939695	100939695	3.1812e+04	< 2e-16	***
Site:B	3	1618	539	1.6990e-01	0.91662	
A:B	4	31444008	7861002	2.4775e+03	< 2e-16	***
Site:A:B	12	33737	2811	8.8600e-01	0.56185	
Site:Block:A:B	72	186911	2596	8.1810e-01	0.84155	
C	3	19356264	6452088	2.0334e+03	< 2e-16	***
A:C	12	26075792	2172983	6.8483e+02	< 2e-16	***
B:C	3	23901388	7967129	2.5109e+03	< 2e-16	***
A:B:C	12	41996729	3499727	1.1030e+03	< 2e-16	***
Site:C	9	47625	5292	1.6677e+00	0.09747	.
Site:A:C	36	104110	2892	9.1140e-01	0.61768	
Site:B:C	9	61111	6790	2.1400e+00	0.02701	*
Site:A:B:C	36	82475	2291	7.2200e-01	0.87941	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Site	3	552717	184239	5.8064e+01	< 2e-16	***
Site:Block	8	7062320	882790	2.7822e+02	< 2e-16	***
A	4	1387680917	346920229	1.0933e+05	< 2e-16	***
Site:A	12	34068	2839	8.9470e-01	0.55301	
B	1	100939695	100939695	3.1812e+04	< 2e-16	***
Site:B	3	1618	539	1.6990e-01	0.91662	
A:B	4	31444008	7861002	2.4775e+03	< 2e-16	***
Site:A:B	12	33737	2811	8.8600e-01	0.56185	
Site:Block:A:B	72	186911	2596	8.1810e-01	0.84155	
C	3	19356264	6452088	2.0334e+03	< 2e-16	***
A:C	12	26075792	2172983	6.8483e+02	< 2e-16	***
B:C	3	23901388	7967129	2.5109e+03	< 2e-16	***
A:B:C	12	41996729	3499727	1.1030e+03	< 2e-16	***

Site:C	9	47625	5292	1.6677e+00	0.09747	.
Site:A:C	36	104110	2892	9.1140e-01	0.61768	
Site:B:C	9	61111	6790	2.1400e+00	0.02701	*
Site:A:B:C	36	82475	2291	7.2200e-01	0.87941	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	13608.3	39.831	341.6522	< 2.2e-16	***
Site1	-433.3	56.329	-7.6928	3.713e-13	***
Site2	-108.3	56.329	-1.9232	0.055637	.
Site3	-116.7	56.329	-2.0711	0.039414	*
Site4	0.0	0.000			
Site1:BlockR1	175.0	39.831	4.3936	1.674e-05	***
Site1:BlockR2	300.0	39.831	7.5318	1.013e-12	***
Site1:BlockR3	0.0	0.000			
Site2:BlockR1	-225.0	39.831	-5.6489	4.554e-08	***
Site2:BlockR2	-375.0	39.831	-9.4148	< 2.2e-16	***
Site2:BlockR3	0.0	0.000			
Site3:BlockR1	-100.0	39.831	-2.5106	0.012711	*
Site3:BlockR2	-75.0	39.831	-1.8830	0.060916	.
Site3:BlockR3	0.0	0.000			
Site4:BlockR1	-250.0	39.831	-6.2765	1.605e-09	***
Site4:BlockR2	-275.0	39.831	-6.9042	4.483e-11	***
Site4:BlockR3	0.0	0.000			
AA1	-5705.0	56.329	-101.2791	< 2.2e-16	***
AA2	-5020.2	56.329	-89.1230	< 2.2e-16	***
AA3	-3336.7	56.329	-59.2363	< 2.2e-16	***
AA4	-1241.7	56.329	-22.0429	< 2.2e-16	***
AA5	0.0	0.000			
Site1:AA1	-2.4	79.662	-0.0303	0.975824	
Site1:AA2	25.0	79.662	0.3138	0.753926	
Site1:AA3	111.2	79.662	1.3965	0.163846	
Site1:AA4	-16.7	79.662	-0.2092	0.834456	
Site1:AA5	0.0	0.000			
Site2:AA1	91.2	79.662	1.1444	0.253590	
Site2:AA2	132.4	79.662	1.6622	0.097771	.
Site2:AA3	30.7	79.662	0.3850	0.700608	
Site2:AA4	-50.0	79.662	-0.6277	0.530828	
Site2:AA5	0.0	0.000			
Site3:AA1	39.2	79.662	0.4917	0.623408	
Site3:AA2	25.8	79.662	0.3243	0.746003	
Site3:AA3	-38.3	79.662	-0.4802	0.631555	
Site3:AA4	-41.7	79.662	-0.5230	0.601426	
Site3:AA5	0.0	0.000			
Site4:AA1	0.0	0.000			
Site4:AA2	0.0	0.000			

Site4:AA3	0.0	0.000		
Site4:AA4	0.0	0.000		
Site4:AA5	0.0	0.000		
BB1	-1300.0	56.329	-23.0785	< 2.2e-16 ***
BB2	0.0	0.000		
Site1:BB1	-16.7	79.662	-0.2092	0.834456
Site1:BB2	0.0	0.000		
Site2:BB1	100.0	79.662	1.2553	0.210589
Site2:BB2	0.0	0.000		
Site3:BB1	0.0	79.662	0.0000	1.000000
Site3:BB2	0.0	0.000		
Site4:BB1	0.0	0.000		
Site4:BB2	0.0	0.000		
AA1:BB1	1438.0	79.662	18.0513	< 2.2e-16 ***
AA1:BB2	0.0	0.000		
AA2:BB1	1746.3	79.662	21.9218	< 2.2e-16 ***
AA2:BB2	0.0	0.000		
AA3:BB1	2470.3	79.662	31.0102	< 2.2e-16 ***
AA3:BB2	0.0	0.000		
AA4:BB1	-68.1	79.662	-0.8547	0.393595
AA4:BB2	0.0	0.000		
AA5:BB1	0.0	0.000		
AA5:BB2	0.0	0.000		
Site1:AA1:BB1	54.5	112.659	0.4838	0.628997
Site1:AA1:BB2	0.0	0.000		
Site1:AA2:BB1	-20.4	112.659	-0.1812	0.856344
Site1:AA2:BB2	0.0	0.000		
Site1:AA3:BB1	-141.2	112.659	-1.2530	0.211409
Site1:AA3:BB2	0.0	0.000		
Site1:AA4:BB1	45.6	112.659	0.4046	0.686122
Site1:AA4:BB2	0.0	0.000		
Site1:AA5:BB1	0.0	0.000		
Site1:AA5:BB2	0.0	0.000		
Site2:AA1:BB1	-90.0	112.659	-0.7989	0.425155
Site2:AA1:BB2	0.0	0.000		
Site2:AA2:BB1	-140.2	112.659	-1.2442	0.214651
Site2:AA2:BB2	0.0	0.000		
Site2:AA3:BB1	-60.0	112.659	-0.5326	0.594816
Site2:AA3:BB2	0.0	0.000		
Site2:AA4:BB1	3.5	112.659	0.0311	0.975242
Site2:AA4:BB2	0.0	0.000		
Site2:AA5:BB1	0.0	0.000		
Site2:AA5:BB2	0.0	0.000		
Site3:AA1:BB1	12.4	112.659	0.1102	0.912331
Site3:AA1:BB2	0.0	0.000		
Site3:AA2:BB1	39.4	112.659	0.3499	0.726739
Site3:AA2:BB2	0.0	0.000		
Site3:AA3:BB1	49.8	112.659	0.4423	0.658643

Site3:AA3:BB2	0.0	0.000		
Site3:AA4:BB1	32.7	112.659	0.2900	0.772097
Site3:AA4:BB2	0.0	0.000		
Site3:AA5:BB1	0.0	0.000		
Site3:AA5:BB2	0.0	0.000		
Site4:AA1:BB1	0.0	0.000		
Site4:AA1:BB2	0.0	0.000		
Site4:AA2:BB1	0.0	0.000		
Site4:AA2:BB2	0.0	0.000		
Site4:AA3:BB1	0.0	0.000		
Site4:AA3:BB2	0.0	0.000		
Site4:AA4:BB1	0.0	0.000		
Site4:AA4:BB2	0.0	0.000		
Site4:AA5:BB1	0.0	0.000		
Site4:AA5:BB2	0.0	0.000		
Site1:BlockR1:AA1:BB1	15.5	56.329	0.2752	0.783425
Site1:BlockR1:AA1:BB2	-3.5	56.329	-0.0621	0.950507
Site1:BlockR1:AA2:BB1	70.2	56.329	1.2471	0.213567
Site1:BlockR1:AA2:BB2	50.0	56.329	0.8876	0.375626
Site1:BlockR1:AA3:BB1	10.0	56.329	0.1775	0.859244
Site1:BlockR1:AA3:BB2	-62.3	56.329	-1.1051	0.270221
Site1:BlockR1:AA4:BB1	50.5	56.329	0.8965	0.370878
Site1:BlockR1:AA4:BB2	0.0	56.329	0.0000	1.000000
Site1:BlockR1:AA5:BB1	50.0	56.329	0.8876	0.375626
Site1:BlockR1:AA5:BB2	0.0	0.000		
Site1:BlockR2:AA1:BB1	17.2	56.329	0.3062	0.759692
Site1:BlockR2:AA1:BB2	53.7	56.329	0.9542	0.340939
Site1:BlockR2:AA2:BB1	61.7	56.329	1.0962	0.274077
Site1:BlockR2:AA2:BB2	77.7	56.329	1.3803	0.168787
Site1:BlockR2:AA3:BB1	29.0	56.329	0.5148	0.607147
Site1:BlockR2:AA3:BB2	-112.3	56.329	-1.9927	0.047423 *
Site1:BlockR2:AA4:BB1	42.0	56.329	0.7456	0.456631
Site1:BlockR2:AA4:BB2	75.0	56.329	1.3315	0.184303
Site1:BlockR2:AA5:BB1	0.0	56.329	0.0000	1.000000
Site1:BlockR2:AA5:BB2	0.0	0.000		
Site1:BlockR3:AA1:BB1	0.0	0.000		
Site1:BlockR3:AA1:BB2	0.0	0.000		
Site1:BlockR3:AA2:BB1	0.0	0.000		
Site1:BlockR3:AA2:BB2	0.0	0.000		
Site1:BlockR3:AA3:BB1	0.0	0.000		
Site1:BlockR3:AA3:BB2	0.0	0.000		
Site1:BlockR3:AA4:BB1	0.0	0.000		
Site1:BlockR3:AA4:BB2	0.0	0.000		
Site1:BlockR3:AA5:BB1	0.0	0.000		
Site1:BlockR3:AA5:BB2	0.0	0.000		
Site2:BlockR1:AA1:BB1	35.7	56.329	0.6347	0.526255
Site2:BlockR1:AA1:BB2	-32.3	56.329	-0.5725	0.567503
Site2:BlockR1:AA2:BB1	68.5	56.329	1.2161	0.225157

Site2:BlockR1:AA2:BB2	-37.5	56.329	-0.6657	0.506225
Site2:BlockR1:AA3:BB1	-11.0	56.329	-0.1953	0.845339
Site2:BlockR1:AA3:BB2	-30.3	56.329	-0.5370	0.591752
Site2:BlockR1:AA4:BB1	46.2	56.329	0.8211	0.412426
Site2:BlockR1:AA4:BB2	25.0	56.329	0.4438	0.657574
Site2:BlockR1:AA5:BB1	50.0	56.329	0.8876	0.375626
Site2:BlockR1:AA5:BB2	0.0	0.000		
Site2:BlockR2:AA1:BB1	56.7	56.329	1.0075	0.314726
Site2:BlockR2:AA1:BB2	-22.3	56.329	-0.3950	0.693196
Site2:BlockR2:AA2:BB1	32.5	56.329	0.5770	0.564505
Site2:BlockR2:AA2:BB2	-60.0	56.329	-1.0652	0.287873
Site2:BlockR2:AA3:BB1	-1.8	56.329	-0.0311	0.975242
Site2:BlockR2:AA3:BB2	-42.5	56.329	-0.7545	0.451295
Site2:BlockR2:AA4:BB1	22.5	56.329	0.3994	0.689927
Site2:BlockR2:AA4:BB2	50.0	56.329	0.8876	0.375626
Site2:BlockR2:AA5:BB1	50.0	56.329	0.8876	0.375626
Site2:BlockR2:AA5:BB2	0.0	0.000		
Site2:BlockR3:AA1:BB1	0.0	0.000		
Site2:BlockR3:AA1:BB2	0.0	0.000		
Site2:BlockR3:AA2:BB1	0.0	0.000		
Site2:BlockR3:AA2:BB2	0.0	0.000		
Site2:BlockR3:AA3:BB1	0.0	0.000		
Site2:BlockR3:AA3:BB2	0.0	0.000		
Site2:BlockR3:AA4:BB1	0.0	0.000		
Site2:BlockR3:AA4:BB2	0.0	0.000		
Site2:BlockR3:AA5:BB1	0.0	0.000		
Site2:BlockR3:AA5:BB2	0.0	0.000		
Site3:BlockR1:AA1:BB1	17.2	56.329	0.3062	0.759692
Site3:BlockR1:AA1:BB2	-3.8	56.329	-0.0666	0.946977
Site3:BlockR1:AA2:BB1	4.2	56.329	0.0754	0.939920
Site3:BlockR1:AA2:BB2	-1.5	56.329	-0.0266	0.978778
Site3:BlockR1:AA3:BB1	-13.0	56.329	-0.2308	0.817678
Site3:BlockR1:AA3:BB2	50.0	56.329	0.8876	0.375626
Site3:BlockR1:AA4:BB1	-18.0	56.329	-0.3195	0.749589
Site3:BlockR1:AA4:BB2	25.0	56.329	0.4438	0.657574
Site3:BlockR1:AA5:BB1	0.0	56.329	0.0000	1.000000
Site3:BlockR1:AA5:BB2	0.0	0.000		
Site3:BlockR2:AA1:BB1	21.0	56.329	0.3728	0.709621
Site3:BlockR2:AA1:BB2	15.2	56.329	0.2707	0.786832
Site3:BlockR2:AA2:BB1	-5.3	56.329	-0.0932	0.925821
Site3:BlockR2:AA2:BB2	15.7	56.329	0.2796	0.780021
Site3:BlockR2:AA3:BB1	-22.5	56.329	-0.3994	0.689927
Site3:BlockR2:AA3:BB2	75.0	56.329	1.3315	0.184303
Site3:BlockR2:AA4:BB1	-25.8	56.329	-0.4571	0.647990
Site3:BlockR2:AA4:BB2	25.0	56.329	0.4438	0.657574
Site3:BlockR2:AA5:BB1	0.0	56.329	0.0000	1.000000
Site3:BlockR2:AA5:BB2	0.0	0.000		
Site3:BlockR3:AA1:BB1	0.0	0.000		

Site3:BlockR3:AA1:BB2	0.0	0.000		
Site3:BlockR3:AA2:BB1	0.0	0.000		
Site3:BlockR3:AA2:BB2	0.0	0.000		
Site3:BlockR3:AA3:BB1	0.0	0.000		
Site3:BlockR3:AA3:BB2	0.0	0.000		
Site3:BlockR3:AA4:BB1	0.0	0.000		
Site3:BlockR3:AA4:BB2	0.0	0.000		
Site3:BlockR3:AA5:BB1	0.0	0.000		
Site3:BlockR3:AA5:BB2	0.0	0.000		
Site4:BlockR1:AA1:BB1	38.7	56.329	0.6879	0.492169
Site4:BlockR1:AA1:BB2	6.5	56.329	0.1154	0.908230
Site4:BlockR1:AA2:BB1	17.5	56.329	0.3107	0.756319
Site4:BlockR1:AA2:BB2	-13.0	56.329	-0.2308	0.817678
Site4:BlockR1:AA3:BB1	61.5	56.329	1.0918	0.276020
Site4:BlockR1:AA3:BB2	-32.3	56.329	-0.5725	0.567503
Site4:BlockR1:AA4:BB1	33.0	56.329	0.5858	0.558534
Site4:BlockR1:AA4:BB2	25.0	56.329	0.4438	0.657574
Site4:BlockR1:AA5:BB1	75.0	56.329	1.3315	0.184303
Site4:BlockR1:AA5:BB2	0.0	0.000		
Site4:BlockR2:AA1:BB1	-69.8	56.329	-1.2383	0.216833
Site4:BlockR2:AA1:BB2	-36.5	56.329	-0.6480	0.517622
Site4:BlockR2:AA2:BB1	-53.8	56.329	-0.9542	0.340939
Site4:BlockR2:AA2:BB2	-14.3	56.329	-0.2530	0.800503
Site4:BlockR2:AA3:BB1	-62.3	56.329	-1.1051	0.270221
Site4:BlockR2:AA3:BB2	-104.5	56.329	-1.8552	0.064800
Site4:BlockR2:AA4:BB1	-3.8	56.329	-0.0666	0.946977
Site4:BlockR2:AA4:BB2	0.0	56.329	0.0000	1.000000
Site4:BlockR2:AA5:BB1	25.0	56.329	0.4438	0.657574
Site4:BlockR2:AA5:BB2	0.0	0.000		
Site4:BlockR3:AA1:BB1	0.0	0.000		
Site4:BlockR3:AA1:BB2	0.0	0.000		
Site4:BlockR3:AA2:BB1	0.0	0.000		
Site4:BlockR3:AA2:BB2	0.0	0.000		
Site4:BlockR3:AA3:BB1	0.0	0.000		
Site4:BlockR3:AA3:BB2	0.0	0.000		
Site4:BlockR3:AA4:BB1	0.0	0.000		
Site4:BlockR3:AA4:BB2	0.0	0.000		
Site4:BlockR3:AA5:BB1	0.0	0.000		
Site4:BlockR3:AA5:BB2	0.0	0.000		
CC1	-1066.7	45.993	-23.1920	< 2.2e-16 ***
CC2	-733.3	45.993	-15.9445	< 2.2e-16 ***
CC3	-533.3	45.993	-11.5960	< 2.2e-16 ***
CC4	0.0	0.000		
AA1:CC1	1551.3	65.044	23.8506	< 2.2e-16 ***
AA1:CC2	137.7	65.044	2.1165	0.035330 *
AA1:CC3	201.0	65.044	3.0902	0.002236 **
AA1:CC4	0.0	0.000		
AA2:CC1	1877.7	65.044	28.8678	< 2.2e-16 ***

AA2:CC2	1858.7	65.044	28.5757	< 2.2e-16	***
AA2:CC3	1936.7	65.044	29.7749	< 2.2e-16	***
AA2:CC4	0.0	0.000			
AA3:CC1	1915.7	65.044	29.4520	< 2.2e-16	***
AA3:CC2	1315.7	65.044	20.2274	< 2.2e-16	***
AA3:CC3	815.7	65.044	12.5403	< 2.2e-16	***
AA3:CC4	0.0	0.000			
AA4:CC1	-66.7	65.044	-1.0250	0.306418	
AA4:CC2	1200.0	65.044	18.4491	< 2.2e-16	***
AA4:CC3	833.3	65.044	12.8119	< 2.2e-16	***
AA4:CC4	0.0	0.000			
AA5:CC1	0.0	0.000			
AA5:CC2	0.0	0.000			
AA5:CC3	0.0	0.000			
AA5:CC4	0.0	0.000			
BB1:CC1	733.3	65.044	11.2745	< 2.2e-16	***
BB1:CC2	166.7	65.044	2.5624	0.011007	*
BB1:CC3	200.0	65.044	3.0749	0.002350	**
BB1:CC4	0.0	0.000			
BB2:CC1	0.0	0.000			
BB2:CC2	0.0	0.000			
BB2:CC3	0.0	0.000			
BB2:CC4	0.0	0.000			
AA1:BB1:CC1	-2102.0	91.986	-22.8514	< 2.2e-16	***
AA1:BB1:CC2	-122.3	91.986	-1.3299	0.184808	
AA1:BB1:CC3	-116.7	91.986	-1.2683	0.205915	
AA1:BB1:CC4	0.0	0.000			
AA1:BB2:CC1	0.0	0.000			
AA1:BB2:CC2	0.0	0.000			
AA1:BB2:CC3	0.0	0.000			
AA1:BB2:CC4	0.0	0.000			
AA2:BB1:CC1	-2365.3	91.986	-25.7142	< 2.2e-16	***
AA2:BB1:CC2	-1887.7	91.986	-20.5213	< 2.2e-16	***
AA2:BB1:CC3	-1849.3	91.986	-20.1046	< 2.2e-16	***
AA2:BB1:CC4	0.0	0.000			
AA2:BB2:CC1	0.0	0.000			
AA2:BB2:CC2	0.0	0.000			
AA2:BB2:CC3	0.0	0.000			
AA2:BB2:CC4	0.0	0.000			
AA3:BB1:CC1	-4088.7	91.986	-44.4490	< 2.2e-16	***
AA3:BB1:CC2	-2939.3	91.986	-31.9543	< 2.2e-16	***
AA3:BB1:CC3	-2384.3	91.986	-25.9207	< 2.2e-16	***
AA3:BB1:CC4	0.0	0.000			
AA3:BB2:CC1	0.0	0.000			
AA3:BB2:CC2	0.0	0.000			
AA3:BB2:CC3	0.0	0.000			
AA3:BB2:CC4	0.0	0.000			
AA4:BB1:CC1	-561.0	91.986	-6.0988	4.243e-09	***

AA4:BB1:CC2	-1233.3	91.986	-13.4079	< 2.2e-16	***
AA4:BB1:CC3	-833.3	91.986	-9.0594	< 2.2e-16	***
AA4:BB1:CC4	0.0	0.000			
AA4:BB2:CC1	0.0	0.000			
AA4:BB2:CC2	0.0	0.000			
AA4:BB2:CC3	0.0	0.000			
AA4:BB2:CC4	0.0	0.000			
AA5:BB1:CC1	0.0	0.000			
AA5:BB1:CC2	0.0	0.000			
AA5:BB1:CC3	0.0	0.000			
AA5:BB1:CC4	0.0	0.000			
AA5:BB2:CC1	0.0	0.000			
AA5:BB2:CC2	0.0	0.000			
AA5:BB2:CC3	0.0	0.000			
AA5:BB2:CC4	0.0	0.000			
Site1:CC1	100.0	65.044	1.5374	0.125506	
Site1:CC2	33.3	65.044	0.5125	0.608789	
Site1:CC3	0.0	65.044	0.0000	1.000000	
Site1:CC4	0.0	0.000			
Site2:CC1	133.3	65.044	2.0499	0.041461	*
Site2:CC2	133.3	65.044	2.0499	0.041461	*
Site2:CC3	66.7	65.044	1.0250	0.306418	
Site2:CC4	0.0	0.000			
Site3:CC1	66.7	65.044	1.0250	0.306418	
Site3:CC2	0.0	65.044	0.0000	1.000000	
Site3:CC3	0.0	65.044	0.0000	1.000000	
Site3:CC4	0.0	0.000			
Site4:CC1	0.0	0.000			
Site4:CC2	0.0	0.000			
Site4:CC3	0.0	0.000			
Site4:CC4	0.0	0.000			
Site1:AA1:CC1	-136.7	91.986	-1.4857	0.138660	
Site1:AA1:CC2	-33.7	91.986	-0.3660	0.714688	
Site1:AA1:CC3	39.0	91.986	0.4240	0.671961	
Site1:AA1:CC4	0.0	0.000			
Site1:AA2:CC1	-173.3	91.986	-1.8844	0.060726	.
Site1:AA2:CC2	-174.3	91.986	-1.8952	0.059265	.
Site1:AA2:CC3	0.7	91.986	0.0072	0.994223	
Site1:AA2:CC4	0.0	0.000			
Site1:AA3:CC1	-198.7	91.986	-2.1598	0.031782	*
Site1:AA3:CC2	-132.0	91.986	-1.4350	0.152587	
Site1:AA3:CC3	-65.3	91.986	-0.7103	0.478235	
Site1:AA3:CC4	0.0	0.000			
Site1:AA4:CC1	-33.3	91.986	-0.3624	0.717390	
Site1:AA4:CC2	0.0	91.986	0.0000	1.000000	
Site1:AA4:CC3	0.0	91.986	0.0000	1.000000	
Site1:AA4:CC4	0.0	0.000			
Site1:AA5:CC1	0.0	0.000			

Site1:AA5:CC2	0.0	0.000		
Site1:AA5:CC3	0.0	0.000		
Site1:AA5:CC4	0.0	0.000		
Site2:AA1:CC1	-180.3	91.986	-1.9605	0.051100 .
Site2:AA1:CC2	-81.3	91.986	-0.8842	0.377475
Site2:AA1:CC3	-47.0	91.986	-0.5109	0.609856
Site2:AA1:CC4	0.0	0.000		
Site2:AA2:CC1	-196.7	91.986	-2.1380	0.033526 *
Site2:AA2:CC2	-179.3	91.986	-1.9496	0.052391 .
Site2:AA2:CC3	-124.7	91.986	-1.3553	0.176601
Site2:AA2:CC4	0.0	0.000		
Site2:AA3:CC1	-85.3	91.986	-0.9277	0.354505
Site2:AA3:CC2	-85.3	91.986	-0.9277	0.354505
Site2:AA3:CC3	-52.0	91.986	-0.5653	0.572394
Site2:AA3:CC4	0.0	0.000		
Site2:AA4:CC1	-33.3	91.986	-0.3624	0.717390
Site2:AA4:CC2	0.0	91.986	0.0000	1.000000
Site2:AA4:CC3	33.3	91.986	0.3624	0.717390
Site2:AA4:CC4	0.0	0.000		
Site2:AA5:CC1	0.0	0.000		
Site2:AA5:CC2	0.0	0.000		
Site2:AA5:CC3	0.0	0.000		
Site2:AA5:CC4	0.0	0.000		
Site3:AA1:CC1	-138.7	91.986	-1.5075	0.133002
Site3:AA1:CC2	-83.0	91.986	-0.9023	0.367794
Site3:AA1:CC3	-104.0	91.986	-1.1306	0.259347
Site3:AA1:CC4	0.0	0.000		
Site3:AA2:CC1	-61.7	91.986	-0.6704	0.503251
Site3:AA2:CC2	-71.7	91.986	-0.7791	0.436684
Site3:AA2:CC3	-68.0	91.986	-0.7392	0.460480
Site3:AA2:CC4	0.0	0.000		
Site3:AA3:CC1	-115.7	91.986	-1.2574	0.209816
Site3:AA3:CC2	-15.7	91.986	-0.1703	0.864905
Site3:AA3:CC3	-15.7	91.986	-0.1703	0.864905
Site3:AA3:CC4	0.0	0.000		
Site3:AA4:CC1	33.3	91.986	0.3624	0.717390
Site3:AA4:CC2	0.0	91.986	0.0000	1.000000
Site3:AA4:CC3	33.3	91.986	0.3624	0.717390
Site3:AA4:CC4	0.0	0.000		
Site3:AA5:CC1	0.0	0.000		
Site3:AA5:CC2	0.0	0.000		
Site3:AA5:CC3	0.0	0.000		
Site3:AA5:CC4	0.0	0.000		
Site4:AA1:CC1	0.0	0.000		
Site4:AA1:CC2	0.0	0.000		
Site4:AA1:CC3	0.0	0.000		
Site4:AA1:CC4	0.0	0.000		
Site4:AA2:CC1	0.0	0.000		

Site4:AA2:CC2	0.0	0.000		
Site4:AA2:CC3	0.0	0.000		
Site4:AA2:CC4	0.0	0.000		
Site4:AA3:CC1	0.0	0.000		
Site4:AA3:CC2	0.0	0.000		
Site4:AA3:CC3	0.0	0.000		
Site4:AA3:CC4	0.0	0.000		
Site4:AA4:CC1	0.0	0.000		
Site4:AA4:CC2	0.0	0.000		
Site4:AA4:CC3	0.0	0.000		
Site4:AA4:CC4	0.0	0.000		
Site4:AA5:CC1	0.0	0.000		
Site4:AA5:CC2	0.0	0.000		
Site4:AA5:CC3	0.0	0.000		
Site4:AA5:CC4	0.0	0.000		
Site1:BB1:CC1	0.0	91.986	0.0000	1.000000
Site1:BB1:CC2	33.3	91.986	0.3624	0.717390
Site1:BB1:CC3	33.3	91.986	0.3624	0.717390
Site1:BB1:CC4	0.0	0.000		
Site1:BB2:CC1	0.0	0.000		
Site1:BB2:CC2	0.0	0.000		
Site1:BB2:CC3	0.0	0.000		
Site1:BB2:CC4	0.0	0.000		
Site2:BB1:CC1	-166.7	91.986	-1.8119	0.071255 .
Site2:BB1:CC2	-200.0	91.986	-2.1743	0.030664 *
Site2:BB1:CC3	-233.3	91.986	-2.5366	0.011827 *
Site2:BB1:CC4	0.0	0.000		
Site2:BB2:CC1	0.0	0.000		
Site2:BB2:CC2	0.0	0.000		
Site2:BB2:CC3	0.0	0.000		
Site2:BB2:CC4	0.0	0.000		
Site3:BB1:CC1	33.3	91.986	0.3624	0.717390
Site3:BB1:CC2	33.3	91.986	0.3624	0.717390
Site3:BB1:CC3	-66.7	91.986	-0.7248	0.469311
Site3:BB1:CC4	0.0	0.000		
Site3:BB2:CC1	0.0	0.000		
Site3:BB2:CC2	0.0	0.000		
Site3:BB2:CC3	0.0	0.000		
Site3:BB2:CC4	0.0	0.000		
Site4:BB1:CC1	0.0	0.000		
Site4:BB1:CC2	0.0	0.000		
Site4:BB1:CC3	0.0	0.000		
Site4:BB1:CC4	0.0	0.000		
Site4:BB2:CC1	0.0	0.000		
Site4:BB2:CC2	0.0	0.000		
Site4:BB2:CC3	0.0	0.000		
Site4:BB2:CC4	0.0	0.000		
Site1:AA1:BB1:CC1	76.3	130.087	0.5868	0.557899

Site1:AA1:BB1:CC2	-48.0	130.087	-0.3690	0.712466
Site1:AA1:BB1:CC3	-105.3	130.087	-0.8097	0.418908
Site1:AA1:BB1:CC4	0.0	0.000		
Site1:AA1:BB2:CC1	0.0	0.000		
Site1:AA1:BB2:CC2	0.0	0.000		
Site1:AA1:BB2:CC3	0.0	0.000		
Site1:AA1:BB2:CC4	0.0	0.000		
Site1:AA2:BB1:CC1	12.3	130.087	0.0948	0.924546
Site1:AA2:BB1:CC2	120.0	130.087	0.9225	0.357217
Site1:AA2:BB1:CC3	-23.7	130.087	-0.1819	0.855792
Site1:AA2:BB1:CC4	0.0	0.000		
Site1:AA2:BB2:CC1	0.0	0.000		
Site1:AA2:BB2:CC2	0.0	0.000		
Site1:AA2:BB2:CC3	0.0	0.000		
Site1:AA2:BB2:CC4	0.0	0.000		
Site1:AA3:BB1:CC1	202.7	130.087	1.5579	0.120568
Site1:AA3:BB1:CC2	100.3	130.087	0.7713	0.441302
Site1:AA3:BB1:CC3	29.7	130.087	0.2281	0.819800
Site1:AA3:BB1:CC4	0.0	0.000		
Site1:AA3:BB2:CC1	0.0	0.000		
Site1:AA3:BB2:CC2	0.0	0.000		
Site1:AA3:BB2:CC3	0.0	0.000		
Site1:AA3:BB2:CC4	0.0	0.000		
Site1:AA4:BB1:CC1	-13.7	130.087	-0.1051	0.916418
Site1:AA4:BB1:CC2	-70.0	130.087	-0.5381	0.591007
Site1:AA4:BB1:CC3	-66.7	130.087	-0.5125	0.608789
Site1:AA4:BB1:CC4	0.0	0.000		
Site1:AA4:BB2:CC1	0.0	0.000		
Site1:AA4:BB2:CC2	0.0	0.000		
Site1:AA4:BB2:CC3	0.0	0.000		
Site1:AA4:BB2:CC4	0.0	0.000		
Site1:AA5:BB1:CC1	0.0	0.000		
Site1:AA5:BB1:CC2	0.0	0.000		
Site1:AA5:BB1:CC3	0.0	0.000		
Site1:AA5:BB1:CC4	0.0	0.000		
Site1:AA5:BB2:CC1	0.0	0.000		
Site1:AA5:BB2:CC2	0.0	0.000		
Site1:AA5:BB2:CC3	0.0	0.000		
Site1:AA5:BB2:CC4	0.0	0.000		
Site2:AA1:BB1:CC1	215.3	130.087	1.6553	0.099171
Site2:AA1:BB1:CC2	92.7	130.087	0.7123	0.476945
Site2:AA1:BB1:CC3	122.0	130.087	0.9378	0.349274
Site2:AA1:BB1:CC4	0.0	0.000		
Site2:AA1:BB2:CC1	0.0	0.000		
Site2:AA1:BB2:CC2	0.0	0.000		
Site2:AA1:BB2:CC3	0.0	0.000		
Site2:AA1:BB2:CC4	0.0	0.000		
Site2:AA2:BB1:CC1	143.0	130.087	1.0993	0.272755

Site2:AA2:BB1:CC2	186.0	130.087	1.4298	0.154072
Site2:AA2:BB1:CC3	288.7	130.087	2.2190	0.027421 *
Site2:AA2:BB1:CC4	0.0	0.000		
Site2:AA2:BB2:CC1	0.0	0.000		
Site2:AA2:BB2:CC2	0.0	0.000		
Site2:AA2:BB2:CC3	0.0	0.000		
Site2:AA2:BB2:CC4	0.0	0.000		
Site2:AA3:BB1:CC1	195.7	130.087	1.5041	0.133866
Site2:AA3:BB1:CC2	143.0	130.087	1.0993	0.272755
Site2:AA3:BB1:CC3	203.3	130.087	1.5631	0.119358
Site2:AA3:BB1:CC4	0.0	0.000		
Site2:AA3:BB2:CC1	0.0	0.000		
Site2:AA3:BB2:CC2	0.0	0.000		
Site2:AA3:BB2:CC3	0.0	0.000		
Site2:AA3:BB2:CC4	0.0	0.000		
Site2:AA4:BB1:CC1	136.3	130.087	1.0480	0.295686
Site2:AA4:BB1:CC2	59.0	130.087	0.4535	0.650569
Site2:AA4:BB1:CC3	66.7	130.087	0.5125	0.608789
Site2:AA4:BB1:CC4	0.0	0.000		
Site2:AA4:BB2:CC1	0.0	0.000		
Site2:AA4:BB2:CC2	0.0	0.000		
Site2:AA4:BB2:CC3	0.0	0.000		
Site2:AA4:BB2:CC4	0.0	0.000		
Site2:AA5:BB1:CC1	0.0	0.000		
Site2:AA5:BB1:CC2	0.0	0.000		
Site2:AA5:BB1:CC3	0.0	0.000		
Site2:AA5:BB1:CC4	0.0	0.000		
Site2:AA5:BB2:CC1	0.0	0.000		
Site2:AA5:BB2:CC2	0.0	0.000		
Site2:AA5:BB2:CC3	0.0	0.000		
Site2:AA5:BB2:CC4	0.0	0.000		
Site3:AA1:BB1:CC1	42.0	130.087	0.3229	0.747082
Site3:AA1:BB1:CC2	-74.0	130.087	-0.5688	0.569991
Site3:AA1:BB1:CC3	96.3	130.087	0.7405	0.459703
Site3:AA1:BB1:CC4	0.0	0.000		
Site3:AA1:BB2:CC1	0.0	0.000		
Site3:AA1:BB2:CC2	0.0	0.000		
Site3:AA1:BB2:CC3	0.0	0.000		
Site3:AA1:BB2:CC4	0.0	0.000		
Site3:AA2:BB1:CC1	-113.3	130.087	-0.8712	0.384510
Site3:AA2:BB1:CC2	9.0	130.087	0.0692	0.944901
Site3:AA2:BB1:CC3	83.7	130.087	0.6432	0.520736
Site3:AA2:BB1:CC4	0.0	0.000		
Site3:AA2:BB2:CC1	0.0	0.000		
Site3:AA2:BB2:CC2	0.0	0.000		
Site3:AA2:BB2:CC3	0.0	0.000		
Site3:AA2:BB2:CC4	0.0	0.000		
Site3:AA3:BB1:CC1	36.3	130.087	0.2793	0.780255

Site3:AA3:BB1:CC2	-46.7	130.087	-0.3587	0.720110
Site3:AA3:BB1:CC3	82.0	130.087	0.6303	0.529068
Site3:AA3:BB1:CC4	0.0	0.000		
Site3:AA3:BB2:CC1	0.0	0.000		
Site3:AA3:BB2:CC2	0.0	0.000		
Site3:AA3:BB2:CC3	0.0	0.000		
Site3:AA3:BB2:CC4	0.0	0.000		
Site3:AA4:BB1:CC1	-89.0	130.087	-0.6842	0.494537
Site3:AA4:BB1:CC2	-100.0	130.087	-0.7687	0.442819
Site3:AA4:BB1:CC3	33.3	130.087	0.2562	0.797986
Site3:AA4:BB1:CC4	0.0	0.000		
Site3:AA4:BB2:CC1	0.0	0.000		
Site3:AA4:BB2:CC2	0.0	0.000		
Site3:AA4:BB2:CC3	0.0	0.000		
Site3:AA4:BB2:CC4	0.0	0.000		
Site3:AA5:BB1:CC1	0.0	0.000		
Site3:AA5:BB1:CC2	0.0	0.000		
Site3:AA5:BB1:CC3	0.0	0.000		
Site3:AA5:BB1:CC4	0.0	0.000		
Site3:AA5:BB2:CC1	0.0	0.000		
Site3:AA5:BB2:CC2	0.0	0.000		
Site3:AA5:BB2:CC3	0.0	0.000		
Site3:AA5:BB2:CC4	0.0	0.000		
Site4:AA1:BB1:CC1	0.0	0.000		
Site4:AA1:BB1:CC2	0.0	0.000		
Site4:AA1:BB1:CC3	0.0	0.000		
Site4:AA1:BB1:CC4	0.0	0.000		
Site4:AA1:BB2:CC1	0.0	0.000		
Site4:AA1:BB2:CC2	0.0	0.000		
Site4:AA1:BB2:CC3	0.0	0.000		
Site4:AA1:BB2:CC4	0.0	0.000		
Site4:AA2:BB1:CC1	0.0	0.000		
Site4:AA2:BB1:CC2	0.0	0.000		
Site4:AA2:BB1:CC3	0.0	0.000		
Site4:AA2:BB1:CC4	0.0	0.000		
Site4:AA2:BB2:CC1	0.0	0.000		
Site4:AA2:BB2:CC2	0.0	0.000		
Site4:AA2:BB2:CC3	0.0	0.000		
Site4:AA2:BB2:CC4	0.0	0.000		
Site4:AA3:BB1:CC1	0.0	0.000		
Site4:AA3:BB1:CC2	0.0	0.000		
Site4:AA3:BB1:CC3	0.0	0.000		
Site4:AA3:BB1:CC4	0.0	0.000		
Site4:AA3:BB2:CC1	0.0	0.000		
Site4:AA3:BB2:CC2	0.0	0.000		
Site4:AA3:BB2:CC3	0.0	0.000		
Site4:AA3:BB2:CC4	0.0	0.000		
Site4:AA4:BB1:CC1	0.0	0.000		

```

Site4:AA4:BB1:CC2      0.0      0.000
Site4:AA4:BB1:CC3      0.0      0.000
Site4:AA4:BB1:CC4      0.0      0.000
Site4:AA4:BB2:CC1      0.0      0.000
Site4:AA4:BB2:CC2      0.0      0.000
Site4:AA4:BB2:CC3      0.0      0.000
Site4:AA4:BB2:CC4      0.0      0.000
Site4:AA5:BB1:CC1      0.0      0.000
Site4:AA5:BB1:CC2      0.0      0.000
Site4:AA5:BB1:CC3      0.0      0.000
Site4:AA5:BB1:CC4      0.0      0.000
Site4:AA5:BB2:CC1      0.0      0.000
Site4:AA5:BB2:CC2      0.0      0.000
Site4:AA5:BB2:CC3      0.0      0.000
Site4:AA5:BB2:CC4      0.0      0.000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(f10.1, ex10.1), type=3, singular.ok=TRUE) # NOT OK for Site:Block

```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Yield

	Sum Sq	Df	F values	Pr(>F)
Site	552717	3	5.8064e+01	< 2e-16 ***
A	1387680917	4	1.0933e+05	< 2e-16 ***
B	100939695	1	3.1812e+04	< 2e-16 ***
C	19356264	3	2.0334e+03	< 2e-16 ***
Site:Block	0	0		
Site:A	34068	12	8.9470e-01	0.55301
Site:B	1618	3	1.6990e-01	0.91662
A:B	31444008	4	2.4775e+03	< 2e-16 ***
A:C	26075792	12	6.8483e+02	< 2e-16 ***
B:C	23901388	3	2.5109e+03	< 2e-16 ***
Site:C	47625	9	1.6677e+00	0.09747 .
Site:A:B	33737	12	8.8600e-01	0.56185
A:B:C	41996729	12	1.1030e+03	< 2e-16 ***
Site:A:C	104110	36	9.1140e-01	0.61768
Site:B:C	61111	9	2.1400e+00	0.02701 *
Site:Block:A:B	186911	72	8.1810e-01	0.84155
Site:A:B:C	82475	36	7.2200e-01	0.87941
Residuals	761522	240		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.15 Example 10.2

(92) MODEL

```
ex10.2 = read.table("C:/G/Rt/Split/Ex10.2-spbsite.txt", header=TRUE)
ex10.2 = af(ex10.2, c("Site", "Block", "A", "B"))
GLM(Yield ~ Site + Site:Block + A + A:Site + A:Site:Block + B + B:Site +
      B:Site:Block + A:B + A:B:Site, ex10.2)
```

\$ANOVA

Response : Yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	227	6370995084	28066058	10814	< 2.2e-16 ***
RESIDUALS	252	654049	2595		
CORRECTED TOTAL	479	6371649132			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Site	2	523573968	261786984	1.0086e+05	< 2.2e-16 ***
Site:Block	9	3756646710	417405190	1.6082e+05	< 2.2e-16 ***
A	4	29288163	7322041	2.8211e+03	< 2.2e-16 ***
Site:A	8	247899	30987	1.1939e+01	1.998e-14 ***
Site:Block:A	36	1783391	49539	1.9087e+01	< 2.2e-16 ***
B	7	1937592291	276798899	1.0665e+05	< 2.2e-16 ***
Site:B	14	15903698	1135978	4.3768e+02	< 2.2e-16 ***
Site:Block:B	63	105727288	1678211	6.4660e+02	< 2.2e-16 ***
A:B	28	91141	3255	1.2541e+00	0.1838
Site:A:B	56	140534	2510	9.6690e-01	0.5461

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Site	2	523573968	261786984	1.0086e+05	< 2.2e-16 ***
Site:Block	9	3756646710	417405190	1.6082e+05	< 2.2e-16 ***
A	4	29288163	7322041	2.8211e+03	< 2.2e-16 ***
Site:A	8	247899	30987	1.1939e+01	1.998e-14 ***
Site:Block:A	36	1783391	49539	1.9087e+01	< 2.2e-16 ***
B	7	1937592291	276798899	1.0665e+05	< 2.2e-16 ***
Site:B	14	15903698	1135978	4.3768e+02	< 2.2e-16 ***
Site:Block:B	63	105727288	1678211	6.4660e+02	< 2.2e-16 ***
A:B	28	91141	3255	1.2541e+00	0.1838
Site:A:B	56	140534	2510	9.6690e-01	0.5461

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Site	2	523573968	261786984	1.0086e+05	< 2.2e-16	***
Site:Block	9	3756646710	417405190	1.6082e+05	< 2.2e-16	***
A	4	29288163	7322041	2.8211e+03	< 2.2e-16	***
Site:A	8	247899	30987	1.1939e+01	1.998e-14	***
Site:Block:A	36	1783391	49539	1.9087e+01	< 2.2e-16	***
B	7	1937592291	276798899	1.0665e+05	< 2.2e-16	***
Site:B	14	15903698	1135978	4.3768e+02	< 2.2e-16	***
Site:Block:B	63	105727288	1678211	6.4660e+02	< 2.2e-16	***
A:B	28	91141	3255	1.2541e+00	0.1838	
Site:A:B	56	140534	2510	9.6690e-01	0.5461	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	13975.4	35.112	398.0266	< 2.2e-16	***
Site1	-3964.6	49.655	-79.8426	< 2.2e-16	***
Site2	-6027.2	49.655	-121.3814	< 2.2e-16	***
Site3	0.0	0.000			
Site1:BlockR1	5969.7	39.462	151.2767	< 2.2e-16	***
Site1:BlockR2	3993.2	39.462	101.1914	< 2.2e-16	***
Site1:BlockR3	7976.0	39.462	202.1185	< 2.2e-16	***
Site1:BlockR4	0.0	0.000			
Site2:BlockR1	1983.1	39.462	50.2533	< 2.2e-16	***
Site2:BlockR2	8050.7	39.462	204.0115	< 2.2e-16	***
Site2:BlockR3	9979.6	39.462	252.8913	< 2.2e-16	***
Site2:BlockR4	0.0	0.000			
Site3:BlockR1	-1977.8	39.462	-50.1183	< 2.2e-16	***
Site3:BlockR2	4028.8	39.462	102.0941	< 2.2e-16	***
Site3:BlockR3	6011.4	39.462	152.3335	< 2.2e-16	***
Site3:BlockR4	0.0	0.000			
AA1	-558.7	42.242	-13.2267	< 2.2e-16	***
AA2	-438.8	42.242	-10.3889	< 2.2e-16	***
AA3	-240.1	42.242	-5.6838	3.632e-08	***
AA4	-153.3	42.242	-3.6279	0.0003458	***
AA5	0.0	0.000			
Site1:AA1	-38.1	59.739	-0.6377	0.5242659	
Site1:AA2	0.8	59.739	0.0131	0.9895761	
Site1:AA3	-98.2	59.739	-1.6436	0.1015027	
Site1:AA4	-21.4	59.739	-0.3583	0.7203955	
Site1:AA5	0.0	0.000			
Site2:AA1	413.1	59.739	6.9145	3.844e-11	***
Site2:AA2	368.4	59.739	6.1670	2.752e-09	***
Site2:AA3	138.4	59.739	2.3163	0.0213427	*
Site2:AA4	164.4	59.739	2.7516	0.0063618	**

Site2:AA5	0.0	0.000				
Site3:AA1	0.0	0.000				
Site3:AA2	0.0	0.000				
Site3:AA3	0.0	0.000				
Site3:AA4	0.0	0.000				
Site3:AA5	0.0	0.000				
Site1:BlockR1:AA1	-190.6	36.024	-5.2916	2.635e-07	***	
Site1:BlockR1:AA2	-131.1	36.024	-3.6400	0.0003308	***	
Site1:BlockR1:AA3	-76.1	36.024	-2.1132	0.0355682	*	
Site1:BlockR1:AA4	-52.6	36.024	-1.4608	0.1453053		
Site1:BlockR1:AA5	0.0	0.000				
Site1:BlockR2:AA1	-188.1	36.024	-5.2222	3.702e-07	***	
Site1:BlockR2:AA2	-148.4	36.024	-4.1188	5.168e-05	***	
Site1:BlockR2:AA3	-43.6	36.024	-1.2110	0.2270282		
Site1:BlockR2:AA4	-33.0	36.024	-0.9161	0.3605109		
Site1:BlockR2:AA5	0.0	0.000				
Site1:BlockR3:AA1	-234.0	36.024	-6.4957	4.379e-10	***	
Site1:BlockR3:AA2	-133.3	36.024	-3.6989	0.0002658	***	
Site1:BlockR3:AA3	-82.1	36.024	-2.2797	0.0234592	*	
Site1:BlockR3:AA4	-87.8	36.024	-2.4359	0.0155490	*	
Site1:BlockR3:AA5	0.0	0.000				
Site1:BlockR4:AA1	0.0	0.000				
Site1:BlockR4:AA2	0.0	0.000				
Site1:BlockR4:AA3	0.0	0.000				
Site1:BlockR4:AA4	0.0	0.000				
Site1:BlockR4:AA5	0.0	0.000				
Site2:BlockR1:AA1	-382.5	36.024	-10.6180	< 2.2e-16	***	
Site2:BlockR1:AA2	-261.9	36.024	-7.2695	4.528e-12	***	
Site2:BlockR1:AA3	-171.6	36.024	-4.7642	3.204e-06	***	
Site2:BlockR1:AA4	-74.5	36.024	-2.0681	0.0396533	*	
Site2:BlockR1:AA5	0.0	0.000				
Site2:BlockR2:AA1	-634.4	36.024	-17.6099	< 2.2e-16	***	
Site2:BlockR2:AA2	-508.7	36.024	-14.1226	< 2.2e-16	***	
Site2:BlockR2:AA3	-288.9	36.024	-8.0190	3.997e-14	***	
Site2:BlockR2:AA4	-183.6	36.024	-5.0973	6.768e-07	***	
Site2:BlockR2:AA5	0.0	0.000				
Site2:BlockR3:AA1	-607.5	36.024	-16.8638	< 2.2e-16	***	
Site2:BlockR3:AA2	-466.6	36.024	-12.9532	< 2.2e-16	***	
Site2:BlockR3:AA3	-249.6	36.024	-6.9294	3.517e-11	***	
Site2:BlockR3:AA4	-166.4	36.024	-4.6185	6.169e-06	***	
Site2:BlockR3:AA5	0.0	0.000				
Site2:BlockR4:AA1	0.0	0.000				
Site2:BlockR4:AA2	0.0	0.000				
Site2:BlockR4:AA3	0.0	0.000				
Site2:BlockR4:AA4	0.0	0.000				
Site2:BlockR4:AA5	0.0	0.000				
Site3:BlockR1:AA1	11.6	36.024	0.3227	0.7471876		
Site3:BlockR1:AA2	-27.1	36.024	-0.7530	0.4521683		

Site3:BlockR1:AA3	-8.9	36.024	-0.2464	0.8056004	
Site3:BlockR1:AA4	51.3	36.024	1.4227	0.1560685	
Site3:BlockR1:AA5	0.0	0.000			
Site3:BlockR2:AA1	-237.6	36.024	-6.5963	2.463e-10	***
Site3:BlockR2:AA2	-200.2	36.024	-5.5588	6.907e-08	***
Site3:BlockR2:AA3	-142.0	36.024	-3.9418	0.0001048	***
Site3:BlockR2:AA4	-55.4	36.024	-1.5372	0.1255045	
Site3:BlockR2:AA5	0.0	0.000			
Site3:BlockR3:AA1	-207.1	36.024	-5.7497	2.578e-08	***
Site3:BlockR3:AA2	-232.2	36.024	-6.4471	5.769e-10	***
Site3:BlockR3:AA3	-127.7	36.024	-3.5463	0.0004657	***
Site3:BlockR3:AA4	-66.9	36.024	-1.8564	0.0645621	.
Site3:BlockR3:AA5	0.0	0.000			
Site3:BlockR4:AA1	0.0	0.000			
Site3:BlockR4:AA2	0.0	0.000			
Site3:BlockR4:AA3	0.0	0.000			
Site3:BlockR4:AA4	0.0	0.000			
Site3:BlockR4:AA5	0.0	0.000			
BB1	-5364.0	45.567	-117.7159	< 2.2e-16	***
BB2	-4564.7	45.567	-100.1746	< 2.2e-16	***
BB3	-3808.6	45.567	-83.5815	< 2.2e-16	***
BB4	-3070.7	45.567	-67.3877	< 2.2e-16	***
BB5	-2308.1	45.567	-50.6519	< 2.2e-16	***
BB6	-1561.6	45.567	-34.2694	< 2.2e-16	***
BB7	-704.7	45.567	-15.4641	< 2.2e-16	***
BB8	0.0	0.000			
Site1:BB1	-87.2	64.441	-1.3539	0.1769672	
Site1:BB2	-63.8	64.441	-0.9900	0.3231006	
Site1:BB3	-48.9	64.441	-0.7588	0.4486638	
Site1:BB4	-16.6	64.441	-0.2576	0.7969270	
Site1:BB5	17.3	64.441	0.2677	0.7891606	
Site1:BB6	16.3	64.441	0.2529	0.8005184	
Site1:BB7	-127.0	64.441	-1.9716	0.0497538	*
Site1:BB8	0.0	0.000			
Site2:BB1	3583.2	64.441	55.6033	< 2.2e-16	***
Site2:BB2	3099.2	64.441	48.0926	< 2.2e-16	***
Site2:BB3	2577.7	64.441	39.9999	< 2.2e-16	***
Site2:BB4	2111.0	64.441	32.7585	< 2.2e-16	***
Site2:BB5	1589.0	64.441	24.6581	< 2.2e-16	***
Site2:BB6	1116.0	64.441	17.3173	< 2.2e-16	***
Site2:BB7	555.1	64.441	8.6133	8.882e-16	***
Site2:BB8	0.0	0.000			
Site3:BB1	0.0	0.000			
Site3:BB2	0.0	0.000			
Site3:BB3	0.0	0.000			
Site3:BB4	0.0	0.000			
Site3:BB5	0.0	0.000			
Site3:BB6	0.0	0.000			

Site3:BB7	0.0	0.000			
Site3:BB8	0.0	0.000			
Site1:BlockR1:BB1	-1733.0	45.567	-38.0320	< 2.2e-16	***
Site1:BlockR1:BB2	-1498.6	45.567	-32.8879	< 2.2e-16	***
Site1:BlockR1:BB3	-1281.4	45.567	-28.1213	< 2.2e-16	***
Site1:BlockR1:BB4	-984.4	45.567	-21.6034	< 2.2e-16	***
Site1:BlockR1:BB5	-743.6	45.567	-16.3189	< 2.2e-16	***
Site1:BlockR1:BB6	-499.4	45.567	-10.9597	< 2.2e-16	***
Site1:BlockR1:BB7	-196.2	45.567	-4.3058	2.385e-05	***
Site1:BlockR1:BB8	0.0	0.000			
Site1:BlockR2:BB1	-1721.2	45.567	-37.7730	< 2.2e-16	***
Site1:BlockR2:BB2	-1606.0	45.567	-35.2449	< 2.2e-16	***
Site1:BlockR2:BB3	-1267.6	45.567	-27.8184	< 2.2e-16	***
Site1:BlockR2:BB4	-1005.4	45.567	-22.0642	< 2.2e-16	***
Site1:BlockR2:BB5	-800.4	45.567	-17.5654	< 2.2e-16	***
Site1:BlockR2:BB6	-486.4	45.567	-10.6744	< 2.2e-16	***
Site1:BlockR2:BB7	-233.8	45.567	-5.1309	5.761e-07	***
Site1:BlockR2:BB8	0.0	0.000			
Site1:BlockR3:BB1	-1709.0	45.567	-37.5053	< 2.2e-16	***
Site1:BlockR3:BB2	-1522.6	45.567	-33.4146	< 2.2e-16	***
Site1:BlockR3:BB3	-1220.2	45.567	-26.7782	< 2.2e-16	***
Site1:BlockR3:BB4	-965.2	45.567	-21.1820	< 2.2e-16	***
Site1:BlockR3:BB5	-767.8	45.567	-16.8499	< 2.2e-16	***
Site1:BlockR3:BB6	-476.2	45.567	-10.4506	< 2.2e-16	***
Site1:BlockR3:BB7	-220.2	45.567	-4.8325	2.345e-06	***
Site1:BlockR3:BB8	0.0	0.000			
Site1:BlockR4:BB1	0.0	0.000			
Site1:BlockR4:BB2	0.0	0.000			
Site1:BlockR4:BB3	0.0	0.000			
Site1:BlockR4:BB4	0.0	0.000			
Site1:BlockR4:BB5	0.0	0.000			
Site1:BlockR4:BB6	0.0	0.000			
Site1:BlockR4:BB7	0.0	0.000			
Site1:BlockR4:BB8	0.0	0.000			
Site2:BlockR1:BB1	-3519.6	45.567	-77.2402	< 2.2e-16	***
Site2:BlockR1:BB2	-3097.8	45.567	-67.9835	< 2.2e-16	***
Site2:BlockR1:BB3	-2563.0	45.567	-56.2469	< 2.2e-16	***
Site2:BlockR1:BB4	-2044.0	45.567	-44.8571	< 2.2e-16	***
Site2:BlockR1:BB5	-1539.6	45.567	-33.7877	< 2.2e-16	***
Site2:BlockR1:BB6	-1052.8	45.567	-23.1045	< 2.2e-16	***
Site2:BlockR1:BB7	-552.0	45.567	-12.1141	< 2.2e-16	***
Site2:BlockR1:BB8	0.0	0.000			
Site2:BlockR2:BB1	-5360.8	45.567	-117.6467	< 2.2e-16	***
Site2:BlockR2:BB2	-4648.0	45.567	-102.0038	< 2.2e-16	***
Site2:BlockR2:BB3	-3890.2	45.567	-85.3733	< 2.2e-16	***
Site2:BlockR2:BB4	-3094.2	45.567	-67.9045	< 2.2e-16	***
Site2:BlockR2:BB5	-2335.6	45.567	-51.2565	< 2.2e-16	***
Site2:BlockR2:BB6	-1556.2	45.567	-34.1520	< 2.2e-16	***

Site2:BlockR2:BB7	-830.8	45.567	-18.2325	< 2.2e-16	***
Site2:BlockR2:BB8	0.0	0.000			
Site2:BlockR3:BB1	-5309.4	45.567	-116.5187	< 2.2e-16	***
Site2:BlockR3:BB2	-4604.2	45.567	-101.0426	< 2.2e-16	***
Site2:BlockR3:BB3	-3827.2	45.567	-83.9907	< 2.2e-16	***
Site2:BlockR3:BB4	-3058.2	45.567	-67.1145	< 2.2e-16	***
Site2:BlockR3:BB5	-2281.6	45.567	-50.0714	< 2.2e-16	***
Site2:BlockR3:BB6	-1466.6	45.567	-32.1856	< 2.2e-16	***
Site2:BlockR3:BB7	-795.8	45.567	-17.4644	< 2.2e-16	***
Site2:BlockR3:BB8	0.0	0.000			
Site2:BlockR4:BB1	0.0	0.000			
Site2:BlockR4:BB2	0.0	0.000			
Site2:BlockR4:BB3	0.0	0.000			
Site2:BlockR4:BB4	0.0	0.000			
Site2:BlockR4:BB5	0.0	0.000			
Site2:BlockR4:BB6	0.0	0.000			
Site2:BlockR4:BB7	0.0	0.000			
Site2:BlockR4:BB8	0.0	0.000			
Site3:BlockR1:BB1	-7.4	45.567	-0.1624	0.8711222	
Site3:BlockR1:BB2	26.4	45.567	0.5794	0.5628587	
Site3:BlockR1:BB3	-48.4	45.567	-1.0622	0.2891736	
Site3:BlockR1:BB4	-67.6	45.567	-1.4835	0.1391827	
Site3:BlockR1:BB5	-35.0	45.567	-0.7681	0.4431463	
Site3:BlockR1:BB6	-8.2	45.567	-0.1800	0.8573324	
Site3:BlockR1:BB7	-66.6	45.567	-1.4616	0.1451004	
Site3:BlockR1:BB8	0.0	0.000			
Site3:BlockR2:BB1	-1771.4	45.567	-38.8747	< 2.2e-16	***
Site3:BlockR2:BB2	-1533.8	45.567	-33.6604	< 2.2e-16	***
Site3:BlockR2:BB3	-1295.8	45.567	-28.4373	< 2.2e-16	***
Site3:BlockR2:BB4	-1082.6	45.567	-23.7585	< 2.2e-16	***
Site3:BlockR2:BB5	-796.0	45.567	-17.4688	< 2.2e-16	***
Site3:BlockR2:BB6	-482.0	45.567	-10.5778	< 2.2e-16	***
Site3:BlockR2:BB7	-304.2	45.567	-6.6759	1.556e-10	***
Site3:BlockR2:BB8	0.0	0.000			
Site3:BlockR3:BB1	-1772.4	45.567	-38.8966	< 2.2e-16	***
Site3:BlockR3:BB2	-1509.0	45.567	-33.1161	< 2.2e-16	***
Site3:BlockR3:BB3	-1281.6	45.567	-28.1257	< 2.2e-16	***
Site3:BlockR3:BB4	-1013.2	45.567	-22.2354	< 2.2e-16	***
Site3:BlockR3:BB5	-751.8	45.567	-16.4988	< 2.2e-16	***
Site3:BlockR3:BB6	-462.6	45.567	-10.1521	< 2.2e-16	***
Site3:BlockR3:BB7	-248.6	45.567	-5.4557	1.165e-07	***
Site3:BlockR3:BB8	0.0	0.000			
Site3:BlockR4:BB1	0.0	0.000			
Site3:BlockR4:BB2	0.0	0.000			
Site3:BlockR4:BB3	0.0	0.000			
Site3:BlockR4:BB4	0.0	0.000			
Site3:BlockR4:BB5	0.0	0.000			
Site3:BlockR4:BB6	0.0	0.000			

Site3:BlockR4:BB7	0.0	0.000		
Site3:BlockR4:BB8	0.0	0.000		
AA1:BB1	-61.5	50.945	-1.2072	0.2284965
AA1:BB2	-140.0	50.945	-2.7480	0.0064285 **
AA1:BB3	-57.7	50.945	-1.1336	0.2580534
AA1:BB4	-29.2	50.945	-0.5741	0.5663822
AA1:BB5	-66.7	50.945	-1.3102	0.1913120
AA1:BB6	-41.5	50.945	-0.8146	0.4160716
AA1:BB7	-40.5	50.945	-0.7950	0.4273795
AA1:BB8	0.0	0.000		
AA2:BB1	-32.5	50.945	-0.6379	0.5240931
AA2:BB2	-62.7	50.945	-1.2317	0.2192050
AA2:BB3	-59.0	50.945	-1.1581	0.2479183
AA2:BB4	51.8	50.945	1.0158	0.3107018
AA2:BB5	3.8	50.945	0.0736	0.9413805
AA2:BB6	8.3	50.945	0.1619	0.8714843
AA2:BB7	6.3	50.945	0.1227	0.9024579
AA2:BB8	0.0	0.000		
AA3:BB1	-90.0	50.945	-1.7666	0.0785061 .
AA3:BB2	-122.7	50.945	-2.4094	0.0166946 *
AA3:BB3	-110.0	50.945	-2.1592	0.0317805 *
AA3:BB4	-63.0	50.945	-1.2366	0.2173799
AA3:BB5	-36.7	50.945	-0.7214	0.4713562
AA3:BB6	-11.5	50.945	-0.2257	0.8215928
AA3:BB7	-104.2	50.945	-2.0463	0.0417637 *
AA3:BB8	0.0	0.000		
AA4:BB1	-66.2	50.945	-1.3004	0.1946476
AA4:BB2	-60.2	50.945	-1.1826	0.2380667
AA4:BB3	-7.5	50.945	-0.1472	0.8830788
AA4:BB4	3.8	50.945	0.0736	0.9413805
AA4:BB5	12.0	50.945	0.2355	0.8139760
AA4:BB6	14.5	50.945	0.2846	0.7761701
AA4:BB7	-37.2	50.945	-0.7312	0.4653514
AA4:BB8	0.0	0.000		
AA5:BB1	0.0	0.000		
AA5:BB2	0.0	0.000		
AA5:BB3	0.0	0.000		
AA5:BB4	0.0	0.000		
AA5:BB5	0.0	0.000		
AA5:BB6	0.0	0.000		
AA5:BB7	0.0	0.000		
AA5:BB8	0.0	0.000		
Site1:AA1:BB1	67.2	72.048	0.9334	0.3515017
Site1:AA1:BB2	118.7	72.048	1.6482	0.1005547
Site1:AA1:BB3	49.7	72.048	0.6905	0.4905056
Site1:AA1:BB4	-13.0	72.048	-0.1804	0.8569552
Site1:AA1:BB5	77.7	72.048	1.0791	0.2815539
Site1:AA1:BB6	10.5	72.048	0.1457	0.8842456

Site1:AA1:BB7	48.7	72.048	0.6766	0.4992577
Site1:AA1:BB8	0.0	0.000		
Site1:AA2:BB1	47.5	72.048	0.6593	0.5103141
Site1:AA2:BB2	75.5	72.048	1.0479	0.2956805
Site1:AA2:BB3	35.2	72.048	0.4893	0.6250835
Site1:AA2:BB4	-56.8	72.048	-0.7877	0.4316280
Site1:AA2:BB5	-52.5	72.048	-0.7287	0.4668712
Site1:AA2:BB6	-57.3	72.048	-0.7946	0.4275862
Site1:AA2:BB7	-7.0	72.048	-0.0972	0.9226782
Site1:AA2:BB8	0.0	0.000		
Site1:AA3:BB1	172.0	72.048	2.3873	0.0177101 *
Site1:AA3:BB2	116.0	72.048	1.6100	0.1086397
Site1:AA3:BB3	123.2	72.048	1.7107	0.0883720 .
Site1:AA3:BB4	21.0	72.048	0.2915	0.7709287
Site1:AA3:BB5	64.7	72.048	0.8987	0.3696645
Site1:AA3:BB6	-24.3	72.048	-0.3366	0.7367115
Site1:AA3:BB7	182.7	72.048	2.5365	0.0118006 *
Site1:AA3:BB8	0.0	0.000		
Site1:AA4:BB1	104.5	72.048	1.4504	0.1481824
Site1:AA4:BB2	95.7	72.048	1.3290	0.1850560
Site1:AA4:BB3	73.2	72.048	1.0167	0.3102767
Site1:AA4:BB4	9.7	72.048	0.1353	0.8924613
Site1:AA4:BB5	-17.3	72.048	-0.2394	0.8109707
Site1:AA4:BB6	-30.5	72.048	-0.4233	0.6724148
Site1:AA4:BB7	141.7	72.048	1.9674	0.0502283 .
Site1:AA4:BB8	0.0	0.000		
Site1:AA5:BB1	0.0	0.000		
Site1:AA5:BB2	0.0	0.000		
Site1:AA5:BB3	0.0	0.000		
Site1:AA5:BB4	0.0	0.000		
Site1:AA5:BB5	0.0	0.000		
Site1:AA5:BB6	0.0	0.000		
Site1:AA5:BB7	0.0	0.000		
Site1:AA5:BB8	0.0	0.000		
Site2:AA1:BB1	-11.8	72.048	-0.1631	0.8705810
Site2:AA1:BB2	106.7	72.048	1.4817	0.1396805
Site2:AA1:BB3	8.7	72.048	0.1214	0.9034334
Site2:AA1:BB4	-57.5	72.048	-0.7981	0.4255737
Site2:AA1:BB5	17.5	72.048	0.2429	0.8082844
Site2:AA1:BB6	-26.3	72.048	-0.3643	0.7159080
Site2:AA1:BB7	-30.0	72.048	-0.4164	0.6774782
Site2:AA1:BB8	0.0	0.000		
Site2:AA2:BB1	-89.5	72.048	-1.2422	0.2153051
Site2:AA2:BB2	-74.3	72.048	-1.0306	0.3037314
Site2:AA2:BB3	-32.3	72.048	-0.4476	0.6548116
Site2:AA2:BB4	-151.8	72.048	-2.1062	0.0361722 *
Site2:AA2:BB5	-127.5	72.048	-1.7697	0.0779927 .
Site2:AA2:BB6	-163.5	72.048	-2.2693	0.0240938 *

Site2:AA2:BB7	-127.5	72.048	-1.7697	0.0779927	.
Site2:AA2:BB8	0.0	0.000			
Site2:AA3:BB1	57.7	72.048	0.8016	0.4235667	
Site2:AA3:BB2	82.0	72.048	1.1381	0.2561446	
Site2:AA3:BB3	95.2	72.048	1.3220	0.1873529	
Site2:AA3:BB4	-32.0	72.048	-0.4442	0.6573149	
Site2:AA3:BB5	60.2	72.048	0.8363	0.4038052	
Site2:AA3:BB6	-45.0	72.048	-0.6246	0.5328074	
Site2:AA3:BB7	69.7	72.048	0.9681	0.3339179	
Site2:AA3:BB8	0.0	0.000			
Site2:AA4:BB1	-22.3	72.048	-0.3088	0.7577110	
Site2:AA4:BB2	-49.3	72.048	-0.6836	0.4948713	
Site2:AA4:BB3	-4.0	72.048	-0.0555	0.9557691	
Site2:AA4:BB4	-57.8	72.048	-0.8016	0.4235667	
Site2:AA4:BB5	-81.3	72.048	-1.1277	0.2605082	
Site2:AA4:BB6	-111.0	72.048	-1.5406	0.1246574	
Site2:AA4:BB7	-65.5	72.048	-0.9091	0.3641550	
Site2:AA4:BB8	0.0	0.000			
Site2:AA5:BB1	0.0	0.000			
Site2:AA5:BB2	0.0	0.000			
Site2:AA5:BB3	0.0	0.000			
Site2:AA5:BB4	0.0	0.000			
Site2:AA5:BB5	0.0	0.000			
Site2:AA5:BB6	0.0	0.000			
Site2:AA5:BB7	0.0	0.000			
Site2:AA5:BB8	0.0	0.000			
Site3:AA1:BB1	0.0	0.000			
Site3:AA1:BB2	0.0	0.000			
Site3:AA1:BB3	0.0	0.000			
Site3:AA1:BB4	0.0	0.000			
Site3:AA1:BB5	0.0	0.000			
Site3:AA1:BB6	0.0	0.000			
Site3:AA1:BB7	0.0	0.000			
Site3:AA1:BB8	0.0	0.000			
Site3:AA2:BB1	0.0	0.000			
Site3:AA2:BB2	0.0	0.000			
Site3:AA2:BB3	0.0	0.000			
Site3:AA2:BB4	0.0	0.000			
Site3:AA2:BB5	0.0	0.000			
Site3:AA2:BB6	0.0	0.000			
Site3:AA2:BB7	0.0	0.000			
Site3:AA2:BB8	0.0	0.000			
Site3:AA3:BB1	0.0	0.000			
Site3:AA3:BB2	0.0	0.000			
Site3:AA3:BB3	0.0	0.000			
Site3:AA3:BB4	0.0	0.000			
Site3:AA3:BB5	0.0	0.000			
Site3:AA3:BB6	0.0	0.000			

```

Site3:AA3:BB7      0.0      0.000
Site3:AA3:BB8      0.0      0.000
Site3:AA4:BB1      0.0      0.000
Site3:AA4:BB2      0.0      0.000
Site3:AA4:BB3      0.0      0.000
Site3:AA4:BB4      0.0      0.000
Site3:AA4:BB5      0.0      0.000
Site3:AA4:BB6      0.0      0.000
Site3:AA4:BB7      0.0      0.000
Site3:AA4:BB8      0.0      0.000
Site3:AA5:BB1      0.0      0.000
Site3:AA5:BB2      0.0      0.000
Site3:AA5:BB3      0.0      0.000
Site3:AA5:BB4      0.0      0.000
Site3:AA5:BB5      0.0      0.000
Site3:AA5:BB6      0.0      0.000
Site3:AA5:BB7      0.0      0.000
Site3:AA5:BB8      0.0      0.000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

7.16 Example 11.1

(93) MODEL

```

ex11.1 = read.table("C:/G/Rt/Split/Ex11.1-cov.txt", header=TRUE)
ex11.1 = af(ex11.1, c("R", "T", "S"))
GLM(Y ~ R + T + R:T + S + S:T, ex11.1)

```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	328	29.8182	3.1948	0.02875 *
RESIDUALS	12	112	9.3333		
CORRECTED TOTAL	23	440			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	48	24	2.5714	0.11765
T	1	24	24	2.5714	0.13479
R:T	2	16	8	0.8571	0.44880
S	3	156	52	5.5714	0.01251 *
T:S	3	84	28	3.0000	0.07277 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	48	24	2.5714	0.11765
T	1	24	24	2.5714	0.13479
R:T	2	16	8	0.8571	0.44880
S	3	156	52	5.5714	0.01251 *
T:S	3	84	28	3.0000	0.07277 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	48	24	2.5714	0.11765
T	1	24	24	2.5714	0.13479
R:T	2	16	8	0.8571	0.44880
S	3	156	52	5.5714	0.01251 *
T:S	3	84	28	3.0000	0.07277 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	17	2.1602	7.8695	4.448e-06 ***
R1	-5	2.1602	-2.3146	0.0391521 *
R2	-1	2.1602	-0.4629	0.6517110
R3	0	0.0000		
T1	-10	3.0551	-3.2733	0.0066627 **
T2	0	0.0000		
R1:T1	4	3.0551	1.3093	0.2149461
R1:T2	0	0.0000		
R2:T1	2	3.0551	0.6547	0.5250404
R2:T2	0	0.0000		
R3:T1	0	0.0000		
R3:T2	0	0.0000		
S1	-8	2.4944	-3.2071	0.0075321 **
S2	-9	2.4944	-3.6080	0.0035926 **
S3	-11	2.4944	-4.4098	0.0008506 ***
S4	0	0.0000		
T1:S1	6	3.5277	1.7008	0.1147185
T1:S2	10	3.5277	2.8347	0.0150430 *
T1:S3	8	3.5277	2.2678	0.0426079 *
T1:S4	0	0.0000		
T2:S1	0	0.0000		
T2:S2	0	0.0000		
T2:S3	0	0.0000		
T2:S4	0	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(94) MODEL

GLM(Z ~ R + T + R:T + S + S:T, ex11.1)

\$ANOVA

Response : Z

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	46	4.1818	2.5091	0.06452 .
RESIDUALS	12	20	1.6667		
CORRECTED TOTAL	23	66			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	9	4.5	2.7	0.1076
T	1	6	6.0	3.6	0.0821 .
R:T	2	1	0.5	0.3	0.7462
S	3	9	3.0	1.8	0.2008
T:S	3	21	7.0	4.2	0.0301 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	9	4.5	2.7	0.1076
T	1	6	6.0	3.6	0.0821 .
R:T	2	1	0.5	0.3	0.7462
S	3	9	3.0	1.8	0.2008
T:S	3	21	7.0	4.2	0.0301 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	9	4.5	2.7	0.1076
T	1	6	6.0	3.6	0.0821 .
R:T	2	1	0.5	0.3	0.7462
S	3	9	3.0	1.8	0.2008
T:S	3	21	7.0	4.2	0.0301 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	6.0	0.91287	6.5727	2.641e-05	***
R1	-2.0	0.91287	-2.1909	0.048930	*
R2	-1.0	0.91287	-1.0954	0.294821	
R3	0.0	0.00000			
T1	-3.5	1.29099	-2.7111	0.018917	*
T2	0.0	0.00000			
R1:T1	1.0	1.29099	0.7746	0.453571	
R1:T2	0.0	0.00000			
R2:T1	0.5	1.29099	0.3873	0.705317	
R2:T2	0.0	0.00000			
R3:T1	0.0	0.00000			
R3:T2	0.0	0.00000			
S1	-2.0	1.05409	-1.8974	0.082097	.
S2	-4.0	1.05409	-3.7947	0.002554	**
S3	-2.0	1.05409	-1.8974	0.082097	.
S4	0.0	0.00000			
T1:S1	2.0	1.49071	1.3416	0.204550	
T1:S2	5.0	1.49071	3.3541	0.005736	**
T1:S3	1.0	1.49071	0.6708	0.515039	
T1:S4	0.0	0.00000			
T2:S1	0.0	0.00000			
T2:S2	0.0	0.00000			
T2:S3	0.0	0.00000			
T2:S4	0.0	0.00000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(95) MODEL

```
GLM(Y ~ R + T + R:T + S + S:T + Z, ex11.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	12	342.45	28.5375	3.218	0.03116 *
RESIDUALS	11	97.55	8.8682		
CORRECTED TOTAL	23	440.00			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	48.00	24.00	2.7063	0.11071
T	1	24.00	24.00	2.7063	0.12820
R:T	2	16.00	8.00	0.9021	0.43373
S	3	156.00	52.00	5.8637	0.01211 *

```
T:S 3 84.00 28.00 3.1574 0.06828 .
Z 1 14.45 14.45 1.6294 0.22807
```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

```
      Df Sum Sq Mean Sq F value Pr(>F)
R      2 18.300  9.1500  1.0318 0.38844
T      1  2.679  2.6786  0.3020 0.59359
R:T    2  9.450  4.7250  0.5328 0.60137
S      3 79.196 26.3985  2.9768 0.07822 .
T:S    3 37.474 12.4915  1.4086 0.29234
Z      1 14.450 14.4500  1.6294 0.22807
```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

```
      Df Sum Sq Mean Sq F value Pr(>F)
R      2 20.209 10.1043  1.1394 0.35505
T      1  6.104  6.1038  0.6883 0.42439
R:T    2  9.450  4.7250  0.5328 0.60137
S      3 84.243 28.0810  3.1665 0.06782 .
T:S    3 37.474 12.4915  1.4086 0.29234
Z      1 14.450 14.4500  1.6294 0.22807
```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

```
              Estimate Std. Error t value Pr(>|t|)
(Intercept)  11.900      4.5163  2.6349 0.023203 *
R1            -3.300      2.4915 -1.3245 0.212200
R2            -0.150      2.2085 -0.0679 0.947069
R3             0.000      0.0000
T1            -7.025      3.7815 -1.8577 0.090160 .
T2             0.000      0.0000
R1:T1         3.150      3.0515  1.0323 0.324102
R1:T2         0.000      0.0000
R2:T1         1.575      2.9965  0.5256 0.609590
R2:T2         0.000      0.0000
R3:T1         0.000      0.0000
R3:T2         0.000      0.0000
S1            -6.300      2.7723 -2.2725 0.044116 *
S2            -5.600      3.6065 -1.5528 0.148760
S3            -9.300      2.7723 -3.3546 0.006425 **
S4             0.000      0.0000
T1:S1         4.300      3.6875  1.1661 0.268238
T1:S2         5.750      4.7864  1.2013 0.254853
T1:S3         7.150      3.5025  2.0414 0.065946 .
```

```

T1:S4          0.000      0.0000
T2:S1          0.000      0.0000
T2:S2          0.000      0.0000
T2:S3          0.000      0.0000
T2:S4          0.000      0.0000
Z              0.850      0.6659  1.2765 0.228074
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

7.17 Example 11.2

(96) MODEL

```

ex11.2a = read.table("C:/G/Rt/Split/Ex11.2-sp3.txt", header=TRUE)
ex11.2a = af(ex11.2a, "A")
ex11.2a$MY = (ex11.2a$Y1 + ex11.2a$Y2)/sqrt(2)
ex11.2a$Z = 2*ex11.2a$Z/sqrt(2)
GLM(MY ~ Z + A, ex11.2a)

```

\$ANOVA

Response : MY

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	2	234.639	117.32	9.5696	0.01953 *
RESIDUALS	5	61.298	12.26		
CORRECTED TOTAL	7	295.937			

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Z	1	190.148	190.148	15.5101	0.01098 *
A	1	44.492	44.492	3.6291	0.11512

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Z	1	166.577	166.577	13.5874	0.0142 *
A	1	44.492	44.492	3.6291	0.1151

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Z	1	166.577	166.577	13.5874	0.0142 *
A	1	44.492	44.492	3.6291	0.1151

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	15.3934	2.70222	5.6966	0.002326 **
Z	1.0219	0.27724	3.6861	0.014203 *
A1	-4.7497	2.49325	-1.9050	0.115119
A2	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(97) MODEL

```
ex11.2b = read.table("C:/G/Rt/Split/Ex11.2-two.txt", header=TRUE)
ex11.2b = af(ex11.2b, c("sub", "A", "B"))
GLM(Y ~ A + A:sub + B + A:B, ex11.2b)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	9	382.06	42.451	39.954	0.0001135 ***
RESIDUALS	6	6.38	1.062		
CORRECTED TOTAL	15	388.44			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	68.062	68.062	64.0588	0.0002029 ***
A:sub	6	227.875	37.979	35.7451	0.0001934 ***
B	1	85.562	85.562	80.5294	0.0001070 ***
A:B	1	0.562	0.562	0.5294	0.4942562

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	68.062	68.062	64.0588	0.0002029 ***
A:sub	6	227.875	37.979	35.7451	0.0001934 ***
B	1	85.562	85.562	80.5294	0.0001070 ***
A:B	1	0.562	0.562	0.5294	0.4942562

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

A      1  68.062  68.062  64.0588  0.0002029 ***
A:sub  6 227.875  37.979  35.7451  0.0001934 ***
B      1  85.562  85.562  80.5294  0.0001070 ***
A:B    1   0.562   0.562   0.5294  0.4942562

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	10.000	0.81490	12.2714	1.784e-05	***
A1	-3.125	1.15244	-2.7116	0.0350301	*
A2	0.000	0.00000			
A1:sub1	0.000	1.03078	0.0000	1.0000000	
A1:sub2	4.500	1.03078	4.3656	0.0047414	**
A1:sub3	8.000	1.03078	7.7611	0.0002406	***
A1:sub4	0.000	0.00000			
A1:sub5	0.000	0.00000			
A1:sub6	0.000	0.00000			
A1:sub7	0.000	0.00000			
A1:sub8	0.000	0.00000			
A2:sub1	0.000	0.00000			
A2:sub2	0.000	0.00000			
A2:sub3	0.000	0.00000			
A2:sub4	0.000	0.00000			
A2:sub5	0.000	1.03078	0.0000	1.0000000	
A2:sub6	10.000	1.03078	9.7014	6.883e-05	***
A2:sub7	5.000	1.03078	4.8507	0.0028496	**
A2:sub8	0.000	0.00000			
B1	5.000	0.72887	6.8599	0.0004725	***
B2	0.000	0.00000			
A1:B1	-0.750	1.03078	-0.7276	0.4942562	
A1:B2	0.000	0.00000			
A2:B1	0.000	0.00000			
A2:B2	0.000	0.00000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(98) MODEL

```

ex11.2c = read.table("C:/G/Rt/Split/Ex11.2-spcov2.txt", header=TRUE)
ex11.2c = af(ex11.2c, c("block", "whole", "split"))
GLM(Y ~ block + whole + block:whole + split + split:whole, ex11.2c)

```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	328	29.8182	3.1948	0.02875 *

```
RESIDUALS      12    112  9.3333
CORRECTED TOTAL 23    440
```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	48	24	2.5714	0.11765
whole	1	24	24	2.5714	0.13479
block:whole	2	16	8	0.8571	0.44880
split	3	156	52	5.5714	0.01251 *
whole:split	3	84	28	3.0000	0.07277 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	48	24	2.5714	0.11765
whole	1	24	24	2.5714	0.13479
block:whole	2	16	8	0.8571	0.44880
split	3	156	52	5.5714	0.01251 *
whole:split	3	84	28	3.0000	0.07277 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	48	24	2.5714	0.11765
whole	1	24	24	2.5714	0.13479
block:whole	2	16	8	0.8571	0.44880
split	3	156	52	5.5714	0.01251 *
whole:split	3	84	28	3.0000	0.07277 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	17	2.1602	7.8695	4.448e-06 ***
block1	-5	2.1602	-2.3146	0.0391521 *
block2	-1	2.1602	-0.4629	0.6517110
block3	0	0.0000		
whole1	-10	3.0551	-3.2733	0.0066627 **
whole2	0	0.0000		
block1:whole1	4	3.0551	1.3093	0.2149461
block1:whole2	0	0.0000		
block2:whole1	2	3.0551	0.6547	0.5250404
block2:whole2	0	0.0000		
block3:whole1	0	0.0000		

```

block3:whole2      0      0.0000
split1             -8      2.4944 -3.2071 0.0075321 **
split2             -9      2.4944 -3.6080 0.0035926 **
split3            -11      2.4944 -4.4098 0.0008506 ***
split4              0      0.0000
whole1:split1       6      3.5277  1.7008 0.1147185
whole1:split2      10      3.5277  2.8347 0.0150430 *
whole1:split3       8      3.5277  2.2678 0.0426079 *
whole1:split4       0      0.0000
whole2:split1       0      0.0000
whole2:split2       0      0.0000
whole2:split3       0      0.0000
whole2:split4       0      0.0000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(99) MODEL

```
GLM(Z ~ block + whole + block:whole + split + split:whole, ex11.2c)
```

\$ANOVA

Response : Z

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	38	3.4545	3.5903e+15	< 2.2e-16 ***
RESIDUALS	12	0	0.0000		
CORRECTED TOTAL	23	38			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	36.000	18.0000	1.8707e+16	<2e-16 ***
whole	1	0.667	0.6667	6.9286e+14	<2e-16 ***
block:whole	2	1.333	0.6667	6.9286e+14	<2e-16 ***
split	3	0.000	0.0000	0.0000e+00	1
whole:split	3	0.000	0.0000	0.0000e+00	1

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	36.000	18.0000	1.8707e+16	<2e-16 ***
whole	1	0.667	0.6667	6.9286e+14	<2e-16 ***
block:whole	2	1.333	0.6667	6.9286e+14	<2e-16 ***
split	3	0.000	0.0000	0.0000e+00	1
whole:split	3	0.000	0.0000	0.0000e+00	1

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	36.000	18.0000	1.8707e+16	<2e-16 ***
whole	1	0.667	0.6667	6.9286e+14	<2e-16 ***
block:whole	2	1.333	0.6667	6.9286e+14	<2e-16 ***
split	3	0.000	0.0000	0.0000e+00	1
whole:split	3	0.000	0.0000	0.0000e+00	1

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	5	2.1934e-08	227957476	<2e-16 ***
block1	-3	2.1934e-08	-136774486	<2e-16 ***
block2	-1	2.1934e-08	-45591495	<2e-16 ***
block3	0	0.0000e+00		
whole1	0	3.1019e-08	0	1
whole2	0	0.0000e+00		
block1:whole1	0	3.1019e-08	0	1
block1:whole2	0	0.0000e+00		
block2:whole1	-1	3.1019e-08	-32238055	<2e-16 ***
block2:whole2	0	0.0000e+00		
block3:whole1	0	0.0000e+00		
block3:whole2	0	0.0000e+00		
split1	0	2.5327e-08	0	1
split2	0	2.5327e-08	0	1
split3	0	2.5327e-08	0	1
split4	0	0.0000e+00		
whole1:split1	0	3.5818e-08	0	1
whole1:split2	0	3.5818e-08	0	1
whole1:split3	0	3.5818e-08	0	1
whole1:split4	0	0.0000e+00		
whole2:split1	0	0.0000e+00		
whole2:split2	0	0.0000e+00		
whole2:split3	0	0.0000e+00		
whole2:split4	0	0.0000e+00		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(100) MODEL

```
GLM(Y ~ block + whole + block:whole + split + split:whole + Z, ex11.2c)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	328	29.8182	3.1948	0.02875 *
RESIDUALS	12	112	9.3333		
CORRECTED TOTAL	23	440			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	48	24	2.5714	0.11765
whole	1	24	24	2.5714	0.13479
block:whole	2	16	8	0.8571	0.44880
split	3	156	52	5.5714	0.01251 *
whole:split	3	84	28	3.0000	0.07277 .
Z	0				

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	13.286	6.643	0.7117	0.51039
whole	1	16.000	16.000	1.7143	0.21495
block:whole	1	16.000	16.000	1.7143	0.21495
split	3	156.000	52.000	5.5714	0.01251 *
whole:split	3	84.000	28.000	3.0000	0.07277 .
Z	0				

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	13.286	6.643	0.7117	0.51039
whole	1	16.000	16.000	1.7143	0.21495
block:whole	1	16.000	16.000	1.7143	0.21495
split	3	156.000	52.000	5.5714	0.01251 *
whole:split	3	84.000	28.000	3.0000	0.07277 .
Z	0				

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	17	2.1602	7.8695	4.448e-06 ***
block1	-5	2.1602	-2.3146	0.0391521 *
block2	-1	2.1602	-0.4629	0.6517110
block3	0	0.0000		
whole1	-10	3.0551	-3.2733	0.0066627 **

```

whole2                0      0.0000
block1:whole1         4      3.0551  1.3093 0.2149461
block1:whole2         0      0.0000
block2:whole1         2      3.0551  0.6547 0.5250404
block2:whole2         0      0.0000
block3:whole1         0      0.0000
block3:whole2         0      0.0000
split1                -8      2.4944 -3.2071 0.0075321 **
split2                -9      2.4944 -3.6080 0.0035926 **
split3               -11      2.4944 -4.4098 0.0008506 ***
split4                 0      0.0000
whole1:split1          6      3.5277  1.7008 0.1147185
whole1:split2         10      3.5277  2.8347 0.0150430 *
whole1:split3          8      3.5277  2.2678 0.0426079 *
whole1:split4          0      0.0000
whole2:split1          0      0.0000
whole2:split2          0      0.0000
whole2:split3          0      0.0000
whole2:split4          0      0.0000
Z                      0      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

7.18 Example 11.3

(101) MODEL

```

ex11.3 = read.table("C:/G/Rt/Split/Ex11.3-sbcov.txt", header=TRUE)
ex11.3 = af(ex11.3, c("block", "A", "B"))
GLM(Y ~ block + A + block:A + B + block:B + A:B, ex11.3)

```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	17	16.833	0.9902	1.9804	0.2038
RESIDUALS	6	3.000	0.5000		
CORRECTED TOTAL	23	19.833			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	3	4.5000	1.5000	3.0000	0.11696
A	1	1.5000	1.5000	3.0000	0.13397
block:A	3	0.5000	0.1667	0.3333	0.80220
B	2	8.3333	4.1667	8.3333	0.01855 *
block:B	6	1.0000	0.1667	0.3333	0.89648
A:B	2	1.0000	0.5000	1.0000	0.42188

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	3	4.5000	1.5000	3.0000	0.11696
A	1	1.5000	1.5000	3.0000	0.13397
block:A	3	0.5000	0.1667	0.3333	0.80220
B	2	8.3333	4.1667	8.3333	0.01855 *
block:B	6	1.0000	0.1667	0.3333	0.89648
A:B	2	1.0000	0.5000	1.0000	0.42188

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	3	4.5000	1.5000	3.0000	0.11696
A	1	1.5000	1.5000	3.0000	0.13397
block:A	3	0.5000	0.1667	0.3333	0.80220
B	2	8.3333	4.1667	8.3333	0.01855 *
block:B	6	1.0000	0.1667	0.3333	0.89648
A:B	2	1.0000	0.5000	1.0000	0.42188

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	4.5000	0.61237	7.3485	0.000325 ***
block1	-1.3333	0.81650	-1.6330	0.153590
block2	-0.3333	0.81650	-0.4082	0.697261
block3	-0.3333	0.81650	-0.4082	0.697261
block4	0.0000	0.00000		
A1	-1.0000	0.70711	-1.4142	0.207031
A2	0.0000	0.00000		
block1:A1	0.6667	0.81650	0.8165	0.445416
block1:A2	0.0000	0.00000		
block2:A1	0.6667	0.81650	0.8165	0.445416
block2:A2	0.0000	0.00000		
block3:A1	0.6667	0.81650	0.8165	0.445416
block3:A2	0.0000	0.00000		
block4:A1	0.0000	0.00000		
block4:A2	0.0000	0.00000		
B1	-0.7500	0.79057	-0.9487	0.379410
B2	-1.7500	0.79057	-2.2136	0.068802 .
B3	0.0000	0.00000		
block1:B1	-0.5000	1.00000	-0.5000	0.634880
block1:B2	0.5000	1.00000	0.5000	0.634880
block1:B3	0.0000	0.00000		

```

block2:B1    -0.5000    1.00000  -0.5000  0.634880
block2:B2     0.5000    1.00000   0.5000  0.634880
block2:B3     0.0000    0.00000
block3:B1     0.0000    1.00000   0.0000  1.000000
block3:B2     0.0000    1.00000   0.0000  1.000000
block3:B3     0.0000    0.00000
block4:B1     0.0000    0.00000
block4:B2     0.0000    0.00000
block4:B3     0.0000    0.00000
A1:B1        -0.5000    0.70711  -0.7071  0.506021
A1:B2         0.5000    0.70711   0.7071  0.506021
A1:B3         0.0000    0.00000
A2:B1         0.0000    0.00000
A2:B2         0.0000    0.00000
A2:B3         0.0000    0.00000

```

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(102) MODEL

```
GLM(Z ~ block + A + block:A + B + block:B + A:B, ex11.3)
```

\$ANOVA

Response : Z

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	17	31.167	1.83333	3.3	0.07324 .
RESIDUALS	6	3.333	0.55556		
CORRECTED TOTAL	23	34.500			

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	3	6.8333	2.2778	4.1	0.06689 .
A	1	6.0000	6.0000	10.8	0.01669 *
block:A	3	1.6667	0.5556	1.0	0.45472
B	2	13.0000	6.5000	11.7	0.00850 **
block:B	6	3.6667	0.6111	1.1	0.45542
A:B	2	0.0000	0.0000	0.0	1.00000

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	3	6.8333	2.2778	4.1	0.06689 .
A	1	6.0000	6.0000	10.8	0.01669 *
block:A	3	1.6667	0.5556	1.0	0.45472

```

B          2 13.0000  6.5000   11.7 0.00850 **
block:B    6  3.6667  0.6111    1.1 0.45542
A:B        2  0.0000  0.0000    0.0 1.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

```

      Df Sum Sq Mean Sq F value Pr(>F)
block   3  6.8333  2.2778    4.1 0.06689 .
A        1  6.0000  6.0000   10.8 0.01669 *
block:A  3  1.6667  0.5556    1.0 0.45472
B        2 13.0000  6.5000   11.7 0.00850 **
block:B  6  3.6667  0.6111    1.1 0.45542
A:B      2  0.0000  0.0000    0.0 1.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

      Estimate Std. Error t value Pr(>|t|)
(Intercept)  2.83333    0.64550  4.3894 0.004621 **
block1         0.00000    0.86066  0.0000 1.000000
block2         1.83333    0.86066  2.1301 0.077194 .
block3        -0.16667    0.86066 -0.1936 0.852840
block4         0.00000    0.00000  0.0000 1.000000
A1            -1.66667    0.74536 -2.2361 0.066707 .
A2             0.00000    0.00000  0.0000 1.000000
block1:A1     1.00000    0.86066  1.1619 0.289403
block1:A2     0.00000    0.00000  0.0000 1.000000
block2:A1     0.33333    0.86066  0.3873 0.711901
block2:A2     0.00000    0.00000  0.0000 1.000000
block3:A1     1.33333    0.86066  1.5492 0.172308
block3:A2     0.00000    0.00000  0.0000 1.000000
block4:A1     0.00000    0.00000  0.0000 1.000000
block4:A2     0.00000    0.00000  0.0000 1.000000
B1            -0.50000    0.83333 -0.6000 0.570456
B2            -1.00000    0.83333 -1.2000 0.275367
B3             0.00000    0.00000  0.0000 1.000000
block1:B1    -2.00000    1.05409 -1.8974 0.106558
block1:B2     0.00000    1.05409  0.0000 1.000000
block1:B3     0.00000    0.00000  0.0000 1.000000
block2:B1    -2.00000    1.05409 -1.8974 0.106558
block2:B2    -0.50000    1.05409 -0.4743 0.652027
block2:B3     0.00000    0.00000  0.0000 1.000000
block3:B1    -1.00000    1.05409 -0.9487 0.379410
block3:B2    -0.50000    1.05409 -0.4743 0.652027
block3:B3     0.00000    0.00000  0.0000 1.000000
block4:B1     0.00000    0.00000  0.0000 1.000000
block4:B2     0.00000    0.00000  0.0000 1.000000

```

```

block4:B3      0.00000    0.00000
A1:B1          0.00000    0.74536    0.0000  1.000000
A1:B2          0.00000    0.74536    0.0000  1.000000
A1:B3          0.00000    0.00000
A2:B1          0.00000    0.00000
A2:B2          0.00000    0.00000
A2:B3          0.00000    0.00000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(103) MODEL

```
GLM(Y ~ block + A + block:A + B + block:B + A:B + Z, ex11.3)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	18	17.8417	0.99120	2.4884	0.1589
RESIDUALS	5	1.9917	0.39833		
CORRECTED TOTAL	23	19.8333			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	3	4.5000	1.5000	3.7657	0.09378 .
A	1	1.5000	1.5000	3.7657	0.10999
block:A	3	0.5000	0.1667	0.4184	0.74788
B	2	8.3333	4.1667	10.4603	0.01634 *
block:B	6	1.0000	0.1667	0.4184	0.84059
A:B	2	1.0000	0.5000	1.2552	0.36163
Z	1	1.0083	1.0083	2.5314	0.17248

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	3	3.6203	1.20678	3.0296	0.1319
A	1	0.0000	0.00000	0.0000	1.0000
block:A	3	0.2583	0.08611	0.2162	0.8813
B	2	1.0317	0.51587	1.2951	0.3522
block:B	6	0.4210	0.07017	0.1762	0.9717
A:B	2	1.0000	0.50000	1.2552	0.3616
Z	1	1.0083	1.00833	2.5314	0.1725

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	3	3.6613	1.22045	3.0639	0.1297
A	1	0.0054	0.00536	0.0134	0.9122

```

block:A  3 0.2583 0.08611  0.2162 0.8813
B        2 0.7685 0.38427  0.9647 0.4423
block:B  6 0.4210 0.07017  0.1762 0.9717
A:B      2 1.0000 0.50000  1.2552 0.3616
Z        1 1.0083 1.00833  2.5314 0.1725

```

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.94167	1.12164	2.6227	0.04695 *
block1	-1.33333	0.72877	-1.8296	0.12684
block2	-1.34167	0.96580	-1.3892	0.22347
block3	-0.24167	0.73105	-0.3306	0.75437
block4	0.00000	0.00000		
A1	-0.08333	0.85456	-0.0975	0.92611
A2	0.00000	0.00000		
block1:A1	0.11667	0.80660	0.1446	0.89065
block1:A2	0.00000	0.00000		
block2:A1	0.48333	0.73783	0.6551	0.54135
block2:A2	0.00000	0.00000		
block3:A1	-0.06667	0.86230	-0.0773	0.94137
block3:A2	0.00000	0.00000		
block4:A1	0.00000	0.00000		
block4:A2	0.00000	0.00000		
B1	-0.47500	0.72649	-0.6538	0.54210
B2	-1.20000	0.78576	-1.5272	0.18725
B3	0.00000	0.00000		
block1:B1	0.60000	1.12901	0.5314	0.61787
block1:B2	0.50000	0.89256	0.5602	0.59952
block1:B3	0.00000	0.00000		
block2:B1	0.60000	1.12901	0.5314	0.61787
block2:B2	0.77500	0.90914	0.8525	0.43289
block2:B3	0.00000	0.00000		
block3:B1	0.55000	0.95717	0.5746	0.59044
block3:B2	0.27500	0.90914	0.3025	0.77446
block3:B3	0.00000	0.00000		
block4:B1	0.00000	0.00000		
block4:B2	0.00000	0.00000		
block4:B3	0.00000	0.00000		
A1:B1	-0.50000	0.63114	-0.7922	0.46414
A1:B2	0.50000	0.63114	0.7922	0.46414
A1:B3	0.00000	0.00000		
A2:B1	0.00000	0.00000		
A2:B2	0.00000	0.00000		
A2:B3	0.00000	0.00000		
Z	0.55000	0.34569	1.5910	0.17248

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

8 Hinkelmann & Kempthorne - Volume 1

Reference

- Hinkelmann K, Kempthorne O. Design and Analysis of Experiments Volume 1 Introduction to Experimental Design. 2e. John Wiley & Sons Inc. 2008.

8.1 Chapter 6

8.1.1 p202

(104) MODEL

```
v1p202 = read.table("C:/G/Rt/Kemp/v1p202.txt", head=TRUE)
v1p202 = af(v1p202,c("brand"))
GLM(miles ~ brand, v1p202) # OK
```

\$ANOVA

Response : miles

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	47.234	11.809	15.661	0.004924 **
RESIDUALS	5	3.770	0.754		
CORRECTED TOTAL	9	51.004			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
brand	4	47.234	11.809	15.661	0.004924 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
brand	4	47.234	11.809	15.661	0.004924 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
brand	4	47.234	11.809	15.661	0.004924 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
--	----------	------------	---------	----------

```

(Intercept)    25.90    0.61400 42.1822 1.413e-07 ***
brand1         -1.05    0.86833 -1.2092  0.28063
brand2         2.30    0.86833  2.6488  0.04549 *
brand3        -2.75    0.86833 -3.1670  0.02490 *
brand4         3.20    0.86833  3.6852  0.01422 *
brand5         0.00    0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.1.2 p205

(105) MODEL

```

v1p205 = read.table("C:/G/Rt/Kemp/v1p205.txt", head=TRUE)
v1p205 = af(v1p205,c("brand", "car"))
GLM(miles ~ brand + car %in% brand, v1p205) # OK

```

\$ANOVA

Response : miles

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	9	140.05	15.561	80.21	1.017e-13 ***
RESIDUALS	20	3.88	0.194		
CORRECTED TOTAL	29	143.93			

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
brand	4	133.243	33.311	171.7053	3.553e-15 ***
brand:car	5	6.803	1.361	7.0137	0.0006214 ***

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
brand	4	133.243	33.311	171.7053	3.553e-15 ***
brand:car	5	6.803	1.361	7.0137	0.0006214 ***

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
brand	4	133.243	33.311	171.7053	3.553e-15 ***
brand:car	5	6.803	1.361	7.0137	0.0006214 ***

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error  t value  Pr(>|t|)
(Intercept)  25.9000    0.25430 101.8496 < 2.2e-16 ***
brand1       -2.0333    0.35963  -5.6540 1.559e-05 ***
brand2        2.2333    0.35963   6.2101 4.580e-06 ***
brand3       -2.3667    0.35963  -6.5808 2.068e-06 ***
brand4        2.9333    0.35963   8.1565 8.629e-08 ***
brand5        0.0000    0.00000
brand1:car1   1.9333    0.35963   5.3759 2.915e-05 ***
brand1:car2   0.0000    0.00000
brand2:car1   0.1667    0.35963   0.4634  0.64805
brand2:car2   0.0000    0.00000
brand3:car1  -0.8667    0.35963  -2.4099  0.02571 *
brand3:car2   0.0000    0.00000
brand4:car1  -0.1333    0.35963  -0.3708  0.71472
brand4:car2   0.0000    0.00000
brand5:car1   0.0333    0.35963   0.0927  0.92707
brand5:car2   0.0000    0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.2 Chapter 7

8.2.1 p232

(106) MODEL

```

v1p232 = read.table("C:/G/Rt/Kemp/v1p232.txt", head=TRUE)
v1p232 = af(v1p232,c("trt"))
GLM(yield ~ trt, v1p232) # OK

```

```

$ANOVA
Response : yield
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      4 59.174  14.793  28.781 0.0012 **
RESIDUALS  5  2.570   0.514
CORRECTED TOTAL 9 61.744
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
trt    4 59.174  14.793  28.781 0.0012 **
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
  Df Sum Sq Mean Sq F value Pr(>F)
trt  4 59.174  14.793  28.781 0.0012 **
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
  Df Sum Sq Mean Sq F value Pr(>F)
trt  4 59.174  14.793  28.781 0.0012 **
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  13.35      0.50695 26.3339 1.476e-06 ***
trtA1         4.85      0.71694  6.7649 0.0010724 **
trtA2        -0.20      0.71694 -0.2790 0.7914426
trtB1         5.75      0.71694  8.0202 0.0004871 ***
trtB2         2.55      0.71694  3.5568 0.0162698 *
trtC          0.00      0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.2.2 p235

(107) MODEL

```

v1p235 = read.table("C:/G/Rt/Kemp/v1p235.txt", head=TRUE)
v1p235 = af(v1p235,c("density"))
GLM(yield ~ density, v1p235) # OK

```

```

$ANOVA
Response : yield
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL    4 88.007  22.0017  32.198 1.095e-05 ***
RESIDUALS 10  6.833   0.6833
CORRECTED TOTAL 14 94.840
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
  Df Sum Sq Mean Sq F value    Pr(>F)
density  4 88.007  22.002  32.198 1.095e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
density 4 88.007  22.002  32.198 1.095e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
density 4 88.007  22.002  32.198 1.095e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept) 16.9667    0.47726 35.5501 7.362e-12 ***
density10   -4.9667    0.67495 -7.3586 2.429e-05 ***
density20   -0.9667    0.67495 -1.4322  0.1826
density30    2.0667    0.67495  3.0620  0.0120 *
density40    1.0333    0.67495  1.5310  0.1568
density50    0.0000    0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.3 Chapter 8

8.3.1 p265

(108) MODEL

```

v1p265 = read.table("C:/G/Rt/Kemp/v1p265.txt", head=TRUE)
v1p265 = af(v1p265,c("trt"))
GLM(y ~ trt + x, v1p265) # OK

```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      3 84.678  28.2260  36.866 4.941e-06 ***
RESIDUALS  11  8.422   0.7656
CORRECTED TOTAL 14 93.100
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
trt    2 66.868  33.434  43.668 5.858e-06 ***

```

```
x    1 17.810  17.810  23.262 0.0005333 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
trt   2 83.147  41.573   54.299 1.996e-06 ***
x     1 17.810  17.810   23.262 0.0005333 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
trt   2 83.147  41.573   54.299 1.996e-06 ***
x     1 17.810  17.810   23.262 0.0005333 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  2.7154     0.81801  3.3196 0.0068363 **
trt1         6.2245     0.60214 10.3374 5.301e-07 ***
trt2         2.9315     0.56116  5.2239 0.0002838 ***
trt3         0.0000     0.00000
x            0.7733     0.16034  4.8230 0.0005333 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

8.3.2 p272

(109) MODEL

```
GLM(y ~ trt + x %in% trt, v1p265) # OK
```

```
$ANOVA
Response : y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL    5 85.711  17.142  20.881 0.0001046 ***
RESIDUALS 9  7.389   0.821
CORRECTED TOTAL 14 93.100
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
trt    2 66.868  33.434 40.7254 3.092e-05 ***
```

```
trt:x 3 18.843 6.281 7.6509 0.007578 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type II`

```
      Df Sum Sq Mean Sq F value    Pr(>F)
trt    2 66.868  33.434 40.7254 3.092e-05 ***
trt:x  3 18.843   6.281  7.6509 0.007578 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type III`

```
      Df Sum Sq Mean Sq F value    Pr(>F)
trt    2  6.1392  3.0696  3.7390 0.065769 .
trt:x  3 18.8433  6.2811  7.6509 0.007578 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$Parameter

```
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  3.7395     1.25360  2.9830 0.015375 *
trt1         4.5929     1.73483  2.6475 0.026586 *
trt2         1.2883     1.85702  0.6937 0.505359
trt3         0.0000     0.00000
trt1:x       0.9759     0.37622  2.5938 0.029031 *
trt2:x       0.8957     0.25864  3.4630 0.007127 **
trt3:x       0.5448     0.26480  2.0572 0.069793 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

8.3.3 p273

(110) MODEL

```
GLM(y ~ trt + x + x %in% trt, v1p265) # OK
```

\$ANOVA

```
Response : y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL    5 85.711  17.142  20.881 0.0001046 ***
RESIDUALS  9  7.389   0.821
CORRECTED TOTAL 14 93.100
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type I`

```

      Df Sum Sq Mean Sq F value    Pr(>F)
trt    2 66.868  33.434 40.7254 3.092e-05 ***
x      1 17.810  17.810 21.6940 0.001189 **
trt:x  2  1.033   0.517  0.6294 0.554843
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

```

      Df Sum Sq Mean Sq F value    Pr(>F)
trt    2 83.147  41.573 50.6397 1.267e-05 ***
x      1 17.810  17.810 21.6940 0.001189 **
trt:x  2  1.033   0.517  0.6294 0.554843
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

```

      Df Sum Sq Mean Sq F value    Pr(>F)
trt    2  6.1392  3.0696  3.7390 0.065769 .
x      1 17.2071 17.2071 20.9597 0.001331 **
trt:x  2  1.0334  0.5167  0.6294 0.554843
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

      Estimate Std. Error t value Pr(>|t|)
(Intercept)  3.7395     1.25360  2.9830 0.01537 *
trt1         4.5929     1.73483  2.6475 0.02659 *
trt2         1.2883     1.85702  0.6937 0.50536
trt3         0.0000     0.00000
x            0.5448     0.26480  2.0572 0.06979 .
trt1:x       0.4311     0.46007  0.9370 0.37320
trt2:x       0.3509     0.37016  0.9481 0.36785
trt3:x       0.0000     0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.4 Chapter 9

8.4.1 p344

(111) MODEL

```

v1p344 = read.table("C:/G/Rt/Kemp/v1p344.txt", head=TRUE)
v1p344 = af(v1p344,c("diet", "litter"))
GLM(gain ~ litter + diet, v1p344)

```

\$ANOVA

Response : gain

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	9	4915.6	546.18	15.544	3.363e-07 ***
RESIDUALS	20	702.8	35.14		
CORRECTED TOTAL	29	5618.4			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
litter	5	4438.0	887.6	25.2608	5.298e-08 ***
diet	4	477.6	119.4	3.3981	0.02824 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
litter	5	4438.0	887.6	25.2608	5.298e-08 ***
diet	4	477.6	119.4	3.3981	0.02824 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
litter	5	4438.0	887.6	25.2608	5.298e-08 ***
diet	4	477.6	119.4	3.3981	0.02824 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	54.357	3.4224	15.8828	8.344e-13 ***
litter1	19.940	3.7490	5.3187	3.318e-05 ***
litter2	17.100	3.7490	4.5612	0.0001897 ***
litter3	20.920	3.7490	5.5801	1.839e-05 ***
litter4	26.360	3.7490	7.0312	8.062e-07 ***
litter5	41.040	3.7490	10.9469	6.767e-10 ***
litter6	0.000	0.0000		
diet1	-12.367	3.4224	-3.6135	0.0017332 **
diet2	-7.650	3.4224	-2.2353	0.0369629 *
diet3	-8.100	3.4224	-2.3668	0.0281448 *
diet4	-6.567	3.4224	-1.9188	0.0694012 .
diet5	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

8.4.2 p349

(112) MODEL

```
v1p349 = read.table("C:/G/Rt/Kemp/v1p349.txt", head=TRUE)
v1p349 = af(v1p349,c("subject", "exercise"))
GLM(diast ~ subject + exercise + subject:exercise, v1p349) # OK
```

\$ANOVA

Response : diast

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	14	1541.5	110.105	28.475	2.953e-08 ***
RESIDUALS	15	58.0	3.867		
CORRECTED TOTAL	29	1599.5			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
subject	4	905.13	226.283	58.5216	5.672e-09 ***
exercise	2	591.27	295.633	76.4569	1.357e-08 ***
subject:exercise	8	45.07	5.633	1.4569	0.2522

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
subject	4	905.13	226.283	58.5216	5.672e-09 ***
exercise	2	591.27	295.633	76.4569	1.357e-08 ***
subject:exercise	8	45.07	5.633	1.4569	0.2522

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
subject	4	905.13	226.283	58.5216	5.672e-09 ***
exercise	2	591.27	295.633	76.4569	1.357e-08 ***
subject:exercise	8	45.07	5.633	1.4569	0.2522

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	135.0	1.3904	97.0913	< 2.2e-16 ***
subject1	0.5	1.9664	0.2543	0.8027368
subject2	5.0	1.9664	2.5427	0.0225198 *
subject3	-5.5	1.9664	-2.7970	0.0135411 *

```

subject4          10.0      1.9664  5.0855 0.0001343 ***
subject5           0.0      0.0000
exercise1        -12.0      1.9664 -6.1026 2.023e-05 ***
exercise2         0.5      1.9664  0.2543 0.8027368
exercise3         0.0      0.0000
subject1:exercise1  4.0      2.7809  1.4384 0.1708608
subject1:exercise2  0.0      2.7809  0.0000 1.0000000
subject1:exercise3  0.0      0.0000
subject2:exercise1  8.0      2.7809  2.8768 0.0115245 *
subject2:exercise2  2.0      2.7809  0.7192 0.4830757
subject2:exercise3  0.0      0.0000
subject3:exercise1  2.0      2.7809  0.7192 0.4830757
subject3:exercise2  2.0      2.7809  0.7192 0.4830757
subject3:exercise3  0.0      0.0000
subject4:exercise1  2.5      2.7809  0.8990 0.3828608
subject4:exercise2  0.0      2.7809  0.0000 1.0000000
subject4:exercise3  0.0      0.0000
subject5:exercise1  0.0      0.0000
subject5:exercise2  0.0      0.0000
subject5:exercise3  0.0      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.4.3 p354

(113) MODEL

```

v1p354 = read.table("C:/G/Rt/Kemp/v1p354.txt", head=TRUE)
v1p354 = af(v1p354,c("loc", "block", "HSF"))
GLM(height ~ loc + block %in% loc + HSF + loc:HSF + block:loc:HSF, v1p354) # OK

```

\$ANOVA

Response : height

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	23	40782	1773.12	80.444	< 2.2e-16 ***
RESIDUALS	24	529	22.04		
CORRECTED TOTAL	47	41311			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
loc	1	20336.3	20336.3	922.6314	< 2.2e-16 ***
loc:block	6	1462.3	243.7	11.0573	6.408e-06 ***
HSF	2	12170.7	6085.3	276.0832	< 2.2e-16 ***
loc:HSF	2	6511.2	3255.6	147.7013	3.242e-14 ***

```
loc:block:HSF 12 301.2 25.1 1.1386 0.3769
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
loc	1	20336.3	20336.3	922.6314	< 2.2e-16 ***
loc:block	6	1462.3	243.7	11.0573	6.408e-06 ***
HSF	2	12170.7	6085.3	276.0832	< 2.2e-16 ***
loc:HSF	2	6511.2	3255.6	147.7013	3.242e-14 ***
loc:block:HSF	12	301.2	25.1	1.1386	0.3769

```
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
loc	1	20336.3	20336.3	922.6314	< 2.2e-16 ***
loc:block	6	1462.3	243.7	11.0573	6.408e-06 ***
HSF	2	12170.7	6085.3	276.0832	< 2.2e-16 ***
loc:HSF	2	6511.2	3255.6	147.7013	3.242e-14 ***
loc:block:HSF	12	301.2	25.1	1.1386	0.3769

```
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	191.0	3.3198	57.5342	< 2.2e-16 ***
loc1	22.5	4.6949	4.7925	7.039e-05 ***
loc2	0.0	0.0000		
loc1:block1	-20.0	4.6949	-4.2600	0.0002727 ***
loc1:block2	-8.0	4.6949	-1.7040	0.1012979
loc1:block3	-9.0	4.6949	-1.9170	0.0672189 .
loc1:block4	0.0	0.0000		
loc2:block1	-10.5	4.6949	-2.2365	0.0348764 *
loc2:block2	-4.5	4.6949	-0.9585	0.3473697
loc2:block3	10.0	4.6949	2.1300	0.0436248 *
loc2:block4	0.0	0.0000		
HSF1	-3.0	4.6949	-0.6390	0.5288766
HSF2	9.5	4.6949	2.0235	0.0542951 .
HSF3	0.0	0.0000		
loc1:HSF1	17.0	6.6395	2.5604	0.0171697 *
loc1:HSF2	53.5	6.6395	8.0578	2.778e-08 ***
loc1:HSF3	0.0	0.0000		
loc2:HSF1	0.0	0.0000		
loc2:HSF2	0.0	0.0000		
loc2:HSF3	0.0	0.0000		
loc1:block1:HSF1	8.0	6.6395	1.2049	0.2399873
loc1:block1:HSF2	-0.5	6.6395	-0.0753	0.9405950

```

loc1:block1:HSF3      0.0      0.0000
loc1:block2:HSF1     -1.5      6.6395 -0.2259 0.8231768
loc1:block2:HSF2     -0.5      6.6395 -0.0753 0.9405950
loc1:block2:HSF3      0.0      0.0000
loc1:block3:HSF1      4.0      6.6395  0.6025 0.5525233
loc1:block3:HSF2      6.5      6.6395  0.9790 0.3373533
loc1:block3:HSF3      0.0      0.0000
loc1:block4:HSF1      0.0      0.0000
loc1:block4:HSF2      0.0      0.0000
loc1:block4:HSF3      0.0      0.0000
loc2:block1:HSF1     -1.0      6.6395 -0.1506 0.8815396
loc2:block1:HSF2      2.0      6.6395  0.3012 0.7658364
loc2:block1:HSF3      0.0      0.0000
loc2:block2:HSF1     -1.5      6.6395 -0.2259 0.8231768
loc2:block2:HSF2      3.5      6.6395  0.5271 0.6029315
loc2:block2:HSF3      0.0      0.0000
loc2:block3:HSF1    -12.0      6.6395 -1.8074 0.0832589 .
loc2:block3:HSF2    -13.0      6.6395 -1.9580 0.0619570 .
loc2:block3:HSF3      0.0      0.0000
loc2:block4:HSF1      0.0      0.0000
loc2:block4:HSF2      0.0      0.0000
loc2:block4:HSF3      0.0      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.4.4 p357

(114) MODEL

```

v1p357 = read.table("C:/G/Rt/Kemp/v1p357.txt", head=TRUE)
v1p357 = af(v1p357,c("var", "N"))
GLM(y ~ var + N + var:N, v1p357) # OK

```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	9	4465.5	496.16	14.116	0.000142 ***
RESIDUALS	10	351.5	35.15		
CORRECTED TOTAL	19	4817.0			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
var	1	140.5	140.45	3.9957	0.073519 .
N	4	3393.7	848.42	24.1373	4.027e-05 ***

var:N 4 931.3 232.82 6.6238 0.007152 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
var	1	140.5	140.45	3.9957	0.073519 .
N	4	3393.7	848.43	24.1373	4.027e-05 ***
var:N	4	931.3	232.82	6.6238	0.007152 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
var	1	140.5	140.45	3.9957	0.073519 .
N	4	3393.7	848.42	24.1373	4.027e-05 ***
var:N	4	931.3	232.83	6.6238	0.007152 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	134.0	4.1923	31.9637	2.114e-11 ***
var1	5.5	5.9287	0.9277	0.375420
var2	0.0	0.0000		
N1	-17.5	5.9287	-2.9517	0.014492 *
N2	25.0	5.9287	4.2167	0.001781 **
N3	20.0	5.9287	3.3734	0.007081 **
N4	3.5	5.9287	0.5903	0.568060
N5	0.0	0.0000		
var1:N1	-13.0	8.3845	-1.5505	0.152072
var1:N2	-32.5	8.3845	-3.8762	0.003078 **
var1:N3	-15.5	8.3845	-1.8486	0.094254 .
var1:N4	7.0	8.3845	0.8349	0.423286
var1:N5	0.0	0.0000		
var2:N1	0.0	0.0000		
var2:N2	0.0	0.0000		
var2:N3	0.0	0.0000		
var2:N4	0.0	0.0000		
var2:N5	0.0	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

8.4.5 p361

(115) MODEL

```
v1p361 = read.table("C:/G/Rt/Kemp/v1p361.txt", head=TRUE)
v1p361 = af(v1p361,c("block", "trt"))
GLM(y ~ block + trt, v1p361) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	241.33	60.333	40.222	0.1176
RESIDUALS	1	1.50	1.500		
CORRECTED TOTAL	5	242.83			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	24.333	12.167	8.1111	0.24097
trt	2	217.000	108.500	72.3333	0.08286 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	108	54.0	36.000	0.11704
trt	2	217	108.5	72.333	0.08286 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	108	54.0	36.000	0.11704
trt	2	217	108.5	72.333	0.08286 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	19.5	1.1180	17.4413	0.03646 *
block1	-12.0	1.4142	-8.4853	0.07468 .
block2	-6.0	1.4142	-4.2426	0.14736
block3	0.0	0.0000		
trt1	16.0	1.4142	11.3137	0.05612 .
trt2	3.0	1.4142	2.1213	0.28044
trt3	0.0	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
y = model.frame(y ~ block + trt, v1p361)[,1]
x = ModelMatrix(y ~ block + trt, v1p361)
```

```
rx = lfit(x, y)
K = cbind(rep(1, 3), matrix(1/3, nrow=3, ncol=3), diag(3)) ; K
```

```
      [,1]      [,2]      [,3]      [,4] [,5] [,6] [,7]
[1,]    1 0.3333333 0.3333333 0.3333333    1    0    0
[2,]    1 0.3333333 0.3333333 0.3333333    0    1    0
[3,]    1 0.3333333 0.3333333 0.3333333    0    0    1
```

```
est(K, rx)
```

```
      Estimate Std. Error t value Pr(>|t|)
[1,]      29.5     0.95743  30.812 0.02065 *
[2,]      16.5     0.95743  17.234 0.03690 *
[3,]      13.5     0.95743  14.100 0.04507 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

8.5 Chapter 10

8.5.1 p405

(116) MODEL

```
v1p405 = read.table("C:/G/Rt/Kemp/v1p405.txt", head=TRUE)
v1p405 = af(v1p405, c("trt", "Row", "Col"))
GLM(y ~ Row + Col + trt, v1p405) # OK
```

\$ANOVA

Response : y

```
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      12 4094.7   341.23  2.3416 0.07739 .
RESIDUALS   12 1748.7   145.73
CORRECTED TOTAL 24 5843.4
```

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type I`

```
      Df Sum Sq Mean Sq F value Pr(>F)
Row  4  514.24  128.56  0.8822 0.50328
Col  4 1711.44  427.86  2.9360 0.06611 .
trt  4 1869.04  467.26  3.2064 0.05229 .
```

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	4	514.24	128.56	0.8822	0.50328
Col	4	1711.44	427.86	2.9360	0.06611 .
trt	4	1869.04	467.26	3.2064	0.05229 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	4	514.24	128.56	0.8822	0.50328
Col	4	1711.44	427.86	2.9360	0.06611 .
trt	4	1869.04	467.26	3.2064	0.05229 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	102.16	8.7050	11.7357	6.195e-08 ***
Row1	12.00	7.6348	1.5717	0.141991
Row2	4.00	7.6348	0.5239	0.609878
Row3	6.00	7.6348	0.7859	0.447183
Row4	-0.40	7.6348	-0.0524	0.959079
Row5	0.00	0.0000		
Col1	5.80	7.6348	0.7597	0.462112
Col2	-6.60	7.6348	-0.8645	0.404285
Col3	-18.80	7.6348	-2.4624	0.029907 *
Col4	-1.80	7.6348	-0.2358	0.817593
Col5	0.00	0.0000		
trt1	-25.00	7.6348	-3.2745	0.006648 **
trt2	-3.20	7.6348	-0.4191	0.682525
trt3	-7.20	7.6348	-0.9430	0.364257
trt4	-9.00	7.6348	-1.1788	0.261321
trt5	0.00	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

8.5.2 p408

(117) MODEL

```
v1p408 = read.table("C:/G/Rt/Kemp/v1p408.txt", head=TRUE)
v1p408 = af(v1p408,c("breed", "farm", "wclass", "dosage"))
GLM(response ~ breed + breed:farm + wclass + dosage + breed:dosage, v1p408) # OK
```

\$ANOVA

Response : response

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	16	4470.2	279.391	140.87	2.039e-13 ***
RESIDUALS	15	29.7	1.983		
CORRECTED TOTAL	31	4500.0			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
breed	1	3280.5	3280.5	1654.0336	< 2.2e-16 ***
breed:farm	6	9.0	1.5	0.7563	0.6146
wclass	3	466.8	155.6	78.4454	2.142e-09 ***
dosage	3	580.2	193.4	97.5210	4.596e-10 ***
breed:dosage	3	133.8	44.6	22.4790	8.366e-06 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
breed	1	3280.5	3280.5	1654.0336	< 2.2e-16 ***
breed:farm	6	9.0	1.5	0.7563	0.6146
wclass	3	466.7	155.6	78.4454	2.142e-09 ***
dosage	3	580.2	193.4	97.5210	4.596e-10 ***
breed:dosage	3	133.8	44.6	22.4790	8.366e-06 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
breed	1	3280.5	3280.5	1654.0336	< 2.2e-16 ***
breed:farm	6	9.0	1.5	0.7563	0.6146
wclass	3	466.8	155.6	78.4454	2.142e-09 ***
dosage	3	580.3	193.4	97.5210	4.596e-10 ***
breed:dosage	3	133.7	44.6	22.4790	8.366e-06 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	168.500	1.02647	164.1544	< 2.2e-16 ***
breed1	-19.750	1.31735	-14.9922	1.956e-10 ***
breed2	0.000	0.00000		
breed1:farm1	0.500	0.99582	0.5021	0.6228896
breed1:farm2	-0.500	0.99582	-0.5021	0.6228896
breed1:farm3	0.500	0.99582	0.5021	0.6228896
breed1:farm4	0.000	0.00000		
breed2:farm1	-0.750	0.99582	-0.7531	0.4630208

```

breed2:farm2      -1.750    0.99582   -1.7573  0.0992451  .
breed2:farm3      -1.000    0.99582   -1.0042  0.3312109
breed2:farm4       0.000    0.00000
wclass1          -10.375    0.70415  -14.7340  2.498e-10 ***
wclass2           -6.000    0.70415   -8.5209  3.927e-07 ***
wclass3           -3.125    0.70415   -4.4379  0.0004791 ***
wclass4           0.000    0.00000
dosageC           -1.000    0.99582   -1.0042  0.3312109
dosageH           14.000    0.99582  14.0587  4.829e-10 ***
dosageL           -0.500    0.99582   -0.5021  0.6228896
dosageM           0.000    0.00000
breed1:dosageC    1.750    1.40831    1.2426  0.2330815
breed1:dosageH   -8.500    1.40831   -6.0356  2.281e-05 ***
breed1:dosageL    0.750    1.40831    0.5326  0.6021431
breed1:dosageM    0.000    0.00000
breed2:dosageC    0.000    0.00000
breed2:dosageH    0.000    0.00000
breed2:dosageL    0.000    0.00000
breed2:dosageM    0.000    0.00000

```

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.5.3 p410

(118) MODEL

```

v1p410 = read.table("C:/G/Rt/Kemp/v1p410.txt", head=TRUE)
v1p410$carry = ifelse(v1p410$carry == 0, 3, v1p410$carry)
v1p410 = af(v1p410, c("period", "sequence", "steer", "trt", "carry"))
GLM(y ~ period + sequence + steer:sequence + trt + carry, v1p410) # OK

```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	17	1302.51	76.618	8.7402	1.572e-05 ***
RESIDUALS	18	157.79	8.766		
CORRECTED TOTAL	35	1460.31			

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
period	2	292.06	146.028	16.6580	8.038e-05 ***
sequence	5	326.47	65.294	7.4484	0.0006072 ***
sequence:steer	6	118.50	19.750	2.2530	0.0849122 .
trt	2	549.06	274.528	31.3166	1.377e-06 ***

```

carry          2  16.43   8.215  0.9372 0.4100385
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

```

          Df Sum Sq Mean Sq F value    Pr(>F)
period    2  172.31  86.154   9.8279 0.0013030 **
sequence  5  318.69  63.738   7.2709 0.0006954 ***
sequence:steer 6  118.50  19.750   2.2530 0.0849122 .
trt       2  440.61 220.304  25.1311 6.164e-06 ***
carry     2   16.43   8.215   0.9372 0.4100385
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

```

          Df Sum Sq Mean Sq F value    Pr(>F)
period    2  172.31  86.154   9.8279 0.0013030 **
sequence  5  318.69  63.738   7.2709 0.0006954 ***
sequence:steer 6  118.50  19.750   2.2530 0.0849122 .
trt       2  440.61 220.304  25.1311 6.164e-06 ***
carry     2   16.43   8.215   0.9372 0.4100385
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

          Estimate Std. Error t value Pr(>|t|)
(Intercept)      52.854      2.3407  22.5805 1.177e-14 ***
period1          -6.604      1.5990  -4.1302 0.0006286 ***
period2          -0.083      1.2087  -0.0689 0.9457953
period3           0.000      0.0000
sequence1         3.208      2.4919   1.2875 0.2142212
sequence2        -3.000      2.4175  -1.2410 0.2305478
sequence3        -6.771      2.4919  -2.7172 0.0141265 *
sequence4        -1.438      2.4919  -0.5769 0.5711674
sequence5        -2.458      2.4919  -0.9865 0.3369431
sequence6         0.000      0.0000
sequence1:steer1 -3.667      2.4175  -1.5167 0.1466983
sequence1:steer10  0.000      0.0000
sequence1:steer11  0.000      0.0000
sequence1:steer12  0.000      0.0000
sequence1:steer2  0.000      0.0000
sequence1:steer3  0.000      0.0000
sequence1:steer4  0.000      0.0000
sequence1:steer5  0.000      0.0000
sequence1:steer6  0.000      0.0000
sequence1:steer7  0.000      0.0000
sequence1:steer8  0.000      0.0000
sequence1:steer9  0.000      0.0000

```

sequence2:steer1	0.000	0.0000		
sequence2:steer10	0.000	0.0000		
sequence2:steer11	0.000	0.0000		
sequence2:steer12	0.000	0.0000		
sequence2:steer2	0.000	0.0000		
sequence2:steer3	-4.333	2.4175	-1.7925	0.0898747 .
sequence2:steer4	0.000	0.0000		
sequence2:steer5	0.000	0.0000		
sequence2:steer6	0.000	0.0000		
sequence2:steer7	0.000	0.0000		
sequence2:steer8	0.000	0.0000		
sequence2:steer9	0.000	0.0000		
sequence3:steer1	0.000	0.0000		
sequence3:steer10	0.000	0.0000		
sequence3:steer11	0.000	0.0000		
sequence3:steer12	0.000	0.0000		
sequence3:steer2	0.000	0.0000		
sequence3:steer3	0.000	0.0000		
sequence3:steer4	0.000	0.0000		
sequence3:steer5	-3.333	2.4175	-1.3789	0.1848347
sequence3:steer6	0.000	0.0000		
sequence3:steer7	0.000	0.0000		
sequence3:steer8	0.000	0.0000		
sequence3:steer9	0.000	0.0000		
sequence4:steer1	0.000	0.0000		
sequence4:steer10	0.000	0.0000		
sequence4:steer11	0.000	0.0000		
sequence4:steer12	0.000	0.0000		
sequence4:steer2	0.000	0.0000		
sequence4:steer3	0.000	0.0000		
sequence4:steer4	0.000	0.0000		
sequence4:steer5	0.000	0.0000		
sequence4:steer6	0.000	0.0000		
sequence4:steer7	-3.333	2.4175	-1.3789	0.1848347
sequence4:steer8	0.000	0.0000		
sequence4:steer9	0.000	0.0000		
sequence5:steer1	0.000	0.0000		
sequence5:steer10	3.667	2.4175	1.5167	0.1466983
sequence5:steer11	0.000	0.0000		
sequence5:steer12	0.000	0.0000		
sequence5:steer2	0.000	0.0000		
sequence5:steer3	0.000	0.0000		
sequence5:steer4	0.000	0.0000		
sequence5:steer5	0.000	0.0000		
sequence5:steer6	0.000	0.0000		
sequence5:steer7	0.000	0.0000		
sequence5:steer8	0.000	0.0000		
sequence5:steer9	0.000	0.0000		

```

sequence6:steer1    0.000    0.0000
sequence6:steer10  0.000    0.0000
sequence6:steer11 -3.333    2.4175 -1.3789 0.1848347
sequence6:steer12  0.000    0.0000
sequence6:steer2   0.000    0.0000
sequence6:steer3   0.000    0.0000
sequence6:steer4   0.000    0.0000
sequence6:steer5   0.000    0.0000
sequence6:steer6   0.000    0.0000
sequence6:steer7   0.000    0.0000
sequence6:steer8   0.000    0.0000
sequence6:steer9   0.000    0.0000
trt1                9.542    1.3514  7.0606 1.384e-06 ***
trt2                5.521    1.3514  4.0853 0.0006946 ***
trt3                0.000    0.0000
carry1              0.375    1.8131  0.2068 0.8384657
carry2             -1.938    1.8131 -1.0686 0.2993665
carry3              0.000    0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(y ~ period + sequence + steer:sequence + trt + carry, v1p410), type=3,
       singular.ok=TRUE) # NOT OK for sequence

```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

```

Response: y

```

	Sum Sq	Df	F values	Pr(>F)	
period	172.31	2	9.8279	0.001303	**
sequence	0.00	0			
trt	440.61	2	25.1311	6.164e-06	***
carry	16.43	2	0.9372	0.410038	
sequence:steer	118.50	6	2.2530	0.084912	.
Residuals	157.79	18			

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.6 Chapter 11

8.6.1 p432

(119) MODEL

```
v1p432 = read.table("C:/G/Rt/Kemp/v1p432.txt", head=TRUE)
v1p432 = af(v1p432,c("V", "Block", "A", "B", "C"))
GLM(Y ~ V + Block:V + A + B + A:B + V:A + V:B + V:A:B + Block:A:V + Block:B:V,
     v1p432) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	94	261663	2783.65	30.584	2.065e-14 ***
RESIDUALS	25	2275	91.02		
CORRECTED TOTAL	119	263939			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	282.2094	< 2.2e-16 ***
V:Block	25	50019	2001	21.9825	1.588e-11 ***
A	1	18451	18451	202.7233	1.692e-13 ***
B	1	78541	78541	862.9280	< 2.2e-16 ***
A:B	1	108	108	1.1899	0.28575
V:A	4	3751	938	10.3023	4.532e-05 ***
V:B	4	307	77	0.8421	0.51168
V:A:B	4	1495	374	4.1058	0.01081 *
V:Block:A	25	3416	137	1.5011	0.15818
V:Block:B	25	2833	113	1.2451	0.29390

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	282.2094	< 2.2e-16 ***
V:Block	25	50019	2001	21.9825	1.588e-11 ***
A	1	18451	18451	202.7233	1.692e-13 ***
B	1	78541	78541	862.9280	< 2.2e-16 ***
A:B	1	108	108	1.1899	0.28575
V:A	4	3751	938	10.3023	4.532e-05 ***
V:B	4	307	77	0.8421	0.51168
V:A:B	4	1495	374	4.1058	0.01081 *
V:Block:A	25	3416	137	1.5011	0.15818
V:Block:B	25	2833	113	1.2451	0.29390

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	282.2094	< 2.2e-16 ***

V:Block	25	50019	2001	21.9825	1.588e-11	***
A	1	18451	18451	202.7233	1.692e-13	***
B	1	78541	78541	862.9280	< 2.2e-16	***
A:B	1	108	108	1.1899	0.28575	
V:A	4	3751	938	10.3023	4.532e-05	***
V:B	4	307	77	0.8421	0.51168	
V:A:B	4	1495	374	4.1058	0.01081	*
V:Block:A	25	3416	137	1.5011	0.15818	
V:Block:B	25	2833	113	1.2451	0.29390	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	727.67	8.4885	85.7237	< 2.2e-16	***
VAm	-89.00	12.0046	-7.4138	9.141e-08	***
VCo	-30.58	12.0046	-2.5476	0.0173738	*
VFe	-36.62	12.0046	-3.0509	0.0053411	**
VHa	-53.37	12.0046	-4.4462	0.0001566	***
VPi	0.00	0.0000			
VAm:Block1	-65.00	11.6844	-5.5630	8.751e-06	***
VAm:Block2	-70.75	11.6844	-6.0551	2.512e-06	***
VAm:Block3	-38.50	11.6844	-3.2950	0.0029414	**
VAm:Block4	-43.25	11.6844	-3.7015	0.0010618	**
VAm:Block5	-21.50	11.6844	-1.8401	0.0776619	.
VAm:Block6	0.00	0.0000			
VCo:Block1	-54.25	11.6844	-4.6429	9.401e-05	***
VCo:Block2	-50.75	11.6844	-4.3434	0.0002043	***
VCo:Block3	-54.75	11.6844	-4.6857	8.414e-05	***
VCo:Block4	-34.25	11.6844	-2.9313	0.0071180	**
VCo:Block5	-31.50	11.6844	-2.6959	0.0123750	*
VCo:Block6	0.00	0.0000			
VFe:Block1	-48.00	11.6844	-4.1080	0.0003752	***
VFe:Block2	-46.75	11.6844	-4.0011	0.0004941	***
VFe:Block3	-43.25	11.6844	-3.7015	0.0010618	**
VFe:Block4	-31.25	11.6844	-2.6745	0.0130019	*
VFe:Block5	-10.00	11.6844	-0.8558	0.4002135	
VFe:Block6	0.00	0.0000			
VHa:Block1	-57.00	11.6844	-4.8783	5.108e-05	***
VHa:Block2	-74.50	11.6844	-6.3760	1.127e-06	***
VHa:Block3	-57.50	11.6844	-4.9211	4.572e-05	***
VHa:Block4	-41.25	11.6844	-3.5304	0.0016360	**
VHa:Block5	-15.50	11.6844	-1.3266	0.1966467	
VHa:Block6	0.00	0.0000			
VPi:Block1	-31.00	11.6844	-2.6531	0.0136586	*
VPi:Block2	-55.25	11.6844	-4.7285	7.530e-05	***
VPi:Block3	-57.75	11.6844	-4.9425	4.325e-05	***
VPi:Block4	-37.00	11.6844	-3.1666	0.0040322	**

VPI:Block5	-4.00	11.6844	-0.3423	0.7349587	
VPI:Block6	0.00	0.0000			
AF	-14.33	10.3047	-1.3910	0.1764960	
AM	0.00	0.0000			
BH	-52.33	10.3047	-5.0786	3.042e-05	***
BL	0.00	0.0000			
AF:BH	-5.33	7.7896	-0.6847	0.4998485	
AF:BL	0.00	0.0000			
AM:BH	0.00	0.0000			
AM:BL	0.00	0.0000			
VAm:AF	34.00	14.5730	2.3331	0.0279872	*
VAm:AM	0.00	0.0000			
VCo:AF	-29.83	14.5730	-2.0472	0.0512888	.
VCo:AM	0.00	0.0000			
VFe:AF	-26.75	14.5730	-1.8356	0.0783425	.
VFe:AM	0.00	0.0000			
VHa:AF	-21.25	14.5730	-1.4582	0.1572413	
VHa:AM	0.00	0.0000			
VPI:AF	0.00	0.0000			
VPI:AM	0.00	0.0000			
VAm:BH	-5.00	14.5730	-0.3431	0.7343914	
VAm:BL	0.00	0.0000			
VCo:BH	-4.83	14.5730	-0.3317	0.7429077	
VCo:BL	0.00	0.0000			
VFe:BH	19.25	14.5730	1.3209	0.1984868	
VFe:BL	0.00	0.0000			
VHa:BH	-17.25	14.5730	-1.1837	0.2476668	
VHa:BL	0.00	0.0000			
VPI:BH	0.00	0.0000			
VPI:BL	0.00	0.0000			
VAm:AF:BH	-15.00	11.0161	-1.3616	0.1854582	
VAm:AF:BL	0.00	0.0000			
VAm:AM:BH	0.00	0.0000			
VAm:AM:BL	0.00	0.0000			
VCo:AF:BH	19.67	11.0161	1.7853	0.0863588	.
VCo:AF:BL	0.00	0.0000			
VCo:AM:BH	0.00	0.0000			
VCo:AM:BL	0.00	0.0000			
VFe:AF:BH	-12.50	11.0161	-1.1347	0.2672649	
VFe:AF:BL	0.00	0.0000			
VFe:AM:BH	0.00	0.0000			
VFe:AM:BL	0.00	0.0000			
VHa:AF:BH	15.50	11.0161	1.4070	0.1717311	
VHa:AF:BL	0.00	0.0000			
VHa:AM:BH	0.00	0.0000			
VHa:AM:BL	0.00	0.0000			
VPI:AF:BH	0.00	0.0000			
VPI:AF:BL	0.00	0.0000			

VPI:AM:BH	0.00	0.0000		
VPI:AM:BL	0.00	0.0000		
VAm:Block1:AF	-14.00	13.4920	-1.0377	0.3093639
VAm:Block1:AM	0.00	0.0000		
VAm:Block2:AF	-14.50	13.4920	-1.0747	0.2927668
VAm:Block2:AM	0.00	0.0000		
VAm:Block3:AF	-26.00	13.4920	-1.9271	0.0654087 .
VAm:Block3:AM	0.00	0.0000		
VAm:Block4:AF	-19.50	13.4920	-1.4453	0.1607920
VAm:Block4:AM	0.00	0.0000		
VAm:Block5:AF	0.00	13.4920	0.0000	1.0000000
VAm:Block5:AM	0.00	0.0000		
VAm:Block6:AF	0.00	0.0000		
VAm:Block6:AM	0.00	0.0000		
VCo:Block1:AF	6.50	13.4920	0.4818	0.6341615
VCo:Block1:AM	0.00	0.0000		
VCo:Block2:AF	-10.50	13.4920	-0.7782	0.4437309
VCo:Block2:AM	0.00	0.0000		
VCo:Block3:AF	1.50	13.4920	0.1112	0.9123636
VCo:Block3:AM	0.00	0.0000		
VCo:Block4:AF	-2.50	13.4920	-0.1853	0.8544925
VCo:Block4:AM	0.00	0.0000		
VCo:Block5:AF	21.00	13.4920	1.5565	0.1321638
VCo:Block5:AM	0.00	0.0000		
VCo:Block6:AF	0.00	0.0000		
VCo:Block6:AM	0.00	0.0000		
VFe:Block1:AF	20.00	13.4920	1.4824	0.1507406
VFe:Block1:AM	0.00	0.0000		
VFe:Block2:AF	20.50	13.4920	1.5194	0.1412033
VFe:Block2:AM	0.00	0.0000		
VFe:Block3:AF	36.50	13.4920	2.7053	0.0121084 *
VFe:Block3:AM	0.00	0.0000		
VFe:Block4:AF	30.50	13.4920	2.2606	0.0327423 *
VFe:Block4:AM	0.00	0.0000		
VFe:Block5:AF	17.00	13.4920	1.2600	0.2193017
VFe:Block5:AM	0.00	0.0000		
VFe:Block6:AF	0.00	0.0000		
VFe:Block6:AM	0.00	0.0000		
VHa:Block1:AF	2.00	13.4920	0.1482	0.8833455
VHa:Block1:AM	0.00	0.0000		
VHa:Block2:AF	16.00	13.4920	1.1859	0.2468148
VHa:Block2:AM	0.00	0.0000		
VHa:Block3:AF	19.00	13.4920	1.4082	0.1713737
VHa:Block3:AM	0.00	0.0000		
VHa:Block4:AF	-0.50	13.4920	-0.0371	0.9707322
VHa:Block4:AM	0.00	0.0000		
VHa:Block5:AF	-27.00	13.4920	-2.0012	0.0563396 .
VHa:Block5:AM	0.00	0.0000		

VHa:Block6:AF	0.00	0.0000		
VHa:Block6:AM	0.00	0.0000		
VPi:Block1:AF	-16.00	13.4920	-1.1859	0.2468148
VPi:Block1:AM	0.00	0.0000		
VPi:Block2:AF	-14.50	13.4920	-1.0747	0.2927668
VPi:Block2:AM	0.00	0.0000		
VPi:Block3:AF	-12.50	13.4920	-0.9265	0.3630565
VPi:Block3:AM	0.00	0.0000		
VPi:Block4:AF	-11.00	13.4920	-0.8153	0.4226006
VPi:Block4:AM	0.00	0.0000		
VPi:Block5:AF	-16.00	13.4920	-1.1859	0.2468148
VPi:Block5:AM	0.00	0.0000		
VPi:Block6:AF	0.00	0.0000		
VPi:Block6:AM	0.00	0.0000		
VAm:Block1:BH	30.00	13.4920	2.2235	0.0354473 *
VAm:Block1:BL	0.00	0.0000		
VAm:Block2:BH	24.50	13.4920	1.8159	0.0813993 .
VAm:Block2:BL	0.00	0.0000		
VAm:Block3:BH	4.00	13.4920	0.2965	0.7693182
VAm:Block3:BL	0.00	0.0000		
VAm:Block4:BH	6.50	13.4920	0.4818	0.6341615
VAm:Block4:BL	0.00	0.0000		
VAm:Block5:BH	1.00	13.4920	0.0741	0.9415063
VAm:Block5:BL	0.00	0.0000		
VAm:Block6:BH	0.00	0.0000		
VAm:Block6:BL	0.00	0.0000		
VCo:Block1:BH	-12.50	13.4920	-0.9265	0.3630565
VCo:Block1:BL	0.00	0.0000		
VCo:Block2:BH	-4.50	13.4920	-0.3335	0.7415143
VCo:Block2:BL	0.00	0.0000		
VCo:Block3:BH	1.50	13.4920	0.1112	0.9123636
VCo:Block3:BL	0.00	0.0000		
VCo:Block4:BH	-6.50	13.4920	-0.4818	0.6341615
VCo:Block4:BL	0.00	0.0000		
VCo:Block5:BH	4.00	13.4920	0.2965	0.7693182
VCo:Block5:BL	0.00	0.0000		
VCo:Block6:BH	0.00	0.0000		
VCo:Block6:BL	0.00	0.0000		
VFe:Block1:BH	-8.00	13.4920	-0.5929	0.5585441
VFe:Block1:BL	0.00	0.0000		
VFe:Block2:BH	-12.50	13.4920	-0.9265	0.3630565
VFe:Block2:BL	0.00	0.0000		
VFe:Block3:BH	-11.50	13.4920	-0.8524	0.4021071
VFe:Block3:BL	0.00	0.0000		
VFe:Block4:BH	0.50	13.4920	0.0371	0.9707322
VFe:Block4:BL	0.00	0.0000		
VFe:Block5:BH	-2.00	13.4920	-0.1482	0.8833455
VFe:Block5:BL	0.00	0.0000		

```

VFe:Block6:BH      0.00      0.0000
VFe:Block6:BL      0.00      0.0000
VHa:Block1:BH      8.00      13.4920  0.5929  0.5585441
VHa:Block1:BL      0.00      0.0000
VHa:Block2:BH     15.00      13.4920  1.1118  0.2768138
VHa:Block2:BL      0.00      0.0000
VHa:Block3:BH     21.00      13.4920  1.5565  0.1321638
VHa:Block3:BL      0.00      0.0000
VHa:Block4:BH     33.50      13.4920  2.4830  0.0200965 *
VHa:Block4:BL      0.00      0.0000
VHa:Block5:BH     14.00      13.4920  1.0377  0.3093639
VHa:Block5:BL      0.00      0.0000
VHa:Block6:BH      0.00      0.0000
VHa:Block6:BL      0.00      0.0000
VPi:Block1:BH    -14.00      13.4920 -1.0377  0.3093639
VPi:Block1:BL      0.00      0.0000
VPi:Block2:BH     17.50      13.4920  1.2971  0.2064513
VPi:Block2:BL      0.00      0.0000
VPi:Block3:BH     24.50      13.4920  1.8159  0.0813993 .
VPi:Block3:BL      0.00      0.0000
VPi:Block4:BH      8.00      13.4920  0.5929  0.5585441
VPi:Block4:BL      0.00      0.0000
VPi:Block5:BH     -3.00      13.4920 -0.2224  0.8258445
VPi:Block5:BL      0.00      0.0000
VPi:Block6:BH      0.00      0.0000
VPi:Block6:BL      0.00      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.6.2 p434

(120) MODEL

```
GLM(Y ~ V + Block:V + A + B + A:B + V:A + V:B + V:A:B, v1p432) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	44	255415	5804.9	51.075	< 2.2e-16 ***
RESIDUALS	75	8524	113.7		
CORRECTED TOTAL	119	263939			

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)

V	4	102743	25686	225.9988	< 2.2e-16	***
V:Block	25	50019	2001	17.6040	< 2.2e-16	***
A	1	18451	18451	162.3447	< 2.2e-16	***
B	1	78541	78541	691.0494	< 2.2e-16	***
A:B	1	108	108	0.9529	0.33212	
V:A	4	3751	938	8.2503	1.435e-05	***
V:B	4	307	77	0.6744	0.61182	
V:A:B	4	1495	374	3.2880	0.01541	*

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	225.9988	< 2.2e-16 ***
V:Block	25	50019	2001	17.6040	< 2.2e-16 ***
A	1	18451	18451	162.3447	< 2.2e-16 ***
B	1	78541	78541	691.0494	< 2.2e-16 ***
A:B	1	108	108	0.9529	0.33212
V:A	4	3751	938	8.2503	1.435e-05 ***
V:B	4	307	77	0.6744	0.61182
V:A:B	4	1495	374	3.2880	0.01541 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	225.9988	< 2.2e-16 ***
V:Block	25	50019	2001	17.6040	< 2.2e-16 ***
A	1	18451	18451	162.3447	< 2.2e-16 ***
B	1	78541	78541	691.0494	< 2.2e-16 ***
A:B	1	108	108	0.9529	0.33212
V:A	4	3751	938	8.2503	1.435e-05 ***
V:B	4	307	77	0.6744	0.61182
V:A:B	4	1495	374	3.2880	0.01541 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	730.75	6.5284	111.9335	< 2.2e-16 ***
VAm	-91.42	9.2326	-9.9015	2.887e-15 ***
VCo	-33.50	9.2326	-3.6284	0.0005179 ***
VFe	-47.29	9.2326	-5.1223	2.269e-06 ***
VHa	-64.87	9.2326	-7.0267	8.274e-10 ***
VPi	0.00	0.0000		
VAm:Block1	-57.00	7.5384	-7.5613	8.123e-11 ***
VAm:Block2	-65.75	7.5384	-8.7220	5.032e-13 ***
VAm:Block3	-49.50	7.5384	-6.5664	5.963e-09 ***

VAm:Block4	-49.75	7.5384	-6.5996	5.177e-09	***
VAm:Block5	-21.00	7.5384	-2.7857	0.0067590	**
VAm:Block6	0.00	0.0000			
VCo:Block1	-57.25	7.5384	-7.5945	7.029e-11	***
VCo:Block2	-58.25	7.5384	-7.7271	3.938e-11	***
VCo:Block3	-53.25	7.5384	-7.0638	7.048e-10	***
VCo:Block4	-38.75	7.5384	-5.1404	2.113e-06	***
VCo:Block5	-19.00	7.5384	-2.5204	0.0138466	*
VCo:Block6	0.00	0.0000			
VFe:Block1	-42.00	7.5384	-5.5715	3.771e-07	***
VFe:Block2	-42.75	7.5384	-5.6710	2.515e-07	***
VFe:Block3	-30.75	7.5384	-4.0791	0.0001116	***
VFe:Block4	-15.75	7.5384	-2.0893	0.0400719	*
VFe:Block5	-2.50	7.5384	-0.3316	0.7410890	
VFe:Block6	0.00	0.0000			
VHa:Block1	-52.00	7.5384	-6.8980	1.441e-09	***
VHa:Block2	-59.00	7.5384	-7.8266	2.549e-11	***
VHa:Block3	-37.50	7.5384	-4.9745	4.038e-06	***
VHa:Block4	-24.75	7.5384	-3.2832	0.0015606	**
VHa:Block5	-22.00	7.5384	-2.9184	0.0046415	**
VHa:Block6	0.00	0.0000			
VPi:Block1	-46.00	7.5384	-6.1021	4.234e-08	***
VPi:Block2	-53.75	7.5384	-7.1302	5.290e-10	***
VPi:Block3	-51.75	7.5384	-6.8649	1.662e-09	***
VPi:Block4	-38.50	7.5384	-5.1072	2.407e-06	***
VPi:Block5	-13.50	7.5384	-1.7908	0.0773547	.
VPi:Block6	0.00	0.0000			
AF	-26.00	6.1551	-4.2242	6.669e-05	***
AM	0.00	0.0000			
BH	-46.83	6.1551	-7.6089	6.600e-11	***
BL	0.00	0.0000			
AF:BH	-5.33	8.7046	-0.6127	0.5419251	
AF:BL	0.00	0.0000			
AM:BH	0.00	0.0000			
AM:BL	0.00	0.0000			
VAm:AF	33.33	8.7046	3.8294	0.0002645	***
VAm:AM	0.00	0.0000			
VCo:AF	-15.50	8.7046	-1.7807	0.0790155	.
VCo:AM	0.00	0.0000			
VFe:AF	5.67	8.7046	0.6510	0.5170370	
VFe:AM	0.00	0.0000			
VHa:AF	-8.00	8.7046	-0.9191	0.3610122	
VHa:AM	0.00	0.0000			
VPi:AF	0.00	0.0000			
VPi:AM	0.00	0.0000			
VAm:BH	0.50	8.7046	0.0574	0.9543466	
VAm:BL	0.00	0.0000			
VCo:BH	-13.33	8.7046	-1.5318	0.1297887	

VCo:BL	0.00	0.0000		
VFe:BH	8.17	8.7046	0.9382	0.3511512
VFe:BL	0.00	0.0000		
VHa:BH	-7.50	8.7046	-0.8616	0.3916454
VHa:BL	0.00	0.0000		
VPi:BH	0.00	0.0000		
VPi:BL	0.00	0.0000		
VAm:AF:BH	-15.00	12.3101	-1.2185	0.2268497
VAm:AF:BL	0.00	0.0000		
VAm:AM:BH	0.00	0.0000		
VAm:AM:BL	0.00	0.0000		
VCo:AF:BH	19.67	12.3101	1.5976	0.1143369
VCo:AF:BL	0.00	0.0000		
VCo:AM:BH	0.00	0.0000		
VCo:AM:BL	0.00	0.0000		
VFe:AF:BH	-12.50	12.3101	-1.0154	0.3131683
VFe:AF:BL	0.00	0.0000		
VFe:AM:BH	0.00	0.0000		
VFe:AM:BL	0.00	0.0000		
VHa:AF:BH	15.50	12.3101	1.2591	0.2118897
VHa:AF:BL	0.00	0.0000		
VHa:AM:BH	0.00	0.0000		
VHa:AM:BL	0.00	0.0000		
VPi:AF:BH	0.00	0.0000		
VPi:AF:BL	0.00	0.0000		
VPi:AM:BH	0.00	0.0000		
VPi:AM:BL	0.00	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

8.6.3 p438

(121) MODEL

GLM(Y ~ V + Block:V + C + V:C, v1p432) # OK

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	44	255415	5804.9	51.075	< 2.2e-16 ***
RESIDUALS	75	8524	113.7		
CORRECTED TOTAL	119	263939			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	225.9988	< 2.2e-16 ***
V:Block	25	50019	2001	17.6040	< 2.2e-16 ***
C	3	97100	32367	284.7823	< 2.2e-16 ***
V:C	12	5552	463	4.0709	7.23e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	225.9988	< 2.2e-16 ***
V:Block	25	50019	2001	17.6040	< 2.2e-16 ***
C	3	97100	32367	284.7823	< 2.2e-16 ***
V:C	12	5552	463	4.0709	7.23e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	225.9988	< 2.2e-16 ***
V:Block	25	50019	2001	17.6040	< 2.2e-16 ***
C	3	97100	32367	284.7823	< 2.2e-16 ***
V:C	12	5552	463	4.0709	7.23e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	730.75	6.5284	111.9335	< 2.2e-16 ***
VAm	-91.42	9.2326	-9.9015	2.887e-15 ***
VCo	-33.50	9.2326	-3.6284	0.0005179 ***
VFe	-47.29	9.2326	-5.1223	2.269e-06 ***
VHa	-64.87	9.2326	-7.0267	8.274e-10 ***
VPi	0.00	0.0000		
VAm:Block1	-57.00	7.5384	-7.5613	8.123e-11 ***
VAm:Block2	-65.75	7.5384	-8.7220	5.032e-13 ***
VAm:Block3	-49.50	7.5384	-6.5664	5.963e-09 ***
VAm:Block4	-49.75	7.5384	-6.5996	5.177e-09 ***
VAm:Block5	-21.00	7.5384	-2.7857	0.0067590 **
VAm:Block6	0.00	0.0000		
VCo:Block1	-57.25	7.5384	-7.5945	7.029e-11 ***
VCo:Block2	-58.25	7.5384	-7.7271	3.938e-11 ***
VCo:Block3	-53.25	7.5384	-7.0638	7.048e-10 ***
VCo:Block4	-38.75	7.5384	-5.1404	2.113e-06 ***
VCo:Block5	-19.00	7.5384	-2.5204	0.0138466 *
VCo:Block6	0.00	0.0000		
VFe:Block1	-42.00	7.5384	-5.5715	3.771e-07 ***
VFe:Block2	-42.75	7.5384	-5.6710	2.515e-07 ***

VFe:Block3	-30.75	7.5384	-4.0791	0.0001116	***
VFe:Block4	-15.75	7.5384	-2.0893	0.0400719	*
VFe:Block5	-2.50	7.5384	-0.3316	0.7410890	
VFe:Block6	0.00	0.0000			
VHa:Block1	-52.00	7.5384	-6.8980	1.441e-09	***
VHa:Block2	-59.00	7.5384	-7.8266	2.549e-11	***
VHa:Block3	-37.50	7.5384	-4.9745	4.038e-06	***
VHa:Block4	-24.75	7.5384	-3.2832	0.0015606	**
VHa:Block5	-22.00	7.5384	-2.9184	0.0046415	**
VHa:Block6	0.00	0.0000			
VPi:Block1	-46.00	7.5384	-6.1021	4.234e-08	***
VPi:Block2	-53.75	7.5384	-7.1302	5.290e-10	***
VPi:Block3	-51.75	7.5384	-6.8649	1.662e-09	***
VPi:Block4	-38.50	7.5384	-5.1072	2.407e-06	***
VPi:Block5	-13.50	7.5384	-1.7908	0.0773547	.
VPi:Block6	0.00	0.0000			
C1	-78.17	6.1551	-12.6996	< 2.2e-16	***
C2	-26.00	6.1551	-4.2242	6.669e-05	***
C3	-46.83	6.1551	-7.6089	6.600e-11	***
C4	0.00	0.0000			
VAm:C1	18.83	8.7046	2.1636	0.0336791	*
VAm:C2	33.33	8.7046	3.8294	0.0002645	***
VAm:C3	0.50	8.7046	0.0574	0.9543466	
VAm:C4	0.00	0.0000			
VCo:C1	-9.17	8.7046	-1.0531	0.2956825	
VCo:C2	-15.50	8.7046	-1.7807	0.0790155	.
VCo:C3	-13.33	8.7046	-1.5318	0.1297887	
VCo:C4	0.00	0.0000			
VFe:C1	1.33	8.7046	0.1532	0.8786707	
VFe:C2	5.67	8.7046	0.6510	0.5170370	
VFe:C3	8.17	8.7046	0.9382	0.3511512	
VFe:C4	0.00	0.0000			
VHa:C1	0.00	8.7046	0.0000	1.0000000	
VHa:C2	-8.00	8.7046	-0.9191	0.3610122	
VHa:C3	-7.50	8.7046	-0.8616	0.3916454	
VHa:C4	0.00	0.0000			
VPi:C1	0.00	0.0000			
VPi:C2	0.00	0.0000			
VPi:C3	0.00	0.0000			
VPi:C4	0.00	0.0000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

8.6.4 p444

(122) MODEL

```
v1p444 = v1p432[v1p432$Block==5,]
GLM(Y ~ V + A + B + A:B + V:A, v1p444) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	39278	3570.8	59.787	1.897e-06 ***
RESIDUALS	8	478	59.7		
CORRECTED TOTAL	19	39756			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	19287.7	4821.9	80.7355	1.674e-06 ***
A	1	3380.0	3380.0	56.5927	6.780e-05 ***
B	1	14045.0	14045.0	235.1612	3.247e-07 ***
A:B	1	115.2	115.2	1.9288	0.202326
V:A	4	2450.5	612.6	10.2574	0.003081 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	19287.7	4821.9	80.7355	1.674e-06 ***
A	1	3380.0	3380.0	56.5927	6.780e-05 ***
B	1	14045.0	14045.0	235.1612	3.247e-07 ***
A:B	1	115.2	115.2	1.9288	0.202326
V:A	4	2450.5	612.6	10.2574	0.003081 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	19287.7	4821.9	80.7355	1.674e-06 ***
A	1	3380.0	3380.0	56.5927	6.780e-05 ***
B	1	14045.0	14045.0	235.1612	3.247e-07 ***
A:B	1	115.2	115.2	1.9288	0.202326
V:A	4	2450.5	612.6	10.2574	0.003081 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	720.1	5.9862	120.2927	2.554e-14 ***
VAm	-107.0	7.7282	-13.8454	7.159e-07 ***
VCo	-57.0	7.7282	-7.3756	7.800e-05 ***

VFe	-32.5	7.7282	-4.2054	0.002975	**
VHa	-65.0	7.7282	-8.4108	3.040e-05	***
VPi	0.0	0.0000			
AF	-28.2	8.4658	-3.3310	0.010368	*
AM	0.0	0.0000			
BH	-48.2	4.8877	-9.8614	9.419e-06	***
BL	0.0	0.0000			
AF:BH	-9.6	6.9123	-1.3888	0.202326	
AF:BL	0.0	0.0000			
AM:BH	0.0	0.0000			
AM:BL	0.0	0.0000			
VAm:AF	42.5	10.9293	3.8886	0.004618	**
VAm:AM	0.0	0.0000			
VCo:AF	17.0	10.9293	1.5554	0.158449	
VCo:AM	0.0	0.0000			
VFe:AF	0.0	10.9293	0.0000	1.000000	
VFe:AM	0.0	0.0000			
VHa:AF	-24.5	10.9293	-2.2417	0.055281	.
VHa:AM	0.0	0.0000			
VPi:AF	0.0	0.0000			
VPi:AM	0.0	0.0000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

8.6.5 p482

(123) MODEL

```
v1p482 = read.table("C:/G/Rt/Kemp/v1p482.txt", head=TRUE)
v1p482 = af(v1p482,c("block", "A", "B"))
GLM(y ~ block + A + B + A:B, v1p482) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	156.88	19.6094	9.8871	9.377e-05 ***
RESIDUALS	15	29.75	1.9833		
CORRECTED TOTAL	23	186.62			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	5	108.38	21.675	10.9286	0.0001415 ***
A	1	4.00	4.000	2.0168	0.1760166
B	1	42.25	42.250	21.3025	0.0003365 ***

```

A:B    1    2.25    2.250    1.1345    0.3036727
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	5	31.417	6.283	3.1681	0.0377804 *
A	1	4.000	4.000	2.0168	0.1760166
B	1	42.250	42.250	21.3025	0.0003365 ***
A:B	1	2.250	2.250	1.1345	0.3036727

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	5	31.417	6.283	3.1681	0.0377804 *
A	1	4.000	4.000	2.0168	0.1760166
B	1	42.250	42.250	21.3025	0.0003365 ***
A:B	1	2.250	2.250	1.1345	0.3036727

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	9.000	0.86241	10.4359	2.842e-08 ***
block1	-1.375	1.11337	-1.2350	0.23583
block2	1.125	1.11337	1.0104	0.32830
block3	-0.125	1.11337	-0.1123	0.91210
block4	2.875	1.11337	2.5823	0.02082 *
block5	1.250	1.21963	1.0249	0.32166
block6	0.000	0.00000		
A0	-0.250	0.99582	-0.2510	0.80518
A1	0.000	0.00000		
B0	-2.500	0.99582	-2.5105	0.02400 *
B1	0.000	0.00000		
A0:B0	-1.500	1.40831	-1.0651	0.30367
A0:B1	0.000	0.00000		
A1:B0	0.000	0.00000		
A1:B1	0.000	0.00000		

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.7 Chapter 12

8.7.1 p525

(124) MODEL

```
v1p525 = read.table("C:/G/Rt/Kemp/v1p525.txt", head=TRUE)
REG(y ~ x1 + x2 + x3, v1p525)
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	14.2125	0.10383	136.8787	< 2.2e-16 ***
x1	0.7875	0.10383	7.5843	6.465e-06 ***
x2	1.3875	0.10383	13.3628	1.446e-08 ***
x3	1.6625	0.10383	16.0113	1.839e-09 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
GLM(y ~ x1 + x2 + x3, v1p525) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	84.948	28.3158	164.15	5.26e-10 ***
RESIDUALS	12	2.070	0.1725		
CORRECTED TOTAL	15	87.018			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
x1	1	9.923	9.923	57.522	6.465e-06 ***
x2	1	30.803	30.803	178.565	1.446e-08 ***
x3	1	44.223	44.223	256.362	1.839e-09 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
x1	1	9.923	9.923	57.522	6.465e-06 ***
x2	1	30.803	30.803	178.565	1.446e-08 ***
x3	1	44.223	44.223	256.362	1.839e-09 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
x1	1	9.923	9.923	57.522	6.465e-06 ***
x2	1	30.803	30.803	178.565	1.446e-08 ***
x3	1	44.223	44.223	256.362	1.839e-09 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

$Parameter
      Estimate Std. Error  t value  Pr(>|t|)
(Intercept)  14.2125    0.10383  136.8787 < 2.2e-16 ***
x1            0.7875    0.10383   7.5843 6.465e-06 ***
x2            1.3875    0.10383  13.3628 1.446e-08 ***
x3            1.6625    0.10383  16.0113 1.839e-09 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.7.2 p527

(125) MODEL

```

v1p527 = read.table("C:/G/Rt/Kemp/v1p527.txt", head=TRUE)
GLM(y ~ A + B, v1p527) # OK

```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value  Pr(>F)
MODEL      2  22.99  11.4952   4.8917 0.04686 *
RESIDUALS  7  16.45   2.3499
CORRECTED TOTAL 9  39.44
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value  Pr(>F)
A  1  10.364  10.364   4.4103 0.07386 .
B  1  12.626  12.626   5.3730 0.05355 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value  Pr(>F)
A  1  10.364  10.364   4.4103 0.07386 .
B  1  12.626  12.626   5.3730 0.05355 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df Sum Sq Mean Sq F value  Pr(>F)
A  1  10.364  10.364   4.4103 0.07386 .
B  1  12.626  12.626   5.3730 0.05355 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  5.2000     0.48476 10.7269 1.345e-05 ***
A             1.1439     0.54471  2.1001  0.07386 .
B             1.2626     0.54471  2.3180  0.05355 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.7.3 p529

(126) MODEL

```

vip529 = read.table("C:/G/Rt/Kemp/vip529.txt", head=TRUE)
GLM(y ~ A + B + I(A*A) + I(B*B) + I(A*B), vip529) # OK

```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      5 35.713   7.1427  6.7928 0.01857 *
RESIDUALS   6  6.309   1.0515
CORRECTED TOTAL 11 42.023
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
A       1 11.6012 11.6012 11.0329 0.01597 *
B       1 12.6263 12.6263 12.0077 0.01338 *
I(A * A) 1  1.7167  1.7167  1.6326 0.24855
I(B * B) 1  5.3593  5.3593  5.0967 0.06476 .
I(A * B) 1  4.4100  4.4100  4.1940 0.08649 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
A       1 11.6012 11.6012 11.0329 0.01597 *
B       1 12.6263 12.6263 12.0077 0.01338 *
I(A * A) 1  5.5468  5.5468  5.2750 0.06137 .
I(B * B) 1  5.3593  5.3593  5.0967 0.06476 .
I(A * B) 1  4.4100  4.4100  4.1940 0.08649 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)

```

```

A          1 11.6012 11.6012 11.0329 0.01597 *
B          1 12.6263 12.6263 12.0077 0.01338 *
I(A * A)  1  5.5468  5.5468  5.2750 0.06137 .
I(B * B)  1  5.3593  5.3593  5.0967 0.06476 .
I(A * B)  1  4.4100  4.4100  4.1940 0.08649 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

          Estimate Std. Error t value Pr(>|t|)
(Intercept)  3.5625     0.72492   4.9144 0.002672 **
A             0.9899     0.29801   3.3216 0.015973 *
B             1.2626     0.36437   3.4652 0.013382 *
I(A * A)     1.0106     0.44003   2.2967 0.061374 .
I(B * B)     1.0838     0.48007   2.2576 0.064762 .
I(A * B)     1.0500     0.51272   2.0479 0.086491 .
---

```

```

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

8.8 Chapter 13

8.8.1 p563

(127) MODEL

```

v1p563 = read.table("C:/G/Rt/Kemp/v1p563.txt", head=TRUE)
v1p563 = af(v1p563, c("rep", "A", "B"))
GLM(y ~ rep + A + rep:A + B + A:B, v1p563) # OK

```

\$ANOVA

```

Response : y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      14 2097.08 149.792  17.228 8.385e-05 ***
RESIDUALS    9   78.25   8.694
CORRECTED TOTAL 23 2175.33
---

```

```

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

```

          Df Sum Sq Mean Sq F value    Pr(>F)
rep        3 1241.00  413.67  47.5783 7.606e-06 ***
A          2  353.08  176.54  20.3051 0.0004613 ***
rep:A      6  192.25   32.04   3.6853 0.0393557 *
B          1  216.00  216.00  24.8435 0.0007550 ***
A:B        2   94.75   47.38   5.4489 0.0281496 *
---

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	3	1241.00	413.67	47.5783	7.606e-06 ***
A	2	353.08	176.54	20.3051	0.0004613 ***
rep:A	6	192.25	32.04	3.6853	0.0393557 *
B	1	216.00	216.00	24.8435	0.0007550 ***
A:B	2	94.75	47.38	5.4489	0.0281496 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	3	1241.00	413.67	47.5783	7.606e-06 ***
A	2	353.08	176.54	20.3051	0.0004613 ***
rep:A	6	192.25	32.04	3.6853	0.0393557 *
B	1	216.00	216.00	24.8435	0.0007550 ***
A:B	2	94.75	47.38	5.4489	0.0281496 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	17.250	2.3311	7.3999	4.104e-05 ***
rep1	19.500	2.9486	6.6132	9.778e-05 ***
rep2	14.000	2.9486	4.7480	0.001047 **
rep3	-0.500	2.9486	-0.1696	0.869099
rep4	0.000	0.0000		
A1	5.375	3.2967	1.6304	0.137448
A2	11.375	3.2967	3.4504	0.007270 **
A3	0.000	0.0000		
rep1:A1	1.500	4.1700	0.3597	0.727358
rep1:A2	-9.000	4.1700	-2.1583	0.059234 .
rep1:A3	0.000	0.0000		
rep2:A1	-11.000	4.1700	-2.6379	0.027007 *
rep2:A2	-14.500	4.1700	-3.4772	0.006969 **
rep2:A3	0.000	0.0000		
rep3:A1	1.000	4.1700	0.2398	0.815851
rep3:A2	-3.000	4.1700	-0.7194	0.490137
rep3:A3	0.000	0.0000		
rep4:A1	0.000	0.0000		
rep4:A2	0.000	0.0000		
rep4:A3	0.000	0.0000		
B1	0.500	2.0850	0.2398	0.815851
B2	0.000	0.0000		
A1:B1	9.250	2.9486	3.1370	0.011985 *
A1:B2	0.000	0.0000		

```

A2:B1      7.250    2.9486  2.4588  0.036232 *
A2:B2      0.000    0.0000
A3:B1      0.000    0.0000
A3:B2      0.000    0.0000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

8.8.2 p566

(128) MODEL

```

v1p566 = read.table("C:/G/Rt/Kemp/v1p566.txt", head=TRUE)
v1p566 = af(v1p566, c("subject", "A", "B"))
GLM(y ~ A + B + A:B, v1p566) # OK

```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	5	1469.58	293.92	86.2	5.592e-09 ***
RESIDUALS	12	40.92	3.41		
CORRECTED TOTAL	17	1510.50			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	2	1390.04	695.02	203.8350	5.466e-10 ***
B	1	76.06	76.06	22.3055	0.0004945 ***
A:B	2	3.49	1.74	0.5112	0.6122667

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	2	1390.04	695.02	203.8350	5.466e-10 ***
B	1	76.06	76.06	22.3055	0.0004945 ***
A:B	2	3.49	1.74	0.5112	0.6122667

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	2	1390.04	695.02	203.8350	5.466e-10 ***
B	1	79.00	79.00	23.1700	0.0004237 ***
A:B	2	3.49	1.74	0.5112	0.6122667

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	54.500	1.3057	41.7400	2.309e-14	***
A1	-23.750	1.5992	-14.8516	4.354e-09	***
A2	-18.167	1.6857	-10.7772	1.586e-07	***
A3	0.000	0.0000			
B1	-5.500	1.8465	-2.9785	0.01152	*
B2	0.000	0.0000			
A1:B1	2.250	2.2615	0.9949	0.33943	
A1:B2	0.000	0.0000			
A2:B1	1.167	2.3839	0.4894	0.63338	
A2:B2	0.000	0.0000			
A3:B1	0.000	0.0000			
A3:B2	0.000	0.0000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

8.9 Chapter 14

8.9.1 p581

(129) MODEL

```
v1p581 = read.table("C:/G/Rt/Kemp/v1p581.txt", head=TRUE)
v1p581 = af(v1p581, c("drug", "person", "time"))
GLM(rate ~ drug + person:drug + time + drug:time, v1p581) # OK
```

\$ANOVA

Response : rate

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
MODEL	23	2449.5	106.500	12.733	3.469e-11	***
RESIDUALS	36	301.1	8.364			
CORRECTED TOTAL	59	2750.6				

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
drug	2	337.60	168.800	20.1820	1.323e-06	***
drug:person	12	1498.50	124.875	14.9303	1.501e-10	***
time	3	256.33	85.444	10.2159	5.230e-05	***
drug:time	6	357.07	59.511	7.1152	4.707e-05	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
drug	2	337.60	168.800	20.1820	1.323e-06	***
drug:person	12	1498.50	124.875	14.9303	1.501e-10	***
time	3	256.33	85.444	10.2159	5.230e-05	***
drug:time	6	357.07	59.511	7.1152	4.707e-05	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
drug	2	337.60	168.800	20.1820	1.323e-06	***
drug:person	12	1498.50	124.875	14.9303	1.501e-10	***
time	3	256.33	85.444	10.2159	5.230e-05	***
drug:time	6	357.07	59.511	7.1152	4.707e-05	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	71.05	1.8291	38.8445	< 2.2e-16	***
drug1	-2.95	2.5867	-1.1404	0.261633	
drug2	8.20	2.5867	3.1700	0.003108	**
drug3	0.00	0.0000			
drug1:person1	7.00	2.0450	3.4230	0.001559	**
drug1:person2	10.50	2.0450	5.1345	9.954e-06	***
drug1:person3	5.25	2.0450	2.5673	0.014551	*
drug1:person4	4.75	2.0450	2.3228	0.025959	*
drug1:person5	0.00	0.0000			
drug2:person1	2.75	2.0450	1.3448	0.187116	
drug2:person2	2.25	2.0450	1.1003	0.278524	
drug2:person3	-7.25	2.0450	-3.5453	0.001109	**
drug2:person4	2.00	2.0450	0.9780	0.334599	
drug2:person5	0.00	0.0000			
drug3:person1	1.25	2.0450	0.6113	0.544873	
drug3:person2	-3.75	2.0450	-1.8338	0.074968	.
drug3:person3	16.50	2.0450	8.0685	1.374e-09	***
drug3:person4	6.75	2.0450	3.3008	0.002182	**
drug3:person5	0.00	0.0000			
time1	-1.00	1.8291	-0.5467	0.587943	
time2	0.40	1.8291	0.2187	0.828128	
time3	-0.60	1.8291	-0.3280	0.744787	
time4	0.00	0.0000			
drug1:time1	-0.80	2.5867	-0.3093	0.758897	
drug1:time2	8.60	2.5867	3.3247	0.002044	**
drug1:time3	9.00	2.5867	3.4793	0.001334	**
drug1:time4	0.00	0.0000			

drug2:time1	3.20	2.5867	1.2371	0.224063
drug2:time2	5.00	2.5867	1.9330	0.061138 .
drug2:time3	-1.00	2.5867	-0.3866	0.701335
drug2:time4	0.00	0.0000		
drug3:time1	0.00	0.0000		
drug3:time2	0.00	0.0000		
drug3:time3	0.00	0.0000		
drug3:time4	0.00	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9 Hinkelmann & Kempthorne - Volume 2

Reference - Hinkelmann K, Kempthorne O. Design and Analysis of Experiments Volume 2 Advanced Experimental Design. 2e. John Wiley & Sons Inc. 2008.

9.1 Chapter 1

9.1.1 p53

(130) MODEL

```
v2p53 = read.table("C:/G/Rt/Kemp/v2p53.txt", head=TRUE)
v2p53 = af(v2p53, c("TRT", "BLOCK"))
GLM(Y ~ BLOCK + TRT, v2p53) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	518.21	74.030	8.1408	0.1137
RESIDUALS	2	18.19	9.094		
CORRECTED TOTAL	9	536.40			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
BLOCK	4	261.40	65.350	7.1863	0.12587
TRT	3	256.81	85.604	9.4135	0.09755 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
BLOCK	4	79.146	19.786	2.1758	0.33880
TRT	3	256.812	85.604	9.4135	0.09755 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
BLOCK	4	79.146	19.786	2.1758	0.33880
TRT	3	256.813	85.604	9.4135	0.09755 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	31.1250	2.6116	11.9181	0.006967 **

BLOCK1	-7.6875	3.4548	-2.2252	0.156028
BLOCK2	-4.0625	3.4548	-1.1759	0.360652
BLOCK3	-1.9375	3.4548	-0.5608	0.631370
BLOCK4	-9.3125	3.4548	-2.6955	0.114475
BLOCK5	0.0000	0.0000		
TRT1	-15.2500	3.0156	-5.0571	0.036949 *
TRT2	-9.6250	3.3715	-2.8548	0.103924
TRT3	-3.1250	3.3715	-0.9269	0.451839
TRT4	0.0000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.1.2 p62

(131) MODEL

```
GLM(Y ~ TRT + BLOCK, v2p53) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	518.21	74.030	8.1408	0.1137
RESIDUALS	2	18.19	9.094		
CORRECTED TOTAL	9	536.40			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
TRT	3	439.07	146.356	16.0941	0.05907 .
BLOCK	4	79.15	19.786	2.1758	0.33880

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
TRT	3	256.812	85.604	9.4135	0.09755 .
BLOCK	4	79.146	19.786	2.1758	0.33880

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
TRT	3	256.813	85.604	9.4135	0.09755 .
BLOCK	4	79.146	19.786	2.1758	0.33880

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  31.1250    2.6116  11.9181 0.006967 **
TRT1         -15.2500    3.0156  -5.0571 0.036949 *
TRT2         -9.6250    3.3715  -2.8548 0.103924
TRT3         -3.1250    3.3715  -0.9269 0.451839
TRT4          0.0000    0.0000
BLOCK1       -7.6875    3.4548  -2.2252 0.156028
BLOCK2       -4.0625    3.4548  -1.1759 0.360652
BLOCK3       -1.9375    3.4548  -0.5608 0.631370
BLOCK4       -9.3125    3.4548  -2.6955 0.114475
BLOCK5        0.0000    0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

9.2 Chapter 2

9.2.1 p82

(132) MODEL

```

v2p82 = read.table("C:/G/Rt/Kemp/v2p82.txt", head=TRUE)
v2p82 = af(v2p82, c("B", "Tx"))
GLM(Y ~ B + Tx, v2p82) # OK

```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL    14  889.11   63.508   6.3183 0.000518 ***
RESIDUALS  15  150.77   10.052
CORRECTED TOTAL 29 1039.89
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
B      9  730.39   81.154   8.0738 0.0002454 ***
Tx     5  158.73   31.745   3.1583 0.0381655 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
B      9  595.74   66.193   6.5854 0.0007602 ***
Tx     5  158.73   31.745   3.1583 0.0381655 *
---

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
B	9	595.74	66.193	6.5854	0.0007602 ***
Tx	5	158.73	31.745	3.1583	0.0381655 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	31.833	2.5886	12.2974	3.091e-09 ***
B1	7.481	2.7960	2.6754	0.0172900 *
B10	10.778	2.7960	3.8547	0.0015590 **
B2	11.614	2.7960	4.1537	0.0008488 ***
B3	5.678	2.7960	2.0306	0.0604081 .
B4	16.275	2.7960	5.8207	3.370e-05 ***
B5	9.786	2.6943	3.6321	0.0024584 **
B6	12.889	2.6943	4.7837	0.0002415 ***
B7	13.258	2.6943	4.9208	0.0001847 ***
B8	16.908	2.7960	6.0472	2.234e-05 ***
B9	0.000	0.0000		
Tx1	-3.300	2.2418	-1.4720	0.1616856
Tx2	-5.042	2.2418	-2.2489	0.0399711 *
Tx3	-2.900	2.2418	-1.2936	0.2153725
Tx4	-3.233	2.2418	-1.4423	0.1697778
Tx5	-8.525	2.2418	-3.8027	0.0017336 **
Tx6	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.2.2 p87

(133) MODEL

```
v2p87 = read.table("C:/G/Rt/Kemp/v2p87.txt", head=TRUE)
GLM(y ~ x1 + x2 + x3 + x4 + x5 + x6, v2p87) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	5	1613.25	322.65	2.2332	0.2282
RESIDUALS	4	577.91	144.48		
CORRECTED TOTAL	9	2191.16			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
x1	1	1044.48	1044.48	7.2293	0.05473 .
x2	1	89.79	89.79	0.6215	0.47459
x3	1	10.45	10.45	0.0724	0.80124
x4	1	407.08	407.08	2.8176	0.16854
x5	1	61.44	61.44	0.4253	0.54990
x6	0				

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
x1	0				
x2	0				
x3	0				
x4	0				
x5	0				
x6	0				

\$`Type III`
CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
x1	0				
x2	0				
x3	0				
x4	0				
x5	0				
x6	0				

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	131.100	19.3815	6.7642	0.002492 **
x1	11.800	9.8142	1.2023	0.295540
x2	-13.533	9.8142	-1.3790	0.239998
x3	-5.800	9.8142	-0.5910	0.586312
x4	-17.467	9.8142	-1.7797	0.149731
x5	-6.400	9.8142	-0.6521	0.549902
x6	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.3 Chapter 6

9.3.1 p217

(134) MODEL

```
v2p217 = read.table("C:/G/Rt/Kemp/v2p217.txt", head=TRUE)
v2p217 = af(v2p217, c("R", "C", "Tx"))
GLM(Y ~ R + C + Tx, v2p217) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	22	4305.1	195.687	7.5094	0.0002682 ***
RESIDUALS	13	338.8	26.059		
CORRECTED TOTAL	35	4643.9			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	3951.4	1317.15	50.5446	1.998e-07 ***
C	8	168.9	21.11	0.8101	0.6062
Tx	11	184.8	16.80	0.6446	0.7638

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	3403.5	1134.51	43.5360	4.83e-07 ***
C	8	112.4	14.05	0.5390	0.8077
Tx	11	184.8	16.80	0.6446	0.7638

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	3403.5	1134.51	43.5360	4.83e-07 ***
C	8	112.4	14.05	0.5390	0.8077
Tx	11	184.8	16.80	0.6446	0.7638

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	40.667	4.7371	8.5848	1.024e-06 ***
R1	-25.542	2.5524	-10.0069	1.785e-07 ***
R2	-24.167	2.5524	-9.4682	3.379e-07 ***
R3	-12.458	2.5524	-4.8810	0.0003001 ***
R4	0.000	0.0000		
C1	3.000	4.1681	0.7198	0.4844133
C2	1.444	4.1681	0.3466	0.7344740
C3	5.000	4.1681	1.1996	0.2517026

C4	1.556	4.1681	0.3732	0.7150083
C5	0.778	4.1681	0.1866	0.8548516
C6	6.333	4.1681	1.5195	0.1525804
C7	2.889	4.1681	0.6931	0.5004420
C8	5.000	4.1681	1.1996	0.2517026
C9	0.000	0.0000		
Tx1	0.111	4.8129	0.0231	0.9819321
Tx10	1.986	4.6859	0.4239	0.6786025
Tx11	-5.838	4.6859	-1.2459	0.2347984
Tx12	-6.458	4.6859	-1.3783	0.1913817
Tx2	0.940	4.6859	0.2006	0.8441430
Tx3	0.273	4.6859	0.0583	0.9544025
Tx4	-1.093	4.6859	-0.2332	0.8192619
Tx5	-1.981	4.6859	-0.4229	0.6793051
Tx6	2.097	4.6859	0.4476	0.6618344
Tx7	-0.111	4.8129	-0.0231	0.9819321
Tx8	-1.426	4.6859	-0.3043	0.7657124
Tx9	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.3.2 p234

(135) MODEL

```
v2p234 = read.table("C:/G/Rt/Kemp/v2p234.txt", head=TRUE)
v2p234 = af(v2p234, c("R", "C", "Tx"))
GLM(Y ~ C + R + Tx, v2p234) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	13	426.50	32.808	7.0936	0.1302
RESIDUALS	2	9.25	4.625		
CORRECTED TOTAL	15	435.75			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
C	3	16.25	5.417	1.1712	0.49129
R	3	357.25	119.083	25.7477	0.03762 *
Tx	7	53.00	7.571	1.6371	0.43052

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

C   3  10.25   3.417  0.7387 0.6189
R   3 285.50  95.167 20.5766 0.0467 *
Tx  7  53.00   7.571  1.6371 0.4305
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
  Df Sum Sq Mean Sq F value Pr(>F)
C   3  10.25   3.417  0.7387 0.6189
R   3 285.50  95.167 20.5766 0.0467 *
Tx  7  53.00   7.571  1.6371 0.4305
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  36.375      2.0117 18.0819 0.003045 **
C1             0.250      1.8625  0.1342 0.905509
C2             2.250      1.8625  1.2081 0.350481
C3             0.000      2.1506  0.0000 1.000000
C4             0.000      0.0000
R1            -9.500      1.8625 -5.1008 0.036352 *
R2            -6.000      1.8625 -3.2215 0.084343 .
R3             1.000      2.1506  0.4650 0.687652
R4             0.000      0.0000
Tx1           -6.250      2.6339 -2.3729 0.140990
Tx2           -6.750      2.8449 -2.3726 0.141016
Tx3           -1.500      2.6339 -0.5695 0.626456
Tx4           -3.000      2.4044 -1.2477 0.338419
Tx5           -2.750      2.8449 -0.9666 0.435712
Tx6           -5.250      2.6339 -1.9932 0.184428
Tx7           -4.500      2.8449 -1.5817 0.254516
Tx8            0.000      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

9.4 Chapter 7

9.4.1 p268

(136) MODEL

```

v2p268 = read.table("C:/G/Rt/Kemp/v2p268.txt", head=TRUE)
v2p268 = af(v2p268, c("A", "B", "C"))
GLM(y ~ block + A*B*C, v2p268) # OK

```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	1026.00	128.250	24.981	0.0001765 ***
RESIDUALS	7	35.94	5.134		
CORRECTED TOTAL	15	1061.94			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	1	715.56	715.56	139.3791	7.093e-06 ***
A	1	68.06	68.06	13.2574	0.0082753 **
B	1	0.06	0.06	0.0122	0.9152401
A:B	1	0.56	0.56	0.1096	0.7503276
C	1	232.56	232.56	45.2991	0.0002698 ***
A:C	1	0.06	0.06	0.0122	0.9152401
B:C	1	7.56	7.56	1.4730	0.2642229
A:B:C	1	1.56	1.56	0.3043	0.5983312

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	1	715.56	715.56	139.3791	7.093e-06 ***
A	1	68.06	68.06	13.2574	0.0082753 **
B	1	0.06	0.06	0.0122	0.9152401
A:B	1	0.56	0.56	0.1096	0.7503276
C	1	232.56	232.56	45.2991	0.0002698 ***
A:C	1	0.06	0.06	0.0122	0.9152401
B:C	1	7.56	7.56	1.4730	0.2642229
A:B:C	1	1.56	1.56	0.3043	0.5983312

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	1	715.56	715.56	139.3791	7.093e-06 ***
A	1	68.06	68.06	13.2574	0.0082753 **
B	1	0.06	0.06	0.0122	0.9152401
A:B	1	0.56	0.56	0.1096	0.7503276
C	1	232.56	232.56	45.2991	0.0002698 ***
A:C	1	0.06	0.06	0.0122	0.9152401
B:C	1	7.56	7.56	1.4730	0.2642229
A:B:C	1	1.56	1.56	0.3043	0.5983312

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	10.938	2.3356	4.6830	0.002253 **
block	13.375	1.1329	11.8059	7.093e-06 ***
A0	-4.500	2.2658	-1.9860	0.087400 .
A1	0.000	0.0000		
B0	1.000	2.2658	0.4413	0.672276
B1	0.000	0.0000		
A0:B0	0.500	3.2043	0.1560	0.880408
A0:B1	0.000	0.0000		
A1:B0	0.000	0.0000		
A1:B1	0.000	0.0000		
C0	-7.000	2.2658	-3.0894	0.017582 *
C1	0.000	0.0000		
A0:C0	1.500	3.2043	0.4681	0.653929
A0:C1	0.000	0.0000		
A1:C0	0.000	0.0000		
A1:C1	0.000	0.0000		
B0:C0	-1.500	3.2043	-0.4681	0.653929
B0:C1	0.000	0.0000		
B1:C0	0.000	0.0000		
B1:C1	0.000	0.0000		
A0:B0:C0	-2.500	4.5316	-0.5517	0.598331
A0:B0:C1	0.000	0.0000		
A0:B1:C0	0.000	0.0000		
A0:B1:C1	0.000	0.0000		
A1:B0:C0	0.000	0.0000		
A1:B0:C1	0.000	0.0000		
A1:B1:C0	0.000	0.0000		
A1:B1:C1	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.4.2 p273

(137) MODEL

```
v2p273 = read.table("C:/G/Rt/Kemp/v2p273.txt", head=TRUE)
v2p273 = af(v2p273, c("block", "A", "B", "C"))
GLM(y ~ block + A*B*C + block:A:B:C, v2p273) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	15	2245.0	149.665	129.44	8.427e-14 ***
RESIDUALS	16	18.5	1.156		
CORRECTED TOTAL	31	2263.5			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
block	1	1498.78	1498.78	1296.2432	< 2.2e-16	***
A	1	132.03	132.03	114.1892	1.083e-08	***
B	1	0.03	0.03	0.0270	0.87148	
A:B	1	1.53	1.53	1.3243	0.26673	
C	1	504.03	504.03	435.9189	4.926e-13	***
A:C	1	0.78	0.78	0.6757	0.42316	
B:C	1	3.78	3.78	3.2703	0.08938	.
A:B:C	1	2.53	2.53	2.1892	0.15840	
block:A:B:C	7	101.47	14.50	12.5367	1.965e-05	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
block	1	1498.78	1498.78	1296.2432	< 2.2e-16	***
A	1	132.03	132.03	114.1892	1.083e-08	***
B	1	0.03	0.03	0.0270	0.87148	
A:B	1	1.53	1.53	1.3243	0.26673	
C	1	504.03	504.03	435.9189	4.926e-13	***
A:C	1	0.78	0.78	0.6757	0.42316	
B:C	1	3.78	3.78	3.2703	0.08938	.
A:B:C	1	2.53	2.53	2.1892	0.15840	
block:A:B:C	7	101.47	14.50	12.5367	1.965e-05	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
block	1	1498.78	1498.78	1296.2432	< 2.2e-16	***
A	1	132.03	132.03	114.1892	1.083e-08	***
B	1	0.03	0.03	0.0270	0.87148	
A:B	1	1.53	1.53	1.3243	0.26673	
C	1	504.03	504.03	435.9189	4.926e-13	***
A:C	1	0.78	0.78	0.6757	0.42316	
B:C	1	3.78	3.78	3.2703	0.08938	.
A:B:C	1	2.53	2.53	2.1892	0.15840	
block:A:B:C	7	101.47	14.50	12.5367	1.965e-05	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	41.0	0.76035	53.9229	< 2.2e-16	***

block1	-18.5	1.07529	-17.2047	9.615e-12	***
block2	0.0	0.00000			
A0	-6.5	1.07529	-6.0449	1.702e-05	***
A1	0.0	0.00000			
B0	-2.0	1.07529	-1.8600	0.0813758	.
B1	0.0	0.00000			
A0:B0	3.5	1.52069	2.3016	0.0351358	*
A0:B1	0.0	0.00000			
A1:B0	0.0	0.00000			
A1:B1	0.0	0.00000			
C0	-9.5	1.07529	-8.8348	1.495e-07	***
C1	0.0	0.00000			
A0:C0	2.5	1.52069	1.6440	0.1196805	
A0:C1	0.0	0.00000			
A1:C0	0.0	0.00000			
A1:C1	0.0	0.00000			
B0:C0	-3.0	1.52069	-1.9728	0.0660548	.
B0:C1	0.0	0.00000			
B1:C0	0.0	0.00000			
B1:C1	0.0	0.00000			
A0:B0:C0	-1.0	2.15058	-0.4650	0.6482037	
A0:B0:C1	0.0	0.00000			
A0:B1:C0	0.0	0.00000			
A0:B1:C1	0.0	0.00000			
A1:B0:C0	0.0	0.00000			
A1:B0:C1	0.0	0.00000			
A1:B1:C0	0.0	0.00000			
A1:B1:C1	0.0	0.00000			
block1:A0:B0:C0	7.0	1.52069	4.6032	0.0002938	***
block1:A0:B0:C1	4.0	1.52069	2.6304	0.0181818	*
block1:A0:B1:C0	3.5	1.52069	2.3016	0.0351358	*
block1:A0:B1:C1	3.5	1.52069	2.3016	0.0351358	*
block1:A1:B0:C0	13.0	1.52069	8.5487	2.321e-07	***
block1:A1:B0:C1	3.5	1.52069	2.3016	0.0351358	*
block1:A1:B1:C0	4.0	1.52069	2.6304	0.0181818	*
block1:A1:B1:C1	0.0	0.00000			
block2:A0:B0:C0	0.0	0.00000			
block2:A0:B0:C1	0.0	0.00000			
block2:A0:B1:C0	0.0	0.00000			
block2:A0:B1:C1	0.0	0.00000			
block2:A1:B0:C0	0.0	0.00000			
block2:A1:B0:C1	0.0	0.00000			
block2:A1:B1:C0	0.0	0.00000			
block2:A1:B1:C1	0.0	0.00000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.5 Chapter 8

9.5.1 p304

(138) MODEL

```
v2p304 = read.table("C:/G/Rt/Kemp/v2p304.txt", head=TRUE)
v2p304 = af(v2p304, c("rep", "block", "A", "B", "C"))
GLM(y ~ rep + block %in% rep + A*B*C - A:B:C, v2p304) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	9	699.06	77.674	248.56	5.096e-07 ***
RESIDUALS	6	1.88	0.312		
CORRECTED TOTAL	15	700.94			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	390.06	390.06	1248.2	3.428e-08 ***
rep:block	2	8.12	4.06	13.0	0.0065918 **
A	1	18.06	18.06	57.8	0.0002696 ***
B	1	175.56	175.56	561.8	3.702e-07 ***
A:B	1	0.06	0.06	0.2	0.6704121
C	1	68.06	68.06	217.8	6.083e-06 ***
A:C	1	0.06	0.06	0.2	0.6704121
B:C	1	39.06	39.06	125.0	3.056e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	390.06	390.06	1248.2	3.428e-08 ***
rep:block	2	8.12	4.06	13.0	0.0065918 **
A	1	18.06	18.06	57.8	0.0002696 ***
B	1	175.56	175.56	561.8	3.702e-07 ***
A:B	1	0.06	0.06	0.2	0.6704121
C	1	68.06	68.06	217.8	6.083e-06 ***
A:C	1	0.06	0.06	0.2	0.6704121
B:C	1	39.06	39.06	125.0	3.056e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

rep	1	390.06	390.06	1248.2	3.428e-08	***
rep:block	2	8.12	4.06	13.0	0.0065918	**
A	1	18.06	18.06	57.8	0.0002696	***
B	1	175.56	175.56	561.8	3.702e-07	***
A:B	1	0.06	0.06	0.2	0.6704121	
C	1	68.06	68.06	217.8	6.083e-06	***
A:C	1	0.06	0.06	0.2	0.6704121	
B:C	1	39.06	39.06	125.0	3.056e-05	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	35.625	0.44194	80.6102	2.454e-10	***
rep1	-10.250	0.39528	-25.9307	2.169e-07	***
rep2	0.000	0.00000			
rep1:block1	1.750	0.39528	4.4272	0.004436	**
rep1:block2	0.000	0.00000			
rep1:block3	0.000	0.00000			
rep1:block4	0.000	0.00000			
rep2:block1	0.000	0.00000			
rep2:block2	0.000	0.00000			
rep2:block3	1.000	0.39528	2.5298	0.044690	*
rep2:block4	0.000	0.00000			
A0	-2.375	0.48412	-4.9058	0.002695	**
A1	0.000	0.00000			
B0	-9.875	0.48412	-20.3977	9.026e-07	***
B1	0.000	0.00000			
A0:B0	0.250	0.55902	0.4472	0.670412	
A0:B1	0.000	0.00000			
A1:B0	0.000	0.00000			
A1:B1	0.000	0.00000			
C0	-7.375	0.48412	-15.2337	5.051e-06	***
C1	0.000	0.00000			
A0:C0	0.250	0.55902	0.4472	0.670412	
A0:C1	0.000	0.00000			
A1:C0	0.000	0.00000			
A1:C1	0.000	0.00000			
B0:C0	6.250	0.55902	11.1803	3.056e-05	***
B0:C1	0.000	0.00000			
B1:C0	0.000	0.00000			
B1:C1	0.000	0.00000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.5.2 p309

(139) MODEL

```
GLM(y ~ rep*A*B*C, v2p304) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	15	700.94	46.729		
RESIDUALS	0	0.00			
CORRECTED TOTAL	15	700.94			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	390.06	390.06		
A	1	18.06	18.06		
rep:A	1	0.06	0.06		
B	1	175.56	175.56		
rep:B	1	1.56	1.56		
A:B	1	0.06	0.06		
rep:A:B	1	0.06	0.06		
C	1	68.06	68.06		
rep:C	1	0.06	0.06		
A:C	1	0.06	0.06		
rep:A:C	1	0.06	0.06		
B:C	1	39.06	39.06		
rep:B:C	1	0.06	0.06		
A:B:C	1	7.56	7.56		
rep:A:B:C	1	0.56	0.56		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	390.06	390.06		
A	1	18.06	18.06		
rep:A	1	0.06	0.06		
B	1	175.56	175.56		
rep:B	1	1.56	1.56		
A:B	1	0.06	0.06		
rep:A:B	1	0.06	0.06		
C	1	68.06	68.06		
rep:C	1	0.06	0.06		
A:C	1	0.06	0.06		
rep:A:C	1	0.06	0.06		
B:C	1	39.06	39.06		
rep:B:C	1	0.06	0.06		
A:B:C	1	7.56	7.56		

rep:A:B:C 1 0.56 0.56

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	390.06	390.06		
A	1	18.06	18.06		
rep:A	1	0.06	0.06		
B	1	175.56	175.56		
rep:B	1	1.56	1.56		
A:B	1	0.06	0.06		
rep:A:B	1	0.06	0.06		
C	1	68.06	68.06		
rep:C	1	0.06	0.06		
A:C	1	0.06	0.06		
rep:A:C	1	0.06	0.06		
B:C	1	39.06	39.06		
rep:B:C	1	0.06	0.06		
A:B:C	1	7.56	7.56		
rep:A:B:C	1	0.56	0.56		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	35			
rep1	-9			
rep2	0			
A0	-1			
A1	0			
rep1:A0	0			
rep1:A1	0			
rep2:A0	0			
rep2:A1	0			
B0	-8			
B1	0			
rep1:B0	-1			
rep1:B1	0			
rep2:B0	0			
rep2:B1	0			
A0:B0	-2			
A0:B1	0			
A1:B0	0			
A1:B1	0			
rep1:A0:B0	-1			
rep1:A0:B1	0			
rep1:A1:B0	0			
rep1:A1:B1	0			
rep2:A0:B0	0			
rep2:A0:B1	0			
rep2:A1:B0	0			

rep2:A1:B1	0
C0	-6
C1	0
rep1:C0	0
rep1:C1	0
rep2:C0	0
rep2:C1	0
A0:C0	-2
A0:C1	0
A1:C0	0
A1:C1	0
rep1:A0:C0	-1
rep1:A0:C1	0
rep1:A1:C0	0
rep1:A1:C1	0
rep2:A0:C0	0
rep2:A0:C1	0
rep2:A1:C0	0
rep2:A1:C1	0
B0:C0	4
B0:C1	0
B1:C0	0
B1:C1	0
rep1:B0:C0	-1
rep1:B0:C1	0
rep1:B1:C0	0
rep1:B1:C1	0
rep2:B0:C0	0
rep2:B0:C1	0
rep2:B1:C0	0
rep2:B1:C1	0
A0:B0:C0	4
A0:B0:C1	0
A0:B1:C0	0
A0:B1:C1	0
A1:B0:C0	0
A1:B0:C1	0
A1:B1:C0	0
A1:B1:C1	0
rep1:A0:B0:C0	3
rep1:A0:B0:C1	0
rep1:A0:B1:C0	0
rep1:A0:B1:C1	0
rep1:A1:B0:C0	0
rep1:A1:B0:C1	0
rep1:A1:B1:C0	0
rep1:A1:B1:C1	0
rep2:A0:B0:C0	0

```

rep2:A0:B0:C1      0
rep2:A0:B1:C0      0
rep2:A0:B1:C1      0
rep2:A1:B0:C0      0
rep2:A1:B0:C1      0
rep2:A1:B1:C0      0
rep2:A1:B1:C1      0

```

9.6 Chapter 9

9.6.1 p343

(140) MODEL

```

v2p343 = read.table("C:/G/Rt/Kemp/v2p343.txt", head=TRUE)
v2p343 = af(v2p343, c("rep", "block", "A", "B", "C"))
GLM(y ~ rep + block %in% rep + A*B*C - A:B:C, v2p343) # OK

```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	17	1889.8	111.167	14.659	0.001608 **
RESIDUALS	6	45.5	7.583		
CORRECTED TOTAL	23	1935.3			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	2	1537.33	768.67	101.3626	2.375e-05 ***
rep:block	9	127.00	14.11	1.8608	0.23163
A	1	36.00	36.00	4.7473	0.07218 .
B	1	36.00	36.00	4.7473	0.07218 .
A:B	1	12.25	12.25	1.6154	0.25079
C	1	56.25	56.25	7.4176	0.03448 *
A:C	1	81.00	81.00	10.6813	0.01707 *
B:C	1	4.00	4.00	0.5275	0.49502

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	2	1537.33	768.67	101.3626	2.375e-05 ***
rep:block	9	119.83	13.31	1.7558	0.25388
A	1	36.00	36.00	4.7473	0.07218 .
B	1	36.00	36.00	4.7473	0.07218 .

A:B	1	12.25	12.25	1.6154	0.25079
C	1	56.25	56.25	7.4176	0.03448 *
A:C	1	81.00	81.00	10.6813	0.01707 *
B:C	1	4.00	4.00	0.5275	0.49502

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	2	1537.33	768.67	101.3626	2.375e-05 ***
rep:block	9	119.83	13.31	1.7558	0.25388
A	1	36.00	36.00	4.7473	0.07218 .
B	1	36.00	36.00	4.7473	0.07218 .
A:B	1	12.25	12.25	1.6154	0.25079
C	1	56.25	56.25	7.4176	0.03448 *
A:C	1	81.00	81.00	10.6813	0.01707 *
B:C	1	4.00	4.00	0.5275	0.49502

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	41.00	2.7538	14.8886	5.777e-06 ***
rep1	-23.25	3.0788	-7.5516	0.0002798 ***
rep2	-18.25	3.0788	-5.9276	0.0010279 **
rep3	0.00	0.0000		
rep1:block1	1.25	3.0788	0.4060	0.6988260
rep1:block10	0.00	0.0000		
rep1:block11	0.00	0.0000		
rep1:block12	0.00	0.0000		
rep1:block2	4.50	3.3727	1.3342	0.2305270
rep1:block3	3.25	3.0788	1.0556	0.3317912
rep1:block4	0.00	0.0000		
rep1:block5	0.00	0.0000		
rep1:block6	0.00	0.0000		
rep1:block7	0.00	0.0000		
rep1:block8	0.00	0.0000		
rep1:block9	0.00	0.0000		
rep2:block1	0.00	0.0000		
rep2:block10	0.00	0.0000		
rep2:block11	0.00	0.0000		
rep2:block12	0.00	0.0000		
rep2:block2	0.00	0.0000		
rep2:block3	0.00	0.0000		
rep2:block4	0.00	0.0000		
rep2:block5	9.00	3.0788	2.9232	0.0265209 *
rep2:block6	7.50	3.3727	2.2237	0.0678471 .
rep2:block7	4.50	3.0788	1.4616	0.1941629

```

rep2:block8      0.00      0.0000
rep2:block9      0.00      0.0000
rep3:block1      0.00      0.0000
rep3:block10    -5.50      3.0788  -1.7864  0.1242715
rep3:block11     0.00      3.3727   0.0000  1.0000000
rep3:block12    -0.50      3.0788  -0.1624  0.8763224
rep3:block2      0.00      0.0000
rep3:block3      0.00      0.0000
rep3:block4      0.00      0.0000
rep3:block5      0.00      0.0000
rep3:block6      0.00      0.0000
rep3:block7      0.00      0.0000
rep3:block8      0.00      0.0000
rep3:block9      0.00      0.0000
A0               -9.25      2.3848  -3.8787  0.0081834 **
A1               0.00      0.0000
B0              -3.75      2.3848  -1.5724  0.1669121
B1               0.00      0.0000
A0:B0            3.50      2.7538   1.2710  0.2507870
A0:B1            0.00      0.0000
A1:B0            0.00      0.0000
A1:B1            0.00      0.0000
C0              -7.25      2.3848  -3.0400  0.0228021 *
C1               0.00      0.0000
A0:C0            9.00      2.7538   3.2682  0.0170720 *
A0:C1            0.00      0.0000
A1:C0            0.00      0.0000
A1:C1            0.00      0.0000
B0:C0           -2.00      2.7538  -0.7263  0.4950160
B0:C1            0.00      0.0000
B1:C0            0.00      0.0000
B1:C1            0.00      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

9.6.2 p348

(141) MODEL

```
GLM(y ~ rep + A*B*C + block %in% rep, v2p343) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	17	1889.8	111.167	14.659	0.001608 **
RESIDUALS	6	45.5	7.583		

CORRECTED TOTAL 23 1935.3

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
rep	2	1537.33	768.67	101.3626	2.375e-05	***
A	1	88.17	88.17	11.6264	0.01432	*
B	1	37.50	37.50	4.9451	0.06785	.
A:B	1	2.67	2.67	0.3516	0.57484	
C	1	66.67	66.67	8.7912	0.02512	*
A:C	1	37.50	37.50	4.9451	0.06785	.
B:C	1	0.17	0.17	0.0220	0.88700	
A:B:C	1	24.00	24.00	3.1648	0.12555	
rep:block	8	95.83	11.98	1.5797	0.29730	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
rep	2	1537.33	768.67	101.3626	2.375e-05	***
A	1	36.00	36.00	4.7473	0.07218	.
B	1	36.00	36.00	4.7473	0.07218	.
A:B	1	12.25	12.25	1.6154	0.25079	
C	1	56.25	56.25	7.4176	0.03448	*
A:C	1	81.00	81.00	10.6813	0.01707	*
B:C	1	4.00	4.00	0.5275	0.49502	
A:B:C	0					
rep:block	8	95.83	11.98	1.5797	0.29730	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
rep	2	1537.33	768.67	101.3626	2.375e-05	***
A	1	36.00	36.00	4.7473	0.07218	.
B	1	36.00	36.00	4.7473	0.07218	.
A:B	1	12.25	12.25	1.6154	0.25079	
C	1	56.25	56.25	7.4176	0.03448	*
A:C	1	81.00	81.00	10.6813	0.01707	*
B:C	1	4.00	4.00	0.5275	0.49502	
A:B:C	0					
rep:block	8	95.83	11.98	1.5797	0.29730	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	40.50	2.3848	16.9822	2.666e-06	***
rep1	-22.75	3.0788	-7.3892	0.0003153	***
rep2	-17.75	3.0788	-5.7652	0.0011880	**
rep3	0.00	0.0000			
A0	-8.75	3.8944	-2.2468	0.0657303	.
A1	0.00	0.0000			
B0	-3.25	3.3727	-0.9636	0.3724479	
B1	0.00	0.0000			
A0:B0	2.50	6.7454	0.3706	0.7236497	
A0:B1	0.00	0.0000			
A1:B0	0.00	0.0000			
A1:B1	0.00	0.0000			
C0	-6.75	3.3727	-2.0014	0.0922506	.
C1	0.00	0.0000			
A0:C0	8.00	6.7454	1.1860	0.2804551	
A0:C1	0.00	0.0000			
A1:C0	0.00	0.0000			
A1:C1	0.00	0.0000			
B0:C0	-3.00	5.5076	-0.5447	0.6055942	
B0:C1	0.00	0.0000			
B1:C0	0.00	0.0000			
B1:C1	0.00	0.0000			
A0:B0:C0	2.00	12.3153	0.1624	0.8763224	
A0:B0:C1	0.00	0.0000			
A0:B1:C0	0.00	0.0000			
A0:B1:C1	0.00	0.0000			
A1:B0:C0	0.00	0.0000			
A1:B0:C1	0.00	0.0000			
A1:B1:C0	0.00	0.0000			
A1:B1:C1	0.00	0.0000			
rep1:block1	0.75	4.3541	0.1723	0.8689036	
rep1:block10	0.00	0.0000			
rep1:block11	0.00	0.0000			
rep1:block12	0.00	0.0000			
rep1:block2	4.50	3.3727	1.3342	0.2305270	
rep1:block3	2.75	4.3541	0.6316	0.5509461	
rep1:block4	0.00	0.0000			
rep1:block5	0.00	0.0000			
rep1:block6	0.00	0.0000			
rep1:block7	0.00	0.0000			
rep1:block8	0.00	0.0000			
rep1:block9	0.00	0.0000			
rep2:block1	0.00	0.0000			
rep2:block10	0.00	0.0000			
rep2:block11	0.00	0.0000			
rep2:block12	0.00	0.0000			
rep2:block2	0.00	0.0000			

```

rep2:block3      0.00      0.0000
rep2:block4      0.00      0.0000
rep2:block5      8.50      4.3541  1.9522 0.0987607 .
rep2:block6      7.50      3.3727  2.2237 0.0678471 .
rep2:block7      4.00      4.3541  0.9187 0.3936995
rep2:block8      0.00      0.0000
rep2:block9      0.00      0.0000
rep3:block1      0.00      0.0000
rep3:block10     -5.00      3.3727 -1.4825 0.1887247
rep3:block11     0.00      3.3727  0.0000 1.0000000
rep3:block12     0.00      0.0000
rep3:block2      0.00      0.0000
rep3:block3      0.00      0.0000
rep3:block4      0.00      0.0000
rep3:block5      0.00      0.0000
rep3:block6      0.00      0.0000
rep3:block7      0.00      0.0000
rep3:block8      0.00      0.0000
rep3:block9      0.00      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

9.6.3 p353

(142) MODEL

```

v2p353 = read.table("C:/G/Rt/Kemp/v2p353.txt", head=TRUE)
v2p353 = af(v2p353, c("rep", "block", "A", "B", "C", "D"))
GLM(y ~ rep + rep:block + A*B*C*D - A:B:C:D, v2p353) # OK

```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	21	7132.2	339.63	56.022	9.795e-08 ***
RESIDUALS	10	60.6	6.06		
CORRECTED TOTAL	31	7192.9			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	5940.5	5940.5	979.8763	2.600e-11 ***
rep:block	6	777.4	129.6	21.3711	3.675e-05 ***
A	1	171.1	171.1	28.2268	0.0003412 ***
B	1	18.0	18.0	2.9691	0.1155937
A:B	1	1.6	1.6	0.2577	0.6226914

C	1	120.1	120.1	19.8144	0.0012326	**
A:C	1	0.6	0.6	0.0928	0.7669127	
B:C	1	2.0	2.0	0.3299	0.5784103	
A:B:C	1	4.5	4.5	0.7423	0.4091189	
D	1	6.1	6.1	1.0103	0.3385304	
A:D	1	1.1	1.1	0.1856	0.6757693	
B:D	1	5.1	5.1	0.8351	0.3823203	
A:B:D	1	0.5	0.5	0.0825	0.7798349	
C:D	1	1.6	1.6	0.2577	0.6226914	
A:C:D	1	10.1	10.1	1.6701	0.2253083	
B:C:D	1	72.0	72.0	11.8763	0.0062660	**

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
rep	1	5940.5	5940.5	979.8763	2.6e-11	***
rep:block	6	406.9	67.8	11.1856	0.0006129	***
A	1	171.1	171.1	28.2268	0.0003412	***
B	1	18.0	18.0	2.9691	0.1155937	
A:B	1	1.6	1.6	0.2577	0.6226914	
C	1	120.1	120.1	19.8144	0.0012326	**
A:C	1	0.6	0.6	0.0928	0.7669127	
B:C	1	2.0	2.0	0.3299	0.5784103	
A:B:C	1	4.5	4.5	0.7423	0.4091189	
D	1	6.1	6.1	1.0103	0.3385304	
A:D	1	1.1	1.1	0.1856	0.6757693	
B:D	1	5.1	5.1	0.8351	0.3823203	
A:B:D	1	0.5	0.5	0.0825	0.7798349	
C:D	1	1.6	1.6	0.2577	0.6226914	
A:C:D	1	10.1	10.1	1.6701	0.2253083	
B:C:D	1	72.0	72.0	11.8763	0.0062660	**

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
rep	1	5940.5	5940.5	979.8763	2.6e-11	***
rep:block	6	406.9	67.8	11.1856	0.0006129	***
A	1	171.1	171.1	28.2268	0.0003412	***
B	1	18.0	18.0	2.9691	0.1155937	
A:B	1	1.6	1.6	0.2577	0.6226914	
C	1	120.1	120.1	19.8144	0.0012326	**
A:C	1	0.6	0.6	0.0928	0.7669127	
B:C	1	2.0	2.0	0.3299	0.5784103	
A:B:C	1	4.5	4.5	0.7423	0.4091189	
D	1	6.1	6.1	1.0103	0.3385304	
A:D	1	1.1	1.1	0.1856	0.6757693	

B:D	1	5.1	5.1	0.8351	0.3823203
A:B:D	1	0.5	0.5	0.0825	0.7798349
C:D	1	1.6	1.6	0.2577	0.6226914
A:C:D	1	10.1	10.1	1.6701	0.2253083
B:C:D	1	72.0	72.0	11.8763	0.0062660 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	61.438	2.0416	30.0934	3.842e-11	***
rep1	-32.875	2.1323	-15.4173	2.685e-08	***
rep2	0.000	0.0000			
rep1:block1	-3.125	2.1323	-1.4655	0.1735006	
rep1:block2	5.250	2.4622	2.1322	0.0588002	.
rep1:block3	9.125	2.1323	4.2793	0.0016131	**
rep1:block4	0.000	0.0000			
rep1:block5	0.000	0.0000			
rep1:block6	0.000	0.0000			
rep1:block7	0.000	0.0000			
rep1:block8	0.000	0.0000			
rep2:block1	0.000	0.0000			
rep2:block2	0.000	0.0000			
rep2:block3	0.000	0.0000			
rep2:block4	0.000	0.0000			
rep2:block5	-10.625	2.1323	-4.9828	0.0005512	***
rep2:block6	-4.250	2.4622	-1.7261	0.1150383	
rep2:block7	3.625	2.1323	1.7000	0.1199674	
rep2:block8	0.000	0.0000			
A0	-6.375	2.6116	-2.4411	0.0347860	*
A1	0.000	0.0000			
B0	-3.750	2.6116	-1.4359	0.1815604	
B1	0.000	0.0000			
A0:B0	-0.250	3.4821	-0.0718	0.9441800	
A0:B1	0.000	0.0000			
A1:B0	0.000	0.0000			
A1:B1	0.000	0.0000			
C0	-10.250	2.6116	-3.9248	0.0028439	**
C1	0.000	0.0000			
A0:C0	4.500	3.4821	1.2923	0.2253083	
A0:C1	0.000	0.0000			
A1:C0	0.000	0.0000			
A1:C1	0.000	0.0000			
B0:C0	8.500	3.0156	2.8187	0.0182015	*
B0:C1	0.000	0.0000			
B1:C0	0.000	0.0000			
B1:C1	0.000	0.0000			
A0:B0:C0	-3.000	3.4821	-0.8615	0.4091189	

A0:B0:C1	0.000	0.0000		
A0:B1:C0	0.000	0.0000		
A0:B1:C1	0.000	0.0000		
A1:B0:C0	0.000	0.0000		
A1:B0:C1	0.000	0.0000		
A1:B1:C0	0.000	0.0000		
A1:B1:C1	0.000	0.0000		
D0	-4.625	2.6116	-1.7710	0.1069851
D1	0.000	0.0000		
A0:D0	2.500	3.0156	0.8290	0.4264346
A0:D1	0.000	0.0000		
A1:D0	0.000	0.0000		
A1:D1	0.000	0.0000		
B0:D0	3.250	3.4821	0.9333	0.3726292
B0:D1	0.000	0.0000		
B1:D0	0.000	0.0000		
B1:D1	0.000	0.0000		
A0:B0:D0	1.000	3.4821	0.2872	0.7798349
A0:B0:D1	0.000	0.0000		
A0:B1:D0	0.000	0.0000		
A0:B1:D1	0.000	0.0000		
A1:B0:D0	0.000	0.0000		
A1:B0:D1	0.000	0.0000		
A1:B1:D0	0.000	0.0000		
A1:B1:D1	0.000	0.0000		
C0:D0	9.500	3.4821	2.7282	0.0212575 *
C0:D1	0.000	0.0000		
C1:D0	0.000	0.0000		
C1:D1	0.000	0.0000		
A0:C0:D0	-4.500	3.4821	-1.2923	0.2253083
A0:C0:D1	0.000	0.0000		
A0:C1:D0	0.000	0.0000		
A0:C1:D1	0.000	0.0000		
A1:C0:D0	0.000	0.0000		
A1:C0:D1	0.000	0.0000		
A1:C1:D0	0.000	0.0000		
A1:C1:D1	0.000	0.0000		
B0:C0:D0	-12.000	3.4821	-3.4462	0.0062660 **
B0:C0:D1	0.000	0.0000		
B0:C1:D0	0.000	0.0000		
B0:C1:D1	0.000	0.0000		
B1:C0:D0	0.000	0.0000		
B1:C0:D1	0.000	0.0000		
B1:C1:D0	0.000	0.0000		
B1:C1:D1	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.7 Chapter 10

9.7.1 p388

(143) MODEL

```
v2p388 = read.table("C:/G/Rt/Kemp/v2p388.txt", head=TRUE)
v2p388 = af(v2p388, c("rep", "block", "A", "B"))
GLM(y ~ rep + A*B + rep:block, v2p388) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	1136.8	103.343	124.01	3.698e-06 ***
RESIDUALS	6	5.0	0.833		
CORRECTED TOTAL	17	1141.8			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	410.89	410.89	493.0667	5.455e-07 ***
A	2	228.11	114.06	136.8667	9.868e-06 ***
B	2	3.44	1.72	2.0667	0.207585
A:B	4	464.22	116.06	139.2667	4.801e-06 ***
rep:block	2	30.11	15.06	18.0667	0.002888 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	410.89	410.89	493.0667	5.455e-07 ***
A	2	228.11	114.06	136.8667	9.868e-06 ***
B	2	3.44	1.72	2.0667	0.207585
A:B	2	18.78	9.39	11.2667	0.009298 **
rep:block	2	30.11	15.06	18.0667	0.002888 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	410.89	410.89	493.0667	5.455e-07 ***
A	2	228.11	114.06	136.8667	9.868e-06 ***
B	2	3.44	1.72	2.0667	0.207585
A:B	2	18.78	9.39	11.2667	0.009298 **
rep:block	2	30.11	15.06	18.0667	0.002888 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	42.833	0.74536	57.4669	1.865e-09	***
rep1	-12.667	0.74536	-16.9941	2.655e-06	***
rep2	0.000	0.00000			
A0	-16.167	1.05409	-15.3370	4.854e-06	***
A1	-18.500	1.05409	-17.5506	2.196e-06	***
A2	0.000	0.00000			
B0	-10.167	1.05409	-9.6449	7.115e-05	***
B1	-13.500	1.05409	-12.8072	1.392e-05	***
B2	0.000	0.00000			
A0:B0	3.833	1.58114	2.4244	0.0515527	.
A0:B1	18.667	1.58114	11.8058	2.232e-05	***
A0:B2	0.000	0.00000			
A1:B0	26.167	1.58114	16.5493	3.104e-06	***
A1:B1	18.833	1.58114	11.9112	2.120e-05	***
A1:B2	0.000	0.00000			
A2:B0	0.000	0.00000			
A2:B1	0.000	0.00000			
A2:B2	0.000	0.00000			
rep1:block1	3.000	1.05409	2.8460	0.0293332	*
rep1:block2	6.333	1.05409	6.0083	0.0009575	***
rep1:block3	0.000	0.00000			
rep1:block4	0.000	0.00000			
rep1:block5	0.000	0.00000			
rep1:block6	0.000	0.00000			
rep2:block1	0.000	0.00000			
rep2:block2	0.000	0.00000			
rep2:block3	0.000	0.00000			
rep2:block4	0.000	0.00000			
rep2:block5	0.000	0.00000			
rep2:block6	0.000	0.00000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.8 Chapter 14

9.8.1 p570

(144) MODEL

```
v2p570 = read.table("C:/G/Rt/Kemp/v2p570.txt", head=TRUE)
v2p570 = af(v2p570, c("A", "B", "C", "D"))
GLM(Y ~ A + B + C + D + A:B + A:C + A:D + B:C + B:D + C:D, v2p570) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	22.222	2.7778		
RESIDUALS	0	0.000			
CORRECTED TOTAL	8	22.222			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	2	2.8889	1.4444		
B	2	2.8889	1.4444		
C	2	1.5556	0.7778		
D	2	14.8889	7.4444		
A:B	0				
A:C	0				
A:D	0				
B:C	0				
B:D	0				
C:D	0				

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	0				
B	0				
C	0				
D	0				
A:B	0				
A:C	0				
A:D	0				
B:C	0				
B:D	0				
C:D	0				

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	0				
B	0				
C	0				
D	0				
A:B	0				
A:C	0				
A:D	0				
B:C	0				
B:D	0				
C:D	0				

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	9.3333			
A0	-1.3333			
A1	-1.0000			
A2	0.0000			
B0	-0.3333			
B1	1.0000			
B2	0.0000			
C0	-0.3333			
C1	-1.0000			
C2	0.0000			
D0	-2.3333			
D1	-3.0000			
D2	0.0000			
A0:B0	0.0000			
A0:B1	0.0000			
A0:B2	0.0000			
A1:B0	0.0000			
A1:B1	0.0000			
A1:B2	0.0000			
A2:B0	0.0000			
A2:B1	0.0000			
A2:B2	0.0000			
A0:C0	0.0000			
A0:C1	0.0000			
A0:C2	0.0000			
A1:C0	0.0000			
A1:C1	0.0000			
A1:C2	0.0000			
A2:C0	0.0000			
A2:C1	0.0000			
A2:C2	0.0000			
A0:D0	0.0000			
A0:D1	0.0000			
A0:D2	0.0000			
A1:D0	0.0000			
A1:D1	0.0000			
A1:D2	0.0000			
A2:D0	0.0000			
A2:D1	0.0000			
A2:D2	0.0000			
B0:C0	0.0000			
B0:C1	0.0000			
B0:C2	0.0000			
B1:C0	0.0000			
B1:C1	0.0000			
B1:C2	0.0000			
B2:C0	0.0000			

B2:C1	0.0000
B2:C2	0.0000
B0:D0	0.0000
B0:D1	0.0000
B0:D2	0.0000
B1:D0	0.0000
B1:D1	0.0000
B1:D2	0.0000
B2:D0	0.0000
B2:D1	0.0000
B2:D2	0.0000
C0:D0	0.0000
C0:D1	0.0000
C0:D2	0.0000
C1:D0	0.0000
C1:D1	0.0000
C1:D2	0.0000
C2:D0	0.0000
C2:D1	0.0000
C2:D2	0.0000

9.8.2 p578

(145) MODEL

```
v2p578 = read.table("C:/G/Rt/Kemp/v2p578.txt", head=TRUE)
v2p578 = af(v2p578, 1:11)
GLM(Y ~ A + B + C + D + E + F + G + H + J + K + L, v2p578) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	575	52.273		
RESIDUALS	0	0			
CORRECTED TOTAL	11	575			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	3.000	3.000		
B	1	27.000	27.000		
C	1	12.000	12.000		
D	1	16.333	16.333		
E	1	176.333	176.333		
F	1	133.333	133.333		
G	1	1.333	1.333		
H	1	21.333	21.333		

J	1	108.000	108.000
K	1	1.333	1.333
L	1	75.000	75.000

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	3.000	3.000		
B	1	27.000	27.000		
C	1	12.000	12.000		
D	1	16.333	16.333		
E	1	176.333	176.333		
F	1	133.333	133.333		
G	1	1.333	1.333		
H	1	21.333	21.333		
J	1	108.000	108.000		
K	1	1.333	1.333		
L	1	75.000	75.000		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	3.000	3.000		
B	1	27.000	27.000		
C	1	12.000	12.000		
D	1	16.333	16.333		
E	1	176.333	176.333		
F	1	133.333	133.333		
G	1	1.333	1.333		
H	1	21.333	21.333		
J	1	108.000	108.000		
K	1	1.333	1.333		
L	1	75.000	75.000		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	21.0000			
A0	1.0000			
A1	0.0000			
B0	3.0000			
B1	0.0000			
C0	2.0000			
C1	0.0000			
D0	2.3333			
D1	0.0000			
E0	7.6667			
E1	0.0000			
F0	6.6667			
F1	0.0000			
G0	0.6667			

```

G1          0.0000
HO         -2.6667
H1          0.0000
JO         -6.0000
J1          0.0000
KO         -0.6667
K1          0.0000
LO         -5.0000
L1          0.0000

```

(146) MODEL

```
GLM(Y ~ E*F + E*J + F*J + E*L + F*L + J*L, v2p578) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	10	574.5	57.45	114.9	0.07249 .
RESIDUALS	1	0.5	0.50		
CORRECTED TOTAL	11	575.0			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
E	1	176.333	176.333	352.6667	0.03387 *
F	1	133.333	133.333	266.6667	0.03894 *
E:F	1	65.333	65.333	130.6667	0.05555 .
J	1	66.667	66.667	133.3333	0.05500 .
E:J	1	2.667	2.667	5.3333	0.26015
F:J	1	112.667	112.667	225.3333	0.04235 *
L	1	10.800	10.800	21.6000	0.13492
E:L	1	5.486	5.486	10.9714	0.18666
F:L	1	0.176	0.176	0.3516	0.65925
J:L	1	1.038	1.038	2.0769	0.38618

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
E	1	61.633	61.633	123.2667	0.05719 .
F	1	75.208	75.208	150.4167	0.05179 .
E:F	1	9.346	9.346	18.6923	0.14470
J	1	54.675	54.675	109.3500	0.06069 .
E:J	1	0.115	0.115	0.2308	0.71490
F:J	1	72.115	72.115	144.2308	0.05289 .
L	1	10.800	10.800	21.6000	0.13492

```

E:L 1 5.654 5.654 11.3077 0.18402
F:L 1 0.115 0.115 0.2308 0.71490
J:L 1 1.038 1.038 2.0769 0.38618

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
E	1	61.038	61.038	122.0769	0.05746 .
F	1	61.038	61.038	122.0769	0.05746 .
E:F	1	9.346	9.346	18.6923	0.14470
J	1	61.038	61.038	122.0769	0.05746 .
E:J	1	0.115	0.115	0.2308	0.71490
F:J	1	72.115	72.115	144.2308	0.05289 .
L	1	9.346	9.346	18.6923	0.14470
E:L	1	5.654	5.654	11.3077	0.18402
F:L	1	0.115	0.115	0.2308	0.71490
J:L	1	1.038	1.038	2.0769	0.38618

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	26.5	1.1180	23.7023	0.02684 *
E0	6.0	1.1547	5.1962	0.12104
E1	0.0	0.0000		
F0	1.5	1.0408	1.4412	0.38618
F1	0.0	0.0000		
E0:F0	-4.5	1.0408	-4.3235	0.14470
E0:F1	0.0	0.0000		
E1:F0	0.0	0.0000		
E1:F1	0.0	0.0000		
J0	-11.5	1.0408	-11.0488	0.05746 .
J1	0.0	0.0000		
E0:J0	0.5	1.0408	0.4804	0.71490
E0:J1	0.0	0.0000		
E1:J0	0.0	0.0000		
E1:J1	0.0	0.0000		
F0:J0	12.5	1.0408	12.0096	0.05289 .
F0:J1	0.0	0.0000		
F1:J0	0.0	0.0000		
F1:J1	0.0	0.0000		
L0	-3.5	1.0408	-3.3627	0.18402
L1	0.0	0.0000		
E0:L0	3.5	1.0408	3.3627	0.18402
E0:L1	0.0	0.0000		
E1:L0	0.0	0.0000		
E1:L1	0.0	0.0000		

F0:L0	0.5	1.0408	0.4804	0.71490
F0:L1	0.0	0.0000		
F1:L0	0.0	0.0000		
F1:L1	0.0	0.0000		
J0:L0	-1.5	1.0408	-1.4412	0.38618
J0:L1	0.0	0.0000		
J1:L0	0.0	0.0000		
J1:L1	0.0	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.9 Chapter 16

9.9.1 p619

(147) MODEL

```
v2p619 = read.table("C:/G/Rt/Kemp/v2p619.txt", head=TRUE)
v2p619 = af(v2p619, c("A", "B", "C"))
GLM(y ~ A + B + C + A:B, v2p619) # OK
```

Warning in sqrt(diag(bVar)): NaNs produced

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	31.429	7.8571		
RESIDUALS	2	0.000	0.0000		
CORRECTED TOTAL	6	31.429			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	13.7619	13.7619	-2.7424e+14	1
B	1	1.6667	1.6667	-3.3212e+13	1
C	1	10.0000	10.0000	-1.9927e+14	1
A:B	1	6.0000	6.0000	-1.1956e+14	1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	19.6	19.6	-3.9058e+14	1
B	1	3.6	3.6	-7.1739e+13	1
C	1	13.5	13.5	-2.6902e+14	1
A:B	1	6.0	6.0	-1.1956e+14	1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

A	1	24.0	24.0	-4.7826e+14	1
B	1	6.0	6.0	-1.1956e+14	1
C	1	13.5	13.5	-2.6902e+14	1
A:B	1	6.0	6.0	-1.1956e+14	1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	13.5			
A0	-6.0			
A1	0.0	0		
B0	0.0			
B1	0.0	0		
C0	-3.0			
C1	0.0	0		
A0:B0	4.0			
A0:B1	0.0	0		
A1:B0	0.0	0		
A1:B1	0.0	0		

(148) MODEL

GLM(y ~ A + B + C + A:C, v2p619) # OK

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	26.0952	6.5238	2.4464	0.3106
RESIDUALS	2	5.3333	2.6667		
CORRECTED TOTAL	6	31.4286			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	13.7619	13.7619	5.1607	0.1511
B	1	1.6667	1.6667	0.6250	0.5120
C	1	10.0000	10.0000	3.7500	0.1924
A:C	1	0.6667	0.6667	0.2500	0.6667

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	19.6000	19.6000	7.35	0.1134
B	1	2.6667	2.6667	1.00	0.4226
C	1	10.0000	10.0000	3.75	0.1924
A:C	1	0.6667	0.6667	0.25	0.6667

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	16.6667	16.6667	6.2500	0.1296

```

B    1  2.6667  2.6667  1.0000  0.4226
C    1  8.1667  8.1667  3.0625  0.2222
A:C  1  0.6667  0.6667  0.2500  0.6667

```

\$Parameter

```

          Estimate Std. Error t value Pr(>|t|)
(Intercept) 12.8333    1.3333  9.6250  0.01062 *
A0           -4.0000    1.6330 -2.4495  0.13397
A1            0.0000    0.0000
B0            1.3333    1.3333  1.0000  0.42265
B1            0.0000    0.0000
C0           -3.0000    1.6330 -1.8371  0.20759
C1            0.0000    0.0000
A0:C0         1.3333    2.6667  0.5000  0.66667
A0:C1         0.0000    0.0000
A1:C0         0.0000    0.0000
A1:C1         0.0000    0.0000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(149) MODEL

```
GLM(y ~ A + B + C + B:C, v2p619) # OK
```

\$ANOVA

Response : y

```

          Df Sum Sq Mean Sq F value Pr(>F)
MODEL          4 26.0952  6.5238  2.4464 0.3106
RESIDUALS      2  5.3333  2.6667
CORRECTED TOTAL 6 31.4286

```

\$`Type I`

```

          Df Sum Sq Mean Sq F value Pr(>F)
A          1 13.7619 13.7619  5.1607 0.1511
B          1  1.6667  1.6667  0.6250 0.5120
C          1 10.0000 10.0000  3.7500 0.1924
B:C        1  0.6667  0.6667  0.2500 0.6667

```

\$`Type II`

```

          Df Sum Sq Mean Sq F value Pr(>F)
A          1 16.6667 16.6667  6.25 0.1296
B          1  3.6000  3.6000  1.35 0.3652
C          1 10.0000 10.0000  3.75 0.1924
B:C        1  0.6667  0.6667  0.25 0.6667

```

\$`Type III`

```

          Df Sum Sq Mean Sq F value Pr(>F)

```

```

A    1 16.6667 16.6667  6.2500 0.1296
B    1  2.6667  2.6667  1.0000 0.4226
C    1  8.1667  8.1667  3.0625 0.2222
B:C  1  0.6667  0.6667  0.2500 0.6667

```

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	12.1667	1.3333	9.1250	0.0118 *
A0	-3.3333	1.3333	-2.5000	0.1296
A1	0.0000	0.0000		
B0	2.0000	1.6330	1.2247	0.3453
B1	0.0000	0.0000		
C0	-1.6667	2.1082	-0.7906	0.5120
C1	0.0000	0.0000		
B0:C0	-1.3333	2.6667	-0.5000	0.6667
B0:C1	0.0000	0.0000		
B1:C0	0.0000	0.0000		
B1:C1	0.0000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.9.2 p626

(150) MODEL

```

v2p626 = read.table("C:/G/Rt/Kemp/v2p626.txt", head=TRUE)
v2p626 = af(v2p626, c("A", "B", "C"))
GLM(y ~ A + B + C + A:B, v2p626) # OK

```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	42.092	10.5231	22.002	0.04395 *
RESIDUALS	2	0.957	0.4783		
CORRECTED TOTAL	6	43.049			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	16.2088	16.2088	33.890	0.02826 *
B	1	4.8150	4.8150	10.068	0.08662 .
C	1	15.7339	15.7339	32.898	0.02908 *
A:B	1	5.3346	5.3346	11.154	0.07916 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	25.4131	25.4131	53.136	0.01830 *
B	1	8.6630	8.6630	18.113	0.05102 .
C	1	19.5193	19.5193	40.812	0.02364 *
A:B	1	5.3346	5.3346	11.154	0.07916 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	29.7950	29.7950	62.297	0.01568 *
B	1	11.7460	11.7460	24.559	0.03839 *
C	1	19.5193	19.5193	40.812	0.02364 *
A:B	1	5.3346	5.3346	11.154	0.07916 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	13.7877	0.56467	24.4174	0.001673 **
A0	-6.3427	0.89281	-7.1041	0.019244 *
A1	0.0000	0.00000		
B0	0.9125	0.69157	1.3195	0.317812
B1	0.0000	0.00000		
C0	-3.6073	0.56467	-6.3884	0.023637 *
C1	0.0000	0.00000		
A0:B0	3.7717	1.12933	3.3397	0.079156 .
A0:B1	0.0000	0.00000		
A1:B0	0.0000	0.00000		
A1:B1	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(151) MODEL

```
GLM(y ~ A + B + C + A:C, v2p626) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	39.229	9.8072	5.1346	0.1696
RESIDUALS	2	3.820	1.9100		
CORRECTED TOTAL	6	43.049			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	16.2088	16.2088	8.4862	0.1004
B	1	4.8150	4.8150	2.5209	0.2533
C	1	15.7339	15.7339	8.2376	0.1030
A:C	1	2.4711	2.4711	1.2937	0.3733

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	25.4131	25.4131	13.3052	0.06762 .
B	1	6.0361	6.0361	3.1602	0.21743
C	1	15.7339	15.7339	8.2376	0.10298
A:C	1	2.4711	2.4711	1.2937	0.37327

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	20.1428	20.1428	10.5459	0.08317 .
B	1	6.0361	6.0361	3.1602	0.21743
C	1	11.8863	11.8863	6.2232	0.13007
A:C	1	2.4711	2.4711	1.2937	0.37327

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	13.4865	1.1284	11.9516	0.006928 **
A0	-4.9480	1.3820	-3.5802	0.069930 .
A1	0.0000	0.0000		
B0	2.0060	1.1284	1.7777	0.217428
B1	0.0000	0.0000		
C0	-4.0985	1.3820	-2.9656	0.097381 .
C1	0.0000	0.0000		
A0:C0	2.5670	2.2569	1.1374	0.373273
A0:C1	0.0000	0.0000		
A1:C0	0.0000	0.0000		
A1:C1	0.0000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(152) MODEL

GLM(y ~ A + B + C + B:C, v2p626) # OK

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

MODEL	4	37.340	9.3349	3.2701	0.2477
RESIDUALS	2	5.709	2.8546		
CORRECTED TOTAL	6	43.049			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	16.2088	16.2088	5.6781	0.1400
B	1	4.8150	4.8150	1.6867	0.3236
C	1	15.7339	15.7339	5.5118	0.1434
B:C	1	0.5819	0.5819	0.2038	0.6959

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	21.9995	21.9995	7.7067	0.1090
B	1	8.6630	8.6630	3.0347	0.2236
C	1	15.7339	15.7339	5.5118	0.1434
B:C	1	0.5819	0.5819	0.2038	0.6959

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	21.9995	21.9995	7.7067	0.1090
B	1	7.0709	7.0709	2.4770	0.2562
C	1	13.3221	13.3221	4.6669	0.1633
B:C	1	0.5819	0.5819	0.2038	0.6959

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	12.5333	1.3795	9.0853	0.0119 *
A0	-3.8297	1.3795	-2.7761	0.1090
A1	0.0000	0.0000		
B0	2.7940	1.6896	1.6537	0.2400
B1	0.0000	0.0000		
C0	-2.3573	2.1812	-1.0807	0.3928
C1	0.0000	0.0000		
B0:C0	-1.2457	2.7590	-0.4515	0.6959
B0:C1	0.0000	0.0000		
B1:C0	0.0000	0.0000		
B1:C1	0.0000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

9.10 Chapter 17

9.10.1 p642

(153) MODEL

```
v2p642 = read.table("C:/G/Rt/Kemp/v2p642.txt", head=TRUE)
v2p642 = af(v2p642, 2:11)
GLM(Y ~ A + B + C + D + E + F + G, v2p642) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	11.0	1.57143	1.6688	0.1646
RESIDUALS	24	22.6	0.94167		
CORRECTED TOTAL	31	33.6			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	5.7800	5.7800	6.1381	0.02066 *
B	1	0.1800	0.1800	0.1912	0.66587
C	1	0.1250	0.1250	0.1327	0.71879
D	1	2.5312	2.5312	2.6881	0.11415
E	1	0.6613	0.6613	0.7022	0.41031
F	1	0.0112	0.0112	0.0119	0.91387
G	1	1.7113	1.7113	1.8173	0.19023

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	5.7800	5.7800	6.1381	0.02066 *
B	1	0.1800	0.1800	0.1912	0.66587
C	1	0.1250	0.1250	0.1327	0.71879
D	1	2.5312	2.5312	2.6881	0.11415
E	1	0.6613	0.6613	0.7022	0.41031
F	1	0.0112	0.0112	0.0119	0.91387
G	1	1.7113	1.7113	1.8173	0.19023

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	5.7800	5.7800	6.1381	0.02066 *
B	1	0.1800	0.1800	0.1912	0.66587
C	1	0.1250	0.1250	0.1327	0.71879
D	1	2.5312	2.5312	2.6881	0.11415
E	1	0.6613	0.6613	0.7022	0.41031
F	1	0.0112	0.0112	0.0119	0.91387
G	1	1.7113	1.7113	1.8173	0.19023

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  2.2750    0.48520  4.6888 9.162e-05 ***
A0           -0.8500    0.34309 -2.4775  0.02066 *
A1            0.0000    0.00000
B0            0.1500    0.34309  0.4372  0.66587
B1            0.0000    0.00000
C0           -0.1250    0.34309 -0.3643  0.71879
C1            0.0000    0.00000
D0            0.5625    0.34309  1.6395  0.11415
D1            0.0000    0.00000
E0           -0.2875    0.34309 -0.8380  0.41031
E1            0.0000    0.00000
F0            0.0375    0.34309  0.1093  0.91387
F1            0.0000    0.00000
G0            0.4625    0.34309  1.3481  0.19023
G1            0.0000    0.00000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(154) MODEL

```
GLM(log(S) ~ A + B + C + D + E + F + G, v2p642) # OK
```

Warning in sqrt(diag(bVar)): NaNs produced

\$ANOVA

```

Response : log(S)
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      7  266.43   38.062
RESIDUALS  24    0.00    0.000
CORRECTED TOTAL 31 266.43

```

\$`Type I`

```

      Df Sum Sq Mean Sq      F value Pr(>F)
A  1    1.511    1.511 -3.3064e+14    1
B  1    0.600    0.600 -1.3137e+14    1
C  1    0.284    0.284 -6.2177e+13    1
D  1    0.384    0.384 -8.3917e+13    1
E  1    0.741    0.741 -1.6223e+14    1
F  1 261.783 261.783 -5.7278e+16    1
G  1    1.127    1.127 -2.4665e+14    1

```

\$`Type II`

```

      Df Sum Sq Mean Sq      F value Pr(>F)
A  1    1.511    1.511 -3.3064e+14    1
B  1    0.600    0.600 -1.3137e+14    1

```

C	1	0.284	0.284	-6.2177e+13	1
D	1	0.384	0.384	-8.3917e+13	1
E	1	0.741	0.741	-1.6223e+14	1
F	1	261.783	261.783	-5.7278e+16	1
G	1	1.127	1.127	-2.4665e+14	1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1.511	1.511	-3.3064e+14	1
B	1	0.600	0.600	-1.3137e+14	1
C	1	0.284	0.284	-6.2177e+13	1
D	1	0.384	0.384	-8.3917e+13	1
E	1	0.741	0.741	-1.6223e+14	1
F	1	261.783	261.783	-5.7278e+16	1
G	1	1.127	1.127	-2.4665e+14	1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2218			
A0	0.4346			
A1	0.0000		0	
B0	-0.2740			
B1	0.0000		0	
C0	0.1885			
C1	0.0000		0	
D0	-0.2190			
D1	0.0000		0	
E0	0.3044			
E1	0.0000		0	
F0	-5.7204			
F1	0.0000		0	
G0	0.3754			
G1	0.0000		0	

9.11 Chapter 19

9.11.1 p700

(155) MODEL

```
v2p700 = read.table("C:/G/Rt/Kemp/v2p700.txt", head=TRUE)
v2p700 = af(v2p700, 2:5)
GLM(Y ~ P + S + T + C, v2p700) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	12	378.80	31.5670	57.256	0.003319 **
RESIDUALS	3	1.65	0.5513		
CORRECTED TOTAL	15	380.46			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	3	53.888	17.963	32.580	0.008646 **
S	3	154.508	51.503	93.414	0.001845 **
T	3	149.848	49.949	90.597	0.001930 **
C	3	20.561	6.854	12.431	0.033708 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	2	2.220	1.110	2.0133	0.278974
S	3	111.966	37.322	67.6941	0.002969 **
T	3	161.828	53.943	97.8403	0.001722 **
C	3	20.561	6.854	12.4311	0.033708 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	2	2.220	1.110	2.0133	0.278974
S	3	111.966	37.322	67.6941	0.002969 **
T	3	161.828	53.943	97.8403	0.001722 **
C	3	20.561	6.854	12.4311	0.033708 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	14.675	0.76085	19.2875	0.0003044 ***
P1	4.670	0.66413	7.0318	0.0059092 **
P2	-0.600	0.52504	-1.1428	0.3360714
P3	0.450	0.52504	0.8571	0.4544117
P4	0.000	0.00000		
S1	2.860	0.55067	5.1937	0.0138648 *
S2	3.595	0.55067	6.5285	0.0073033 **
S3	-3.455	0.55067	-6.2742	0.0081740 **
S4	0.000	0.00000		
T1	5.650	0.55067	10.2603	0.0019739 **
T2	6.255	0.55067	11.3590	0.0014638 **

```

T3          -1.285    0.55067 -2.3335 0.1018191
T4           0.000    0.00000
C0           0.000    0.00000
C1           2.800    0.66413  4.2161 0.0243844 *
C2           0.620    0.66413  0.9336 0.4193997
C3          -1.140    0.66413 -1.7165 0.1845672
C4           0.000    0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

9.11.2 p703

(156) MODEL

```

v2p703 = read.table("C:/G/Rt/Kemp/v2p703.txt", head=TRUE)
v2p703$C = ifelse(v2p703$C == 0, 4, v2p703$C)
v2p703 = af(v2p703, 2:5)
GLM(Y ~ P + S + T + C, v2p703) # OK

```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	13	385.18	29.6293	21.766	0.0005673 ***
RESIDUALS	6	8.17	1.3613		
CORRECTED TOTAL	19	393.35			

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	4	56.408	14.102	10.3596	0.0073255 **
S	3	119.260	39.753	29.2036	0.0005620 ***
T	3	190.430	63.477	46.6312	0.0001498 ***
C	3	19.083	6.361	4.6728	0.0518237 .

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	4	52.288	13.072	9.6028	0.0088641 **
S	3	167.414	55.805	40.9952	0.0002163 ***
T	3	190.430	63.477	46.6312	0.0001498 ***
C	3	19.083	6.361	4.6728	0.0518237 .

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	4	52.287	13.072	9.6028	0.0088641 **
S	3	167.414	55.805	40.9952	0.0002163 ***
T	3	190.430	63.477	46.6312	0.0001498 ***
C	3	19.083	6.361	4.6728	0.0518237 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	14.2042	1.02435	13.8665	8.759e-06 ***
P1	4.8875	0.96740	5.0522	0.0023285 **
P2	-0.7000	0.82500	-0.8485	0.4287138
P3	0.3500	0.82500	0.4242	0.6861791
P4	-0.1000	0.82500	-0.1212	0.9074805
P5	0.0000	0.00000		
S1	3.4500	0.75312	4.5810	0.0037667 **
S2	3.4250	0.75312	4.5478	0.0039011 **
S3	-3.7083	0.75312	-4.9240	0.0026462 **
S4	0.0000	0.00000		
T1	5.5667	0.75312	7.3915	0.0003148 ***
T2	6.4250	0.75312	8.5312	0.0001422 ***
T3	-0.5250	0.75312	-0.6971	0.5118309
T4	0.0000	0.00000		
C1	2.6750	0.82500	3.2424	0.0176331 *
C2	0.8750	0.82500	1.0606	0.3296846
C3	0.0000	0.82500	0.0000	1.0000000
C4	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10 Lawson - DAE with SAS

Reference

- Lawson J. Design and Analysis of Experiments with SAS. Taylor and Francis Group. 2010.

```
require(daewr)
```

10.1 Chapter 2

10.1.1 p22

```
(157) MODEL
```

```
GLM(height ~ time, bread) # OK
```

```
$ANOVA
```

```
Response : height
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	2	21.573	10.7865	4.6022	0.042 *
RESIDUALS	9	21.094	2.3438		
CORRECTED TOTAL	11	42.667			

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type I`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
time	2	21.573	10.787	4.6022	0.042 *

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
time	2	21.573	10.787	4.6022	0.042 *

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
time	2	21.573	10.787	4.6022	0.042 *

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter
```

	Estimate	Std. Error	t value	Pr(> t)
--	----------	------------	---------	----------

```

(Intercept)  8.3125    0.76547 10.8594 1.794e-06 ***
time35      -2.8750    1.08253 -2.6558  0.02623 *
time40      -0.0625    1.08253 -0.0577  0.95522
time45       0.0000    0.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

10.1.2 p32

(158) MODEL

```
GLM(height^(1 - 1.294869) ~ time, bread) # OK
```

\$ANOVA

```

Response : height^(1 - 1.294869)
      Df  Sum Sq  Mean Sq F value  Pr(>F)
MODEL      2 0.0130560 0.0065280  5.9356 0.02271 *
RESIDUALS   9 0.0098983 0.0010998
CORRECTED TOTAL 11 0.0229544
---

```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type I`

```

      Df  Sum Sq  Mean Sq F value  Pr(>F)
time  2 0.013056 0.006528  5.9356 0.02271 *
---

```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type II`

```

      Df  Sum Sq  Mean Sq F value  Pr(>F)
time  2 0.013056 0.006528  5.9356 0.02271 *
---

```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type III`

```

      Df  Sum Sq  Mean Sq F value  Pr(>F)
time  2 0.013056 0.006528  5.9356 0.02271 *
---

```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$Parameter

```

      Estimate Std. Error t value  Pr(>|t|)
(Intercept)  0.53776    0.016582 32.4307 1.239e-10 ***
time35       0.07182    0.023450  3.0626  0.01351 *
time40       0.00385    0.023450  0.1643  0.87315
time45       0.00000    0.000000  0.0000  1.00000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.1.3 p42

(159) MODEL

```
GLM(yield ~ treat, sugarbeet) # OK
```

\$ANOVA

Response : yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	291.00	97.002	45.9	1.718e-07 ***
RESIDUALS	14	29.59	2.113		
CORRECTED TOTAL	17	320.59			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
treat	3	291	97.002	45.9	1.718e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
treat	3	291	97.002	45.9	1.718e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
treat	3	291	97.002	45.9	1.718e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	48.7	0.65013	74.9085	< 2.2e-16 ***
treatA	-10.0	0.97519	-10.2544	6.837e-08 ***
treatB	-3.7	0.97519	-3.7941	0.001974 **
treatC	0.1	0.91942	0.1088	0.914933
treatD	0.0	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.2 Chapter 3

10.2.1 p63

(160) MODEL

```
GLM(CO ~ Eth + Ratio + Eth:Ratio, COdata) # OK
```

\$ANOVA

Response : CO

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	1654.0	206.750	40.016	3.861e-06 ***
RESIDUALS	9	46.5	5.167		
CORRECTED TOTAL	17	1700.5			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Eth	2	324	162.0	31.355	8.790e-05 ***
Ratio	2	652	326.0	63.097	5.067e-06 ***
Eth:Ratio	4	678	169.5	32.806	2.240e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Eth	2	324	162.0	31.355	8.790e-05 ***
Ratio	2	652	326.0	63.097	5.067e-06 ***
Eth:Ratio	4	678	169.5	32.806	2.240e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Eth	2	324	162.0	31.355	8.790e-05 ***
Ratio	2	652	326.0	63.097	5.067e-06 ***
Eth:Ratio	4	678	169.5	32.806	2.240e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	59.0	1.6073	36.7081	4.094e-11 ***
Eth0.1	8.0	2.2730	3.5195	0.0065202 **
Eth0.2	8.5	2.2730	3.7395	0.0046291 **
Eth0.3	0.0	0.0000		

Ratio14	33.0	2.2730	14.5181	1.498e-07	***
Ratio15	17.5	2.2730	7.6990	3.003e-05	***
Ratio16	0.0	0.0000			
Eth0.1:Ratio14	-36.0	3.2146	-11.1991	1.384e-06	***
Eth0.1:Ratio15	-15.0	3.2146	-4.6663	0.0011747	**
Eth0.1:Ratio16	0.0	0.0000			
Eth0.2:Ratio14	-21.0	3.2146	-6.5328	0.0001073	***
Eth0.2:Ratio15	-4.5	3.2146	-1.3999	0.1950620	
Eth0.2:Ratio16	0.0	0.0000			
Eth0.3:Ratio14	0.0	0.0000			
Eth0.3:Ratio15	0.0	0.0000			
Eth0.3:Ratio16	0.0	0.0000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(161) MODEL

GLM(CO ~ Ratio + Eth + Ratio:Eth, COdata) # OK

\$ANOVA

Response : CO

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	1654.0	206.750	40.016	3.861e-06 ***
RESIDUALS	9	46.5	5.167		
CORRECTED TOTAL	17	1700.5			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Ratio	2	652	326.0	63.097	5.067e-06 ***
Eth	2	324	162.0	31.355	8.790e-05 ***
Ratio:Eth	4	678	169.5	32.806	2.240e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Ratio	2	652	326.0	63.097	5.067e-06 ***
Eth	2	324	162.0	31.355	8.790e-05 ***
Ratio:Eth	4	678	169.5	32.806	2.240e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Ratio	2	652	326.0	63.097	5.067e-06 ***

```

Eth          2      324    162.0   31.355  8.790e-05 ***
Ratio:Eth    4      678    169.5   32.806  2.240e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error  t value Pr(>|t|)
(Intercept)      59.0      1.6073  36.7081 4.094e-11 ***
Ratio14           33.0      2.2730  14.5181 1.498e-07 ***
Ratio15           17.5      2.2730   7.6990 3.003e-05 ***
Ratio16            0.0      0.0000
Eth0.1            8.0      2.2730   3.5195 0.0065202 **
Eth0.2            8.5      2.2730   3.7395 0.0046291 **
Eth0.3            0.0      0.0000
Ratio14:Eth0.1   -36.0      3.2146 -11.1991 1.384e-06 ***
Ratio14:Eth0.2   -21.0      3.2146  -6.5328 0.0001073 ***
Ratio14:Eth0.3    0.0      0.0000
Ratio15:Eth0.1   -15.0      3.2146  -4.6663 0.0011747 **
Ratio15:Eth0.2    -4.5      3.2146  -1.3999 0.1950620
Ratio15:Eth0.3    0.0      0.0000
Ratio16:Eth0.1    0.0      0.0000
Ratio16:Eth0.2    0.0      0.0000
Ratio16:Eth0.3    0.0      0.0000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

10.2.2 p74

(162) MODEL

```
GLM(CO ~ Eth + Ratio + Eth:Ratio, COdata[-18,]) # OK
```

```

$ANOVA
Response : CO
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      8 1423.0  177.879   31.978 2.749e-05 ***
RESIDUALS  8   44.5    5.563
CORRECTED TOTAL 16 1467.5
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
Eth      2 472.66  236.33  42.486 5.482e-05 ***
Ratio    2 395.33  197.66  35.535 0.0001048 ***
Eth:Ratio 4 555.04  138.76  24.945 0.0001427 ***

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Eth	2	398.26	199.13	35.799	0.0001020 ***
Ratio	2	395.33	197.66	35.535	0.0001048 ***
Eth:Ratio	4	555.04	138.76	24.945	0.0001427 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Eth	2	319.45	159.73	28.715	0.0002235 ***
Ratio	2	511.45	255.73	45.973	4.105e-05 ***
Eth:Ratio	4	555.04	138.76	24.945	0.0001427 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	60.0	2.3585	25.4399	6.108e-09 ***
Eth0.1	7.0	2.8886	2.4234	0.0416315 *
Eth0.2	7.5	2.8886	2.5965	0.0317925 *
Eth0.3	0.0	0.0000		
Ratio14	32.0	2.8886	11.0782	3.933e-06 ***
Ratio15	16.5	2.8886	5.7122	0.0004480 ***
Ratio16	0.0	0.0000		
Eth0.1:Ratio14	-35.0	3.7291	-9.3856	1.360e-05 ***
Eth0.1:Ratio15	-14.0	3.7291	-3.7542	0.0055901 **
Eth0.1:Ratio16	0.0	0.0000		
Eth0.2:Ratio14	-20.0	3.7291	-5.3632	0.0006751 ***
Eth0.2:Ratio15	-3.5	3.7291	-0.9386	0.3754235
Eth0.2:Ratio16	0.0	0.0000		
Eth0.3:Ratio14	0.0	0.0000		
Eth0.3:Ratio15	0.0	0.0000		
Eth0.3:Ratio16	0.0	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.2.3 p91

(163) MODEL

```
volt$XA = (as.numeric(as.character(volt$A)) - 27)/5  
volt$XB = (as.numeric(as.character(volt$B)) - 2.75)/2.25
```

```
volt$XC = (as.numeric(as.character(volt$C)) - 2.75)/2.25
GLM(y ~ XA + XB + XC + XA:XB + XA:XC + XB:XC + XA:XB:XC, volt) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	8843.4	1263.35	3.8686	0.0385 *
RESIDUALS	8	2612.5	326.56		
CORRECTED TOTAL	15	11455.9			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
XA	1	4522.6	4522.6	13.8490	0.005859 **
XB	1	14.1	14.1	0.0431	0.840793
XC	1	473.1	473.1	1.4486	0.263154
XA:XB	1	715.6	715.6	2.1912	0.177071
XA:XC	1	2525.1	2525.1	7.7322	0.023899 *
XB:XC	1	52.6	52.6	0.1610	0.698780
XA:XB:XC	1	540.6	540.6	1.6553	0.234218

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
XA	1	4522.6	4522.6	13.8490	0.005859 **
XB	1	14.1	14.1	0.0431	0.840793
XC	1	473.1	473.1	1.4486	0.263154
XA:XB	1	715.6	715.6	2.1912	0.177071
XA:XC	1	2525.1	2525.1	7.7322	0.023899 *
XB:XC	1	52.6	52.6	0.1610	0.698780
XA:XB:XC	1	540.6	540.6	1.6553	0.234218

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
XA	1	4522.6	4522.6	13.8490	0.005859 **
XB	1	14.1	14.1	0.0431	0.840793
XC	1	473.1	473.1	1.4486	0.263154
XA:XB	1	715.6	715.6	2.1912	0.177071
XA:XC	1	2525.1	2525.1	7.7322	0.023899 *
XB:XC	1	52.6	52.6	0.1610	0.698780
XA:XB:XC	1	540.6	540.6	1.6553	0.234218

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

$Parameter
      Estimate Std. Error  t value  Pr(>|t|)
(Intercept)   668.56     4.5178 147.9854 4.885e-15 ***
XA             -16.81     4.5178  -3.7214 0.005859 **
XB              0.94     4.5178   0.2075 0.840793
XC              5.44     4.5178   1.2036 0.263154
XA:XB          -6.69     4.5178  -1.4803 0.177071
XA:XC          12.56     4.5178   2.7807 0.023899 *
XB:XC           1.81     4.5178   0.4012 0.698780
XA:XB:XC       -5.81     4.5178  -1.2866 0.234218
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

10.2.4 p97

(164) MODEL

```

chem2 = af(chem, c("A", "B", "C", "D"))
GLM(y ~ A*B*C*D, chem2) # OK

```

\$ANOVA

```

Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      15 6369.4   424.63
RESIDUALS    0    0.0
CORRECTED TOTAL 15 6369.4

```

\$`Type I`

```

      Df Sum Sq Mean Sq F value Pr(>F)
A         1   637.6   637.6
B         1 5076.6 5076.6
A:B        1   451.6   451.6
C         1    0.6    0.6
A:C        1   10.6   10.6
B:C        1    1.6    1.6
A:B:C      1    0.6    0.6
D         1    7.6    7.6
A:D        1   68.1   68.1
B:D        1    0.1    0.1
A:B:D      1    7.6    7.6
C:D        1    7.6    7.6
A:C:D      1   95.1   95.1
B:C:D      1    3.1    3.1
A:B:C:D    1    1.6    1.6

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	637.6	637.6		
B	1	5076.6	5076.6		
A:B	1	451.6	451.6		
C	1	0.6	0.6		
A:C	1	10.6	10.6		
B:C	1	1.6	1.6		
A:B:C	1	0.6	0.6		
D	1	7.6	7.6		
A:D	1	68.1	68.1		
B:D	1	0.1	0.1		
A:B:D	1	7.6	7.6		
C:D	1	7.6	7.6		
A:C:D	1	95.1	95.1		
B:C:D	1	3.1	3.1		
A:B:C:D	1	1.6	1.6		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	637.6	637.6		
B	1	5076.6	5076.6		
A:B	1	451.6	451.6		
C	1	0.6	0.6		
A:C	1	10.6	10.6		
B:C	1	1.6	1.6		
A:B:C	1	0.6	0.6		
D	1	7.6	7.6		
A:D	1	68.1	68.1		
B:D	1	0.1	0.1		
A:B:D	1	7.6	7.6		
C:D	1	7.6	7.6		
A:C:D	1	95.1	95.1		
B:C:D	1	3.1	3.1		
A:B:C:D	1	1.6	1.6		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	72			
A-1	15			
A1	0			
B-1	-21			
B1	0			
A-1:B-1	-26			
A-1:B1	0			
A1:B-1	0			
A1:B1	0			
C-1	-3			

C1	0
A-1:C-1	11
A-1:C1	0
A1:C-1	0
A1:C1	0
B-1:C-1	-5
B-1:C1	0
B1:C-1	0
B1:C1	0
A-1:B-1:C-1	4
A-1:B-1:C1	0
A-1:B1:C-1	0
A-1:B1:C1	0
A1:B-1:C-1	0
A1:B-1:C1	0
A1:B1:C-1	0
A1:B1:C1	0
D-1	-6
D1	0
A-1:D-1	14
A-1:D1	0
A1:D-1	0
A1:D1	0
B-1:D-1	-6
B-1:D1	0
B1:D-1	0
B1:D1	0
A-1:B-1:D-1	8
A-1:B-1:D1	0
A-1:B1:D-1	0
A-1:B1:D1	0
A1:B-1:D-1	0
A1:B-1:D1	0
A1:B1:D-1	0
A1:B1:D1	0
C-1:D-1	4
C-1:D1	0
C1:D-1	0
C1:D1	0
A-1:C-1:D-1	-17
A-1:C-1:D1	0
A-1:C1:D-1	0
A-1:C1:D1	0
A1:C-1:D-1	0
A1:C-1:D1	0
A1:C1:D-1	0
A1:C1:D1	0
B-1:C-1:D-1	6

B-1:C-1:D1	0
B-1:C1:D-1	0
B-1:C1:D1	0
B1:C-1:D-1	0
B1:C-1:D1	0
B1:C1:D-1	0
B1:C1:D1	0
A-1:B-1:C-1:D-1	-5
A-1:B-1:C-1:D1	0
A-1:B-1:C1:D-1	0
A-1:B-1:C1:D1	0
A-1:B1:C-1:D-1	0
A-1:B1:C-1:D1	0
A-1:B1:C1:D-1	0
A-1:B1:C1:D1	0
A1:B-1:C-1:D-1	0
A1:B-1:C-1:D1	0
A1:B-1:C1:D-1	0
A1:B-1:C1:D1	0
A1:B1:C-1:D-1	0
A1:B1:C-1:D1	0
A1:B1:C1:D-1	0
A1:B1:C1:D1	0

10.2.5 p104

(165) MODEL

```
GLM(y ~ A*B*C*D, BoxM) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	15	207.1	13.807		
RESIDUALS	0	0.0			
CORRECTED TOTAL	15	207.1			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	2.560	2.560		
B	1	71.234	71.234		
A:B	1	3.312	3.312		
C	1	55.056	55.056		
A:C	1	24.800	24.800		
B:C	1	2.560	2.560		
A:B:C	1	5.760	5.760		

D	1	4.080	4.080
A:D	1	1.346	1.346
B:D	1	5.570	5.570
A:B:D	1	2.074	2.074
C:D	1	8.880	8.880
A:C:D	1	0.640	0.640
B:C:D	1	9.986	9.986
A:B:C:D	1	9.242	9.242

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	2.560	2.560		
B	1	71.234	71.234		
A:B	1	3.312	3.312		
C	1	55.056	55.056		
A:C	1	24.800	24.800		
B:C	1	2.560	2.560		
A:B:C	1	5.760	5.760		
D	1	4.080	4.080		
A:D	1	1.346	1.346		
B:D	1	5.570	5.570		
A:B:D	1	2.074	2.074		
C:D	1	8.880	8.880		
A:C:D	1	0.640	0.640		
B:C:D	1	9.986	9.986		
A:B:C:D	1	9.242	9.242		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	2.560	2.560		
B	1	71.234	71.234		
A:B	1	3.312	3.312		
C	1	55.056	55.056		
A:C	1	24.800	24.800		
B:C	1	2.560	2.560		
A:B:C	1	5.760	5.760		
D	1	4.080	4.080		
A:D	1	1.346	1.346		
B:D	1	5.570	5.570		
A:B:D	1	2.074	2.074		
C:D	1	8.880	8.880		
A:C:D	1	0.640	0.640		
B:C:D	1	9.986	9.986		
A:B:C:D	1	9.242	9.242		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	48.245			

A	-0.400
B	-2.110
A:B	0.455
C	1.855
A:C	-1.245
B:C	-0.400
A:B:C	0.600
D	0.505
A:D	-0.290
B:D	-0.590
A:B:D	0.360
C:D	0.745
A:C:D	0.200
B:C:D	-0.790
A:B:C:D	0.760

10.3 Chapter 4

10.3.1 p122

(166) MODEL

```
GLM(rate ~ rat + dose, drug) # OK
```

\$ANOVA

Response : rate

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	13	2.12867	0.163744	19.613	1.59e-12 ***
RESIDUALS	36	0.30055	0.008349		
CORRECTED TOTAL	49	2.42922			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rat	9	1.66846	0.18538	22.205	3.749e-12 ***
dose	4	0.46021	0.11505	13.781	6.535e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rat	9	1.66846	0.18538	22.205	3.749e-12 ***
dose	4	0.46021	0.11505	13.781	6.535e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rat	9	1.66846	0.18538	22.205	3.749e-12 ***
dose	4	0.46021	0.11505	13.781	6.535e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1.1418	0.048349	23.6158	< 2.2e-16 ***
rat1	-0.5000	0.057788	-8.6523	2.559e-10 ***
rat10	-0.0840	0.057788	-1.4536	0.1547238
rat2	-0.5140	0.057788	-8.8946	1.289e-10 ***
rat3	-0.4880	0.057788	-8.4446	4.631e-10 ***
rat4	-0.3840	0.057788	-6.6450	9.638e-08 ***
rat5	-0.2180	0.057788	-3.7724	0.0005824 ***
rat6	-0.3720	0.057788	-6.4373	1.817e-07 ***
rat7	-0.2980	0.057788	-5.1568	9.298e-06 ***
rat8	-0.0600	0.057788	-1.0383	0.3060654
rat9	0.0000	0.000000		
dose0	-0.0860	0.040862	-2.1046	0.0423697 *
dose0.5	0.0840	0.040862	2.0557	0.0471211 *
dose1	0.1640	0.040862	4.0135	0.0002899 ***
dose1.5	0.1590	0.040862	3.8911	0.0004137 ***
dose2	0.0000	0.000000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.3.2 p127

(167) MODEL

```
GLM(y ~ block + treat + strain + treat:strain, bha) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	543.22	67.902	26.203	0.0001507 ***
RESIDUALS	7	18.14	2.591		
CORRECTED TOTAL	15	561.36			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

block      1  47.61   47.61  18.3721  0.003627 **
treat     1 422.30  422.30 162.9613  4.194e-06 ***
strain    3  32.96   10.99   4.2399  0.052741 .
treat:strain 3  40.34   13.45   5.1892  0.033685 *

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

```

      Df Sum Sq Mean Sq  F value    Pr(>F)
block   1  47.61   47.61  18.3721  0.003627 **
treat   1 422.30  422.30 162.9613  4.194e-06 ***
strain  3  32.96   10.99   4.2399  0.052741 .
treat:strain 3  40.34   13.45   5.1892  0.033685 *

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

```

      Df Sum Sq Mean Sq  F value    Pr(>F)
block   1  47.61   47.61  18.3721  0.003627 **
treat   1 422.30  422.30 162.9613  4.194e-06 ***
strain  3  32.96   10.99   4.2399  0.052741 .
treat:strain 3  40.34   13.45   5.1892  0.033685 *

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

```

              Estimate Std. Error t value Pr(>|t|)
(Intercept)      13.875     1.2073  11.4922 8.495e-06 ***
block1             3.450     0.8049   4.2863  0.003627 **
block2             0.000     0.0000
treatcontrol     -6.650     1.6098  -4.1310  0.004399 **
treattreated      0.000     0.0000
strain1290la      0.550     1.6098   0.3417  0.742635
strainA/J         2.100     1.6098   1.3045  0.233308
strainBALB/c      7.450     1.6098   4.6279  0.002404 **
strainNIH         0.000     0.0000
treatcontrol:strain1290la -1.950     2.2766  -0.8565  0.420049
treatcontrol:strainA/J -4.000     2.2766  -1.7570  0.122334
treatcontrol:strainBALB/c -8.550     2.2766  -3.7556  0.007116 **
treatcontrol:strainNIH  0.000     0.0000
treattreated:strain1290la  0.000     0.0000
treattreated:strainA/J  0.000     0.0000
treattreated:strainBALB/c  0.000     0.0000
treattreated:strainNIH  0.000     0.0000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.3.3 p129

(168) MODEL

```
GLM(cdistance ~ id + teehtg, rcb) # OK
```

\$ANOVA

Response : cdistance

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	10	126465	12646.5	161.72	< 2.2e-16 ***
RESIDUALS	124	9697	78.2		
CORRECTED TOTAL	134	136162			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
id	8	124741	15593	199.394	< 2.2e-16 ***
teehtg	2	1724	862	11.023	3.926e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
id	8	124741	15593	199.394	< 2.2e-16 ***
teehtg	2	1724	862	11.023	3.926e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
id	8	124741	15593	199.394	< 2.2e-16 ***
teehtg	2	1724	862	11.023	3.926e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	240.440	2.5243	95.2517	< 2.2e-16 ***
id1	-92.907	3.2290	-28.7722	< 2.2e-16 ***
id2	-57.860	3.2290	-17.9186	< 2.2e-16 ***
id3	-92.907	3.2290	-28.7722	< 2.2e-16 ***
id4	-60.360	3.2290	-18.6928	< 2.2e-16 ***
id5	-22.267	3.2290	-6.8957	2.422e-10 ***
id6	-92.860	3.2290	-28.7577	< 2.2e-16 ***
id7	-66.720	3.2290	-20.6625	< 2.2e-16 ***
id8	-59.540	3.2290	-18.4389	< 2.2e-16 ***

id9	0.000	0.0000		
teeht1	-8.380	1.8643	-4.4950	1.575e-05 ***
teeht2	-2.000	1.8643	-1.0728	0.2854
teeht3	0.000	0.0000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.3.4 p136

(169) MODEL

GLM(AUC ~ Subject + Period + Treat, bioeqv) # OK

\$ANOVA

Response : AUC

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	6	174461	29077	0.1315	0.9774
RESIDUALS	2	442158	221079		
CORRECTED TOTAL	8	616618			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Subject	2	114264	57132	0.2584	0.7946
Period	2	45196	22598	0.1022	0.9073
Treat	2	15000	7500	0.0339	0.9672

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Subject	2	114264	57132	0.2584	0.7946
Period	2	45196	22598	0.1022	0.9073
Treat	2	15000	7500	0.0339	0.9672

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Subject	2	114264	57132	0.2584	0.7946
Period	2	45196	22598	0.1022	0.9073
Treat	2	15000	7500	0.0339	0.9672

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1352.56	414.67	3.2618	0.08252 .
Subject1	-276.00	383.91	-0.7189	0.54684
Subject2	-138.33	383.91	-0.3603	0.75310
Subject3	0.00	0.00		
Period1	-171.00	383.91	-0.4454	0.69959
Period2	-111.33	383.91	-0.2900	0.79912

```

Period3      0.00      0.00
TreatA       78.33     383.91  0.2040  0.85720
TreatB      -14.67     383.91 -0.0382  0.97300
TreatC       0.00      0.00
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

10.4 Chapter 5

10.4.1 p152

(170) MODEL

```
GLM(conc ~ lab, Apo) # OK
```

\$ANOVA

Response : conc

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	0.092233	0.0307444	42.107	4.009e-10 ***
RESIDUALS	26	0.018984	0.0007302		
CORRECTED TOTAL	29	0.111217			

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
lab	3	0.092233	0.030744	42.107	4.009e-10 ***

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
lab	3	0.092233	0.030744	42.107	4.009e-10 ***

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
lab	3	0.092233	0.030744	42.107	4.009e-10 ***

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1.16425	0.0095535	121.8661	< 2.2e-16 ***
labA	0.02661	0.0139849	1.9026	0.06823 .

```
labB      -0.00237  0.0135107  -0.1758   0.86182
labC      -0.12111  0.0139849  -8.6598  3.878e-09 ***
labD      0.00000  0.0000000
```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.4.2 p181

(171) MODEL

```
GLM(residue ~ form + tech + form:tech + plot:form:tech, pesticide) # OK
```

\$ANOVA

Response : residue

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	0.036857	0.0052653	11.804	0.001187 **
RESIDUALS	8	0.003569	0.0004461		
CORRECTED TOTAL	15	0.040426			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
form	1	0.000018	0.000018	0.0405	0.84554
tech	1	0.032310	0.032310	72.4339	2.789e-05 ***
form:tech	1	0.002186	0.002186	4.8997	0.05776 .
form:tech:plot	4	0.002344	0.000586	1.3136	0.34317

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
form	1	0.000018	0.000018	0.0405	0.84554
tech	1	0.032310	0.032310	72.4339	2.789e-05 ***
form:tech	1	0.002186	0.002186	4.8997	0.05776 .
form:tech:plot	4	0.002344	0.000586	1.3136	0.34317

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
form	1	0.000018	0.000018	0.0405	0.84554
tech	1	0.032310	0.032310	72.4339	2.789e-05 ***
form:tech	1	0.002186	0.002186	4.8997	0.05776 .
form:tech:plot	4	0.002344	0.000586	1.3136	0.34317

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3410	0.014934	22.8334	1.435e-08 ***
formA	0.0225	0.021120	1.0653	0.31782
formB	0.0000	0.000000		
tech1	-0.0470	0.021120	-2.2254	0.05671 .
tech2	0.0000	0.000000		
formA:tech1	-0.0390	0.029868	-1.3057	0.22794
formA:tech2	0.0000	0.000000		
formB:tech1	0.0000	0.000000		
formB:tech2	0.0000	0.000000		
formA:tech1:plot1	-0.0330	0.021120	-1.5625	0.15680
formA:tech1:plot2	0.0000	0.000000		
formA:tech2:plot1	0.0215	0.021120	1.0180	0.33848
formA:tech2:plot2	0.0000	0.000000		
formB:tech1:plot1	-0.0235	0.021120	-1.1127	0.29816
formB:tech1:plot2	0.0000	0.000000		
formB:tech2:plot1	0.0155	0.021120	0.7339	0.48396
formB:tech2:plot2	0.0000	0.000000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.5 Chapter 7

10.5.1 p260

(172) MODEL

```
GLM(score ~ recipe + panelist, taste) # OK
```

\$ANOVA

Response : score

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	14	28.458	2.03274	2.661	0.0719 .
RESIDUALS	9	6.875	0.76389		
CORRECTED TOTAL	23	35.333			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
recipe	3	21.0000	7.000	9.1636	0.004246 **
panelist	11	7.4583	0.678	0.8876	0.581099

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
recipe	3	9.1250	3.04167	3.9818	0.04649 *
panelist	11	7.4583	0.67803	0.8876	0.58110

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
recipe	3	9.1250	3.04167	3.9818	0.04649 *
panelist	11	7.4583	0.67803	0.8876	0.58110

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	4.1875	0.69096	6.0604	0.0001881 ***
recipeA	0.6250	0.61802	1.0113	0.3382874
recipeB	1.3750	0.61802	2.2249	0.0531409 .
recipeC	2.0000	0.61802	3.2362	0.0102213 *
recipeD	0.0000	0.00000		
panelist1	-0.1875	0.92702	-0.2023	0.8442116
panelist10	1.1250	0.97717	1.1513	0.2792820
panelist11	0.6250	0.92702	0.6742	0.5171250
panelist12	0.3125	0.92702	0.3371	0.7437697
panelist2	1.0000	0.92702	1.0787	0.3087732
panelist3	0.0000	0.87401	0.0000	1.0000000
panelist4	0.6250	0.97717	0.6396	0.5383692
panelist5	0.1250	0.92702	0.1348	0.8957058
panelist6	1.8125	0.92702	1.9552	0.0822793 .
panelist7	1.3125	0.92702	1.4158	0.1904906
panelist8	1.0000	0.92702	1.0787	0.3087732
panelist9	0.0000	0.00000		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.5.2 p262

(173) MODEL

```
GLM(pressure ~ Block + Treatment, BPmonitor) # OK
```

\$ANOVA

Response : pressure

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	321.00	40.125	4.4174	0.1245
RESIDUALS	3	27.25	9.083		
CORRECTED TOTAL	11	348.25			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Block	5	73.75	14.750	1.6239	0.36606
Treatment	3	247.25	82.417	9.0734	0.05149 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Block	5	83.25	16.650	1.8330	0.32772
Treatment	3	247.25	82.417	9.0734	0.05149 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Block	5	83.25	16.650	1.8330	0.32772
Treatment	3	247.25	82.417	9.0734	0.05149 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	78.00	2.6101	29.8842	8.23e-05	***
Block1	6.25	3.6912	1.6932	0.18899	
Block2	2.75	3.6912	0.7450	0.51032	
Block3	9.50	3.6912	2.5737	0.08223	.
Block4	3.50	3.6912	0.9482	0.41298	
Block5	2.00	3.0139	0.6636	0.55439	
Block6	0.00	0.0000			
TreatmentA	-6.50	3.0139	-2.1567	0.11995	
TreatmentB	-13.00	3.0139	-4.3134	0.02295	*
TreatmentC	-6.00	3.0139	-1.9908	0.14057	
TreatmentP	0.00	0.0000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.5.3 p276

(174) MODEL

```
GLM(weight ~ Blocks + A + B + C + D + E + F + G + H, Bff) # OK
```

```
$ANOVA
```

```
Response : weight
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	15	158.37	10.558		
RESIDUALS	0	0.00			
CORRECTED TOTAL	15	158.37			

```
$`Type I`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Blocks	7	30.567	4.367		
A	1	21.879	21.879		
B	1	8.338	8.338		
C	1	6.213	6.213		
D	1	12.870	12.870		
E	1	0.098	0.098		
F	1	1.260	1.260		
G	1	71.868	71.868		
H	1	5.279	5.279		

```
$`Type II`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Blocks	7	30.567	4.367		
A	1	21.879	21.879		
B	1	8.338	8.338		
C	1	6.213	6.213		
D	1	12.870	12.870		
E	1	0.098	0.098		
F	1	1.260	1.260		
G	1	71.868	71.868		
H	1	5.279	5.279		

```
$`Type III`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Blocks	7	30.567	4.367		
A	1	21.879	21.879		
B	1	8.338	8.338		
C	1	6.213	6.213		
D	1	12.870	12.870		
E	1	0.098	0.098		
F	1	1.260	1.260		
G	1	71.868	71.868		
H	1	5.279	5.279		

```
$Parameter
```

```
Estimate Std. Error t value Pr(>|t|)
```

```

(Intercept) 10.2000
Blocks1     -3.0350
Blocks2      0.0900
Blocks3     -0.9600
Blocks4     -2.1700
Blocks5     -0.4600
Blocks6     -2.5200
Blocks7     -3.8200
Blocks8      0.0000
A-1         -2.3388
A1           0.0000
B-1          1.4437
B1           0.0000
C-1         -1.2463
C1           0.0000
D-1          1.7937
D1           0.0000
E-1         -0.1563
E1           0.0000
F-1          0.5612
F1           0.0000
G-1         -4.2388
G1           0.0000
H-1         -1.1488
H1           0.0000

```

10.6 Chapter 8

10.6.1 p315

(175) MODEL

```
GLM(ys ~ Block + A*B + Block:A*B + C*D + A:C + A:D + B:C + B:D + A:B:C + A:B:D +
     A:C:D + B:C:D + A:B:C:D, sausage) # OK
```

\$ANOVA

Response : ys

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	19	0.064059	0.0033715	14.134	1.74e-05 ***
RESIDUALS	12	0.002862	0.0002385		
CORRECTED TOTAL	31	0.066922			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

Block	1	0.000903	0.000903	3.7860	0.075482	.
A	1	0.045753	0.045753	191.8035	9.647e-09	***
B	1	0.002628	0.002628	11.0175	0.006119	**
A:B	1	0.001128	0.001128	4.7293	0.050371	.
Block:A:B	3	0.005484	0.001828	7.6638	0.004007	**
C	1	0.003828	0.003828	16.0480	0.001743	**
D	1	0.000528	0.000528	2.2140	0.162566	.
C:D	1	0.000253	0.000253	1.0611	0.323272	.
A:C	1	0.000153	0.000153	0.6419	0.438593	.
A:D	1	0.000903	0.000903	3.7860	0.075482	.
B:C	1	0.000078	0.000078	0.3275	0.577693	.
B:D	1	0.000253	0.000253	1.0611	0.323272	.
A:B:C	1	0.001378	0.001378	5.7773	0.033299	*
A:B:D	1	0.000703	0.000703	2.9476	0.111680	.
A:C:D	1	0.000028	0.000028	0.1179	0.737260	.
B:C:D	1	0.000028	0.000028	0.1179	0.737260	.
A:B:C:D	1	0.000028	0.000028	0.1179	0.737260	.

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Block	1	0.000903	0.000903	3.7860	0.075482	.
A	1	0.045753	0.045753	191.8035	9.647e-09	***
B	1	0.002628	0.002628	11.0175	0.006119	**
A:B	1	0.001128	0.001128	4.7293	0.050371	.
Block:A:B	3	0.005484	0.001828	7.6638	0.004007	**
C	1	0.003828	0.003828	16.0480	0.001743	**
D	1	0.000528	0.000528	2.2140	0.162566	.
C:D	1	0.000253	0.000253	1.0611	0.323272	.
A:C	1	0.000153	0.000153	0.6419	0.438593	.
A:D	1	0.000903	0.000903	3.7860	0.075482	.
B:C	1	0.000078	0.000078	0.3275	0.577693	.
B:D	1	0.000253	0.000253	1.0611	0.323272	.
A:B:C	1	0.001378	0.001378	5.7773	0.033299	*
A:B:D	1	0.000703	0.000703	2.9476	0.111680	.
A:C:D	1	0.000028	0.000028	0.1179	0.737260	.
B:C:D	1	0.000028	0.000028	0.1179	0.737260	.
A:B:C:D	1	0.000028	0.000028	0.1179	0.737260	.

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Block	1	0.000903	0.000903	3.7860	0.075482	.
A	1	0.045753	0.045753	191.8035	9.647e-09	***
B	1	0.002628	0.002628	11.0175	0.006119	**
A:B	1	0.001128	0.001128	4.7293	0.050371	.

Block:A:B	3	0.005484	0.001828	7.6638	0.004007	**
C	1	0.003828	0.003828	16.0480	0.001743	**
D	1	0.000528	0.000528	2.2140	0.162566	
C:D	1	0.000253	0.000253	1.0611	0.323272	
A:C	1	0.000153	0.000153	0.6419	0.438593	
A:D	1	0.000903	0.000903	3.7860	0.075482	.
B:C	1	0.000078	0.000078	0.3275	0.577693	
B:D	1	0.000253	0.000253	1.0611	0.323272	
A:B:C	1	0.001378	0.001378	5.7773	0.033299	*
A:B:D	1	0.000703	0.000703	2.9476	0.111680	
A:C:D	1	0.000028	0.000028	0.1179	0.737260	
B:C:D	1	0.000028	0.000028	0.1179	0.737260	
A:B:C:D	1	0.000028	0.000028	0.1179	0.737260	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	1.98250	0.012210	162.3645	< 2.2e-16	***
Block1	-0.02500	0.010921	-2.2891	0.0409950	*
Block2	0.00000	0.000000			
A-1	0.02625	0.017268	1.5202	0.1543701	
A1	0.00000	0.000000			
B-1	-0.02125	0.017268	-1.2306	0.2420445	
B1	0.00000	0.000000			
A-1:B-1	0.08375	0.024420	3.4295	0.0049901	**
A-1:B1	0.00000	0.000000			
A1:B-1	0.00000	0.000000			
A1:B1	0.00000	0.000000			
Block1:A-1:B-1	0.05250	0.015445	3.3992	0.0052775	**
Block1:A-1:B1	0.06750	0.015445	4.3704	0.0009115	***
Block1:A1:B-1	0.02250	0.015445	1.4568	0.1708355	
Block1:A1:B1	0.00000	0.000000			
Block2:A-1:B-1	0.00000	0.000000			
Block2:A-1:B1	0.00000	0.000000			
Block2:A1:B-1	0.00000	0.000000			
Block2:A1:B1	0.00000	0.000000			
C-1	0.01000	0.015445	0.6475	0.5295218	
C1	0.00000	0.000000			
D-1	0.01500	0.015445	0.9712	0.3506179	
D1	0.00000	0.000000			
C-1:D-1	0.00000	0.021842	0.0000	1.0000000	
C-1:D1	0.00000	0.000000			
C1:D-1	0.00000	0.000000			
C1:D1	0.00000	0.000000			
A-1:C-1	0.01000	0.021842	0.4578	0.6552549	
A-1:C1	0.00000	0.000000			
A1:C-1	0.00000	0.000000			

A1:C1	0.00000	0.000000		
A-1:D-1	-0.01000	0.021842	-0.4578	0.6552549
A-1:D1	0.00000	0.000000		
A1:D-1	0.00000	0.000000		
A1:D1	0.00000	0.000000		
B-1:C-1	0.02500	0.021842	1.1446	0.2747035
B-1:C1	0.00000	0.000000		
B1:C-1	0.00000	0.000000		
B1:C1	0.00000	0.000000		
B-1:D-1	0.00000	0.021842	0.0000	1.0000000
B-1:D1	0.00000	0.000000		
B1:D-1	0.00000	0.000000		
B1:D1	0.00000	0.000000		
A-1:B-1:C-1	-0.04500	0.030890	-1.4568	0.1708355
A-1:B-1:C1	0.00000	0.000000		
A-1:B1:C-1	0.00000	0.000000		
A-1:B1:C1	0.00000	0.000000		
A1:B-1:C-1	0.00000	0.000000		
A1:B-1:C1	0.00000	0.000000		
A1:B1:C-1	0.00000	0.000000		
A1:B1:C1	0.00000	0.000000		
A-1:B-1:D-1	-0.03000	0.030890	-0.9712	0.3506179
A-1:B-1:D1	0.00000	0.000000		
A-1:B1:D-1	0.00000	0.000000		
A-1:B1:D1	0.00000	0.000000		
A1:B-1:D-1	0.00000	0.000000		
A1:B-1:D1	0.00000	0.000000		
A1:B1:D-1	0.00000	0.000000		
A1:B1:D1	0.00000	0.000000		
A-1:C-1:D-1	0.01500	0.030890	0.4856	0.6359959
A-1:C-1:D1	0.00000	0.000000		
A-1:C1:D-1	0.00000	0.000000		
A-1:C1:D1	0.00000	0.000000		
A1:C-1:D-1	0.00000	0.000000		
A1:C-1:D1	0.00000	0.000000		
A1:C1:D-1	0.00000	0.000000		
A1:C1:D1	0.00000	0.000000		
B-1:C-1:D-1	0.01500	0.030890	0.4856	0.6359959
B-1:C-1:D1	0.00000	0.000000		
B-1:C1:D-1	0.00000	0.000000		
B-1:C1:D1	0.00000	0.000000		
B1:C-1:D-1	0.00000	0.000000		
B1:C-1:D1	0.00000	0.000000		
B1:C1:D-1	0.00000	0.000000		
B1:C1:D1	0.00000	0.000000		
A-1:B-1:C-1:D-1	-0.01500	0.043684	-0.3434	0.7372599
A-1:B-1:C-1:D1	0.00000	0.000000		
A-1:B-1:C1:D-1	0.00000	0.000000		

```

A-1:B-1:C1:D1      0.00000  0.000000
A-1:B1:C-1:D-1    0.00000  0.000000
A-1:B1:C-1:D1     0.00000  0.000000
A-1:B1:C1:D-1     0.00000  0.000000
A-1:B1:C1:D1      0.00000  0.000000
A1:B-1:C-1:D-1    0.00000  0.000000
A1:B-1:C-1:D1     0.00000  0.000000
A1:B-1:C1:D-1     0.00000  0.000000
A1:B-1:C1:D1      0.00000  0.000000
A1:B1:C-1:D-1     0.00000  0.000000
A1:B1:C-1:D1      0.00000  0.000000
A1:B1:C1:D-1      0.00000  0.000000
A1:B1:C1:D1       0.00000  0.000000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.6.2 p320

(176) MODEL

```
GLM(y ~ A*B*C*D*E, plasma) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	31	6672.9	215.26		
RESIDUALS	0	0.0			
CORRECTED TOTAL	31	6672.9			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1118.65	1118.65		
B	1	142.81	142.81		
A:B	1	141.96	141.96		
C	1	91.80	91.80		
A:C	1	70.81	70.81		
B:C	1	5.78	5.78		
A:B:C	1	65.55	65.55		
D	1	1824.08	1824.08		
A:D	1	2194.53	2194.53		
B:D	1	87.78	87.78		
A:B:D	1	87.12	87.12		
C:D	1	22.45	22.45		
A:C:D	1	42.78	42.78		
B:C:D	1	12.25	12.25		
A:B:C:D	1	375.38	375.38		

E	1	78.75	78.75
A:E	1	278.48	278.48
B:E	1	0.72	0.72
A:B:E	1	0.10	0.10
C:E	1	0.15	0.15
A:C:E	1	0.24	0.24
B:C:E	1	6.48	6.48
A:B:C:E	1	1.53	1.53
D:E	1	8.40	8.40
A:D:E	1	5.28	5.28
B:D:E	1	0.28	0.28
A:B:D:E	1	0.60	0.60
C:D:E	1	0.85	0.85
A:C:D:E	1	0.55	0.55
B:C:D:E	1	6.30	6.30
A:B:C:D:E	1	0.50	0.50

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1118.65	1118.65		
B	1	142.81	142.81		
A:B	1	141.96	141.96		
C	1	91.80	91.80		
A:C	1	70.81	70.81		
B:C	1	5.78	5.78		
A:B:C	1	65.55	65.55		
D	1	1824.08	1824.08		
A:D	1	2194.53	2194.53		
B:D	1	87.78	87.78		
A:B:D	1	87.12	87.12		
C:D	1	22.45	22.45		
A:C:D	1	42.78	42.78		
B:C:D	1	12.25	12.25		
A:B:C:D	1	375.38	375.38		
E	1	78.75	78.75		
A:E	1	278.48	278.48		
B:E	1	0.72	0.72		
A:B:E	1	0.10	0.10		
C:E	1	0.15	0.15		
A:C:E	1	0.24	0.24		
B:C:E	1	6.48	6.48		
A:B:C:E	1	1.53	1.53		
D:E	1	8.40	8.40		
A:D:E	1	5.28	5.28		
B:D:E	1	0.28	0.28		
A:B:D:E	1	0.60	0.60		
C:D:E	1	0.85	0.85		
A:C:D:E	1	0.55	0.55		

```

B:C:D:E 1 6.30 6.30
A:B:C:D:E 1 0.50 0.50

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1118.64	1118.64		
B	1	142.80	142.80		
A:B	1	141.96	141.96		
C	1	91.80	91.80		
A:C	1	70.81	70.81		
B:C	1	5.78	5.78		
A:B:C	1	65.55	65.55		
D	1	1824.08	1824.08		
A:D	1	2194.53	2194.53		
B:D	1	87.78	87.78		
A:B:D	1	87.12	87.12		
C:D	1	22.45	22.45		
A:C:D	1	42.78	42.78		
B:C:D	1	12.25	12.25		
A:B:C:D	1	375.38	375.38		
E	1	78.75	78.75		
A:E	1	278.48	278.48		
B:E	1	0.72	0.72		
A:B:E	1	0.10	0.10		
C:E	1	0.15	0.15		
A:C:E	1	0.24	0.24		
B:C:E	1	6.48	6.48		
A:B:C:E	1	1.53	1.53		
D:E	1	8.40	8.40		
A:D:E	1	5.28	5.28		
B:D:E	1	0.28	0.28		
A:B:D:E	1	0.60	0.60		
C:D:E	1	0.85	0.85		
A:C:D:E	1	0.55	0.55		
B:C:D:E	1	6.30	6.30		
A:B:C:D:E	1	0.50	0.50		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	48.2			
A-	-24.3			
A+	0.0			
B-	-5.0			
B+	0.0			
A-:B-	4.8			
A-:B+	0.0			
A+:B-	0.0			
A+:B+	0.0			

C-	-10.4
C+	0.0
A-:C-	19.5
A-:C+	0.0
A+:C-	0.0
A+:C+	0.0
B-:C-	23.4
B-:C+	0.0
B+:C-	0.0
B+:C+	0.0
A-:B-:C-	-38.1
A-:B-:C+	0.0
A-:B+:C-	0.0
A-:B+:C+	0.0
A+:B-:C-	0.0
A+:B-:C+	0.0
A+:B+:C-	0.0
A+:B+:C+	0.0
D-	-3.8
D+	0.0
A-:D-	34.5
A-:D+	0.0
A+:D-	0.0
A+:D+	0.0
B-:D-	5.4
B-:D+	0.0
B+:D-	0.0
B+:D+	0.0
A-:B-:D-	-16.3
A-:B-:D+	0.0
A-:B+:D-	0.0
A-:B+:D+	0.0
A+:B-:D-	0.0
A+:B-:D+	0.0
A+:B+:D-	0.0
A+:B+:D+	0.0
C-:D-	17.3
C-:D+	0.0
C+:D-	0.0
C+:D+	0.0
A-:C-:D-	-18.1
A-:C-:D+	0.0
A-:C+:D-	0.0
A-:C+:D+	0.0
A+:C-:D-	0.0
A+:C-:D+	0.0
A+:C+:D-	0.0
A+:C+:D+	0.0

B-:C-:D-	-36.9
B-:C-:D+	0.0
B-:C+:D-	0.0
B-:C+:D+	0.0
B+:C-:D-	0.0
B+:C-:D+	0.0
B+:C+:D-	0.0
B+:C+:D+	0.0
A-:B-:C-:D-	56.8
A-:B-:C-:D+	0.0
A-:B-:C+:D-	0.0
A-:B-:C+:D+	0.0
A-:B+:C-:D-	0.0
A-:B+:C-:D+	0.0
A-:B+:C+:D-	0.0
A-:B+:C+:D+	0.0
A+:B-:C-:D-	0.0
A+:B-:C-:D+	0.0
A+:B-:C+:D-	0.0
A+:B-:C+:D+	0.0
A+:B+:C-:D-	0.0
A+:B+:C-:D+	0.0
A+:B+:C+:D-	0.0
A+:B+:C+:D+	0.0
E-	1.3
E+	0.0
A-:E-	-13.9
A-:E+	0.0
A+:E-	0.0
A+:E+	0.0
B-:E-	3.0
B-:E+	0.0
B+:E-	0.0
B+:E+	0.0
A-:B-:E-	-0.8
A-:B-:E+	0.0
A-:B+:E-	0.0
A-:B+:E+	0.0
A+:B-:E-	0.0
A+:B-:E+	0.0
A+:B+:E-	0.0
A+:B+:E+	0.0
C-:E-	2.7
C-:E+	0.0
C+:E-	0.0
C+:E+	0.0
A-:C-:E-	2.5
A-:C-:E+	0.0

A-:C+:E-	0.0
A-:C+:E+	0.0
A+:C-:E-	0.0
A+:C-:E+	0.0
A+:C+:E-	0.0
A+:C+:E+	0.0
B-:C-:E-	-6.4
B-:C-:E+	0.0
B-:C+:E-	0.0
B-:C+:E+	0.0
B+:C-:E-	0.0
B+:C-:E+	0.0
B+:C+:E-	0.0
B+:C+:E+	0.0
A-:B-:C-:E-	-1.5
A-:B-:C-:E+	0.0
A-:B-:C+:E-	0.0
A-:B-:C+:E+	0.0
A-:B+:C-:E-	0.0
A-:B+:C-:E+	0.0
A-:B+:C+:E-	0.0
A-:B+:C+:E+	0.0
A+:B-:C-:E-	0.0
A+:B-:C-:E+	0.0
A+:B-:C+:E-	0.0
A+:B-:C+:E+	0.0
A+:B+:C-:E-	0.0
A+:B+:C-:E+	0.0
A+:B+:C+:E-	0.0
A+:B+:C+:E+	0.0
D-:E-	3.0
D-:E+	0.0
D+:E-	0.0
D+:E+	0.0
A-:D-:E-	2.2
A-:D-:E+	0.0
A-:D+:E-	0.0
A-:D+:E+	0.0
A+:D-:E-	0.0
A+:D-:E+	0.0
A+:D+:E-	0.0
A+:D+:E+	0.0
B-:D-:E-	-4.9
B-:D-:E+	0.0
B-:D+:E-	0.0
B-:D+:E+	0.0
B+:D-:E-	0.0
B+:D-:E+	0.0

B+:D+:E-	0.0
B+:D+:E+	0.0
A-:B-:D-:E-	4.2
A-:B-:D-:E+	0.0
A-:B-:D+:E-	0.0
A-:B-:D+:E+	0.0
A-:B+:D-:E-	0.0
A-:B+:D-:E+	0.0
A-:B+:D+:E-	0.0
A-:B+:D+:E+	0.0
A+:B-:D-:E-	0.0
A+:B-:D-:E+	0.0
A+:B-:D+:E-	0.0
A+:B-:D+:E+	0.0
A+:B+:D-:E-	0.0
A+:B+:D-:E+	0.0
A+:B+:D+:E-	0.0
A+:B+:D+:E+	0.0
C-:D-:E-	-4.8
C-:D-:E+	0.0
C-:D+:E-	0.0
C-:D+:E+	0.0
C+:D-:E-	0.0
C+:D-:E+	0.0
C+:D+:E-	0.0
C+:D+:E+	0.0
A-:C-:D-:E-	-0.1
A-:C-:D-:E+	0.0
A-:C-:D+:E-	0.0
A-:C-:D+:E+	0.0
A-:C+:D-:E-	0.0
A-:C+:D-:E+	0.0
A-:C+:D+:E-	0.0
A-:C+:D+:E+	0.0
A+:C-:D-:E-	0.0
A+:C-:D-:E+	0.0
A+:C-:D+:E-	0.0
A+:C-:D+:E+	0.0
A+:C+:D-:E-	0.0
A+:C+:D-:E+	0.0
A+:C+:D+:E-	0.0
A+:C+:D+:E+	0.0
B-:C-:D-:E-	9.1
B-:C-:D-:E+	0.0
B-:C-:D+:E-	0.0
B-:C-:D+:E+	0.0
B-:C+:D-:E-	0.0
B-:C+:D-:E+	0.0

B-:C+:D+:E-	0.0
B-:C+:D+:E+	0.0
B+:C-:D-:E-	0.0
B+:C-:D-:E+	0.0
B+:C-:D+:E-	0.0
B+:C-:D+:E+	0.0
B+:C+:D-:E-	0.0
B+:C+:D-:E+	0.0
B+:C+:D+:E-	0.0
B+:C+:D+:E+	0.0
A-:B-:C-:D-:E-	-4.0
A-:B-:C-:D-:E+	0.0
A-:B-:C-:D+:E-	0.0
A-:B-:C-:D+:E+	0.0
A-:B-:C+:D-:E-	0.0
A-:B-:C+:D-:E+	0.0
A-:B-:C+:D+:E-	0.0
A-:B-:C+:D+:E+	0.0
A-:B+:C-:D-:E-	0.0
A-:B+:C-:D-:E+	0.0
A-:B+:C-:D+:E-	0.0
A-:B+:C-:D+:E+	0.0
A-:B+:C+:D-:E-	0.0
A-:B+:C+:D-:E+	0.0
A-:B+:C+:D+:E-	0.0
A-:B+:C+:D+:E+	0.0
A+:B-:C-:D-:E-	0.0
A+:B-:C-:D-:E+	0.0
A+:B-:C-:D+:E-	0.0
A+:B-:C-:D+:E+	0.0
A+:B-:C+:D-:E-	0.0
A+:B-:C+:D-:E+	0.0
A+:B-:C+:D+:E-	0.0
A+:B-:C+:D+:E+	0.0
A+:B+:C-:D-:E-	0.0
A+:B+:C-:D-:E+	0.0
A+:B+:C-:D+:E-	0.0
A+:B+:C-:D+:E+	0.0
A+:B+:C+:D-:E-	0.0
A+:B+:C+:D-:E+	0.0
A+:B+:C+:D+:E-	0.0
A+:B+:C+:D+:E+	0.0

10.6.3 p335

(177) MODEL

```

gear$A = as.numeric(as.character(gear$A))
gear$B = as.numeric(as.character(gear$B))
gear$C = as.numeric(as.character(gear$C))
gear$P = as.numeric(as.character(gear$P))
gear$Q = as.numeric(as.character(gear$Q))
REG(y ~ A*B*C + P + Q + A:P + A:Q + B:P + B:Q + C:P + C:Q, gear) # OK

```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	15.4062			
A	-4.9062			
B	-0.1562			
A:B	0.5312			
C	3.9688			
A:C	2.9062			
B:C	0.4062			
A:B:C	0.5938			
P	-2.3438			
Q	-3.4062			
A:P	-0.9062			
A:Q	-0.3438			
B:P	1.0938			
B:Q	0.1562			
C:P	-0.2812			
C:Q	0.7812			

10.7 Chapter 9

10.7.1 p349

(178) MODEL

```
GLM(pl ~ Subject + Period + Treat, antifungal) # OK
```

\$ANOVA

Response : pl

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	18	118.558	6.5866	1.4435	0.2388
RESIDUALS	15	68.444	4.5630		
CORRECTED TOTAL	33	187.002			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Subject	16	114.642	7.1651	1.5703	0.1942
Period	1	0.922	0.9224	0.2021	0.6594
Treat	1	2.993	2.9932	0.6560	0.4306

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Subject	16	114.642	7.1651	1.5703	0.1942
Period	1	0.734	0.7344	0.1609	0.6939
Treat	1	2.993	2.9932	0.6560	0.4306

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Subject	16	114.642	7.1651	1.5703	0.1942
Period	1	0.734	0.7344	0.1609	0.6939
Treat	1	2.993	2.9932	0.6560	0.4306

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	14.2500	1.60208	8.8947	2.28e-07	***
Subject1	-2.8000	2.13611	-1.3108	0.20964	
Subject10	0.8500	2.13611	0.3979	0.69630	
Subject11	-1.2000	2.13611	-0.5618	0.58257	
Subject12	-1.8500	2.13611	-0.8661	0.40010	
Subject13	-5.3000	2.13611	-2.4811	0.02543	*
Subject14	-1.1000	2.13611	-0.5150	0.61409	
Subject15	-1.0000	2.13611	-0.4681	0.64641	
Subject16	-1.9000	2.13611	-0.8895	0.38779	
Subject17	-2.3500	2.13611	-1.1001	0.28862	
Subject2	-3.9000	2.13611	-1.8257	0.08786	.
Subject3	0.4000	2.13611	0.1873	0.85397	
Subject4	-1.9000	2.13611	-0.8895	0.38779	
Subject5	0.4500	2.13611	0.2107	0.83598	
Subject6	2.9000	2.13611	1.3576	0.19466	
Subject7	-0.9000	2.13611	-0.4213	0.67949	
Subject8	-1.5000	2.13611	-0.7022	0.49330	
Subject9	0.0000	0.00000			
Period1	-0.2944	0.73395	-0.4012	0.69395	
Period2	0.0000	0.00000			
TreatA	0.5944	0.73395	0.8099	0.43065	
TreatB	0.0000	0.00000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.7.2 p355

(179) MODEL

```
GLM(y ~ Group + Subject:Group + Period + Treat + Carry, bioequiv) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	39	417852	10714.1	20.367	< 2.2e-16 ***
RESIDUALS	68	35772	526.1		
CORRECTED TOTAL	107	453624			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Group	1	43335	43335	82.3763	2.46e-13 ***
Group:Subject	34	370970	10911	20.7406	< 2.2e-16 ***
Period	2	287	143	0.2723	0.7624
Treat	1	2209	2209	4.1993	0.0443 *
Carry	1	1051	1051	1.9970	0.1622

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Group	1	32616	32616	61.9998	3.712e-11 ***
Group:Subject	34	370970	10911	20.7406	< 2.2e-16 ***
Period	1	38	38	0.0724	0.7888
Treat	1	2209	2209	4.1993	0.0443 *
Carry	1	1051	1051	1.9970	0.1622

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Group	1	32616	32616	61.9998	3.712e-11 ***
Group:Subject	34	370970	10911	20.7406	< 2.2e-16 ***
Period	1	38	38	0.0724	0.7888
Treat	1	2209	2209	4.1993	0.0443 *
Carry	1	1051	1051	1.9970	0.1622

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	73.354	14.2178	5.1593	2.328e-06 ***
Group1	-33.108	18.7922	-1.7618	0.0825981 .
Group2	0.000	0.0000		
Group1:Subject1	0.000	0.0000		
Group1:Subject10	21.583	18.7273	1.1525	0.2531475
Group1:Subject11	0.000	0.0000		
Group1:Subject12	6.513	18.7273	0.3478	0.7290650

Group1:Subject120	0.000	0.0000				
Group1:Subject122	0.000	0.0000				
Group1:Subject129	295.857	18.7273	15.7982	< 2.2e-16	***	
Group1:Subject13	51.330	18.7273	2.7409	0.0078203	**	
Group1:Subject14	81.637	18.7273	4.3592	4.525e-05	***	
Group1:Subject15	0.000	0.0000				
Group1:Subject16	0.000	0.0000				
Group1:Subject17	0.000	0.0000				
Group1:Subject18	39.050	18.7273	2.0852	0.0408080	*	
Group1:Subject19	128.193	18.7273	6.8453	2.692e-09	***	
Group1:Subject2	68.827	18.7273	3.6752	0.0004699	***	
Group1:Subject21	99.603	18.7273	5.3186	1.259e-06	***	
Group1:Subject23	13.113	18.7273	0.7002	0.4861744		
Group1:Subject24	0.000	0.0000				
Group1:Subject25	0.000	0.0000				
Group1:Subject26	120.237	18.7273	6.4204	1.544e-08	***	
Group1:Subject27	0.000	0.0000				
Group1:Subject28	71.333	18.7273	3.8091	0.0003023	***	
Group1:Subject3	118.143	18.7273	6.3086	2.437e-08	***	
Group1:Subject30	0.000	0.0000				
Group1:Subject31	64.077	18.7273	3.4216	0.0010576	**	
Group1:Subject32	0.000	0.0000				
Group1:Subject33	0.000	0.0000				
Group1:Subject34	87.123	18.7273	4.6522	1.566e-05	***	
Group1:Subject35	0.000	0.0000				
Group1:Subject36	59.030	18.7273	3.1521	0.0024117	**	
Group1:Subject4	0.000	0.0000				
Group1:Subject5	0.000	0.0000				
Group1:Subject6	255.517	18.7273	13.6441	< 2.2e-16	***	
Group1:Subject7	0.000	0.0000				
Group1:Subject8	0.000	0.0000				
Group1:Subject9	0.000	0.0000				
Group2:Subject1	-25.410	18.7273	-1.3568	0.1793175		
Group2:Subject10	0.000	0.0000				
Group2:Subject11	89.713	18.7273	4.7905	9.386e-06	***	
Group2:Subject12	0.000	0.0000				
Group2:Subject120	-1.477	18.7273	-0.0789	0.9373826		
Group2:Subject122	-13.143	18.7273	-0.7018	0.4851810		
Group2:Subject129	0.000	0.0000				
Group2:Subject13	0.000	0.0000				
Group2:Subject14	0.000	0.0000				
Group2:Subject15	-14.143	18.7273	-0.7552	0.4527207		
Group2:Subject16	33.980	18.7273	1.8145	0.0740168	.	
Group2:Subject17	-8.603	18.7273	-0.4594	0.6474110		
Group2:Subject18	0.000	0.0000				
Group2:Subject19	0.000	0.0000				
Group2:Subject2	0.000	0.0000				
Group2:Subject21	0.000	0.0000				

Group2:Subject23	0.000	0.0000			
Group2:Subject24	12.570	18.7273	0.6712	0.5043579	
Group2:Subject25	24.550	18.7273	1.3109	0.1942936	
Group2:Subject26	0.000	0.0000			
Group2:Subject27	16.420	18.7273	0.8768	0.3836841	
Group2:Subject28	0.000	0.0000			
Group2:Subject3	0.000	0.0000			
Group2:Subject30	-10.803	18.7273	-0.5769	0.5659271	
Group2:Subject31	0.000	0.0000			
Group2:Subject32	45.127	18.7273	2.4097	0.0186785	*
Group2:Subject33	26.007	18.7273	1.3887	0.1694539	
Group2:Subject34	0.000	0.0000			
Group2:Subject35	1.150	18.7273	0.0614	0.9512146	
Group2:Subject36	0.000	0.0000			
Group2:Subject4	83.883	18.7273	4.4792	2.941e-05	***
Group2:Subject5	54.280	18.7273	2.8984	0.0050436	**
Group2:Subject6	0.000	0.0000			
Group2:Subject7	7.560	18.7273	0.4037	0.6877076	
Group2:Subject8	0.000	0.0000			
Group2:Subject9	0.000	0.0000			
Period1	-1.329	6.0442	-0.2199	0.8265839	
Period2	-1.454	5.4061	-0.2690	0.7887545	
Period3	0.000	0.0000			
TreatA	-9.594	4.6818	-2.0492	0.0443021	*
TreatB	0.000	0.0000			
CarryA	-7.640	5.4061	-1.4132	0.1621674	
CarryB	0.000	0.0000			
Carrynone	0.000	0.0000			

 Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(180) MODEL

```
GLM(y ~ Subject + Period + Treat + Carry, bioequiv) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	39	417852	10714.1	20.367	< 2.2e-16 ***
RESIDUALS	68	35772	526.1		
CORRECTED TOTAL	107	453624			

 Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Subject	35	414306	11837.3	22.5016	<2e-16 ***

Period	2	287	143.3	0.2723	0.7624
Treat	1	2209	2209.1	4.1993	0.0443 *
Carry	1	1051	1050.6	1.9970	0.1622

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Subject	35	403586	11531.0	21.9194	<2e-16 ***
Period	1	38	38.1	0.0724	0.7888
Treat	1	2209	2209.1	4.1993	0.0443 *
Carry	1	1051	1050.6	1.9970	0.1622

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Subject	35	403586	11531.0	21.9194	<2e-16 ***
Period	1	38	38.1	0.0724	0.7888
Treat	1	2209	2209.1	4.1993	0.0443 *
Carry	1	1051	1050.6	1.9970	0.1622

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	73.354	14.2178	5.1593	2.328e-06 ***
Subject1	-25.410	18.7273	-1.3568	0.1793175
Subject10	-11.525	18.7922	-0.6133	0.5417437
Subject11	89.713	18.7273	4.7905	9.386e-06 ***
Subject12	-26.595	18.7922	-1.4152	0.1615734
Subject120	-1.477	18.7273	-0.0789	0.9373826
Subject122	-13.143	18.7273	-0.7018	0.4851810
Subject129	262.749	18.7922	13.9818	< 2.2e-16 ***
Subject13	18.222	18.7922	0.9697	0.3356530
Subject14	48.529	18.7922	2.5824	0.0119693 *
Subject15	-14.143	18.7273	-0.7552	0.4527207
Subject16	33.980	18.7273	1.8145	0.0740168 .
Subject17	-8.603	18.7273	-0.4594	0.6474110
Subject18	5.942	18.7922	0.3162	0.7528230
Subject19	95.085	18.7922	5.0598	3.404e-06 ***
Subject2	35.719	18.7922	1.9007	0.0615781 .
Subject21	66.495	18.7922	3.5385	0.0007307 ***
Subject23	-19.995	18.7922	-1.0640	0.2910971
Subject24	12.570	18.7273	0.6712	0.5043579
Subject25	24.550	18.7273	1.3109	0.1942936
Subject26	87.129	18.7922	4.6364	1.659e-05 ***

Subject27	16.420	18.7273	0.8768	0.3836841	
Subject28	38.225	18.7922	2.0341	0.0458438	*
Subject3	85.035	18.7922	4.5250	2.492e-05	***
Subject30	-10.803	18.7273	-0.5769	0.5659271	
Subject31	30.969	18.7922	1.6480	0.1039753	
Subject32	45.127	18.7273	2.4097	0.0186785	*
Subject33	26.007	18.7273	1.3887	0.1694539	
Subject34	54.015	18.7922	2.8744	0.0053990	**
Subject35	1.150	18.7273	0.0614	0.9512146	
Subject36	25.922	18.7922	1.3794	0.1722900	
Subject4	83.883	18.7273	4.4792	2.941e-05	***
Subject5	54.280	18.7273	2.8984	0.0050436	**
Subject6	222.409	18.7922	11.8352	< 2.2e-16	***
Subject7	7.560	18.7273	0.4037	0.6877076	
Subject8	-33.108	18.7922	-1.7618	0.0825981	.
Subject9	0.000	0.0000			
Period1	-1.329	6.0442	-0.2199	0.8265839	
Period2	-1.454	5.4061	-0.2690	0.7887545	
Period3	0.000	0.0000			
TreatA	-9.594	4.6818	-2.0492	0.0443021	*
TreatB	0.000	0.0000			
CarryA	-7.640	5.4061	-1.4132	0.1621674	
CarryB	0.000	0.0000			
Carrynone	0.000	0.0000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.7.3 p361

(181) MODEL

GLM(Time ~ Subject + Period + Treat + Carry, chipman) # OK

\$ANOVA

Response : Time

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	17	28.0757	1.65151	64.421	1.139e-12 ***
RESIDUALS	18	0.4615	0.02564		
CORRECTED TOTAL	35	28.5372			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Subject	11	24.2084	2.20076	85.8462	3.157e-13 ***
Period	2	3.2065	1.60325	62.5388	7.894e-09 ***

```

Treat    2  0.4276 0.21382  8.3406  0.002733 **
Carry    2  0.2332 0.11660  4.5484  0.025188 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

```

      Df Sum Sq Mean Sq F value    Pr(>F)
Subject 11 24.2547  2.20497 86.0105 3.104e-13 ***
Period  1  0.0018  0.00184  0.0717 0.7919554
Treat    2  0.6392  0.31958 12.4661 0.0004003 ***
Carry    2  0.2332  0.11660  4.5484 0.0251881 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

CAUTION: Singularity Exists !

```

      Df Sum Sq Mean Sq F value    Pr(>F)
Subject 11 24.2547  2.20497 86.0105 3.104e-13 ***
Period  1  0.0018  0.00184  0.0717 0.7919554
Treat    2  0.6392  0.31958 12.4661 0.0004003 ***
Carry    2  0.2332  0.11660  4.5484 0.0251881 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

      Estimate Std. Error t value Pr(>|t|)
(Intercept)  5.6937    0.126580 44.9813 < 2.2e-16 ***
Subject1     -0.3733    0.130732 -2.8557 0.0105016 *
Subject10     1.6733    0.130732 12.7998 1.774e-10 ***
Subject11     0.3413    0.134755  2.5324 0.0208536 *
Subject12     1.5446    0.134755 11.4622 1.052e-09 ***
Subject2      0.0533    0.130732  0.4080 0.6881142
Subject3      1.9646    0.134755 14.5789 2.074e-11 ***
Subject4      0.3746    0.134755  2.7797 0.0123616 *
Subject5      1.9067    0.134755 14.1491 3.411e-11 ***
Subject6      1.2400    0.134755  9.2019 3.162e-08 ***
Subject7     -0.1500    0.134755 -1.1131 0.2802970
Subject8      0.1700    0.134755  1.2615 0.2232156
Subject9      0.0000    0.000000
Period1       0.4550    0.086471  5.2619 5.286e-05 ***
Period2     -0.0175    0.065366 -0.2677 0.7919554
Period3       0.0000    0.000000
Treat1       -0.2654    0.073081 -3.6318 0.0019073 **
Treat2       -0.3496    0.073081 -4.7835 0.0001487 ***
Treat3        0.0000    0.000000
Carry0        0.0000    0.000000
Carry1       -0.2337    0.098049 -2.3840 0.0283404 *
Carry2       -0.2737    0.098049 -2.7920 0.0120418 *

```

Carry3 0.0000 0.000000

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.7.4 p372

(182) MODEL

```
residue$lc1 = log(residue$X1)
residue$lc2 = log(residue$X2)
residue$lc3 = log(residue$X3)
residue$lc4 = log(residue$X4)
residue$lc5 = log(residue$X5)
residue$sp = 7*residue$lc2+ 14*residue$lc3 + 30*residue$lc4 + 60*residue$lc5
residue$sm = residue$lc1 + residue$lc2+ residue$lc3 + residue$lc4 + residue$lc5
residue$num = 5*residue$sp - 111*residue$sm
residue$den = 5*4745 - 111^2
residue$k = residue$num/residue$den
residue$HL = -log(2)/residue$k
residue$logHL = log(residue$HL)
GLM(logHL ~ temp*moisture*soil, residue) # OK
```

\$ANOVA

Response : logHL

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	7.5133	1.07332	13.543	0.0007329 ***
RESIDUALS	8	0.6340	0.07925		
CORRECTED TOTAL	15	8.1473			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
temp	1	6.0503	6.0503	76.3427	2.303e-05 ***
moisture	1	0.9521	0.9521	12.0134	0.008492 **
temp:moisture	1	0.0013	0.0013	0.0162	0.901779
soil	1	0.4098	0.4098	5.1712	0.052559 .
temp:soil	1	0.0086	0.0086	0.1081	0.750753
moisture:soil	1	0.0860	0.0860	1.0855	0.327921
temp:moisture:soil	1	0.0051	0.0051	0.0648	0.805427

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
temp	1	6.0503	6.0503	76.3427	2.303e-05 ***

moisture	1	0.9521	0.9521	12.0134	0.008492	**
temp:moisture	1	0.0013	0.0013	0.0162	0.901779	
soil	1	0.4098	0.4098	5.1712	0.052559	.
temp:soil	1	0.0086	0.0086	0.1081	0.750753	
moisture:soil	1	0.0860	0.0860	1.0855	0.327921	
temp:moisture:soil	1	0.0051	0.0051	0.0648	0.805427	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
temp	1	6.0503	6.0503	76.3427	2.303e-05	***
moisture	1	0.9521	0.9521	12.0134	0.008492	**
temp:moisture	1	0.0013	0.0013	0.0162	0.901779	
soil	1	0.4098	0.4098	5.1712	0.052559	.
temp:soil	1	0.0086	0.0086	0.1081	0.750753	
moisture:soil	1	0.0860	0.0860	1.0855	0.327921	
temp:moisture:soil	1	0.0051	0.0051	0.0648	0.805427	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	4.2566	0.19906	21.3832	2.407e-08	***
temp10	1.2582	0.28152	4.4695	0.002085	**
temp30	0.0000	0.00000			
moistureH	-0.3591	0.28152	-1.2757	0.237854	
moistureL	0.0000	0.00000			
temp10:moistureH	0.0358	0.39813	0.0900	0.930514	
temp10:moistureL	0.0000	0.00000			
temp30:moistureH	0.0000	0.00000			
temp30:moistureL	0.0000	0.00000			
soilC	0.4772	0.28152	1.6950	0.128514	
soilP	0.0000	0.00000			
temp10:soilC	-0.0209	0.39813	-0.0524	0.959466	
temp10:soilP	0.0000	0.00000			
temp30:soilC	0.0000	0.00000			
temp30:soilP	0.0000	0.00000			
moistureH:soilC	-0.2216	0.39813	-0.5567	0.592977	
moistureH:soilP	0.0000	0.00000			
moistureL:soilC	0.0000	0.00000			
moistureL:soilP	0.0000	0.00000			
temp10:moistureH:soilC	-0.1434	0.56303	-0.2546	0.805427	
temp10:moistureH:soilP	0.0000	0.00000			
temp10:moistureL:soilC	0.0000	0.00000			
temp10:moistureL:soilP	0.0000	0.00000			
temp30:moistureH:soilC	0.0000	0.00000			
temp30:moistureH:soilP	0.0000	0.00000			

```
temp30:moistureL:soilC 0.0000 0.00000
temp30:moistureL:soilP 0.0000 0.00000
```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.8 Chapter 11

10.8.1 p461

(183) MODEL

```
GLM(y ~ x1 + x2 + x1:x2 + x1:x3 + x2:x3, pest) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	5	275.642	55.128	160.38	4.631e-07 ***
RESIDUALS	7	2.406	0.344		
CORRECTED TOTAL	12	278.048			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
x1	1	83.402	83.402	242.6351	1.086e-06 ***
x2	1	161.734	161.734	470.5191	1.116e-07 ***
x1:x2	1	0.246	0.246	0.7169	0.4251627
x1:x3	1	15.663	15.663	45.5660	0.0002649 ***
x2:x3	1	14.596	14.596	42.4614	0.0003291 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
x1	1	215.951	215.951	628.246	4.105e-08 ***
x2	1	175.256	175.256	509.855	8.458e-08 ***
x1:x2	1	0.025	0.025	0.072	0.7961658
x1:x3	1	14.539	14.539	42.298	0.0003330 ***
x2:x3	1	14.596	14.596	42.461	0.0003291 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
x1	1	178.372	178.372	518.922	7.958e-08 ***
x2	1	145.518	145.518	423.341	1.608e-07 ***

```

x1:x2 1 0.025 0.025 0.072 0.7961658
x1:x3 1 14.539 14.539 42.298 0.0003330 ***
x2:x3 1 14.596 14.596 42.461 0.0003291 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error t value Pr(>|t|)
(Intercept)  65.375     0.52373 124.8256 5.587e-13 ***
x1            -16.482     0.72352 -22.7799 7.958e-08 ***
x2            -14.992     0.72864 -20.5752 1.608e-07 ***
x1:x2         -0.665     2.47759  -0.2684 0.7961658
x1:x3        -16.113     2.47759  -6.5037 0.0003330 ***
x2:x3        -16.919     2.59646  -6.5162 0.0003291 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

10.8.2 p469

(184) MODEL

```
GLM(y ~ x1 + x2 + x1:x2 + x1:x3 + x2:x3 + x1:x2:x3, polvdat) # OK
```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      6 12.5313 2.08854  37.056 0.0005473 ***
RESIDUALS  5  0.2818 0.05636
CORRECTED TOTAL 11 12.8131
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
x1      1 5.4668  5.4668 96.9942 0.0001839 ***
x2      1 0.3660  0.3660  6.4944 0.0513654 .
x1:x2   1 4.6897  4.6897 83.2068 0.0002652 ***
x1:x3   1 1.2450  1.2450 22.0887 0.0053378 **
x2:x3   1 0.4707  0.4707  8.3509 0.0341949 *
x1:x2:x3 1 0.2931  0.2931  5.2004 0.0714991 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
x1      1 0.0184  0.0184  0.3265 0.5924707

```

```

x2          1 0.2419  0.2419  4.2911 0.0930613 .
x1:x2       1 3.8824  3.8824 68.8834 0.0004147 ***
x1:x3       1 1.4383  1.4383 25.5196 0.0039276 **
x2:x3       1 0.4707  0.4707  8.3509 0.0341949 *
x1:x2:x3    1 0.2931  0.2931  5.2004 0.0714991 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

```

      Df  Sum Sq Mean Sq F value Pr(>F)
x1      1 0.25744 0.25744  4.5677 0.08562 .
x2      1 0.12956 0.12956  2.2987 0.18992
x1:x2   1 0.65909 0.65909 11.6939 0.01885 *
x1:x3   1 0.26323 0.26323  4.6704 0.08307 .
x2:x3   1 0.12999 0.12999  2.3063 0.18931
x1:x2:x3 1 0.29310 0.29310  5.2004 0.07150 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

```

      Estimate Std. Error t value Pr(>|t|)
(Intercept)  1.2367      1.6150  0.7657 0.47840
x1            3.1892      1.4922  2.1372 0.08562 .
x2            2.2814      1.5047  1.5162 0.18992
x1:x2         6.9004      2.0179  3.4196 0.01885 *
x1:x3         8.9528      4.1427  2.1611 0.08307 .
x2:x3         5.3135      3.4988  1.5187 0.18931
x1:x2:x3     25.5460     11.2023  2.2804 0.07150 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

10.8.3 p482

(185) MODEL

```

REG(y ~ x1 + x2 + x3 + x1:x2 + x1:x3 + x2:x3 + x1:z1 + x2:z1 + x3:z1 +
      x1:x2:z1 + x1:x3:z1 + x2:x3:z1 + x1:z2 + x2:z2 + x3:z2 +
      x1:x2:z2 + x1:x3:z2 + x2:x3:z2 + x1:z1:z2 + x2:z1:z2 + x3:z1:z2 +
      x1:x2:z1:z2 + x1:x3:z1:z2 + x2:x3:z1:z2, MPV, NOINT=TRUE) # OK

```

```

      Estimate Std. Error t value Pr(>|t|)
x1      346948    294197  1.1793 0.2631550
x2       8223      490 16.7869 3.467e-09 ***
x3       1656      459  3.6104 0.0040950 **
x1:x2   -414463   312262 -1.3273 0.2113017
x1:x3   -334747   311426 -1.0749 0.3054382

```

```

x2:x3          -6476          1199 -5.4032 0.0002156 ***
x1:z1          103044         328922  0.3133 0.7599297
x2:z1          -2241           548 -4.0924 0.0017824 **
x3:z1           823           513  1.6056 0.1366709
x1:x2:z1       -64013         349120 -0.1834 0.8578546
x1:x3:z1       -123730        348184 -0.3554 0.7290412
x2:x3:z1        4659          1340  3.4765 0.0051806 **
x1:z2          244320         328922  0.7428 0.4731733
x2:z2           886           548  1.6187 0.1338108
x3:z2           86           513  0.1670 0.8704301
x1:x2:z2       -266052        349120 -0.7621 0.4620497
x1:x3:z2       -253151        348184 -0.7271 0.4823761
x2:x3:z2       -1822          1340 -1.3593 0.2012686
x1:z1:z2       259038         328922  0.7875 0.4476062
x2:z1:z2       -137           548 -0.2500 0.8071853
x3:z1:z2        100           513  0.1955 0.8485983
x1:x2:z1:z2   -269527        349120 -0.7720 0.4563702
x1:x3:z1:z2   -269249        348184 -0.7733 0.4556454
x2:x3:z1:z2   -328           1340 -0.2448 0.8111141

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.9 Chapter 12

10.9.1 p513

(186) MODEL

```
GLM(ybar ~ A + B + C + D + E + F + G, tile) # OK
```

\$ANOVA

Response : ybar

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	0.68737	0.098196		
RESIDUALS	0	0.00000			
CORRECTED TOTAL	7	0.68737			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.04984	0.04984		
B	1	0.01992	0.01992		
C	1	0.51534	0.51534		
D	1	0.01532	0.01532		
E	1	0.05965	0.05965		
F	1	0.00879	0.00879		
G	1	0.01851	0.01851		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.04984	0.04984		
B	1	0.01992	0.01992		
C	1	0.51534	0.51534		
D	1	0.01532	0.01532		
E	1	0.05965	0.05965		
F	1	0.00879	0.00879		
G	1	0.01851	0.01851		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.04984	0.04984		
B	1	0.01992	0.01992		
C	1	0.51534	0.51534		
D	1	0.01532	0.01532		
E	1	0.05965	0.05965		
F	1	0.00879	0.00879		
G	1	0.01851	0.01851		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.74246			
A	0.07893			
B	-0.04990			
C	0.25381			
D	-0.04376			
E	0.08635			
F	0.03314			
G	-0.04810			

(187) MODEL

```
GLM(lns2 ~ A + B + C + D + E + F + G, tile) # OK
```

\$ANOVA

Response : lns2

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	12.305	1.7578		
RESIDUALS	0	0.000			
CORRECTED TOTAL	7	12.305			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1.6436	1.6436		
B	1	0.3109	0.3109		

C	1	7.1858	7.1858
D	1	2.3199	2.3199
E	1	0.0248	0.0248
F	1	0.7379	0.7379
G	1	0.0820	0.0820

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1.6436	1.6436		
B	1	0.3109	0.3109		
C	1	7.1858	7.1858		
D	1	2.3199	2.3199		
E	1	0.0248	0.0248		
F	1	0.7379	0.7379		
G	1	0.0820	0.0820		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1.6436	1.6436		
B	1	0.3109	0.3109		
C	1	7.1858	7.1858		
D	1	2.3199	2.3199		
E	1	0.0248	0.0248		
F	1	0.7379	0.7379		
G	1	0.0820	0.0820		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-2.62342			
A	0.45326			
B	-0.19715			
C	0.94775			
D	0.53851			
E	0.05564			
F	0.30372			
G	-0.10125			

10.9.2 p521

(188) MODEL

```
strng = reshape(tile,
  direction = "long",
  varying = list(c("y1", "y2")),
  v.names = "y",
  idvar = c("A", "B", "C", "D", "E", "F", "G"),
  timevar = "H",
```

```
times = c(-1, 1))
GLM(y ~ A/H + B/H + C/H + D/H + E/H + F/H + G/H, strng) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	14	1.65427	0.11816	0.1433	0.9807
RESIDUALS	1	0.82473	0.82473		
CORRECTED TOTAL	15	2.47901			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.09968	0.09968	0.1209	0.7870
A:H	1	0.04015	0.04015	0.0487	0.8618
B	1	0.03984	0.03984	0.0483	0.8623
H:B	1	0.00043	0.00043	0.0005	0.9854
C	1	1.03069	1.03069	1.2497	0.4646
H:C	1	0.15307	0.15307	0.1856	0.7410
D	1	0.03064	0.03064	0.0372	0.8788
H:D	1	0.04690	0.04690	0.0569	0.8510
E	1	0.11929	0.11929	0.1446	0.7686
H:E	1	0.01883	0.01883	0.0228	0.9045
F	1	0.01758	0.01758	0.0213	0.9077
H:F	1	0.01384	0.01384	0.0168	0.9180
G	1	0.03702	0.03702	0.0449	0.8671
H:G	1	0.00632	0.00632	0.0077	0.9444

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.09968	0.09968	0.1209	0.7870
A:H	1	0.04015	0.04015	0.0487	0.8618
B	1	0.03984	0.03984	0.0483	0.8623
H:B	1	0.00043	0.00043	0.0005	0.9854
C	1	1.03069	1.03069	1.2497	0.4646
H:C	1	0.15307	0.15307	0.1856	0.7410
D	1	0.03064	0.03064	0.0372	0.8788
H:D	1	0.04690	0.04690	0.0569	0.8510
E	1	0.11929	0.11929	0.1446	0.7686
H:E	1	0.01883	0.01883	0.0228	0.9045
F	1	0.01758	0.01758	0.0213	0.9077
H:F	1	0.01384	0.01384	0.0168	0.9180
G	1	0.03702	0.03702	0.0449	0.8671
H:G	1	0.00632	0.00632	0.0077	0.9444

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.09968	0.09968	0.1209	0.7870

```

A:H  1 0.04015 0.04015  0.0487 0.8618
B    1 0.03984 0.03984  0.0483 0.8623
H:B  1 0.00043 0.00043  0.0005 0.9854
C    1 1.03069 1.03069  1.2497 0.4646
H:C  1 0.15307 0.15307  0.1856 0.7410
D    1 0.03064 0.03064  0.0372 0.8788
H:D  1 0.04690 0.04690  0.0569 0.8510
E    1 0.11929 0.11929  0.1446 0.7686
H:E  1 0.01883 0.01883  0.0228 0.9045
F    1 0.01758 0.01758  0.0213 0.9077
H:F  1 0.01384 0.01384  0.0168 0.9180
G    1 0.03702 0.03702  0.0449 0.8671
H:G  1 0.00632 0.00632  0.0077 0.9444

```

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.74246	0.22704	3.2702	0.1889
A	0.07893	0.22704	0.3477	0.7870
A:H	0.05009	0.22704	0.2206	0.8618
B	-0.04990	0.22704	-0.2198	0.8623
H:B	0.00520	0.22704	0.0229	0.9854
C	0.25381	0.22704	1.1179	0.4646
H:C	0.09781	0.22704	0.4308	0.7410
D	-0.04376	0.22704	-0.1928	0.8788
H:D	0.05414	0.22704	0.2385	0.8510
E	0.08635	0.22704	0.3803	0.7686
H:E	0.03431	0.22704	0.1511	0.9045
F	0.03314	0.22704	0.1460	0.9077
H:F	0.02941	0.22704	0.1296	0.9180
G	-0.04810	0.22704	-0.2119	0.8671
H:G	0.01987	0.22704	0.0875	0.9444

10.9.3 p525

(189) MODEL

```

prod2 = af(prodstd, 1:7)
GLM(Pof ~ A + B + C + D + E + F + G + A:G + A:E:F + B:E:G + C:E:G + C:E:G:F +
      D:E + D:F, prod2) # OK

```

\$ANOVA

Response : Pof

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	47	769.49	16.3721	5.1667	2.737e-05 ***
RESIDUALS	24	76.05	3.1688		
CORRECTED TOTAL	71	845.54			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
A	2	50.577	25.288	7.9806	0.0022023	**
B	2	13.384	6.692	2.1118	0.1429491	
C	2	68.594	34.297	10.8234	0.0004463	***
D	2	23.674	11.837	3.7355	0.0386914	*
E	1	275.733	275.733	87.0165	1.878e-09	***
F	1	161.700	161.700	51.0296	2.204e-07	***
G	1	1.051	1.051	0.3318	0.5699896	
A:G	2	26.567	13.284	4.1921	0.0274494	*
A:E:F	7	28.404	4.058	1.2806	0.3013844	
B:E:G	7	22.453	3.208	1.0123	0.4475160	
C:E:G	6	35.546	5.924	1.8696	0.1277692	
C:E:F:G	10	24.607	2.461	0.7766	0.6500534	
D:E	2	21.745	10.873	3.4312	0.0489076	*
D:F	2	15.450	7.725	2.4379	0.1086730	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
A	2	50.577	25.288	7.9806	0.0022023	**
B	2	13.384	6.692	2.1118	0.1429491	
C	2	68.594	34.297	10.8234	0.0004463	***
D	2	23.674	11.837	3.7355	0.0386914	*
E	1	275.733	275.733	87.0165	1.878e-09	***
F	1	161.700	161.700	51.0296	2.204e-07	***
G	1	1.051	1.051	0.3318	0.5699896	
A:G	2	26.567	13.284	4.1921	0.0274494	*
A:E:F	6	24.623	4.104	1.2951	0.2970196	
B:E:G	6	19.770	3.295	1.0398	0.4246194	
C:E:G	6	35.546	5.924	1.8696	0.1277692	
C:E:F:G	10	24.607	2.461	0.7766	0.6500534	
D:E	2	21.745	10.873	3.4312	0.0489076	*
D:F	2	15.450	7.725	2.4379	0.1086730	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
A	2	50.577	25.288	7.9806	0.0022023	**
B	2	13.384	6.692	2.1118	0.1429491	
C	2	68.594	34.297	10.8234	0.0004463	***
D	2	23.674	11.837	3.7355	0.0386914	*

E	1	275.733	275.733	87.0165	1.878e-09	***
F	1	161.700	161.700	51.0296	2.204e-07	***
G	1	1.051	1.051	0.3318	0.5699896	
A:G	2	26.567	13.284	4.1921	0.0274494	*
A:E:F	6	24.623	4.104	1.2951	0.2970196	
B:E:G	6	19.770	3.295	1.0398	0.4246194	
C:E:G	6	35.546	5.924	1.8696	0.1277692	
C:E:F:G	10	24.607	2.461	0.7766	0.6500534	
D:E	2	21.745	10.873	3.4312	0.0489076	*
D:F	2	15.450	7.725	2.4379	0.1086730	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	23.9833	1.45344	16.5010	1.332e-14	***
A1	-4.1208	1.14905	-3.5863	0.001487	**
A2	-0.1792	1.14905	-0.1559	0.877395	
A3	0.0000	0.00000			
B1	-1.9500	1.02774	-1.8974	0.069875	.
B2	-0.3000	1.02774	-0.2919	0.772869	
B3	0.0000	0.00000			
C1	0.3000	1.45344	0.2064	0.838215	
C2	2.6333	1.45344	1.8118	0.082552	.
C3	0.0000	0.00000			
D1	1.6042	0.89005	1.8023	0.084067	.
D2	0.2958	0.89005	0.3324	0.742489	
D3	0.0000	0.00000			
E1	-4.2111	1.96797	-2.1398	0.042742	*
E2	0.0000	0.00000			
F1	-3.1556	1.78010	-1.7727	0.088975	.
F2	0.0000	0.00000			
G1	0.0889	1.78010	0.0499	0.960588	
G2	0.0000	0.00000			
A1:G1	2.9750	1.02774	2.8947	0.007959	**
A1:G2	0.0000	0.00000			
A2:G1	1.4250	1.02774	1.3865	0.178329	
A2:G2	0.0000	0.00000			
A3:G1	0.0000	0.00000			
A3:G2	0.0000	0.00000			
A1:E1:F1	2.2667	2.78313	0.8144	0.423407	
A1:E1:F2	2.6333	1.45344	1.8118	0.082552	.
A1:E2:F1	2.7833	1.45344	1.9150	0.067486	.
A1:E2:F2	0.0000	0.00000			
A2:E1:F1	1.9667	2.78313	0.7066	0.486596	
A2:E1:F2	1.3500	1.45344	0.9288	0.362226	
A2:E2:F1	-0.1000	1.45344	-0.0688	0.945717	
A2:E2:F2	0.0000	0.00000			

A3:E1:F1	1.6333	2.37346	0.6882	0.497948
A3:E1:F2	0.0000	0.00000		
A3:E2:F1	0.0000	0.00000		
A3:E2:F2	0.0000	0.00000		
B1:E1:G1	-1.6278	2.78313	-0.5849	0.564092
B1:E1:G2	2.3667	1.45344	1.6283	0.116516
B1:E2:G1	1.3000	1.45344	0.8944	0.379976
B1:E2:G2	0.0000	0.00000		
B2:E1:G1	-3.5611	2.78313	-1.2795	0.212941
B2:E1:G2	1.3500	1.45344	0.9288	0.362226
B2:E2:G1	1.8333	1.45344	1.2614	0.219298
B2:E2:G2	0.0000	0.00000		
B3:E1:G1	-3.1611	2.37346	-1.3319	0.195419
B3:E1:G2	0.0000	0.00000		
B3:E2:G1	0.0000	0.00000		
B3:E2:G2	0.0000	0.00000		
C1:E1:G1	-1.9333	2.05548	-0.9406	0.356294
C1:E1:G2	-2.9000	2.05548	-1.4109	0.171117
C1:E2:G1	-3.4333	2.05548	-1.6703	0.107846
C1:E2:G2	0.0000	0.00000		
C2:E1:G1	-2.4000	2.05548	-1.1676	0.254434
C2:E1:G2	-5.5667	2.05548	-2.7082	0.012273 *
C2:E2:G1	-4.3333	2.05548	-2.1082	0.045643 *
C2:E2:G2	0.0000	0.00000		
C3:E1:G1	0.0000	0.00000		
C3:E1:G2	0.0000	0.00000		
C3:E2:G1	0.0000	0.00000		
C3:E2:G2	0.0000	0.00000		
C1:E1:F1:G1	1.3000	2.05548	0.6325	0.533069
C1:E1:F1:G2	-1.7333	2.05548	-0.8433	0.407402
C1:E1:F2:G1	0.0000	0.00000		
C1:E1:F2:G2	0.0000	0.00000		
C1:E2:F1:G1	-1.5000	2.05548	-0.7298	0.472602
C1:E2:F1:G2	-0.1000	2.05548	-0.0487	0.961600
C1:E2:F2:G1	0.0000	0.00000		
C1:E2:F2:G2	0.0000	0.00000		
C2:E1:F1:G1	0.5667	2.05548	0.2757	0.785149
C2:E1:F1:G2	2.6333	2.05548	1.2811	0.212390
C2:E1:F2:G1	0.0000	0.00000		
C2:E1:F2:G2	0.0000	0.00000		
C2:E2:F1:G1	0.9667	2.05548	0.4703	0.642395
C2:E2:F1:G2	-1.5667	2.05548	-0.7622	0.453373
C2:E2:F2:G1	0.0000	0.00000		
C2:E2:F2:G2	0.0000	0.00000		
C3:E1:F1:G1	1.8000	2.05548	0.8757	0.389869
C3:E1:F1:G2	0.0000	0.00000		
C3:E1:F2:G1	0.0000	0.00000		
C3:E1:F2:G2	0.0000	0.00000		

```

C3:E2:F1:G1  -0.3333    2.05548 -0.1622  0.872531
C3:E2:F1:G2   0.0000    0.00000
C3:E2:F2:G1   0.0000    0.00000
C3:E2:F2:G2   0.0000    0.00000
D1:E1         -0.2583    1.02774 -0.2514  0.803675
D1:E2         0.0000    0.00000
D2:E1         2.1917    1.02774  2.1325  0.043397 *
D2:E2         0.0000    0.00000
D3:E1         0.0000    0.00000
D3:E2         0.0000    0.00000
D1:F1        -0.2417    1.02774 -0.2351  0.816092
D1:F2         0.0000    0.00000
D2:F1        -2.0750    1.02774 -2.0190  0.054793 .
D2:F2         0.0000    0.00000
D3:F1         0.0000    0.00000
D3:F2         0.0000    0.00000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.9.4 p532

(190) MODEL

```
GLM(torque ~ A + B + C + D + E + A:B + A:C + A:D + A:E, Smotor) # OK
```

\$ANOVA

Response : torque

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	15	0.0112217	0.00074811	102.2	0.009731 **
RESIDUALS	2	0.0000146	0.00000732		
CORRECTED TOTAL	17	0.0112363			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.0039545	0.0039545	540.2187	0.001846 **
B	2	0.0003817	0.0001909	26.0732	0.036937 *
C	2	0.0057241	0.0028620	390.9837	0.002551 **
D	2	0.0000265	0.0000133	1.8104	0.355820
E	1	0.0000984	0.0000984	13.4406	0.067009 .
A:B	2	0.0010068	0.0005034	68.7668	0.014333 *
A:C	2	0.0000031	0.0000016	0.2134	0.824110
A:D	2	0.0000009	0.0000004	0.0599	0.943521
A:E	1	0.0000258	0.0000258	3.5198	0.201458

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.0039545	0.0039545	540.2187	0.001846 **
B	2	0.0003817	0.0001909	26.0732	0.036937 *
C	2	0.0032014	0.0016007	218.6753	0.004552 **
D	2	0.0000268	0.0000134	1.8319	0.353123
E	1	0.0000423	0.0000423	5.7744	0.138172
A:B	2	0.0010068	0.0005034	68.7668	0.014333 *
A:C	2	0.0000031	0.0000016	0.2134	0.824110
A:D	2	0.0000052	0.0000026	0.3536	0.738760
A:E	1	0.0000258	0.0000258	3.5198	0.201458

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.0034241	0.0034241	467.7636	0.002131 **
B	2	0.0003817	0.0001909	26.0732	0.036937 *
C	2	0.0032014	0.0016007	218.6753	0.004552 **
D	2	0.0000268	0.0000134	1.8319	0.353123
E	1	0.0000423	0.0000423	5.7744	0.138172
A:B	2	0.0010068	0.0005034	68.7668	0.014333 *
A:C	2	0.0000031	0.0000016	0.2134	0.824110
A:D	2	0.0000052	0.0000026	0.3536	0.738760
A:E	1	0.0000258	0.0000258	3.5198	0.201458

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.289577	0.0034044	85.0589	0.0001382 ***
A1	-0.032740	0.0042779	-7.6533	0.0166477 *
A2	0.000000	0.0000000		
B1	-0.009206	0.0022091	-4.1673	0.0530418 .
B2	0.013405	0.0022091	6.0681	0.0260991 *
B3	0.000000	0.0000000		
C1	-0.040333	0.0030249	-13.3336	0.0055778 **
C2	-0.023615	0.0030249	-7.8068	0.0160147 *
C3	0.000000	0.0000000		
D1	0.004119	0.0030249	1.3617	0.3063965
D2	0.004196	0.0027056	1.5509	0.2610866
D3	0.000000	0.0000000		
E1	-0.001008	0.0027056	-0.3726	0.7452485
E2	0.000000	0.0000000		
A1:B1	0.029389	0.0031241	9.4070	0.0111124 *
A1:B2	-0.004253	0.0031241	-1.3612	0.3065165

```

A1:B3      0.000000  0.0000000
A2:B1      0.000000  0.0000000
A2:B2      0.000000  0.0000000
A2:B3      0.000000  0.0000000
A1:C1     -0.002699  0.0042779  -0.6310  0.5925465
A1:C2     -0.001250  0.0042779  -0.2923  0.7976178
A1:C3      0.000000  0.0000000
A2:C1      0.000000  0.0000000
A2:C2      0.000000  0.0000000
A2:C3      0.000000  0.0000000
A1:D1     -0.003579  0.0042779  -0.8367  0.4908121
A1:D2     -0.001141  0.0038262  -0.2983  0.7935889
A1:D3      0.000000  0.0000000
A2:D1      0.000000  0.0000000
A2:D2      0.000000  0.0000000
A2:D3      0.000000  0.0000000
A1:E1     -0.007178  0.0038262  -1.8761  0.2014578
A1:E2      0.000000  0.0000000
A2:E1      0.000000  0.0000000
A2:E2      0.000000  0.0000000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.9.5 p535

(191) MODEL

```

GLM(shrinkage ~ A + B + C + D + E + F + G + A:B + A:C + A:D + A:E + A:F + A:G +
      B:D, inject) # OK

```

\$ANOVA

Response : shrinkage

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	14	6659.4	475.67	129.08	1.97e-05 ***
RESIDUALS	5	18.4	3.68		
CORRECTED TOTAL	19	6677.8			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	770.1	770.1	208.9722	2.858e-05 ***
B	1	5076.6	5076.6	1377.6289	2.674e-07 ***
C	1	3.1	3.1	0.8311	0.403773
D	1	7.6	7.6	2.0522	0.211416
E	1	0.6	0.6	0.1526	0.712112

F	1	0.6	0.6	0.1526	0.712112	
G	1	95.1	95.1	25.7972	0.003837	**
A:B	1	564.1	564.1	153.0699	6.112e-05	***
A:C	1	10.6	10.6	2.8664	0.151230	
A:D	1	115.6	115.6	31.3602	0.002508	**
A:E	1	14.1	14.1	3.8161	0.108185	
A:F	1	1.6	1.6	0.4240	0.543677	
A:G	1	0.1	0.1	0.0170	0.901459	
B:D	1	0.1	0.1	0.0170	0.901459	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
A	1	770.1	770.1	208.9722	2.858e-05	***
B	1	5076.6	5076.6	1377.6289	2.674e-07	***
C	1	3.1	3.1	0.8311	0.403773	
D	1	7.6	7.6	2.0522	0.211416	
E	1	0.6	0.6	0.1526	0.712112	
F	1	0.6	0.6	0.1526	0.712112	
G	1	95.1	95.1	25.7972	0.003837	**
A:B	1	564.1	564.1	153.0699	6.112e-05	***
A:C	1	10.6	10.6	2.8664	0.151230	
A:D	1	115.6	115.6	31.3602	0.002508	**
A:E	1	14.1	14.1	3.8161	0.108185	
A:F	1	1.6	1.6	0.4240	0.543677	
A:G	1	0.1	0.1	0.0170	0.901459	
B:D	1	0.1	0.1	0.0170	0.901459	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
A	1	770.1	770.1	208.9722	2.858e-05	***
B	1	5076.6	5076.6	1377.6289	2.674e-07	***
C	1	3.1	3.1	0.8311	0.403773	
D	1	7.6	7.6	2.0522	0.211416	
E	1	0.6	0.6	0.1526	0.712112	
F	1	0.6	0.6	0.1526	0.712112	
G	1	95.1	95.1	25.7972	0.003837	**
A:B	1	564.1	564.1	153.0699	6.112e-05	***
A:C	1	10.6	10.6	2.8664	0.151230	
A:D	1	115.6	115.6	31.3602	0.002508	**
A:E	1	14.1	14.1	3.8161	0.108185	
A:F	1	1.6	1.6	0.4240	0.543677	
A:G	1	0.1	0.1	0.0170	0.901459	
B:D	1	0.1	0.1	0.0170	0.901459	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	27.1000	0.42924	63.1343	1.887e-08	***
A	6.9375	0.47991	14.4559	2.858e-05	***
B	17.8125	0.47991	37.1164	2.674e-07	***
C	-0.4375	0.47991	-0.9116	0.403773	
D	0.6875	0.47991	1.4326	0.211416	
E	0.1875	0.47991	0.3907	0.712112	
F	0.1875	0.47991	0.3907	0.712112	
G	-2.4375	0.47991	-5.0791	0.003837	**
A:B	5.9375	0.47991	12.3721	6.112e-05	***
A:C	-0.8125	0.47991	-1.6930	0.151230	
A:D	-2.6875	0.47991	-5.6000	0.002508	**
A:E	-0.9375	0.47991	-1.9535	0.108185	
A:F	0.3125	0.47991	0.6512	0.543677	
A:G	-0.0625	0.47991	-0.1302	0.901459	
B:D	-0.0625	0.47991	-0.1302	0.901459	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

10.9.6 p539

(192) MODEL

```
eptax = cbind(eptaxr[1:16,], y2=eptaxr[17:32,9], y3=eptaxr[33:48,9],
              y5=eptaxr[49:64,9])
eptax$ybar = (eptax$y + eptax$y2 + eptax$y3 + eptax$y5)/4
GLM(ybar ~ A + B + C + D + E + F + G + H + A:B + A:C + A:D + A:E + A:F + A:G +
     A:H, eptax) # OK
```

\$ANOVA

Response : ybar

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	15	2.8452	0.18968		
RESIDUALS	0	0.0000			
CORRECTED TOTAL	15	2.8452			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.02686	0.02686		
B	1	0.00042	0.00042		
C	1	0.06306	0.06306		
D	1	2.49443	2.49443		
E	1	0.00304	0.00304		

F	1	0.03209	0.03209
G	1	0.02954	0.02954
H	1	0.12879	0.12879
A:B	1	0.00047	0.00047
A:C	1	0.03218	0.03218
A:D	1	0.01185	0.01185
A:E	1	0.00380	0.00380
A:F	1	0.01674	0.01674
A:G	1	0.00186	0.00186
A:H	1	0.00012	0.00012

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.02686	0.02686		
B	1	0.00042	0.00042		
C	1	0.06306	0.06306		
D	1	2.49443	2.49443		
E	1	0.00304	0.00304		
F	1	0.03209	0.03209		
G	1	0.02954	0.02954		
H	1	0.12879	0.12879		
A:B	1	0.00047	0.00047		
A:C	1	0.03218	0.03218		
A:D	1	0.01185	0.01185		
A:E	1	0.00380	0.00380		
A:F	1	0.01674	0.01674		
A:G	1	0.00186	0.00186		
A:H	1	0.00012	0.00012		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.02686	0.02686		
B	1	0.00042	0.00042		
C	1	0.06306	0.06306		
D	1	2.49443	2.49443		
E	1	0.00304	0.00304		
F	1	0.03209	0.03209		
G	1	0.02954	0.02954		
H	1	0.12879	0.12879		
A:B	1	0.00047	0.00047		
A:C	1	0.03218	0.03218		
A:D	1	0.01185	0.01185		
A:E	1	0.00380	0.00380		
A:F	1	0.01674	0.01674		
A:G	1	0.00186	0.00186		
A:H	1	0.00012	0.00012		

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	14.3612			
A	-0.0410			
B	0.0051			
C	-0.0628			
D	-0.3948			
E	-0.0138			
F	0.0448			
G	-0.0430			
H	0.0897			
A:B	0.0054			
A:C	-0.0448			
A:D	0.0272			
A:E	0.0154			
A:F	0.0323			
A:G	-0.0108			
A:H	0.0028			

11 Searle - Linear Models 2e

Reference

- Searle SR, Gruber MHJ. Linear Models 2e, Kindle Edition. John Wiley & Sons Inc. 2016.

11.1 7.2 (p390, 59%)

(193) MODEL

```
weight = c(8,13,9,12,7,11,6,12,12,14,9,7,14,16,10,14,11,13)
treatment = c("ta","ta","ta","ta","ta","ta","tb","tb","tb","tb","tc","tc","tc",
              "tc","tc","tc","tc","tc")
variety = c("va","va","va","vc","vd","vd","va","va","vb","vb","vb","vb","vc",
            "vc","vd","vd","vd","vd")
d1 = data.frame(weight, treatment, variety)
GLM(weight ~ treatment*variety, d1)
```

\$ANOVA

Response : weight

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	82	11.714	2.0918	0.14
RESIDUALS	10	56	5.600		
CORRECTED TOTAL	17	138			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
treatment	2	10.500	5.250	0.9375	0.42348
variety	3	36.786	12.262	2.1896	0.15232
treatment:variety	2	34.714	17.357	3.0995	0.08965 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
treatment	2	9.486	4.7429	0.8469	0.45731
variety	3	36.786	12.2619	2.1896	0.15232
treatment:variety	2	34.714	17.3571	3.0995	0.08965 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
treatment	2	12.471	6.2353	1.1134	0.36595
variety	3	34.872	11.6240	2.0757	0.16719
treatment:variety	2	34.714	17.3571	3.0995	0.08965 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	12	1.1832	10.1419	1.397e-06	***
treatmentta	-3	2.0494	-1.4639	0.17395	
treatmenttb	5	2.3664	2.1129	0.06075	.
treatmenttc	0	0.0000			
varietyva	-8	3.1305	-2.5555	0.02859	*
varietyvb	-4	2.0494	-1.9518	0.07951	.
varietyvc	3	2.0494	1.4639	0.17395	
varietyvd	0	0.0000			
treatmentta:varietyva	9	3.8035	2.3662	0.03953	*
treatmentta:varietyvb	0	0.0000			
treatmentta:varietyvc	0	3.5496	0.0000	1.00000	
treatmentta:varietyvd	0	0.0000			
treatmenttb:varietyva	0	0.0000			
treatmenttb:varietyvb	0	0.0000			
treatmenttb:varietyvc	0	0.0000			
treatmenttb:varietyvd	0	0.0000			
treatmenttc:varietyva	0	0.0000			
treatmenttc:varietyvb	0	0.0000			
treatmenttc:varietyvc	0	0.0000			
treatmenttc:varietyvd	0	0.0000			

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(weight ~ treatment*variety, d1), type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

Response: weight

	Sum Sq	Df	F values	Pr(>F)
treatment	0.000	0		
variety	0.000	0		
treatment:variety	34.714	2	3.0995	0.08965 .
Residuals	56.000	10		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

11.2 7.2 (p393, 60%)

(194) MODEL

```
percent = c(31,33,44,36,38,26,37,59,42,42,34,42,28,39,36,32,38,42,36,22,42,46,
            26,37,43)
refinery = c(rep("g",9),rep("n",8),rep("s",8))
process = as.factor(c(1,1,1,1,1,1,2,2,2,1,1,1,1,2,2,2,2,1,1,1,2,2,2,2,2))
source0 = c("t","t","t","t","o","m","t","t","o","m","i","i","i","t","o","m","m",
            "t","o","i","o","o","m","i","i")
d2 = data.frame(percent, refinery, process, source=source0)
GLM(percent ~ refinery*source, d2)
```

\$ANOVA

Response : percent

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	10	442.56	44.256	0.6361	0.7616
RESIDUALS	14	974.00	69.571		
CORRECTED TOTAL	24	1416.56			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
refinery	2	20.963	10.481	0.1507	0.8615
source	3	266.124	88.708	1.2751	0.3212
refinery:source	5	155.474	31.095	0.4469	0.8086

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
refinery	2	25.535	12.767	0.1835	0.8343
source	3	266.124	88.708	1.2751	0.3212
refinery:source	5	155.474	31.095	0.4469	0.8086

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
refinery	2	10.766	5.383	0.0774	0.9259
source	3	282.633	94.211	1.3542	0.2972
refinery:source	5	155.474	31.095	0.4469	0.8086

\$Parameter

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	42.000	8.3409	5.0354	0.0001822 ***
refineryg	-2.000	9.0093	-0.2220	0.8275243
refineryn	-3.000	11.7959	-0.2543	0.8029412
refinerys	0.000	0.0000		
sourcei	-8.000	9.6313	-0.8306	0.4201255
sourcem	-16.000	11.7959	-1.3564	0.1964425
sourceo	-0.667	9.6313	-0.0692	0.9457944

```

sourcet          0.000      0.0000
refineryg:sourcei 0.000      0.0000
refineryg:sourcem 2.000     14.8428  0.1347  0.8947314
refineryg:sourceo 0.667     11.7959  0.0565  0.9557287
refineryg:sourcet 0.000      0.0000
refineryn:sourcei 3.667     13.6207  0.2692  0.7917042
refineryn:sourcem 14.333     15.2284  0.9412  0.3625491
refineryn:sourceo -2.333     15.2284 -0.1532  0.8804095
refineryn:sourcet 0.000      0.0000
refinerys:sourcei 0.000      0.0000
refinerys:sourcem 0.000      0.0000
refinerys:sourceo 0.000      0.0000
refinerys:sourcet 0.000      0.0000

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(percent ~ refinery*source, d2), type=3, singular.ok=TRUE) # NOT OK

```

Note: model has aliased coefficients
 sums of squares computed by model comparison

Anova Table (Type III tests)

```

Response: percent
          Sum Sq Df F values Pr(>F)
refinery      2.52  1  0.0362 0.8518
source     268.19  2  1.9275 0.1822
refinery:source 155.47  5  0.4469 0.8086
Residuals    974.00 14

```

12 Test Summary

Package	Version	Total Count	Identical to SAS	Different from SAS
sasLM	0.3.0	194	194 (100%)	0 (0%)
car	3.0.10	194	< 174 (90%)	>= 20 (10%)

All of the results in sasLM 0.3.0 were identical, while type III SSs of Model (83) and (84) were different from those of SAS in sasLM 0.1.2 package.

Slight differences in the last digits between type II and type III SS (when they should be same) are resulted from the round-to-even number way of R rounding function.

If you are uncertain about the equivalence of the 'sasLM' to 'SAS,' you can use 'SAS University Edition' for free.

If you find any discrepancies, please mail to the author, Kyun-Seop Bae k@acr.kr.

13 Session Information

R version 4.0.3 (2020-10-10)

Platform: x86_64-w64-mingw32/x64 (64-bit)

Running under: Windows 10 x64 (build 17763)

Matrix products: default

locale:

[1] LC_COLLATE=Korean_Korea.949 LC_CTYPE=Korean_Korea.949

[3] LC_MONETARY=Korean_Korea.949 LC_NUMERIC=C

[5] LC_TIME=Korean_Korea.949

attached base packages:

[1] stats graphics grDevices utils datasets methods base

other attached packages:

[1] daewr_1.2-5 car_3.0-10 carData_3.0-4 sasLM_0.3.0 rmarkdown_2.6

loaded via a namespace (and not attached):

[1] gmp_0.6-2	zip_2.1.1	Rcpp_1.0.5
[4] compiler_4.0.3	pillar_1.4.7	cellranger_1.1.0
[7] numbers_0.7-5	partitions_1.9-22	forcats_0.5.0
[10] tools_4.0.3	digest_0.6.27	evaluate_0.14
[13] lifecycle_0.2.0	tibble_3.0.4	lattice_0.20-41
[16] pkgconfig_2.0.3	rlang_0.4.10	igraph_1.2.6
[19] openxlsx_4.2.3	curl_4.3	yaml_2.2.1
[22] polynom_1.4-0	haven_2.3.1	xfun_0.20
[25] rio_0.5.16	stringr_1.4.0	knitr_1.30
[28] vctrs_0.3.6	hms_1.0.0	scatterplot3d_0.3-41
[31] combinat_0.0-8	lmtest_0.9-38	vcd_1.4-8
[34] grid_4.0.3	DoE.base_1.1-5	data.table_1.13.6
[37] readxl_1.3.1	conf.design_2.0.0	foreign_0.8-81
[40] FrF2_2.2-2	magrittr_2.0.1	sfsmisc_1.1-8
[43] ellipsis_0.3.1	htmltools_0.5.1	MASS_7.3-53
[46] abind_1.4-5	colorspace_2.0-0	tinytex_0.28
[49] stringi_1.5.3	crayon_1.3.4	zoo_1.8-8