

Package ‘AvatarTLA’

September 1, 2026

Type Package

Title Color Palettes from 'Avatar: The Last Airbender'

Version 0.1.0

Description Color palettes inspired by characters and nations from the animated series 'Avatar: The Last Airbender' for use in R graphics.

License MIT + file LICENSE

Encoding UTF-8

Imports graphics, grDevices

RoxygenNote 7.3.3

URL <https://github.com/Gerardo-Manzanarez-Villasana/AvatarTLA>

BugReports <https://github.com/Gerardo-Manzanarez-Villasana/AvatarTLA/issues>

Language en-US

NeedsCompilation no

Author Gerardo Manzanarez-Villasana [aut, cre]

Maintainer Gerardo Manzanarez-Villasana <jupiter.gmv@gmail.com>

Repository CRAN

Date/Publication 2026-09-01 14:00:29 UTC

Contents

AvatarTLA-package	2
avatar_palette	2
avatar_palettes	3
Index	4

AvatarTLA-package

AvatarTLA: Color Palettes Inspired by Avatar: The Last Airbender

Description

Color palettes inspired by characters and nations from the animated series Avatar: The Last Airbender for use in R graphics.

Details

Color palettes inspired by characters and nations from the animated series Avatar: The Last Airbender for use in R graphics.

Author(s)

Maintainer: Gerardo Manzanarez-Villasana <jupiter.gmv@gmail.com>

See Also

Useful links:

- <https://github.com/Gerardo-Manzanarez-Villasana/AvatarTLA>
- Report bugs at <https://github.com/Gerardo-Manzanarez-Villasana/AvatarTLA/issues>

avatar_palette

An Avatar: The Last Airbender palette generator

Description

Color palettes inspired by characters and nations from Avatar: The Last Airbender.

Usage

```
avatar_palette(name, n, type = c("discrete", "continuous"))
```

Arguments

name	Name of desired palette. Choices are: Mai, Suki, Iroh, FireNation, AirNomads, EarthKingdom, WaterTribe, Appa, Sokka, Toph, Azula, Aang, Zuko, Katara, Ty, Momo
n	Number of desired colors. If omitted, uses all colors from the palette.
type	Either "discrete" or "continuous". Use continuous if you want to automatically interpolate between colors.

Value

A vector of colors.

Examples

```
avatar_palette("Toph")  
avatar_palette("Aang", 3)  
avatar_palette("EarthKingdom", 30, type = "continuous")
```

avatar_palettes	<i>Complete list of Avatar palettes</i>
-----------------	---

Description

Use [avatar_palette](#) to construct palettes of desired length.

Usage

```
avatar_palettes
```

Format

An object of class `list` of length 16.

Index

- * **colors**

- avatar_palette, [2](#)

- * **datasets**

- avatar_palettes, [3](#)

avatar_palette, [2](#), [3](#)

avatar_palettes, [3](#)

AvatarTLA (AvatarTLA-package), [2](#)

AvatarTLA-package, [2](#)