

Package ‘bbssr’

June 18, 2025

Type Package

Title Blinded Sample Size Re-Estimation for Binary Endpoints

Version 1.0.2

Date 2025-06-14

Description Provides comprehensive tools for blinded sample size re-estimation (BSSR) in two-arm clinical trials with binary endpoints. Unlike traditional fixed-sample designs, BSSR allows adaptive sample size adjustments during trials while maintaining statistical integrity and study blinding. Implements five exact statistical tests: Pearson chi-squared, Fisher exact, Fisher mid-p, Z-pooled exact unconditional, and Boschloo exact unconditional tests. Supports restricted, unrestricted, and weighted BSSR approaches with exact Type I error control. Statistical methods based on Mehrotra et al. (2003) <[doi:10.1111/1541-0420.00051](https://doi.org/10.1111/1541-0420.00051)> and Kieser (2020) <[doi:10.1007/978-3-030-49528-2_21](https://doi.org/10.1007/978-3-030-49528-2_21)>.

License MIT + file LICENSE

URL <https://github.com/gosukehommaEX/bbssr>

BugReports <https://github.com/gosukehommaEX/bbssr/issues>

Depends R (>= 3.5.0)

Imports fpCompare, stats

Suggests testthat (>= 3.0.0), knitr, rmarkdown, dplyr, ggplot2, tibble, tidyr, Exact, exact2x2, microbenchmark

VignetteBuilder knitr

Encoding UTF-8

RoxygenNote 7.3.2

Config/testthat/edition 3

NeedsCompilation no

Author Gosuke Homma [aut, cre]

Maintainer Gosuke Homma <my.name.is.gosuke@gmail.com>

Repository CRAN

Date/Publication 2025-06-18 12:00:06 UTC

Contents

BinaryPower	2
BinaryPowerBSSR	3
BinaryRR	5
BinarySampleSize	7
Index	9

BinaryPower *Power Calculation for Two-Arm Trials with Binary Endpoints*

Description

Calculates power for two-arm trials with binary endpoints using exact statistical tests. The function supports five different one-sided tests and can handle vectors of probabilities.

Usage

```
BinaryPower(p1, p2, N1, N2, alpha, Test)
```

Arguments

p1	True probability of responders for group 1 (can be a vector with different values)
p2	True probability of responders for group 2 (can be a vector with different values)
N1	Sample size for group 1
N2	Sample size for group 2
alpha	One-sided level of significance
Test	Type of statistical test. Options: 'Chisq', 'Fisher', 'Fisher-midP', 'Z-pool', or 'Boschloo'

Details

The function supports the following five one-sided tests:

- The one-sided Pearson chi-squared test (Chisq)
- The Fisher exact test (Fisher)
- The Fisher mid-p test (Fisher-midP)
- The Z-pooled exact unconditional test (Z-pool)
- The Boschloo exact unconditional test (Boschloo)

The power calculation is based on the exact distribution of the test statistic under the specified alternative hypothesis.

Value

A numeric value or vector of power values. If vectors are provided for p1 and p2, a vector of powers corresponding to each combination will be returned.

Author(s)

Gosuke Homma (<my.name.is.gosuke@gmail.com>)

Examples

```
# Simple power calculation with fast Chi-squared test
power1 <- BinaryPower(p1 = 0.5, p2 = 0.2, N1 = 5, N2 = 5,
                      alpha = 0.025, Test = 'Chisq')
print(power1)

# More computationally intensive examples
# Single power calculation with larger sample size
power2 <- BinaryPower(p1 = 0.5, p2 = 0.2, N1 = 10, N2 = 40,
                      alpha = 0.025, Test = 'Boschloo')
print(power2)

# Multiple power calculations
p1_vec <- c(0.5, 0.6, 0.7, 0.8)
p2_vec <- c(0.2, 0.2, 0.2, 0.2)
powers <- BinaryPower(p1 = p1_vec, p2 = p2_vec, N1 = 10, N2 = 40,
                      alpha = 0.025, Test = 'Fisher')
print(powers)
```

BinaryPowerBSSR

*Power Calculation for Two-Arm Trials with Binary Endpoints Using
Blinded Sample Size Re-estimation (BSSR)*

Description

Calculates the power for two-arm trials with binary endpoints when blinded sample size re-estimation (BSSR) is implemented. The function supports five different statistical tests and allows for both restricted and unrestricted designs with optional weighted approaches.

Usage

```
BinaryPowerBSSR(  
  asmd.p1,  
  asmd.p2,  
  p,  
  Delta.A,  
  Delta.T,  
  N1,  
  N2,  
  omega,  
  r,
```

```

alpha,
tar.power,
Test,
restricted,
weighted
)

```

Arguments

asmd.p1	Assumed proportion of responders for group 1
asmd.p2	Assumed proportion of responders for group 2
p	Vector of pooled proportions of responders from both groups (can specify multiple values)
Delta.A	Assumed treatment effect (risk difference)
Delta.T	True treatment effect (risk difference)
N1	Initial sample size of group 1
N2	Initial sample size of group 2
omega	Fraction of sample size used for interim analysis (i.e., for BSSR)
r	Allocation ratio to group 1
alpha	One-sided level of significance
tar.power	Target power
Test	Type of statistical test. Options: 'Chisq', 'Fisher', 'Fisher-midP', 'Z-pool', or 'Boschloo'
restricted	Logical. If TRUE, restricted design is chosen
weighted	Logical. If TRUE, weighted approach is chosen

Details

The function supports the following five one-sided tests:

- The one-sided Pearson chi-squared test (Chisq)
- The Fisher exact test (Fisher)
- The Fisher mid-p test (Fisher-midP)
- The Z-pooled exact unconditional test (Z-pool)
- The Boschloo exact unconditional test (Boschloo)

Value

A data frame containing:

- p1** True probability of responders for group 1
- p2** True probability of responders for group 2
- p** True probability of pooled responders from both groups
- power.BSSR** Power for BSSR design
- power.TRAD** Power for traditional design

Author(s)

Gosuke Homma (<my.name.is.gosuke@gmail.com>)

Examples

```
# Simple BSSR calculation with fast Chi-squared test
result1 <- BinaryPowerBSSR(
  asmd.p1 = 0.6, asmd.p2 = 0.3,
  p = 0.45,
  Delta.A = 0.3, Delta.T = 0.3,
  N1 = 5, N2 = 5, omega = 0.5, r = 1,
  alpha = 0.025, tar.power = 0.8,
  Test = 'Chisq',
  restricted = FALSE, weighted = FALSE
)
print(result1)
```

```
# More computationally intensive BSSR examples
result2 <- BinaryPowerBSSR(
  asmd.p1 = 0.45,
  asmd.p2 = 0.09,
  p = seq(0.14, 0.23, by = 0.01),
  Delta.A = 0.36,
  Delta.T = 0.36,
  N1 = 24,
  N2 = 24,
  omega = 0.5,
  r = 1,
  alpha = 0.025,
  tar.power = 0.8,
  Test = 'Z-pool',
  restricted = FALSE,
  weighted = TRUE
)
print(result2)
```

BinaryRR

Rejection Region for Two-Arm Trials with Binary Endpoints

Description

Provides a rejection region (RR) for two-arm trials with binary endpoints using various exact statistical tests. The function supports five different one-sided tests.

Usage

BinaryRR(N1, N2, alpha, Test)

Arguments

N1	Sample size for group 1
N2	Sample size for group 2
alpha	One-sided level of significance
Test	Type of statistical test. Options: 'Chisq', 'Fisher', 'Fisher-midP', 'Z-pool', or 'Boschloo'

Details

The function supports the following five one-sided tests:

- The one-sided Pearson chi-squared test (Chisq)
- The Fisher exact test (Fisher)
- The Fisher mid-p test (Fisher-midP)
- The Z-pooled exact unconditional test (Z-pool)
- The Boschloo exact unconditional test (Boschloo)

Value

A logical matrix representing the rejection region (RR). Matrix dimensions are $(N1+1) \times (N2+1)$, where TRUE indicates rejection of the null hypothesis.

Author(s)

Gosuke Homma (<my.name.is.gosuke@gmail.com>)

Examples

```
# Simple example with small sample sizes (runs quickly)
N1 <- 5
N2 <- 5
alpha <- 0.025
Test <- 'Chisq'
RR <- BinaryRR(N1, N2, alpha, Test)
print(dim(RR)) # Should be (6, 6)

# More computationally intensive example
N1 <- 20
N2 <- 10
alpha <- 0.025
Test <- 'Boschloo'
RR <- BinaryRR(N1, N2, alpha, Test)
print(RR)
```

Description

Calculates the required sample size for two-arm trials with binary endpoints using various exact statistical tests. The function supports five different one-sided tests.

Usage

```
BinarySampleSize(p1, p2, r, alpha, tar.power, Test)
```

Arguments

p1	True probability of responders for group 1
p2	True probability of responders for group 2
r	Allocation ratio to group 1 (i.e., allocation ratio of group 1:group 2 = r:1, r > 0)
alpha	One-sided level of significance
tar.power	Target power
Test	Type of statistical test. Options: 'Chisq', 'Fisher', 'Fisher-midP', 'Z-pool', or 'Boschloo'

Details

The function supports the following five one-sided tests:

- The one-sided Pearson chi-squared test (Chisq)
- The Fisher exact test (Fisher)
- The Fisher mid-p test (Fisher-midP)
- The Z-pooled exact unconditional test (Z-pool)
- The Boschloo exact unconditional test (Boschloo)

The calculation uses a three-step approach:

1. Calculate initial sample size using normal approximation for chi-squared test
2. Perform power calculation with the initial sample size
3. Use grid search algorithm to find the optimal sample size

Value

A data frame containing:

p1 True probability of responders for group 1

p2 True probability of responders for group 2

r Allocation ratio to group 1

alpha One-sided level of significance

tar.power Target power

Test Name of the statistical test

Power Calculated power

N1 Required sample size of group 1

N2 Required sample size of group 2

N Total required sample size

Author(s)

Gosuke Homma (<my.name.is.gosuke@gmail.com>)

Examples

```
# Simple sample size calculation with fast Chi-squared test
result1 <- BinarySampleSize(p1 = 0.4, p2 = 0.2, r = 1, alpha = 0.025,
                           tar.power = 0.8, Test = 'Chisq')
print(result1)

# More computationally intensive examples
# Sample size for Fisher exact test
result2 <- BinarySampleSize(p1 = 0.5, p2 = 0.2, r = 2, alpha = 0.025,
                           tar.power = 0.9, Test = 'Fisher')
print(result2)

# Sample size for Boschloo test
result3 <- BinarySampleSize(p1 = 0.6, p2 = 0.3, r = 1, alpha = 0.025,
                           tar.power = 0.8, Test = 'Boschloo')
print(result3)
```


Index

BinaryPower, [2](#)

BinaryPowerBSSR, [3](#)

BinaryRR, [5](#)

BinarySampleSize, [7](#)